3927

JACOBI PETIVERI

OPERA,

HISTORIAM NATURALEM

SPECTANTIA.

CONTAINING

Several 1000 FIGURES on 152 Copper-Plates, for *Ray*'s Hiſtory and Synopſis of *Engliſh* Herbs and Plants; *American* Plants and Ferns; *Eaſt-India* Spice Trees and Gums; *Egyptian* Trees, Shells, Birds, Beaſts, Flies, Animals and Vegetables, Corals, Foſſils, Funguſſes, &c. from all Parts, with *Latin* and *Engliſh* Names.

VOL. II.

N. B. *About* 100 *of theſe Plates were never publiſhed before.*

LONDON:

Printed for JOHN MILLAN, near *Whitehall.* MDCCLXIV. Price 6*l.* 6*s.*

Where may be had (lately publiſh'd) Price 1*l.* 5*s.*
Dillenius's General Hiſtory of Land and Water, &c. Moſſes and Corals, containing all the known Species, exhibited by about 1000 Figures, on 85 large Royal 4to Copper Plates, their Names, Places of Growth and Seaſons, in Engliſh, their Names in Latin referring to each Figure.

CONTENTS.

VOL. I.

Plates.		Sheets printed Cat.
156	Gazoph. about 3000 Figures of various Kinds.	
22	Above 400 Aquat. Amboinæ, and Eaſt-India Shells, &c. - - -	2
2	Rudiments of Botany - - - - - - - - - - - -	½

VOL. II.

82	Ray's Eng. Herbal and Cat. - - - - - - - - - -	
	Plants engraved - - - - - - - - - - - - -	½
7	Hortus Peruv. &c. or South-Sea Herbal. - - - - - - -	1
1	Directions for Collectors - - - - - - - - - - -	½
5 / 2	Plantæ { Italiæ, &c. 80 / Egyptæ 33 - - - - - - - - - - -	½ / ½
23	Petri-graphia Americana, 500 Ferns, Corals, Sponges, Muſhreoms	
6	Papilionum Brit. about 100 Engliſh Butterflies. - - - - - -	½
	Monſpelii Plant. 460 Plants. - - - - - - - - - -	1
	Plantæ { Sileſiacæ / Etruriæ } rariorum { 142 / 539 - - - - - - - - - -	½ / ½
	Catalogus Claſſicus & Topicus - - - - - - - - - -	8
	Cat. Collectania Petiveriana of 1080 Articles. - - - - - -	3
	Gramin, &c. Brit. Concordia, about 400 Eng. Funguſs's, Moſſes, &c.	3
	Hortus Siccus Chirurgicus et Pharmaceuticus. - - - - - -	8

VOL. III.

4	{ Muſei / Gazophilacium } 8vo - - - - - - - - - - -	12
309		

N. B. *The laſt Set in the Trade, were ſold for* 20 *l.*

Errata in Contents

Let Line 12. in Vol. 2 be Line 1. in Vol. 1

A Catalogue of Mr Rays English Herbal

Illustrated with FIGURES *on Folio Copper* PLATES. *On which are* Engraven *Their* NAMES *to each, as also the* Places *where* Growing, *Colour of their* Flowers *and* Time *of* Flouriſhing, *if* Annual *or* Perennial, *Common* or *Rare. The* Flower, Seed, Veſsell &c. Figured *from y^e* Life & *added to each* Different *Kind*,

By JAMES PETIVER Fellow *of y^e* Royall Society

LONDON.

SECT. I. *ENGLISH HERBS* with *Staminеous, Threddy* or *Blink* *FLOWERS.*

TAB. I. *Fig.* 1. Male *Hops.* ☉. Flowers *in* July *KENT &c.*
2 Female *Hops.* ☉. ✱ Ripe *beginning of* Sep.^r
3 Male *Hemp.* ●. Sow'n *in* Fields. *Fl.* July.
4 Female *Hemp.* ●.✱ *Seeds in* Aug.^t
5 Male *Dog's Mercury.* ☉. *Fl.* March. *woods & hedges.*
6 Female *Dog's Mercury.* ☉. Seeds *Apr. LOND.*
7 Male *French Mercury.* ●. Gardens *Wild.*
8 Female *French Mercury.* ●.✱. Iune &c.
9 Great *Nettle.* ☉.✱L. Iuly *Ditches & Dunghills* Com.
10 Small *Nettle.* ●. L. Com. *Rubbiſh* Iun. &c.
11 Roman *Nettle.* ●. Rare. *Iune.*
12 Small *Burdock.* ●. L. Rare. *by Roads.*
TAB. II. 1. *Great* Water *Dock.* ☉.✱.L. *by ſlow Rivulets* Iul.
2 *Curl'd* Sharp *Dock.* ☉ L Wet *ground.*
3 *Smooth* Sharp *Dock.* ☉. ✱. L. Com. *Waſt & Wet g.^d* Iul.
4 *Small* ſharp *Dock.* ☉. L. *Wet Ditches.* Y.
5 *Blood* vein'd *Dock.* ☉. L Paths. *Plow'd g.^d* Y.
6 Bloodleſs *Dock.* ☉. L. *Hedges.* Y.
7 Gold *Dock.* ◒. L. *Slow Waters.* Y.
8 Bur Gold *Dock.* ◒. L *Slow Waters.* Y.
9 Broad *Dock.* ☉. L. Com. *Waſt g.^d out Houſes.* Y.
10 Fiddle *Dock.* ☉. L. *Waſt Fields.* Y.
11 *Buck-wheat.* ●.✱. L. Sown *in Fields.* Y. &c *White.*
12 Trailing *Buck-wheat.* ●. L. Corn & *Sowed g.^d* Y pale.
TAB. III. 1 Common *Sorrel.* ☉.✱. L. *Meadows.* Iune.
2 Sheep's *Sorrel.* ☉. L. *Sandy ſoil.* May.
3 Barren Sheep's Sorrel. ☉. L. *Sand.* May.
4 Welsh *Sorrel.* ☉. In *Rills* on *Rocks.* May. &c.
5 Common *Arſmart.* ●.✱. L. *Wet Ditches.* Aug.
6 Creeping *Arſmart.* ●. L. *Moiſt Meads* &c Aug.
7 Spotted *Arſmart.* ●. L. Corn & *Wet g.^d* Aug. *Fleſh.*
8 Spotted hoary *Arſmart.* ●. L *Rare* Aug.
9 Silver *Arſmart.* ●. L. *Corn* Iul.
10 White branched *Arſmart.* ●. L. *Rare.*
11 Bobarts *Arſmart.* ☉. L. Sand. *Corn* &c Iul. *Pale.*
12 Amphibious Arſmart. ☉. L. *Fig.* A. *Land* B. *Water.*
TAB. IV. 1 Common *Plantain.* ☉✱L. In *Paths* Iun *to* Aug.
2 Dented *Plantain.* ☉. L. In *Paths.*
3 Hoary *Plantain.* ☉. L. Sandy *Paths* May &c.
4 Roſe and ſpiked *Plantain.* ☉. Rare.
5 Beſom *Plantain.* ☉. Rare.
6 Common *Ribwort.* ☉.✱. Paſtures. *Com.* May &c.
7 Mountain *Ribwort.* ☉. Wales &c.
8 Childing *Ribwort.* ☉. Rare.
9 Sea *Plantain.* ☉. L. *Salt Marshes*
10 Bucks-horn *Plantain.* ☉.✱. *Sand & Sea ſhore.* Iul.
11 Great *Burnet.* ☉.+ *Moiſt Meads.*
12 Small *Burnet.* ☉.✱ *Chalk-hills* Iun.
TAB. V. 1 Common *Biſtort.* ☉.✱. L. *Moiſt Meads.* Y. *pale.*
2 Small *Biſtort.* ☉. North. *pale*
3 Welſh *Biſtort.* ☉. Rare
4 Broad *Pondweed.* ☉. L. *Boggs & Ponds.*
5 Long *Pondweed.* ☉. L. *Thames.*
6 Round *Pondweed.* ☉. L. *Slow Rivers.*
7 Heart *Pondweed.* ☉. *Slow Waters.*
8 Plain *Pondweed.* ☉. L. *Rivulets.*
9 Curl'd *Pondweed.* ☉. L. *Rivulets.*
10 Broad Graſs *Pondweed.* ☉. Slow *waters.*
11 Narrow Graſs *Pondweed.* ☉. Brooks *Iuly.*
12 Fine Graſs *Pondweed.* ☉. Rivers.
13 Fennel *Pondweed.* ☉. Brooks.
TAB. VI. 1 Taſſel *Pondweed.* ☉. Salt *Rivulets.*
2 Horned *Pondweed.* ☉. L. *Shallow Ponds.* Iul.
3 Water *Starwort.* ☉. L. *Wet Ditches.*
4 *Long* Water *Starwort.* ☉. L. *Ponds & Ditches.*
5 Feather *Pondweed.* ☉. L. *Rivulets.*
6 Fine Feather *Pondweed.* ☉. Slow *Waters.*
7 Millfoil *Pondweed.* ☉. Low *waters.*
8 Knotted *Pondweed* *Water Ditches.*
9 Golden *Saxifrage.* ☉. L. *Shady bogs.* Apr. *Yellowiſh.*
10 Long Golden *Saxifrage.* ☉. *With y^e* Com.
11 Cornwal *Pennywort.* ☉. Rare.
12 Marſh *Pennywort.* ☉. L. *Bogs & Rills.* Iul. &c.
TAB. VII. 1 Delt *Orrach.* ●. L. *Gardens, Dunghills.* &c Aug.
2 Delt Sea *Orrach.* ●. L. *Sea Shores.* Y. &c.
3 Froſty Sea *Orrach.* ●. *Sea Shores. ESSEX.* &c Y. &c.
4 Jagged long *Orrach.* ●. L. *Sea Marshes* &c Aug.
5 Spear *Orrach.* ●. L. Com *Dunghills.* Aug.
6 Graſs Sea *Orrach* ● *Sea ſide.*
7 *Sea Purſlain.* ☉. Salt *Marſhes.* Y.
8 Heart *Sea Purſlain.* ☉, Rare, *Sea coasts.*
9 Small Garden *Blite.* . Old *Gardens.* Aug.
10 All ſeed *Blite.* ●. L. *Gardens. Hop-ground* &c.
11 Stinking *Orrach.* ●.✱. L. *Dunghills* &c Y & A.
12 Wild *Spinage.* ☉.✱. L. *Waſt g.^d* Apr. &c.
TAB. VIII. 1 *Rands* Oak *Blite.* ●. L. *Rubiſh.* Iul. &c.
2 Froſt *Blite.* ●. L *Waſt Dung* &c. Com. Iul. &c.
3 *Buddle's* Fig *Blite.* ●. L. *Rubiſh* Iul. &c.
4 *Buddle's* round *Blite.* ●. L. *Rubiſh. Waſt.* &c. Iul. &c.
5 *Thick* ſhining *Blite.* ●. L *Waſt Dung* &c Aug.
6 *Sharp* pointed *Blite.* ●. L. *Rubiſh Dung.* Aug.
7 Maple *Blite.* ●. L. *Rare Dung* Iul.
8 Broad pointed *Blite.* ●. L. Com. *Rubiſh* &c.
9 Sea *Beet.* ☉. *Salt Marshes.*
10 Wall *Pellitory.* ☉.✱. L. *Walls & Ruins.* Iul. &c.
11 Tree *Stonecrop.* ☉. Sea *Shores.* Aug.
12 Shrub *Stonecrop.* ☉. Salt *Marshes.* Aug.
TAB. IX. 1 Small *Glaſswort.* . Salt *Marshes.* Com.
2 Prickly *Glaſswort.* ● *Sea shores.* Aug.
3 Joynted *Glaſswort.* *Sea ſide.* Com. ●
4 Woody jointed *Glaſswort.* ☉. *Shepey Iſle.* &c.
5 Baſtard *Toad-flax.* ☉. *Chalk hills.* Iul. &c.
6 Upright *Knawell.* ● L. *Sandy gr.^d* Iul. &c.
7 Spreading *Knawell.* ● L. *Corn* &c Iul. &c.
8 *Pepper Graſs.* L. *Shallow Ponds.* Iul. &c.
9 *Ladies Mantle.* ☉.✱. *Hilly ground* &c.
10 Small *Ladies Mantle.* ☉. Rare.
11 Silver *Ladies Mantle.* ☉. Rare. *North* Mount.^r
12 *Parſly Piert.* ✱. L. *Corn & Gravell.* Iun. &c.
TAB. X. 1 Common *Knotgraſs.* ●.✱. L. *Waſt gr.^d Paths.* &c Com. *Aug.*
2 Thick ſet *Knotgraſs.* ●. L. *Rubiſh* Aug. &c.
3 Short leaved *Knotgraſs.* ●. L. *Waſt gr.^d* Aug.
4 Narrow *Knotgraſs.* ●. L. *Corn* &c.
5 Sea *Knotgraſs.* ☉. *Sandy Sea ſhores.*
6 Newton's *Knotgraſs.* . *On* Seavern *Shore.*

7 Whorld *Knotgrass*. ●. *Marshes*. CORNWALL.
8 Valentia *Knotgrass*. . Sea *coast*. Rare.
9 Smooth *Rupture-wort*. ●. ✶. CORNWALL.
10 Hoary *Rupture-wort*. Rare.
11 *Sea Heath*. . Salt *marshes*. Iul. &c. *Blush*.
12 *Blinks*. ●. H. *Bogs*. *Corn*. White.

SECT. II. *PLANTS with* Lettuce, Daſie, *and Naked* FLOWERS. *THISTLES* &c.

TAB. XI. *Fig*. 1 *Comon* Mouſe-ear. ☉. ✶. L. *Dry Pastures*. I & Y. *Yell*.
2 *Welſh* Mouſe-ear. . *Yellow*.
3 *Narrow* Mouſe-ear. L. *Yell*.
4 *Broad* Mouſe-ear. ☉. *Heaths*.
5 *Narrow ſmooth* Mouſe-ear. ☉. WALES. *Yell*.
6 *Pluckenett's* Mouſe-ear. ☉. *Yell*.
7 *Comon* Dandelion. ☉. ✶. L. *Paſtures* &c. Com. *Yell*. all Sumer.
8 *Narrow* Dandelion. ☉. L. *Brick walls* &c. Yell.
9 *Comon rough* Dandelion. ☉. L. *Meads* &c. May. *Yell*.
10 *Sandy rough* Dandelion. ☉. *Dry banks*. Yell.
11 *Rough branched* Dandelion. ☉. ✶. L. *Paſtures* &c. Com. I. Y & A *Yel*.
12 *Smooth branched* Dandelion. ●. *Yell*.
TAB. XII. 1 *Comon* Hawk-bit. ☉. L. *Paſtures*. Y & A. *Yell*.
2 *Jagged* Hawk-bit. ☉. L. *Paſtures*. Iul. &c. *Yell*.
3 *Small jagged* Hawk-bit. ☉. L. *Yell*.
4 *Dandelion* Hawk-bit. ●. L. *Yell*.
5 *Buddle's* Hawk-beard. ☉. L. Y & A. *Yell*.
6 *Comon* Hawk-beard. ●. L. *Paſtures*. Y & A. *Yell*.
7 *Succory* Hawk-beard. L. *Paſtures*. Y & A. *Yell*.
8 *Caſtor* Hawk-weed. ●. L. *Chalk pits*. &c. I. Y & A. *Yell*.
9 *Small Succory* Hawk-weed. L. *Yell*. ◒
10 *Tall Succory* Hawk-weed. ◒. KENT. Y & A. *Yell*.
11 *Curl'd* Hawk-weed. ◒. L. *Field ſides*. Yell.
12 *Ox-tongue* Hawk-weed. ◒. L. *Ditch-banks*. Y & A. *Yell*.
TAB. XIII. 1 *Broad* Hawk-lung. ☉. *Rare*. Yell.
2 *Round* Hawk-lung. ☉. *Rare*. Yell.
3 *Broad dented* Hawk-lung. ☉. *Rare*. Yell.
4 *French* Hawk-lung. ☉. ✶. L. *Old Walls*. *Woods*. &c. I & Y. *Yell*.
5 *Narrow* Hawk-lung. . *Rare*. Yell.
6 *Welſh hoary* Hawk-lung. ☉. *Rocks*. Yell.
7 *Broad hairy* Hawk-lung. ☉. H. Y & A. *Yell*.
8 *Long hairy* Hawk-lung. ☉. H. Y & A. *Yell*.
9 *Broad ſmooth* Hawk-lung. ☉. *Rare*. WESTMERL. *Yell*.
10 *Narrow hairy* Hawk-lung. ☉. H. *Woods*. Yell.
11 *Narrow ſmooth* Hawk-lung. ☉. H. *Woods*. Yell.
12 *Graſs* Hawk-lung. ☉. *Sandhills*. Yell.
TAB. XIV. 1 *Round leav'd* Sowthiſtle. ●. L. *Corn*. Yell. *Iun*.
2 *Broad* Sowthiſtle. ●. *Gard*. *Dungh*. I & Y. *Yell*.
3 *Narrow* Sowthiſtle. ●. *Rare*. Yell.
4 *Prickle dented* Sowthiſtle. ●. L. *Banks* &c. Yell. *I & Y*.
5 *Prickle jagged* Sowthiſtle. ●. ✶. L. *Banks* &c. Yell. *I & Y*.
6 *Corn* Sowthiſtle. ☉. ✶. L. *Banks*. *Corn*. Y & A. *Yell*.
7 *Tall Marſh* Sowthiſtle. ☉. L. *River-banks*. Aug. *Yell*.
8 *Smooth broad* Sowthiſtle. ●. L. *Hedges*. &c.
9 *Smooth jagged* Sowthiſtle. ●. ✶. L. *Gardens* &c. I. Y & c. *Yell*.
10 *Buddle's jagged* Sowthiſtle. ●. L. *Gardens*. I. Y & A. *Yell*.
11 *Wild* Succory. ☉. ✶. L. *Iul*. & *Aug*. Field paths. *Blue*.
12 Nipple-Wort. ●. ✶. L. *Gard*. *Tilled gr*.ᵈ I. Y & A. *Yell*.
TAB. XV. 1 *Broad* Lettuce. ●. L. *Field banks*. Y & A. *Yell*.
2 *Cutt* Lettuce. ●. L. *Ditch banks*. I. Y & c. *Yell*.
3 *Jagged* Lettuce. ●. ✶. *Stoney hedges Gard* &c. Y & A. *Yell*.
4 *Small jagged* Lettuce. ●. L. I & Y. *Ditch banks*. Yell.
5 *Ivy* Lettuce. ☉. H. *Walls*. *Shady banks*. Y & A. *Yell*.
6 *Narrow* Goats-beard. ●. L. *Meads*. I. Y & c. *Yell*.
7 *Comon* Goats-beard. ●. ✶. H. *Meads*. I. Y & c. *Yell*.
8 *Purple* Goats-beard. ●. *Rare*. Gardens.
9 *Small* Swines *Succory*. ●. L. *Sand*. *Corn*. Iul & c. *Yell*.
10 *Comon* Carline. ●. L. *Iul* & c. *Dry paſtures*. & *Heath*. *Yell*.ᵃᵇ
11 Butter-burr. ☉. ✶. L. *River ſides*. &c.
12 *Ivy* Flower. *Apr*. & *May*. Fleſh.
TAB. XVI. 1 Elecampane. ☉. ✶. *Moiſt Meads* &c. I & Y *Yell*.
2 *Comon* Fleabane. ☉. ✶. L. *Rills Ditches*. Y & A. *Yell*.
3 *Small* Fleabane. ●. L. *Dry Ponds*. Y & A. *Yell*.
4 *Blew* Fleabane. ☉. L. *Dry Paſtures*. Y & A. *Purpliſh*.
5 *Marſh* Fleabane. ●. *Fens* &c. Iun & Y. *Yell*.
6 *Jagged* Fleabane. ●. *Fens* &c. Iun & Y. *Yell*.
7 *Bobart's* Golden-rod. ☉. *River ſides*. Rare. Y & A. *Yell*.
8 *Marſh* Golden-rod. ☉. ELY *Fens* &c. *Yell*.
9 *Narrow* Golden-rod. ☉. *Rare*. Yell.
10 *Comon* Golden-rod. ☉. ✶. H. *Woods*. *Heaths*. Y & A. *Yell*.
11 *Welſh* Golden-rod. ☉. *Mount*. Yell.
12 *White* Golden-rod. ●. *Card*. *Walls*. Aug. *Pale*.
TAB. XVII. 1 *Comon* Ragwort. ☉. ✶. *Paſtures* &c. Com. Y. A &c. *Yell*.
2 *Marſh* Ragwort. ☉. *Wet gr*.ᵈ *Meads*. Y & A. *Yell*.
3 *Groundſell* Ragwort. ☉. H. *Hedges*. *Fields*. Aug. *Yell*.
4 *Cambridge* Ragwort. ☉. *Heaths*. &c. Iun. *Yell*.
5 *Comon* Groundſell. ●. ✶. L. *Tilld gr*.ᵈ *Waſt* &c. Com. *Feb*. to *Nov*.
6 *Cotton* Groundſell. ●. H. *Sandy Soil*. I. Y & c. *Yell*.
7 Colts-foot. ☉. ✶ L. *Rills*. *Wet gr*.ᵈ
8 *Itſ* Flower. *March* & *Apr*. Yell.
9 *Golden* Samphire. ☉. *Sea Coaſt*. Yell.
10 *Great Sea* Starwort. ☉. ✶. L. *Salt Marſhes*. Y & A. *Rediſh*.
11 *Small Sea* Starwort. ☉. L. *Salt Marſhes*. Y & A. *Rediſh*.
12 *Naked Sea* Starwort. ☉. *Salt Marſhes*. BRISTOLL. &c. *Yell*.
TAB. XVIII. 1 *Montpelier* Fleabane. ☉. ✶. L. *Dry Hills*. *Banks*. Y & A.
2 *Hemp* Agrimony. ☉. ✶. L. *River ſides*. Y & A. *Fleſh*.
3 *American* Live-long. ☉. *Rare*. Y & A. *White*.
4 Cats-foot. ☉. *Mount*. *Heaths*. Wh. & Fleſh.
5 *Jerſey* Live-long. ●. *Banks*. *Walls*. Rare. *Pale*.
6 *Engliſh* Live-long. ◒. H. *Broom* & *Sand fields*. Y & A.
7 *Long* Cudweed. ●. L. *Dry Ponds* & c. Com. *Blackiſh*.
8 *German* Cudweed. . *Sandy ground* &c.
9 *Childing* Cudweed. ●. ✶. L. *Paths*. *dry ponds*. Y & A. *Pale*.
10 *Low Childing* Cudweed. ●. *Barren gr*.ᵈ Y & A. *Pale*.
11 *Leaſt* Cudweed. ●. H. *Sand Heaths*. *Corn*. Y & A. *Pale*.
12 *Graſs* Cudweed. ●. *Corn Sandy gr*.ᵈ Pale.
TAB. XIX. 1 *Great* Daſie. ☉. ✶. L. *Field ſides*. &c. I & Y. Wh.
2 *Comon* Daſie. ☉. ✶. L. *All Meads* &c. Apr. to Aug. Wh.
3 Sneezewort. ☉. ✶. H. *Wet ground*. Y & A. *Wh*.
4 Yarrow. ☉. ✶. L. *All Paſtures*. *Com*. I. Y & c. Wh. & Bluſh.
5 Feverfew. ☉. ✶. L. *Waſt Hedges*. Y & A. *Wh*.
6 *Corn* Marygold. ●. L. *Corn*. Y & A. *Yell*.
7 *Yellow* Ox-eye. ☉. ✶. *River ſides*. Rare. Y & A. *Yell*.
8 *White* Ox-eye. ◒. L. *Meads* &c. May &c. *Wh*.
9 *Bitter* Camomile. ●. L. *Tilld gr*.ᵈ Wh.
10 *Sweet* Camomile. ☉. ✶. L. *Wet Comons*. Aug. &c. *Wh*.
11 *Stinking* Camomile. ●. ✶. L. *Waſt* & *Tilld gr*.ᵈ Y & A. *Wh*.
12 May-weed. ●. ✶. L. *Waſt Fields*. Y & A. *Wh*.
TAB. XX. 1 *Comon* Wormwood. ☉. ✶. L. *Waſt gr*.ᵈ A &c. Yellᵈ.
2 *Engliſh Sea* Wormwood. ☉. ✶. *Salt Marſhes*. Aug &c. *Yell*.ᵈ
3 *French Sea* Wormwood. ☉. ✶. *Salt Marſhes*. Aug &c. *Yell*.ᵈ
4 *Wild* Southernwood. ☉. *Way ſides*. Rare. Y & A.
5 Mugwort. ☉. ✶. L. *Field ſides*. *Hedges*. I. Y & A. *Whiteiſh*.
6 *Burr* Marygold. ●. ✶. L. *By Ponds* &c. A & Sepᵗ. *Yell*.
7 *Triſid Burr* Marygold. ●. L. *By Ponds* &c. A & Sepᵗ. *Yell*.
8 *Sea* Cottonweed. ☉. *Sandy Shores*. Rare. *Yell*.
9 Tanſey. ☉. ✶. L. *Field banks* &c. Aug. &c. *Yell*.
10 *Curl'd* Tanſey. ☉. *Gardens*. Aug. &c. *Yell*.
11 Agrimony. ☉. ✶. L. *Hedges*. *Field ſides*. Y & A. *Yell*.
12 Enchanters weed. ☉. L. *Shady Woods* &c. Y & A. *Wh*.ᵈ
TAB. XXI. 1 *Muſk* Thiſtle. ◒. L. *Flinty*. *barren gr*.ᵈ Y & A. *Red*.
2 *Welted* Thiſtle. ◒. L. *Waſt Ditches*. Y & A. *Red*.
3 *Gray* Thiſtle. ◒. L. *Waſt banks*. I & Y. *Blush*.
4 *Marſh* Thiſtle. ◒. H. *Wet gr*.ᵈ *Bogs*. Y. A &c. Red.
5 *Comon* Thiſtle. ☉. ✶. L. *Paths*. *Fields*. &c. Com. Y & A. *Red*.
6 *Dwarf* Thiſtle. ☉. L. *Stoney dry hills* Y & A. *Red*.
7 *Spear* Thiſtle. ◒. L. *Waſt Banks* &c. I. Y & c. Red.
8 *Fryers* Thiſtle. ◒. *Hills* & *Plains*. Rare. I. Y & c. *Red*.
9 *Milk* Thiſtle. ◒. ✶. L. *Banks*. *Field ſides*. Y & A. *Red*.
10 *Cotton* Thiſtle. ◒. ✶. L. *Paths*. *Banks* &c. Y & A. Red. *Com*.
11 *Star* Thiſtle. ◒. ✶. L. *Waſt Paths* &c. Aug &c. *Red*.
12 *Yellow* Thiſtle. ●. *By Hedges* &c. Rare. Y & A. *Yell*.
TAB. XXII. 1 *Peckam* Thiſtle. ☉. L. *Wet Meads* &c. Y & A. *Red*.
2 *Northern* Thiſtle. ☉. *Mountains*. Rare. Y & A. *Red*.
3 Saf Flower. ●. ✶. *Sowed*. Y & A &c. *Saffron*.
4 Blue Bottle. ●. ✶. L. *Corn* Iul & c *Blue*
5 *Broad* Saw-wort. ☉. H. *Woods*. Y & A. *Red*.
6 *Comon* Saw-wort. ☉. H. *Woods*. Y & A. *Red*.
7 Matfellon. ☉. L. *Corn* &c. Y & c. Red.
8 *Comon* Knapweed. ☉. L. *Paſtures* &c. Com. I. Y & c. *Red*.
9 *Jagged* Knapweed. ☉. L. *Paſtures* &c. I. Y & c. *Red*.
10 *Comon* Scabious. ☉. ✶. L. *Corn* &c. I. Y & c. Fleſh.

11 *Field* Scabious. ⊙. *Dry hilly gr.d Aug.t Flesh.* L.
12 Devills-bit. ⊙. ✱. *Woody Pastures. Aug. Blew.* H.

TAB. XXIII. 1 Burdock. ◒. ✱. L. Y & A. *Com. Redish.*
2 *Rose* Burdock. ◒. L. Y. & *Aug.*
3 *Small-headed* Burdock. ◒. L. Y & A. *Com. Rubish.*
4 *Small woolly* Burdock. ◒. L. Y & A. *Com. Wast gr.d*
5 *Great woolly* Burdock. ◒. L. Y & A. *Com. Hedge Paths.*
6 *Cobweb* Burdock. ◒. *Mont.* Y & A.
7 *Manured* Teasel. ●. ϒ. Sowen. Y & *Aug.* Flesh.
8 *Wild* Teasel. ●. ϒ. L. *Wet ditches.* Y. &c. Flesh.
9 *Small* Teasel ●. L. *near Waters.* Y & A. White.
10 *Sea* Eringo. ⊖. ✱ *Sandy Shores.* Y & A. Pale.
11 *Comon* Eringo. ⊙. *Rare.* Aug.t *White.*h
12 Sanicle. ⊙. ✱ H. *Woods & Hedges.* May. &c. *White.*

SECT. III. Umbelliferous *PLANTS*, Star-foils. &c.

TAB. XXIV. 1 Cow-Parsnep. ◒. L. *Moist gr.d* Ium. &c. *White.*
2 *Jagged* Cow-Parsnep. ◒. *Meads.* Ium. &c. *White.*
3 *Garden* Parsnep. ●. *Sown.* Iul. &c. *White.* ✱.
4 *Wild* Parsnep. ◒. L. *Iul.* &c. Yellh
5 *Great* Hartwort. ◒. *Rare.* Y & A. *White.*
6 *Small* Hartwort. ◒. L. *Rare.* Y & A. *Flesh.*
7 *Hogs* Fennel. ⊙. ✱ *Salt Marshes.* Y. &c. Yellh
8 Sampire. ⊙. *Sea Rocks.* Aug. *Yellh*
9 Angelica. ◒. ✱ Gardens. &c. Y & A. *White.*
10 *Water* Angelica. ●. H. *Wet places.* Y & A. White.
11 Coriander. ●. ✱. Sown. *White.*
12 Alexanders. ⊙. ✱. *Sea Rocks.* I & Y.

TAB. XXV. 1 Venus Comb. ●. L. *Corn.* May. &c. *White.*
2 Cow-weed. ⊙. L. *Hedges. Orchards.* May. &c. *Wh.*
3 *Wild* Chervil. ●. L. Hedges Com. *Iul.* &c. *Wh.*
4 Spignel. ⊙. ✱. *WALES* &c. *Iul* & *A. White.*
5 *Water* Dropwort. ⊙. L. Wet Meads. &c. *White.*
6 *Small Water* Dropwort. ⊙. L. Shall. Ponds &c. *White.*
7 *Hemlock* Dropwort. ⊙. L. River banks. *Iul* &c. *Wh.*
8 *Narrow* Dropwort. ⊙. *Rare.* Ium. &c. *White.*
9 Earthnut. ⊙. H. *Sandy gr.d* Ium. &c. *White.*
10 Goutweed. ⊙. ϒ. *Gardens & Hedges.* White.
11 *Bastard* Stone Parsley. ●. L. *Moist Ditches.* Y & A. *Wh.*
12 Hone wort. ●. ϒ. L. *Clay & Corn.* Aug. *White.*

TAB. XXVI. 1 *Broad* water Parsnep. ⊙. L. *Rivers.* Iul. &c. *Wh.*
2 *Narrow* water Parsnep. ⊙. L. *Brooks.* Y & A. *Wh.*
3 *Creeping* water Parsnep. ⊙. L. *Brooks.* Ium. &c. *Wh.*
4 *Least* water Parsnep. ⊙. L. *Weedy Ponds.* May &c. *Wh.*
5 *Great broad* Saxifrage. ⊙. ✱. *By Woods.* Iul &c. *Wh.*
6 *Great Cut* Saxifrage. ⊙. *By Woods.* Iul &c. *Wh.*
7 *Small broad* Saxifrage. ⊙. L. ✱. *Sandy gr.d*
8 *Small Cut* Saxifrage. ⊙. L. *Sandy gr.d*
9 *Cornwall* Saxifrage. ⊙. *Rare.*
10 Carawaies. ◒. ✱ *Marsh Meads.* Ium &c. *Flesh.*
11 *Scotch* Parsley. ⊙. *Sea Rocks. Wh.*
12 Smallage. ●. ✱. L. *Sea Marshes. & Ditches.* Aug. *Wh.*

TAB. XXVII. 1 *Comon* Fennel. ⊙. ✱. *Sea cliffs, banks.* Aug. *Yellh*
2 *Rock* Parsley. ●. *Rare* White.
3 *Mountain* Stone Parsley. *Rare* Wh.
4 *Comon* Carrot. ◒. ✱. L. *Sown.* White.
5 *Wild* Carrot. ◒. ✱. L. *Lean gr.d* Iul &c. *Wh.*
6 *Broad* Bur-Parsley. ●. *Corn.* Iul &c *Redish.*
7 *Broad jagged* Bur-Parsley. ●. *Corn.* Y & A. *Redish.*
8 *Fine-leaved* Bur-Parsley. ●. L. *Rare.* Corn. *Blush.*
9 Rough Pursley. ●. L. *Thickets, Hedges.* Y &c *Blush.*
10 *Corn* Rough Parsley. ●. L. *Corn.* Y &c *Wh.*
11 *Knotted* Rough Parsley. ●. L. *Field banks.* Wh.
12 *Fine* Rough Parsley. ●. L. C. *Wast banks.* May &c. *Wh.*

TAB. XXVIII. 1 *Great water* Hemlock. ⊙. *Brooks* &c. Y & A. *Wh.*
2 *Comon* Hemlock. ◒. ✱ L. *Com.* Iul &c. *Wh.*
3 *Lesser* Hemlock. ●. L. *Gard.* & *Corn.* Iul &c *Wh.*
4 *Water* Hemlock. ⊙. L. *Mud ponds.* Iul &c. *Wh.*
5 *Meadow* Saxifrage. ⊙. ✱. H. *Meads.* Iul &c. *Yellh*
6 *Prickley* Sampire. ⊙. *Sandy Sea Sh.* Wh.
7 *Least* Hares-ear. ●. *Rare.* Iul &c. *Yellh*
8 Thorow-wax. ●. L. *Corn.* Ium &c. *Yellh*
9 *Comon* Borage. ●. ✱. *Gardens* &c. Blue.
10 *Small wild* Bugloss. ●. †. L. *Corn* &c. May &c. *Blue.*
11 *Great* Hounds-tongue. ◒. ✱. L. *Wast* &c. Ium. *Purple.*
12 *Green* Hounds-tongue. ◒. L. *Shady Roads.* I & Y. *Purp.*

TAB. XXIX. 1 *Vipers* Bugloss. ◒. L. *Barren pl. Com.* Y. *Purp.*
2 *Small Vipers* Bugloss. ◒. *Corn & Sand.* Iul &c. *Purp.*
3 *Sea* Bugloss. ●. *Sea Shores.* Blue.
4 *Long* Bugloss-Cowslips ⊙. *Rare.* Purplish.
5 Comfry. ⊙. ✱ L. *River banks.* May &c. *Wh* or *Purplish.*
6 *Blew* Gromill. ⊙. *Wales* &c Blue.
7 *Shop* Gromill. ⊙. ✱ L. *Dry pl. Paths* &c. Ium &c. *Pale.*
8 *Bastard* Gromill. ●. L. *Corn. Wast* &c. May &c. *Wh.*
9 *Water* Scorpion-grass. ⊙. L. *Mud Ponds.* Ium &c. *Blue* & *Yell.*
10 *Field* Scorpion-grass. ●. L. *Fallow gr.d* May &c. *Bl.* & *Yell.*
11 *Small* Scorpion-grass. ●. L. *Sand-banks. Walls.* May &c. *Bl.* & *Ye.*
12 *German* Madder. ●. *Rare.* Purplish.

TAB. XXX. 1 Cross-wort. *or* Mugweed. ⊙. ✱. L. *Wood hedges.* May &c. *Yel.*
2 *Garden* Madder. ⊙. ✱. *Tilled.* Ium &c. *Pale.*
3 *Wild* Madder. ⊙. *Rare.* Ium &c. *Yellh*
4 *Great Smooth* Madder. ⊙. L. *Hedges* &c. I & Y. *White.*
5 *Small Smooth* Madder. ⊙. L. *By Ponds.* Ium &c. *Wh.*
6 Ray.s *Small* Madder. . H. *Heaths* &c. Iul &c. *Wh.*
7 *Crosswort* Madder. . *NORTH. White.*
8 *Yellow* Bedstraw. ⊙. ✱ L. *Dry Sunny pl.* Yell.
9 Woodruff. ⊙. ✱. H. *Woods.* May &c. *Wh.*
10 *Blew Field* Madder. ●. L. *Corn.* Purplish.
11 Cleavers *or* Goose-grass. ●. ✱. L. *Hedges.* Com. *Wh.*
12 Squinancy-wort. ⊙. L. *Chalk-hills.* Iul &c. *Flesh.*

SECT. IV. Verticillate *or* Whirl *PLANTS.* &c

TAB. XXXI. 1 *Comon* Mother *of* Thyme. ⊙. ✱. L. *Dry gr.s* Y & c. Pur.
2 *Large flowred* Mother *of* Thyme. ⊙. *Dry hills.* Y & c. Purp.
3 *Upright broad* Thyme. ⊙. *Rare.* Aug. *Purp.*
4 Lemon Thyme. ⊙. ✱. *Hilly gr.s* Ium &c. *Purp.*
5 *Water Whirl*-Mint. ⊙. L. *By Ponds.* Y & c. Redish.
6 *Comon Water* Mint. ⊙. L. *Wet ditches. Rills.*
7 *Red* Mint. ⊙. ✱. *Iul* &c. Redish.
8 *Cross Whirl*-Mint. ⊙. *Iul* &c. Redish.
9 Essex *Pepper* Mint. ⊙. *Aug.* Redish.
10 Eales *Pepper* Mint. ⊙. ✱. *Aug.* Redish.
11 *Long* Horse-Mint. ⊙. *Aug.* Pale. *By Brooks.*
12 *Round* Horse-Mint. ⊙. *River sides.* Aug. *Pale.*

TAB. XXXII. 1 Nep *or* Cat-Mint. ⊙. ✱. L. *Iun* &c. *Hedges.* Flesh.
2 Penny-Royal, *or Pudding grass.* ⊙. ✱. L. *Wet Ponds.* Aug.
3 *White* Horehound. ⊙. ✱. L. *By Ways. Wast gr.s* Iul &c. *Wh.*
4 *Stinking* Horehound. ⊙. ✱. L. *Hedges.* Com. Y & A. *Purp.*
5 *Water* Horehound. ⊙. L. *Brook sides* &c Y & c. Wh.
6 *Wood* Bitony. ⊙. ✱. H. *Woods* &c. Ium &c. *Redish.*
7 Hedge Nettle. ⊙. L. *Hedges* &c. May &c. *Purp.*
8 *English* Clary. ◒. ϒ. L. *Stone & Gravel.* Y & A. *Blue.*
9 *Great Wild* Basil. ⊙. L. *Thickets* &c. Y & A. *Purp.*
10 *Small Wild* Basil. ●. L. *Dry Chalk hills* &c. Ium &c. *Purp.*
11 *Comon* Self-heal. ⊙. ✱. L. *Pastures* &c. I & A. *Purp.*
12 *Base* Horehound. ◒. *Hills. Paths.* Ium &c. *Purp.*

TAB. XXXIII. 1 *Ground Ivy, or* Ale hoof. ⊙. ✱. L. C. *Hedges.* Blue. *Apr.*
2 *Red* Arch-Angel. ●. ✱. L. *Com. Hedges* &c. Apr. May &c. *Red.*
3 *Red cut leav.d* Arch-Angel. ●. L. *Gard.* & *Corn.* May. *Red.*
4 *Great* Henbitt. ●. L. *Fields & Gardens.* Purp.
5 *White* Arch-Angel. ⊙. ✱. L. C. *Hedges* &c. Apr &c. *Wh.*
6 *Yellow* Arch-Angel. ⊙. H. *Shady Hedges. Woods.* May &c. *Yell.*
7 *Bastard* Balm. ⊙. *Woods. Rare. Redish.*
8 *Purple* Nettle-Hemp. ●. H. *Corn* &c. Y & Aug. *Purp.*
9 *Clowns* All Heal. ●. ϒ. L. *By Brooks* &c. Iul &c. *Purp.*
10 *Yellow* Ironwort. ⊙. *Corn. Rare. Jul.* Yell.
11 *Narrow* Ironwort. ●. L. *Corn.* Iuly. *Red.*
12 *Round* Ironwort. ●. L. *Corn.* I & Y. *Redish.*

TAB. XXXIV. 1 *Comon* Calamint. ⊙. ✱. L. *Paths & Hedges.* I & Y. *Fish.*
2 *Field* Calamint. ⊙. ϒ. L. *Paths. Hedges* &c. Y & A. *Flesh.*
3 *Comon* Bugle. ⊙. ✱. L. *Woods. Wet Meads.* May &c. *Blue.*
4 *Mountain* Bugle. ⊙. *Rare. WALES. Blew.*
5 Motherwort. ⊙. ✱. *Wast Gardens.* Y & A. *Purp.*
6 Scordium. ⊙. ✱. *Fens. Rare. Purp.*
7 *Wood* Sage. ⊙. ϒ. H. *Woods.* Y & A. *Pale.*
8 *Wild* Marjoram. ⊙. ✱. *Hedges. Thickets.* Blush Y & A.
9 Ground-Pine. ●. ✱. *Corn* &c. I & Y.
10 Hood-Mint. ⊙. L. *River sides.* Iul &c. *Blue.*
11 *Small* Hood-Mint. ⊙. H. *Bogs.* Aug. *Blush.*
12 Vervain. ⊙. ✱. L. *Paths. Walks.* Y & A. *Flesh.*

TAB. XXXV. 1 *Small* Toad-Flax. ●. L. *Corn* &c. I & Y. *Blush.*
2 *Small* Snap-Dragon. ●. L. *Corn* &c. I & Y. *Redish.*
3 *Pointed* Fluellin. ●. L. *Corn* &c. Yell. & Purp. I & Y.
4 *Round* Fluellin. ●. L. ✱. *Corn* &c. Yell. & Purp. I & Y.
5 *Comon* Toad-Flax. ⊙. ✱. L. *Barren fields.* Aug. *Yell.*
6 *Blewish sweet* Toad-Flax. ⊙. *Hedges.* Rare. Y & A.
7 Butterwort. ⊙. *Bogs* &c. I & Y. *Blewish.*
8 *Purple* Foxglove. ⊙. ✱. H. *Warrens* &c. Y & Aug.
9 *Brown* Fig-wort. ⊙. ✱. L. *Thickets* &c. Y & A. *Red.*
10 *Water* Fig-wort. ⊙. ϒ. L. *Water sides.* I & Y. *Red.*
11 *Sage* Fig-wort. ⊙. *Rare.*
12 *Comon Henbane.* ◒. ✱. L. *Wast Rubish* &c. I & Y. *Pale.*

TAB. XXXVI. 1 *Quick in hand. Touch me not.* ●. *Rare.* Y & A. *Yell.*
2 *Yellow* Rattle. ●. L. *Pastures.* Ium &c.
3 *Tall Red* Rattle. ●. L. *Marshes* &c. Iul. *Red.*
4 *Comon Red* Rattle. ●. H. *Wet Heaths* &c. Ium. Y & A.
5 *Comon* Eye-bright. ●. ✱. L. *Pastures* &c. Y. to Oct. *White.*
6 *Yellow Marsh* Eye-bright. ●. *Rare.*
7 *Red* Eye-bright. ●. H. *Corn. Wet gr.s* I & Y.
8 *Orton Red* Eye-bright. . *Rare.*
9 *Comon* Cow-wheat. ●. H. *Woods* &c. I & Y.
10 *Crested* Cow-wheat. ●. *Woods* &c. Purp & Yell.
11 *Great* Bladder-snout. ⊙. L. *Bogs & Fens.* Yell.
12 *Small* Bladder-snout. ⊙. *Rare. Moors* &c. *Yell.*

TAB. XXXVII. 1 *Purple* Violet. ⊙. ✱. L. *Gardens* &c. March.
2 *Double* Violet. ⊙. *Rare.* Gardens &c.
3 *White* Violet. ⊙. . . *Hedges* &c.
4 *Dogs* Violet. ⊙. H. *Woods* &c. Apr. &c.
5 *Bog* Violet. ⊙. *March* &c.
6 *Yellow Rock* Violet. ⊙. *WALES* &c. I & Y.
7 *Hairy Wood* Violet. ⊙. *Wood sides.*
8 *Garden* Pansie. ◒. ϒ. *Corn* &c. I & Y. *Mixt.*

9 *Corn* Pansie. ●.L. *Corn &c.* I & Y. *Yell & Purple.*
10 *Great Yellow* Pansie ☉. *WALES. high Bogs.* May &c.
11 *Base* Dyers-weed. ●. *Chalky gr.d* Iul & *c. Pale.*
12 *Comon* Dyers-weed. ●.L.*r. Walls &c.* Y & Aug: *Yellish*

SECT. V. Bur & Starheaded *PLANTS.*

TAB. XXXVII. 1 Pilewort. ☉.*.L. *Wet Meads &c.* M & Apr. *Yell.*
2 *Sweet Wood* Crowfoot ☉.H. *Woods.* Apr. *Yell.*
3 *Upright Meadow* Crowfoot. ☉.L. *Meads.* Com. *May &c.* Yell.
4 *Bulbous* Crowfoot. ☉.L. *Meads &c Com.* M & Ium. *Yell.*
5 *Pale upright* Crowfoot. ●.L. *Dry Ponds.* May &c. *Yell.*
6 Doody. 4 *trifid* Crowfoot ●.L. *Banks &c.* May. *Yell.*
7 *Creeping* Crowfoot. *or Buttercups* ☉. *Wet Meads.* Com. *May.*
8 *Thames* Crowfoot ☉.L. *River sides.* Com. *May &c.* Yell.
9 Ray. 5 *Hairy* Crowfoot ●.L. *Ditch banks.* May. *Yell.*
10 *Corn* Crowfoot. ●.L. *Corn.* May &c. *Yell.*
11 *Smalage* Crowfoot ●.L. *Pond &c* Com. M.I.Y.A. *Yell.*
12 *Ivy* Crowfoot. H. *Shallow waters.* May &c. *White.*

TAB. XXXIX. 1 *Water* Crowfoot, *with various leaves* ☉.L. *Wh.*
2 *Fine Water* Crowfoot ☉.L. *May &c.* White.
3 *Fine Trimed Water* Crowfoot. ☉.L. *Muddy Pond.* May &c. *Wh.*
4 *Fennel Water* Crowfoot. ☉. *Pond &c.* M.I.Y. *Wh.*
5 *Great* Spear-wort. ☉.L. *Fens &c* I & Y. *Yell.*
6 *Small* Spear-wort. ☉.L. *Wet Mead &c.* I.Y.A. *Yell.*
7 Mouse Tail. ●.L. *Corn. Wet gr.d &c.* A & May. *Yellish*
8 Adonis *Flower. Red Maithes.* ●. *Corn.* Ium. &c.
9 *Comon* Mallow. ☉.*.L. *Ditches &c.* M.I.Y.A. *Purp.*
10 *Dwarf* Mallow. ☉. *Sandy Wast gr.d* Y & A. *Flesh.*
11 *Marsh* Mallow. ☉.*. *Salt Marshes.* I.Y. &c. *Flesh.*
12 *Vervaine* Mallow. ☉.L. *Field &c.* Y.A. *Purplish.*

TAB. XL. 1 Avens, *Herb* Bennet. ☉.*.L. *Woods, Hedges.* Yell.
2 *Great flowred* Avens. ☉. *Rare.* May &c. *Yell.*
3 *Mountain* Avens. ☉. *WALES &c. Radish.* May &c.
4 *Childing* Avens. ☉. *Rare.* M & I. *Radish.*
5 *Cinquefoil* Avens. ☉. *SCOTLAND. Rare.* Yell.
6 *Germander* Avens. ☉. *IRISH. Mount.r* Wh.
7 *Comon* Strawberry. ☉.*.L. *Woods.* May &c. *Wh.*
8 *Barren* Strawberry. ☉.H. *Banks &c.* Apr. *Wh.*
9 *Wood* Anemony. ☉.H. M & Apr. *Blush.*
10 Pasque *Flower*. ☉. *Heath &c.* M & I. *Purple.*
11 Travellers Joy. ☉.L. *Wood Hedges.* Aug to Dec. *Wh.*
12 *Plain* Travellers Joy. ☉.L. *Same &c.*

TAB. XLI. 1 *Comon Marsh* Cinquefoil. ☉. *Bogs.* Purp.
2 Irish *Marsh* Cinquefoil. *Bogs.* Rare.
3 *Comon* Cinquefoil. ☉.*.L. *Banks &c* Y & A. *Yell.*
4 *Small rough* Cinquefoil. ☉. *YORKSHIRE. Yell.*
5 *Tormentil* Cinquefoil. ☉.L. *Sandy gr.d* Ium. &c. *Yell.*
6 *Upright Welsh* Cinquefoil. ☉. *Mount.r* Yell.
7 *Scotch* Cinquefoil. ☉. *Woods.* Rare. *Yell.*
8 *Shrub* Cinquefoil. ☉. *YORK-SH &c.* I & Y. *Yell.*
9 Tormentil, Septfoyl. ☉.*.H. *Heaths. Woods.* Y &c. Yell.
10 *Plots Tormentil.* ☉. Corn &c. Y & A. *Yell.*
11 Silver *weed. wild* Tansey. ☉.*.L. *Dry Ponds &c.* Y & A. *Yell.*
12 Moscatel. ☉.L. *Shades &c.* Mar & Apr. *Greenish.*

TAB. XLII. 1 Orpine, *or* Live-long. ☉.*.L. *Shaday Hedges.* I & Y.
2 Rose-Root. ☉.*. *Mount.r* Rare. I & Y. *Radish.*
3 Navel-wort. ☉.*. *Old Walls. Rocks.* Y & A. *Pale.*
4 Houseleek. ☉.*.L. *On Houses &c.* I.Y.A. *Blush.*
5 *Comon Yellow* Sengreen. ☉.L. *Houses. Walls.* I & Y. *Yell.*
6 *Crooked Yellow* Sengreen. ☉. *Walls &c.* I & Y. *Yell.*
7 *Purple marsh* Sengreen. ●. *Moist Rocks. NORTH.*
8 *Bristol* Sengreen. ☉. *Rocks.* Rare. Y & A. *Yell.*
9 Stonecrop, *or Wall Pepper.* ☉. *Houses. Walls.* Ium. *Yell.*
10 *Mild white* Stonecrop. ☉. *Rocks.* Apr &c. *Blush.*
11 *Green* Bares-foot. ☉. *CAMBR. & SUSSEX.* Apr. *Green.*
12 Setterwort. ☉. *Hedges.* Rare. *Febr. &c.* Greenish.

TAB. XLIII. 1 *Marsh* Marygold. ☉.L. *Wet Meads.* Apr &c. *Yell.*
2 *Globe* Crowfoot. ☉. *Hilly Meads. NORTH. Yell.*
3 *Water* Gladiole. ☉. *Muddy Rill &c.* I & Y. *Flesh.*
4 Columbines. ☉.*. *Woods &c.* Blue.
5 Star *water* Plantain. ☉.L. *Ponds.* I & Y. *Flesh.*
6 *Broad water* Plantain. ☉.*.L. *Pond &c.* I & Y. *Flesh.*
7 *Narrow water* Plantain. ☉.L. *Pond &c.* I & Y. *Flesh.*
8 *Small water* Plantain. ☉.L. *Rare Ponds. Flesh.*
9 *Grass* Arrowhead. ☉. *Rivulets.*
10 *Broad* Arrowhead. ☉.L. *Rivers &c.* I & Y. *Wh.*
11 *Narrow* Arrowhead. ☉.L. *Rivers &c.* I & Y. *Wh.*
12 *Small* Arrowhead. ☉.L. *Rivers.* Rare. *Wh.*

TAB. XLIII. 1 *White* Briony. ☉.*.L. *Hedges.* I & Y. *Pale.*
2 *Black* Briony. ☉.*.L. *Hedges &c.* Pale.
3 *Herb* Christopher. ☉. *Woods.* I & Y. *Pale.*
4 *Butchers* Broom. ☉.*.L. *Heaths. Hedges &c.* Pale.
5 Solomons-seal. ☉.*. *Woods &c.* Whitish.
6 *Sweet* Solomons-seal. ☉. *Rocky Woods.* May &c.
7 Lilly-Convally. ☉.*.H. *Woods. Heaths.* May &c. *Wh.*
8 *Herb Paris. One Berry.* ☉. May &c. *Greenish.* Woods &c.
9 Bitter sweet. ☉.*.L. *By Ponds.* I & Y. *Blue.*
10 *Comon* Nightshade. ●.*.L. *Dunghills &c.* Wh. *July.*
11 Dwale *Deadley* Nightshade. ☉. *Rubish &c.* Brownish.
12 *Wild* Sparagus. ☉. *Sea Marshes.* Pale.

SECT. VI. *PLANTS with 4* Leav'd Flowers.

TAB. XLV. 1 Jack *by y* Hedge. ☉.*.L. *Banks.* I & Y. *White.*
2 *Treacle* Wormseed. ●.*. *Fens.* Iul &c. *Yell.*
3 Wall-Flower, *or* Stock. ☉.*.L. *Walls.* Apr. &c. *Yell.*
4 *Sea* Stock Gylly Flower. ●. *Welsh coasts &c.* Y & A. Purp.
5 *White Thorow* Colewort. ●. *Rare.* Jun. &c. *Wh.*
6 *Sea* Colewort. ●. *Dover Cliffs.* Yell.
7 *Round* Turnep. ●.*.L. *Fields.* Sowen. *Yell.*
8 *Long* Turnep. ●.*. L. *Fields.* Sowen. *Yell.*
9 *Wild* Navew. ●.*. L. *Banks.* Com. *Apr.* M & I. Yell.
10 *White* Mustard. ●.*. L. *Ditches &c.* I & Y. Yell.
11 *Comon* Mustard. ●.*.L. *Ditches &c.* I & Y. Yell.
12 *Wild* Mustard. ●.*. L. *Corn.* Com. *Iul &c.* Yell.

TAB. XLVI. 1 *Winter* Cress. ☉.L.*. *Wet Ditches.* M & I. Yell.
2 *Early Winter* Cress. ⊖. *Apr.* Yell.
3 *Hedge* Mustard. ⊖.*.L. *Wast gr.d &c.* Y & A. Yell.
4 *Broad Hedge* Mustard ⊖.L. *Banks &c.* May & I. *Yell.*
5 *Water* Rocket. ☉.L. *Wet Ditches.* I & Y. Yell.
6 *Sea* Rocket. ●. *Sandy Shores.* Y & A. Purplish.
7 *Man* Rocket. ●. *Sea Shores.* Yell.
8 *Wall* Rocket. ☉. *LOND. Walls.* Com. Y.A &c. *Yell.*
9 *Garden* Radish. ●.L. *Gard. & Fields.* Iul. &c. *Blush.*
10 *White* Charlock. ●.L. *Corn.* Com. I & Y. *Pale.*
11 *Great White* Charlock. ●. *Rare.*
12 Flixweed. ●.*.L. *Old Walls. Ruins.* Y & A. Yell.

TAB. XLVII. 1 *Bitter* Cress. ☉.L. *Wet Ditches.* I & Y. Wh.
2 *Water* Cress. ☉.*.L. *Rivulets.* Com. Y & A. *Wh.*
3 *Early water* Cress. ☉.L. *Rivulets.* Iune. *Wh.*
4 *Hairy* Cress. ☉.L. *River sides &c.* Apr. May. *Wh.*
5 *Lady smock or* Cress. ☉.*.L. *Wet Meads.* Apr. &c. *Blush.*
6 *Double Lady* Cress. ☉. *Rare.* Blush.
7 *Impatient* Cress. . *Rills &c.* White.
8 *Trefoild* Cress. ☉. *Rare.* Blush.
9 *Daisy* Cress. ☉. *Rocks &c.* Rare. *Wh.*
10 *Tower* Mustard. ⊖.L. *Walls &c.* I & Y. Pale.
11 *Great Tower* Mustard. ⊖. *Rare.* Pale.
12 *Daisy Tower* Mustard. ●. *Sandy dry gr.d* Wh.

TAB. XLVIII. 1 *Thale* Cress. ●.L. *Walls, Sandy gr.d* Apr. &c. *Wh.*
2 *Broad Thale* Cress. ●. *Walls.* Apr. &c. *Wh.*
3 *Wreathed* Cress. ⊖. *Wales &c.* I & Y. Wh.
4 *Small wreath* Cress. . *Wales.* Apr & M. *Wh.*
5 *Speedwell* Cress. ●. *Hill sides.* Apr &c. *Wh.*
6 *Whitlow* Cress. ●.*.L. *Walls &c.* Mar. & Apr. *Wh.*
7 *Notched Whitlow Cress.* . *Banks & Walls.* Apr. *Wh.*
8 *Irish Rush* Cress. . *Loughs & Meers.*
9 Woad. ●.*. *Fields.* Sowed. Iun. &c. Yell.
10 Pepper-wort. Dittander. *. *Water sides.* Y & A. Wh. ☉
11 Gold *of Pleasure*. ●. *Flax fields.* Y &c. Yell.
12 *Sea grape* Colewort. ☉. *Sandy Shores.* Wh.

TAB. XLIX. 1 *Garden* Scurvy-grass. ⊖.*. *Gard &c.* Apr. *Wh.*
2 *Sea* Scurvy-grass. ⊖.*. *Salt Marshes* Wh.
3 *Ivy* Scurvy-grass. ●. *Sea Shores.* Wh.
4 Sheaperds-purse. ●.*.L. *Wast gr.d* Com. *Mar.* to *Nov.* Wh.
5 *Ragged* Sheaperds-purse. ●. *Banks &c.* A.M. & Iun. *Wh.*
6 *Small* Sheaperds-purse. ●.L. *Apr. &c.* Wh. *Walls &c.*
7 *Whole* Sheaperds-purse. ●.L. *Banks. Walls* Apr. *&c.* Wh
8 *Broad* Water-Radish. ☉.L. *Slow Waters.* I & Y. Yell.
9 *Small jagged Water* Radish. ☉.*.L. *Wet ponds.* I & Y. Yell.
10 *Great jagged Water* Radish. ☉.L. *Watery places.* I & Y. Yell.
11 *Broad Horse* Radish. ☉.*. *Gard. & Wet Ditches.* Wh.
12 *Jagged Horse* Radish. ☉.*. *Gard &c.* Wh.

TAB. L. 1 *Narrow wild* Cress. ●. *Sea Coasts.* Y & A. Wh.
2 *Sheaperds*-Cress. ●.L. *Sandy gr.d* May &c. *Wh.*
3 Welsh *Rock* Cress. . *Mount.* Rare.
4 *Fine* Cress. ●. *St Vincents* Rock. *Wh.*
5 *Valencia* Cress. ●. *Salsbury* Plain. *Pale.*
6 *Wart or Swines* Cress. ●.L. *Wet banks &c.* I & Y. Wh.
7 *Comon* Cow-Cress. ●.*.L. *Corn &c.* I & Y.
8 *Smooth* Cow-Cress. ●. *Rare.*
9 *Penny* Cress. ●.*. *Corn.* I & Y. Wh.
10 *Hoary* Cress. ☉. *Wales &c.* Mount. *Wh.*
11 *Wood* Cress. ●. *Hilly Pastures.* North. *Wh.*
12 *Small Thorow* Cress. ●. *Stone pitts &c.* Wh.

MARKS & LETTERS *Explained.*

●. Signifies *an ANNUAL* Plant. *w.ch dies* Yearly.
⊖. *A Biennial* Plant. *w.ch lives* 2 Years.
☉. *A Perennial* Plant *or* Tree.
*. *A* Plant *of* Noted *VERTUE.* *r *A* Plant *of* Less.
H. *Plants* growing *ab.t Hamsted* Heath &c.
L. Plants *growing within* 10 Mile.s *of LONDON.*
M & I. *Plants* Flowring *in* May & Iune.
I & Y. *In* Iune & Iuly. Y & A. *In* Iuly & August.

This, or a Latine Catalogue, and y.e Dry Samples of y.e Plants themselves may be had, if desired, from y.r humble Servant

In Aldersgate street. *James Petiver.*

HERBARIj BRITANNICI Clariſs. D. RAIj Catalogus

Cum ICONIBUS *ad Vivum delineatis, &* ÆRE *incisis; in* FOLIO.

Quibus adjunguntur Singulorum Nomina, *summâ cum* Arte *sculptâ, simul cum* Locis *Indigenis,* Tempore *Florendi,* Coloribus *Florum, Notis seu* Annuis, *seu* Perennibus, Vulgaribus, *vel* Raris, *cum* Floribus, *Seminibus, eorumque* Vasculis, *ab ipsis Plantis* Figuratis & *singulis Speciebus annexis*

A JACOBO PETIVER, *Regiæ Societatis Socio &c.* LONDIN.

SECT. I. *Herbæ* BRITANICÆ Flore *Stamineo RAY* Hist. *Plant.* 154. Syn. 28. *Edit.* 2. *p.* 52. *MORIS.* 577.

TAB. I. *Fig.* 1. Lupulus *mas* ⊙. H. Dumetis, Sepibus. *Y. A.*
2. Lupulus *fœmina* ⊙.*. Fruct. *Sept. RAY Hist. Plant.* 156.
3. Cannabis *mas.* ●. Agris *seritur. Y. A.*
4. Cannabis *fœm.* ●.*. Sem. *Aug. RAY H. Pl.* 158. *pl.* 1.
5. Cynocrambe *mas.* ⊙. H. Sylvis. Sepibus. *M. Apr.*
6. Cynocrambe *fœm.* ⊙. H. Sem. *Apr. RAY* 163. 1.
7. Mercurialis *mas.* ●. L. Hortis *Olitorijs. I. Y.*
8. Mercurialis *fœm.* ●.+ L. Hortis *I. Y. RAY* 163. 2.
9. Urtica *major* ⊙.*. I. Sepib. Ruder. *Y. A. &c. Com. R.* 160. 4.
10. Urtica *minor* ●. I. Fimetis, Hortis *I. Y. & A. R.* 161. 5.
11. Urtica *Pihulifera* ●. Rarò. *I. & Y. R.* 161. 6.
12. Xanthium ●. L. *Aquosis. latis &c. I. Y. R.* 165. 1.

TAB. II. *Fig.* 1. Lapathum *aquat. maj.* ⊙.*. L. Rivis *&c. Y. A. R.* 177. 4.
2. Lapathum *acutum crispum* ⊙. L. Humid. Hort. *Y. A. R.* 173. 6.
3. Lapathum *acut. planum* ⊙.*. L. Incultis. Aq. *&c. Y. A. R.* 173. 7.
4. Lapath. *acut. minimum* ⊙. L. Fossis Aq. *Y. A. R.* 174.
5. Lapathum *Sanguineum* ⊙. L. Hort. Viis. Semit. *Y. A. R.* 174. 10.
6. Lapathum *viride* ⊙. L. Sepib. Umbros. *Y. A.*
7. Lapathum *aureum* ⊙. L. Aq. pigris. *Y. A. S.*
8. Lapath. *aur. glomer. densis* ⊙. L. Aq. pigris. *A. S. R.* 174. 8.
9. Lapathum *obtusum* ⊙. L.+ *Areis. Humid. Y. A. Com. R.* 173. 5.
10. Lapathum *sinuatum* ⊙. L. Agris, ruder. *Y. A. R.* 174. 9.
11. Fegopyrum ●.+. *Agris seritur. Y. A. Fl.* alb. *R.* 182. 1.
12. Fegopyrum *scandens* ●. L. Hort. Cultis. *&c. Y. A. R.* 182. 2.

TAB. III. 1. Acetosa *vulg.* ⊙.*. L. Pratis. *&c. I. Y. R.* 178. 1.
2. Acetosa *lanceolata* ⊙. L. Arenos. *sitis. M. I. R.* 180. 14.
3. Acetosa *lanceol. mas. seu* Sterilis ⊙. L. *Aren. sicc. A. & M.*
4. Acetosa *rotundif.* Cambriæ ⊙. *Clivis. aq. M. I. Y. R. Syn.* 57. 10.
5. Persicaria *acris* ●.*. L. Fossis aq. *A. S. R.* 182.
6. Persicaria *minor* ●. L. Pratis aq. *Y. A. R.* 183. 3.
7. Persicaria *maculosa* ●. L. Aq. seget. *A. S. Carn. R.* 183. 2.
8. Persicaria *mac-intana* ●. L. Raro. *Y. A.*
9. Persicaria *argentea* ●. H. Seget. *Y.*
10. Persicaria *albida ramosa* ●. L. Rarò.
11. Persicaria *maj. pallida* ●. L. Aren. seget. *Y. R. Syn.* 58.
12. Persicaria *amphibia* ⊙. L. in & extra *Aquas Y. R.* 148. 6.

TAB. IV. 1. Plantago *latif. vulg.* ⊙.*. L. Vijs ubiqe. *Y. A. S. R.* 876. 1.
2. Plantago *dentata* ⊙. L. Advias. *&c. Y. A.*
3. Plantago *incana* ⊙. L. Glareosis. vijs. *M. I. Y. R.* 877. 5.
4. Plantago *Rosea & spicata* ⊙. Rarò. *R.* 876.
5. Plantago *paniculâ sparsâ* ⊙. Rarò. *R.* 877. 4.
6. Plantago *angustif. major.* ⊙.*. L. Pascuis ubique. *M. I. Y. R.* 877. 7.
7. Plantago *angustif. Cambriæ* ⊙. Rupibus. *R. Syn.* 185. 7.
8. Plantago *angustif. prolifera* ⊙. Raro. *R.* 877. 1.
9. Plantago *marina* ⊙. L. Maritimis. *R.* 880. 5.
10. Plantago *Coronopi fol.* ⊙.+ H. Aren. & Marit. *R.* 879. 3.
11. Sanguisorba *major* ⊙.+. Prat. humidis. *R.* 402. 2.
12. Sanguisorba *minor* ⊙.*. Cret. prat. & Mont. *Y. R.* 401. 1.

TAB. V. 1. Bistorta *maj.* vulg. ⊙.*. L. Pratis humid. *Y. R.* 186. 1.
2. Bistorta *minor.* ⊙. Pratis mont. *R.* 187. 4.
3. Bistorta *min. fol. vario.* ⊙. Clivis Rupium. *R.* 187. 6.
4. Potamogiton *latifoil* ⊙. L. Stagnis. Piscinis. *A. S. R.* 188. 1.
5. Potamogiton *fol. longo acuto* ⊙. L. Fluvijs maj. *Y. R.* 188. 2.
6. Potamogiton *perfoliatum* ⊙. L. Fluvijs. *Y. R.* 188. 3.
7. Potamogiton *fol. cordato* ⊙. L. Fluvijs. *Y.*
8. Potamogiton *planum* ⊙. L. Rivulis. *Y. R.* 189. 4.
9. Potamogiton *crispum* ⊙. L. Rivulis. *Y. R.* 189. 5.
10. Potamogiton *Gram. latum* ⊙. Aq. pagris.
11. Potamogiton *Gram. angust.* ⊙. Rivis.
12. Potamogiton *tenuifol.* ⊙. Rivis. *R.* 189. 7.
13. Potamogiton *Fœniculaceum* ⊙. Rivis.

TAB. VI. 1. Potamogiton *comosum* ⊙. Rivis. marit. *R.* 190. 10.
2. Potamogiton *cornutum* ⊙. L. Stagnis. *R.* 190. 13.
3. Stellaria *aquatica* ⊙. L. *Fossis* Stagnis. *R.* 1323. *c.* 6.
4. Stellaria *aq. longifol* ⊙. L. Fossis, Stagnis. *R. Syn.* 280. 2.
5. Potamogiton *pennatum* ⊙. L. Rivis Fossis. *R.* 191. 1.
6. Potamogiton *pennis tenuiss.* ⊙. Fossis. aq.
7. Potamogiton *pennis mille-foljis* ⊙. Fossis aq. *R.* 191. 2.
8. Potamogiton *pennat. verticill.* ⊙. L. Aq. pigris. *R.* 1322. 1.
9. Chrysosplenium *vulg* ⊙. L. Humidis umbros. *Apr. R.* 207.
10. Chrysosplenium *pedic. longis* ⊙. Apr. *lutosis. R.* 207. 2.
11. Chrysosplenium *Cornubiense* ⊙. Rarò. *Udis &c. Y. A. R.* 211. (14.
12. Hydrocotyle *vulg* ⊙. H. Palustribus. *Y. A. R.* 1323. 1.

TAB. VII. 1. Atriplex *fol. deltoide* ●. L. Hort. Fimetis. *Y. A. R.* 192. 3.
2. Atriplex *marit. fol. deltoide* ●. Udis salsis. *Com. Y. A. R.* 193. 10.
3. Atriplex *marit. laciniata* ●. Arenos. salsis. *Y. A. R.* 193. 8.
4. Atriplex *angustif. dentata* ⊙. L. Udis. salsis. & alijs. *A. S. R.* 192. (4
5. Atriplex *Polygoni folio* ●. L. Fimetis *&c. Com. Y. A. R.* 192. 4.
6. Atriplex *Graminea marit* ●. Salsis.
7. Halimus ⊙. *Agger marit. Y. A. R.* 195. 3.
8. Halimus *capsulâ cordatâ* ⊙. Marit. Rarò. *R. Syn.* 63. 7.
9. Blitum *rubrum minus* ●. Hortis. *R.* 200.
10. Blitum *polyspermon* ●. L. Hort. Arvis Fimet. *R.* 196. 2.
11. Blitum *fœtidum* ●.*. L. Fimetis, Ruderatis. *Y. A. R.* 198. 11.
12. Spinachia *sylvest.* ⊙.*. L. Areis, compitis *&c. M. I. R.* 195. 1.

TAB. VIII. 1. Blitum *Quercus* folio ●. L. *Ruderibus &c. A. S.*
2. Blitum *fol. candicante* ●. L. Fimetis. *Com. Y. A. R.* 198. 8.
3. Blitum *Ficus* folio ●. L. *Fimetis. Y. A.*
4. Blitum *fol. subrotundo* ●. L. Ruderibus. *A. S.*
5. Blitum *fol. lucido crasso* ●. L. *Fimetis &c. A. S. R. Syn.* 64. 5.
6. Blitum *acutiore folio* ●. L. Ruder. Fimetis. *A. S. R.* 197. 9.
7. Blitum *Aceris* folio ●. L. *Ruderibus A. S.*
8. Blitum *latiore folio* ●. L. Fimetis. *A. S.*
9. Beta *maritima* ⊙. Salsis palustr. *A. S. R.* 204. 3.
10. Parietaria ⊙.*. L. *Muris Ruderatis Y. A. R.* 206. 1.
11. Vermicularis *arborescens* ⊙. Maritimis. *R.* 199. 17.
12. Vermicularis *frutescens* ⊙. Littor. Salsis. *R.* 199. 16.

TAB. IX. 1. Kali *minus album* Salsis marit. *Com.* ●. *R.* 198. 14.
2. Kali *Spinosum* Arenosis marit. ●. *R.* 211. 2.
3. Kali *geniculatum* Salsis marit. *Com.* ●.
4. Kali *geniculat. lignosum* ⊙. Maritimis *R.* 211. 1.
5. Anonymus *Lini* folio ⊙. *Mont. Cretaceis Y. A. R.* 399. *c.* 7.
6. Knawel *erectum* ●. H. Arenos. sterilibus *Y.*
7. Knawel *supinum* ●. H. Arvis arenosis *Y. R.* 213. 1.
8. Gramen *Piperinum* ⊙. L. Puteis *Y. A. R.* 1325. *c.* 10.
9. Alchimilla *vulg* ⊙.*. Pratis. Pascuis mont. *R.* 208. 1.
10. Alchimilla *minor* ⊙. Raro. *R.* 202. 2.
11. Alchimilla *argentea* ⊙. Mont. Rupibus *R.* 209. 4.
12. Percepier *Anglorum* ⊙.*. L. Solo restibili steril ●. *R.* 209. *c.* 14.

TAB. X. 1. Polygonum *latifol.* ●.*. L. Vijs. Semitis *&c. Y. A. R.* 184. 1.
2. Polygonum *fol. rotundo* ●. L. Incultis. *Y.*
3. Polygonum *fol. brevi* ●. L. Glareosis. *Y.*
4. Polygonum *fol. angusto* ●. L. Seget. steril.
5. Polygonum *maritimum* ⊙. Aren. salsis. *R.* 185. 2.
6. Polygonum *fol. circinato.* Maritimis. *Rarò.*
7. Polygonum *verticillatum* Pascuis Udis Palustr. *R.* 214. 3.
8. Polygonum *Valentinum* Maritimis *R.* 215. 8.
9. Herniaria *glabra* Promont. marit. *R.* 214. 6.
10. Herniaria *hirsuta* ⊙. Arenosis.
11. Erica *maritima*. Arenos & salsis marit. *Y. A. R.* 1716. 15.
12. Portulaca *aq. tricoccos* ●. H. Seget. Udis. Palustr. *R.* 1035. 26.

Notæ & Literæ *Explicatæ*.

● *Planta* Annua. ⊖ *Planta* Biennis.
⊙ *Planta* Perennis.
*. *Planta Officinalis*. +. *Pl. minor*. Virium.

H. Plantæ *circa Hamsted crescentes*.
L. *Pl. intra* X Milliaria *LONDIN. nascentes*.
M. I. Y. A. &c. *Pl. Mensib.* Maij. Junij. Jul. &c. *Flor.*
R. Pagina *in quâ* Hist. *RAY* Planta *describitur*.

SECT. II. *PLANTÆ Lactescentes & Pappescentes.*

TAB. XI. *Fig.* 1. Pilosella *officin.* ☉ ✻ L. Pascuis siccis. *I.Y. lut. RAY* 242. 1.
2 Pilosella *Cambria. RAY* 241. 19.
3 Pilosella *folio longo* L. Fl. luteo.
4 Pilosella *fol. lato* Aggeribus fossarum. *lut. R.* 244. 2. ☉.
5 Pilosella *fol longo glabro.* ☉ Mont. *summit. lut. R.* 245. 8.
6 Pilosella *Phukenetij.* ☉ *I.Y.A.* lut. *R. Syn.* 75. 11.
7 Dens Leonis *vulg.* ☉ ✻ L. Pascuis *ubique* Apr. *M.I.Y. &c. lut. R.* 244. (3.
8 Dens Leonis *angustifolius.* ☉ L. Muris, Siccis *M.I.Y. lut R.S.* 76. 2.
9 Dens Leonis *hirsutus* ☉ L. Pascuis *&c. Com. M.I.Y.* lut *R.* 245. 5.
10 Dens Leonis *hirsut. minus.* Aggeribus *I.Y. lut. R.* 246.
11 Dens Leonis *hirsut. ramosus* ☉ L. Pascuis. *Com. I.Y.A.* lut *R.* 230 2.
12 Dens Leon. *ramos. glaber.* Pascuis. *lut.* *RAY.* 230. 1.

TAB. XII. *Fig.* 1. Hieracium *præmorsum vulg.* ☉ L. Pascuis. *Com Y.A. lut.*
2 Hieracium *pramors. laciniatum.* ☉ L. Pascuis *Y.A. lut.*
3 Hieracium *fol. acuto minus* L. Sepibus *Y.A. lut.*
4 Hieracium *fol. obtuso minus* ● L. Sepibus. *Y.A. lut.*
5 Hieracium *Lactuca folio.* L. Pascuis *&c Y.A. lut.*
6 Hieracium *Aphacoides.* ● L. Pratis *&c. Y.A. lut. R.* 234. 16.
7 Hieracium *Aphacoid. acutum.* ● L. *Pascuis Y.A. lut.*
8 Hieracium *Castor.* odore. ● L. *Pascuis &c Y.A.* lut. *R.* 232. 6.
9 Hieracium *Cichor.* fol. minus. ● L. *Pascuis Y.A.* lut.
10 Hieracium *Cichor.* fol. majus. ● *Pascuis &c. I.A.* lut *R.* 236. 5
11 Hieracium *asperum* ● L. Agror. marginibus *Y.A. lut. R.* 233 12.
12 Hieracium *Echioides* ● L. Sepibus. Agris *&c. Y.A. lut. R.* 233. 10.

TAB. XIII. *Fig.* 1. Pulmonaria *maj. latifol.* ☉ Agger. fossar. *Y. lut R.* 239. 7.
2 Pulmonaria *fol. rotundo* ☉ Rarò. *I.Y. lut. R.S.* 74. 6.
3 Pulmonaria *fol. lato dentato* ☉ Rarò. *I.Y. lut. R.S.* 74. 7.
4 Pulmonaria *Gallica* ☉ H. Muris. Sylvis *&c Y.A. lut. R.* 239. 9.
5 Pulmonaria *Gallica* angustif. ☉ *Rarò Y.A.* lut. *R.* 240. 11.
6 Pulmonaria *latif. villosa.* ☉ Rupibus altis *Y. lut R.* 239. 8.
7 Pulmonaria *frut. latif. hirsuta* ☉ H. Sylvis *Y.A. lut. R.* 238. 2
8 Pulmonaria *frut. longif. hirsuta* ☉ H. Sylvis *&c Y.A. lut.*
9 Pulmonaria *frut longif. glabra* ☉ Raro *Y.A. lut. R.* 238. 1.
10 Pulmonaria *angustif. hirsuta* ☉ H. Sylvis. *Y.A. lut. R.* 238. 5.
11 Pulmonaria *angustif glabra* ☉ H. Sylvis. *Y.A. lut.*
12 Pulmonaria *Graminea.* ☉ Raro *Y.A. lut.*

TAB. XIV. *Fig.* 1. Sonchus *rotund fol.* ● L. *Segetibus. I.Y. lut.*
2 Sonchus *asper latifol.* ● L. Hort. Fimetis. *I.Y. lut R.* 225. 7.
3 Sonchus *angustifolius.* ● Rarò. *I.Y. lut.*
4 Sonchus *asper dentatus.* ● L. Arvis. incult. *Y.A. lut.*
5 Sonchus *asper laciniatus.* ● L. Ruderatis *&c. Y.A. lut R* 225. 6.
6 Sonchus *segetalis major.* ☉ L. Agger. Cultis. *&c. Y.A. lut R* 226. 4
7 Sonchus *altissimus.* ☉ L. Ripis. Fluvior. *Y.A. lut. R.* 226. 11.
8 Sonchus *lævis latifol.* ● L. Hortis. Cultis *&c. Y.A. lut R.* 244. 2.
9 Sonchus *lævis laciniatus.* ● ✻ L. Hortis *&c. I.Y.A. lut R* 224 1.
10 Sonchus *lævis laceratus.* ● L. Hortis *&c. I.Y.A. lut.*
11 Cichoreum *sylvestre.* ● + L. Semitis. incultis. *Y.A. cær R* 255.
12 Lampsana. ● + L. Hortis, cultis. *I.Y.A. lut. R.* 256. *c.* 2.

TAB. XV. *Fig.* 1. Lactuca *sylv. latifol.* ● L. Hort. Sepibus *Y.A. lut.*
2 Lactuca *Endiviæ fol.* ● L. *Agger. saxosis. I.Y.A.* lut *R.* 221. 2.
3 Lactuca *lacerata.* ● + L. Saxosis. sepibus. *Y.A. lut R.* 222. 3.
4 Lactuca *lacerata. minor.* ● L. Agger. fossis. *I.Y.A. lut R.* 222. 5.
5 Lactuca *Hederæ.* fol. ● H. *Muris agger. umbros. Y.A.* lut *R.* 223. 7.
6 Tragopogon *angustif.* ● H. Pratis. *I.Y. lut. R.* 252. 6.
7 Tragopogon *vulg.* ● H. Pratis. Pascuis. *I.Y.* lut. *R* 252. 1.
8 Tragopogon *purp.* ● Rarò. *Hortis. I.Y.* Purp. *R.* 252. 3.
9 Hyoseris *segetum* ● L. Arenosis. Seget. *I.Y. lut. R.* 229. 2.
10 Carlina *sylv.* ● L. Ericetis. Pascuis. siccis. *Y.A. lut. R.* 288. 2.
11 & 12. Petasites *vulg.* ☉ ✻ L. Ripis, humidis. *M. Apr.* carn. *R.* 260.

TAB. XVI. *Fig.* 1. Helenium. ☉ ✻. *Pratis humidis. I.Y. lut. R.* 273. *c.* 7.
2 Conyza *vulg.* ☉ + L. Fossis aq. *Y.A. lut. R.* 262. 5.
3 Conyza *minima* L. Stagnis siccis. *Y.A. lut. R.* 262. 6.
4 Conyza *cærulea* ☉ L. Pascuis sicc. Steril. *Y.A. purp.* dil *R* 270. 1.
5 Conyza *palustris.* Fossis aq, Palustr. *I.Y. lut. R.* 363. 10.
6 Conyza *palust. lacerata.* Fossis aq. *&c I.Y. lut. R.* 264. 12.
7 Virga aurea *latif. serrata.* ☉ Ripis. *Rarò. Y.A. lut. R* 279. 6.
8 Virga aurea *angustif. serrata.* ☉ Fossis, palustr. *raro.* lut. *R.* (280.
9 Virga aurea *major.* ☉ Sylvis, Ericet. *rarò.* lut.
10 Virga aurea *vulg.* ☉ ✻ H. Ericet. Sylvis *&c. Y.A. lut. R.* 278. 1.
11 Virga aurea *Cambriæ.* ☉ Pascuis mont. *lut. R.S.* 813.
12 Virga aurea *alba acris.* ● Muris. Hortis. *A.S. albid. R.* 271. 4.

TAB. XVII. *Fig.* 1. Jacobea *vulg.* ☉ ✻ L. Vijs incultis. *&c. Com Y.A. lut.*
2 Jacobea *palustris* ☉ L. Humidis, udis. *&c. Y.A. lut. R.* 285. 4.
3 Jacobea *Senecionis* fol. ☉ L. *Vepretis. Sepib. Y.A.* lut *R* 285. 2.
4 Jacobea *Cantabrigiensis* ☉. Mont. steril. & cretac. *lut. R.* 272. 4.
5 Senecio *vulg.* ● ✻ L. Cultis, arvis. Areis *&c. Com. R* 290. 1.
6 Senecio *incanus.* ● H. Arenos. agger. *&c. I.Y.A. lut. R* 290. 2.
7. 8. Tussilago ☉. ✻. L. *Aq. & humidis. M. Apr.* lut. *R.* 259. 1.
9 Aster *marit. flavus.* ☉. Rupibus marit. *lut. R.* 268. 11.
10 Tripolium *majus.* ☉. + L. Salsis. marit. *Y.A. purp. R.* 270. 20.
11 Tripolium *minus.* ☉. Salsis. marit. *Y.A. purp. R.* 270. 20.
12 Tripolium *nudum.* ☉. Aq. Salsis. *Y.A. lut. R.S.* 80. 2.

TAB. XVIII. *Fig.* 1. Baccaris *Monspel.* ☉ + L. *Mont siccis. Vijs Y.A. R* 292
2 Eupatorium *Cannabinum* ☉. + L. Ripis rivul. stagn. *Y.A. carn R* 293
3 Gnaphalium *Americanum* ☉. Rarò *Y.A. alb. R.* 284. 15.
4 Gnaphalium *Montanum* ☉ Ericetis. mont. *Y.A. R.* 283. 12.
5 Gnaphalium *Ierseianum* ● Muris. agger. *albid. R.* 284. 17.
6 Gnaphalium *Anglicum* ● H. Pascuis arenos. *Y.A. R.* 295. 13.
7 Gnaphalium *fol longo* ● + L. Stagnis siccis *&c. Com Y.A. R.*
8 Gnaphalium *Germanicum* Arenosis *&c.* rarò. (295. 5.
9 Gnaphalium *proliferum* ● + L. *Vijs* siccis, steril. *Com Y.A.*
10 Gnaphalium *prolifer.* minus ● *Sterilibus. siccis. Y.A.*
11 Gnaphalium *minimum* ● H. Seget. aren. siccis *Y.A. R.* 296. 6.
12 Gnaphalium *Gramineum* ● Seget. arenos *Y.A. R.S.* 85. 5.

SECT. III. *HERBÆ Corymbiferæ, Nudæ Capitatæ & Nodifloræ.*

TAB. XIX. *Fig.* 1. Bellis *major* ☉ + L. Pratis. Seget *I.Y. alb R* 350
2 Bellis *minor* ☉ ✻ L. Pratis, pascuis. *Com A.* state tota. *alb R* 349
3 Ptarmica ☉ + H. *Pratis udis Y.A.* alb *R.* 344. 1.
4 Millefolium *vulg.* ☉. ✻ L. Pascuis. *Com I.Y.A.* alb *s.* purp *R* 345
5 Matricaria ☉. ✻ L. Sepibus, rudetis. *Y.A. alb. R.* 357. 1.
6 Chrysanthemum *segetum.* ● L. Seget *Y.A. lut. R.* 339. 3.
7 Buphthalmum *luteum* ☉. + Ripis aq. *rarò Y.A.* lut *R.* 341. 9.
8 Buphthalmum *album* ☉ L. Pratis *&c. M.I. alb.*
9 Chamæmelum *amarum* ● + L. Cultis. Seget. *alb R.* 355. 2.
10 Chamæmelum *odoratum* ☉ ✻ L. Pascuis udis *Y.A.S. alb R* 353
11 Cotula *fœtida* ● + L. Seget. cultis. *alb R.* 355. 3.
12 Cotula *inodora* ● + L. Agris. cultis. *alb R.* 355.

TAB. XX. *Fig.* 1. Absinthium *vulg.* ☉ ✻ L. Incult. vijs *Com A.S.*
2 Absinth *marin* Anglicum ☉ ✻ *Maritimis Y.A.S R.* 370. 16.
3 Absinth *marin* Gallicum ☉ + *Maritimis Y.A.S. R.* 370. 15.
4 Abrotanum *campestre* ☉. Steril. vijs. *rarò Y.A R.* 370. 4.
5 Arthemisia ☉. ✻ L. *Sepes Agror. Marg. I.Y.A R.* 372. 1.
6 Bidens *fol. integro* ● + L. Stagnis aq. *A.S. lut. R.* 361. 2.
7 Bidens *fol. trifido* ● + L. Stagnis aq. *A.S. lut. R.* 360. 1.
8 Cotonaria *marina* ☉. Aren. marit. *rarò. lut R.* 294 1.
9 Tanacetum *vulg.* ☉. ✻ L. Agr. marg. Vijs *A.S lut. R.* 365. 1.
10 Tanacetum *crispum* ☉. + Hortis *&c A.S. lut R.* 365. 2.
11 Agrimonia ☉. ✻ L. *Pascuis, Sepib. &c Y.A* lut *R* 400. 1.
12 Circœa *major* ☉ L. Sylv. Sepib. umbrosis *Y.A. alb R* 401.

TAB. XXI. *Fig.* 1. Carduus *Moschatus* ● L. Agris *saxos Y.A R* 308
2 Carduus *Crispus* ● L. Sepes. Vepres *Y.A R.* 309. 2.
3 Carduus *Acanthoides* ● L. Agger. ruder. *I.Y.R.* 309. 3.
4 Carduus *palustr.* ● H. Udis. palust. *A.S.R.* 309. 4.
5 Carduus *vulgatiss.* ☉ L. Vijs arvis *&c. Com Y.A R.* 310. 8.
6 Carduus *acaulis min.* ☉ L. Mont. sicc. *Y.A R.* 310. 6.
7 Carduus *lanceatus* ● L. Sepib. incult. *Com Y.A R.* 310. 1.
8 Card. *Eriocephalus* ● Camp. & mont. *rarò Y.A R.* 311. 3.
9 Carduus *Mariæ* ● ✻ L. Agger. marg. agror. *Y.A R.* 312. 1.
10 Carduus *tomentos.* ● + L. Vijs. incult. *Com Y.A R.* 313. 1.
11 Carduus *stellat.* ● + L. Vijs publicis *A.S R.* 317. 1.
12 Carduus *Solstitialis.* ● Sepes. *rarò. A.* lut. *R.* 317. 4.

TAB. XXII. *Fig.* 1. Cirsium *palustre* ☉ L. Pratis udis *Y.A R* 306.
2 Cirsium *montanum* ☉ Mont. *Eborac. &c Y.A R.* 306. 8.
3 Carthamus *Offic.* ● ✻ Agris seritur *Y.A. croc R* 302. 1.
4 Cyanus *Segetum* ● ✻ L. Seget *Y.A. cærul R.* 321. 1.
5 Serratula *fol integro* ☉ H. Sylvis *Y.A. purp.*
6 Serratula *vulg.* ☉. Sylvis *prat Y.A R.* 331. *c.* 16.
7 Iacea *major vulg.* ☉ L. Seget *I.Y. purp R.* 325. 11.
8 Iacea *nigra vulg.* ☉ + L. Pascuis. *Com I.Y.A R.* 325. 12.
9 Iacea *nigra lacin.* ☉ + L. Pascuis. *I.Y. purp.*
10 Scabiosa *Offic.* ☉ ✻ L. Seget. pascuis *I.Y. Carn R* 374. 2.
11 Scabiosa *minor.* ☉ Pascuis mont. sicc. *Y.A R* 374. 3.
12 Succisa *Offic.* ☉ ✻ H. Prat. pascuis *A.S. cær R.* 380. 21.

TAB. XXIII. *Fig.* 1. Bardana *vulg.* ● ✻ L. Vijs *&c. Com Y.A R* 332 1.
2 Bardana *Rosea* ● L. Incultis. *Y.A R.* 332.
3 Bardana *capite minore* ● L. Ruderatis. *Y.A.*
4 Bardana *cap. minore incano* ● L. Vijs. ruder. *Y.A.*
5 Bardana *cap. majore incano* ● L. Incultis *Y.A.*
6 Bardana *cap. araneoso.* ● Montanis *&c. Y.A R* 332. 2.
7 Dipsacus *sativvus* ● + Agris seritur *I.Y.R* 382. 1.
8 Dipsacus *sylv.* ● + L. Humid. incultis. *Y.A R* 382. 2.
9 Dipsacus *minor* ● L. Rivulis. *aq. Y.A R* 382. 4.
10 Eryngium *marinum* ☉. ✻ L. marit. aren. *Y.A R* 384. 3.
11 Eryngium *campestre* ☉ Rarò *A.S. pall R* 384. 1.
12 Sanicula *Offic.* ☉. ✻ L. Sylvis. Sepibus *M.I. alb R* 475. *c.* 4.

SECT. IV. *HERBÆ* Umbelliferæ *Ray* 387.

TAB. XXIV. 1. Sphondylium *vulg.* ● + L. Pascuis humid. *Y.A.*
2 Sphondylium *laciniatum* ● Pascuis. *Y.A. alb R.* 408. 2.
3 Pastinæa *sativa* ● + Hort. & Agris seritur *Y.A. alb R.* 410. 2.
4 Elaphoboscum ● L. *R.* 409. 1.
5 Tordylium *majus.* Rarò. *Y.A. alb R.* 411. 1.
6 Tordylium *minus* ● Rarò. *Y.A. albic R.* 412. 2.

7 Peucedanum *vulg.* ⊙.+.Palustr. marit *A. flavesc R.* 416. 1.
8 Crithmum *marinum* ⊙.+.Clivis marit *A.S flavesc R.* 457. 2.
9 Angelica *sativa* ●.*.Hortis &c. *Y.A. alb. R.* 434. 1.
10 Angelica *aq.* ●.H.Ad.rivul. & aq. *Y.A. alb. R.* 434. 2.
11 Coriandrum *Offic.* ●.*.Agris seritur. *R.* 470.
12 Hipposelinum ⊙.*.Rup marit. *I.Y. albesc. R.* 437. 1.
TAB. XXV. *Fig.* 1. Scandix *vulg.* ●.L. Seget. *M.I. alb. R.* 428. 1.
2 Cicutaria *vulg.* ⊙.L.Pomarijs Sepibus. *Com AM. alb R.* 429. 1.
3 Cerefolium *sylv.* ●.L. Sepibus *Y.A. alb R.* 431. 6.
4 Meum *Offic.* ⊙.*.Pratis *Boreal Y.A.* alb. *R.* 432. 1.
5 Oenanthe *aq. major.* ⊙.L.Pratis udis *R.* 441. 1.
6 Oenanthe *aq. minor.* ⊙.L.Pratis udis *R.* 441. 2.
7 Oenanthe *Cicutæ* facie. ⊙.L. *Rivulis R.* 441. 4.
8 Oenanthe *Staphylini* folio. ⊙. *Rarò. R.* 442. 6.
9 Bulbocastanum ⊙.+.H. Pascuis aren *Y.A. alb. R.* 440. 1.
10 Podagraria ⊙.+.L. *Sepib. Hort. alb R.* 435. 4.
11 Amomum *Offic* ●.*.L. Fossis lutosis. *Y.A. alb. R.* 443. 3.
12 Selinum *segetale* ●.+.L. Humid. Seget. *alb. R.* 443. 4.
TAB. XXVI. *Fig.* 1. Sium *max. latifol.* ⊙.L. Fluvijs *Y.A. alb R.* 443.
2 Sium *angustifol.* ⊙.L. Rivulis *Y.A. alb R.* 444. 4.
3 Sium *repens.* Fossis aq. *I.Y. alb. R.* 444. 5.
4 Sium *minimum* ⊙.L. Stagnis aq. *M.I. alb R.* 444. 6.
5 Saxifraga *major.* ⊙ Sylvis. *Y.A. alb R.* 445. 1.
6 Saxifraga *maj. laciniata.* ⊙ Sylvis *Y.A. alb.*
7 Saxifraga *minor* ⊙.H. Pascuis siccis *Y.A. alb. R.* 445. 3.
8 Saxifraga *minor laciniata* ⊙.H. Pascuis sicc. *R.* 445. 4.
9 Saxifraga *Cornubiæ* ⊙. Rarò.
10 Carui *Offic.* ●.*.Pratis palustr. *I.Y. carn. R.* 446. 1.
11 Apium *Scoticum* ⊙. Saxis marit. *alb R.* 447. 1.
12 Apium *Offic.* ●.*.L. Udis, fossis marit. *A.S. alb R.* 447. 2.
TAB. XXVII. 1. Fœniculum *vulg.* ⊙.*.L. Clivis marit *R.* 457. 1.
2 Peucedanum *minus.* ●. Rupibus. *Rarò.* alb. *R.* 460. 5.
3 Apium *petræum* ⊙.Montosis. *rarò.* alb. *R.* 463. 5.
4 Carota *sativa* ●.*.L. Agris *seritur.* alb. *R.* 465. 1.
5 Daucus *sylv.* ●.*.L. Pascuis. *Y.A. alb. R.* 465. 2.
6 Echinophora *latifolia* ●. Seget. *purp. R.* 468. 5.
7 Echinophora *laciniata* ●. Seget. *rarò.* purp.
8 Echinophora *tenuifolia* ●.L. Seget. *R.* 467. 3.
9 Anthriscus *vulg.* ●.H. Dumet. Sepes. *Y.A. rub R.* 468. 6.
10 Anthriscus *minor* ●.L. Seges. *Y.A. alb. R.* 468. 7.
11 Caucalis *nodosa* ●.L. Agger. agror. *R.* 468.
12 Caucalis *tenuifolia* ●.L. Ruder. agger. *AM. R.* 469. 9.
TAB. XXVIII. *Fig.* 1. Cicuta *aq.* ⊙. Rivul. stagnis *R.* 450. 1.
2 Cicuta *vulg.* ●.*.L. Agger. &c. *Com Y.A.* alb. *R.* 451. 2.
3 Cicuta *minor* ●.L. Hort. arvis. *Y.A. alb. R.* 451. 3.
4 Cicutaria *aq.* ⊙.L. Aq. cœnosis. *alb Y.A. R.* 452. 6.
5 Seseli *pratense* ⊙.*.H. Pratis udis *Y.A. lut. R.* 453. 1.
6 Crithmum *marinum* ⊙. Clivis marit. *R.* 469. 1.
7 Bupleurum *minimum* ●. Palustr. *R.* 474. 4.
8 Perfoliata *vulg.* ●.L. Seget. *R.* 471.

SECT. V. *HERBÆ* Asperifoliæ *RAY* 493.

9 Borrago *Hort.* ●.*.Hort. Muris *R.* 493.
10 Buglossum *sylv. minus.* ●.L. Arvis. *R.* 494. 3.
11 Cynoglossum *vulg.* ●.*.L. Ruder. *R.* 489. 1.
12 Cynoglossum *fol virenti* ●.L. Vijs publ. *R.* 491. 8.
TAB. XXIX. 1. Echium *Vulg.* ●.L. *Vijs*, Arvis.
2 Echium *fl. minore* ●. Muris *R.S.* 119.
3 Buglossum *marinum* ●. Maritimis *R.* 500. 13.
4 Pulmonaria *fol.* Echij ⊙. *Sylvis Rarò R.* 485. 3.
5 Symphytum *majus.* ⊙.*.L. Rivis fossis aq. *R.* 505. 1.
6 Lithospermum *purp.* ⊙. Rarò. *R.* 503. 2.
7 Lithospermum *vulg.* ⊙.*.L. Dumetis. *R.* 503. 1.
8 Lithospermum *arvense* ●.L. Seget. *R.* 503. 5.
9 Echium *Scorpioides* aq. ⊙.L. *Fossis. aq. R.* 504. 3.
10 Echium *Scorpioides* arvens. ●.L. *Arvis. Hortis. R.* 504. 1.
11 Echium *Scorp:* minus. ●.L. *Ripis sicc. &c. R.* 504. 2.
12 Asperugo ⊙ *Rarò. R.* 502. *c.* 8.

SECT. VI. *HERBÆ* Stellatæ *RAY* 477.

TAB XXX. 1. Cruciata *hirsuta.* ⊙.H. Dumet. *R.* 479. 1.
2 Rubia *Sativa* ⊙.*. Hort. & Agris. *Seritur. R.* 408. 1.
3 Rubia *sylv.* ⊙. Rupibus. *R.* 408. 2.
4 Mollugo *vulg.* ⊙.L. Dumet. Sepib. *R.* 481. 1.
5 Gallium *album.* ⊙.L. Udis. *R.* 481. 3.
6 Gallium *alb. minus.* . Mont. & Udis. *R.* 482. 4.
7 Rubia *erecta 4 drifolia.* Mont. Rarò. *R.* 478. 1.
8 Gallium *luteum* ⊙.*.L. Pascuis sicc. *R.* 482. 1.
9 Asperula ⊙.+.H. *Sylvis. R.* 483. 1.
10 Rubeola *repens cærul.* ●.L. Arvis. *R.* 483. 3.
11 Aparine *Offic.* ●.*.L. Sepib. *Com. R.* 484. 1.
12 Rubia *Cynanchica.* ⊙.L. Collib. cretaceis. *R.* 485. *c.* 9.

SECT. VII. *Plantæ Verticillatæ. RAY.* 508.

TAB. XXXI. 1. Serpyllum *vulg.* ⊙.*.L. Pasc. sicc. *R.* 521. 4.
2 Serpyllum *fl. amplo* ⊙. Mont. *R.S.* 122. 2.
3 Serpyllum *latifol.* ⊙. *R.* 521. 2.
4 Serpyllum *Citratum.* ⊙. Mont. *R.* 522. 2.
5 Mentha *aq. verticillata* ⊙.L. Udis. *R.* 530. 10.
6 Mentha *aq. vulg.* ⊙.L. Rivis. *R.* 533. 12.
7 Mentha *fusca.* ⊙. Hort. &c. *R.* 530. 2.
8 Mentha *crispa.* ⊙. Rivis. *R.* 531. 3.
9 Mentha Piperata *lata. R.* 532. 7.
10 Mentha *Piperata acuta R.S.* 124. 5.
11 Mentastrum *longifol.* ⊙. Riguis. *R.* 532. 9.
12 Mentastrum *rotundifol.* ⊙. Udis. *R.* 532. 7.
TAB. XXXII. 1. Nepeta *Offic.* ⊙.*.L. Sepes. *R.* 548. 1.
2 Pulegium *Offic.* ⊙.*.L. Palustr. *R.* 533. 1.
3 Prasium *Offic.* ⊙.*.L. Vijs, ruder. *R.* 556. 1.
4 Ballote *Dioscor.* ⊙.+.L. Sepes. ruder. *R.* 571. 1.
5 Marubium *aq.* ⊙.L. Rivis. *R.* 535. 1.
6 Betonica *Offic.* ⊙.*.H. Sylvis. *R.* 550. 1.
7 Galeopsis *vera.* ⊙.L. *R.* 548.
8 Horminum *sylv.* ●.+.L. Glareosis. *R.* 545. 12.
9 Clinopodium *majus.* ⊙.L. Vepret. *R.* 558. 17.
10 Clinopodium *minus.* ●.L. Mont. cret. *R.* 553. 1.
11 Prunella *Offic.* ⊙.*.L. Pascuis. *R.* 551. 1.
12 Stachys *vulg.* ●. Rarò. *R.* 554. 1.
TAB. XXXIII. 1. Hedera *terrestris.* ⊙.*.L. Sepes. *R.* 567. 1.
2 Lamium *rubrum.* ●.*.L. *R.* 559. 3. Com.
3 Lamium *rubrum fol. incisis.* ●.L. Requietis. *R.* 560. 6.
4 Lamium *perfol.* majus. ●.L. *Hort Arvis. R.* 560. 10.
5 Lamium *album.* ⊙.*.L. Sepib. dumet. *R.* 559. 1. *Com.*
6 Lamium *luteum.* ⊙.H. Sylvis. umbros. *R.* 560. 11.
7 Melissophyllon ⊙. *Sylvis.* rarò. *R.* 561. 13.
8 Lamium *Cannab.* vulg. ●.L. *Arvis. R.* 561. 13.
9 Sideritis *aq.* ⊙.+.L. Fluvijs. *R.* 563. 3.
10 Sideritis *lutea.* ●. Seget. *rarò. R.* 566. 15.
11 Sideritis *angustifol.* ●.L. Seget. *R.* 566. 16.
12 Sideritis *fol. subrotundo.* ●.L. Seget. *R.* 565. 12.
TAB. XXXIV. 1. Calamintha *Offic.* ⊙.*.L. Vijs. Fossis. *R.* 569. 1.
2 Calamintha *odore* Pulegij. ⊙.+.L. Vijs. *agger. R.* 569. 2.
3 Bugula *vulg.* ⊙.*.L. Sylvis, Pratis udis. *R.* 575. 1.
4 Bugula *Alpina* ⊙. Montosis. *Rarò. R.* 575. 2.
5 Cardiaca ⊙.*. *Fimetis. R.* 571. 1.
6 Scordium *Offic.* ⊙.*. Palustribus. *R.* 576. 1.
7 Scorodonia ⊙.+.H. *Dumetis. Sylvis. R.* 576. *c.* 29.
8 Origanum *vulg.* ⊙.*.L. Sepes. Dumet. *R.* 539. 4.
9 Chamæpytis *vulg.* ●.*. Agris. restil. *R.* 573. 1.
10 Cassida *vulg.* ⊙.L. Fossis. aq. *R.* 572. 1.
11 Cassida *minor.* ⊙.H. Palustribus. *R.* 572. 2.
12 Uerbena. *vulg.* ⊙.*. Vijs. public. *R.* 535. 1.

SECT. VIII. *HERBÆ.* Nasiforæ. *RAY.* 751.

TAB. XXXV. 1. Antirrhinum *minimum.* ●.L. Cultis. *R.* 760. 37.
2 Antirrhinum *medium.* ●. Arvis. *R.* 760. 31.
3 Elatine *fol. angulosо.* ●.+.L. Seget. *R.* 759. 35.
4 Elatine *fol. rotundo.* ●.*.L. Seget. *R.* 759. 34.
5 Linaria *vulg.* ⊙.×.L. Pasc. steril. *R.* 752. 1.
6 Linaria *odorata* ⊙ Sepibus *Rarò R.* 756. 20.
7 Pinguicula ⊙. *Uliginosis. R.* 751. 1.
8 Digitalis *purp.* ⊙.×.L. Arenosis *R.* 767. 1.
9 Scrophularia *vulg.* ⊙.*.L. Dumet. Sepib. *R.* 764. 3.
10 Scrophularia *aq.* ⊙.×.L. Fossis aq. *R.* 764. 1.
11 Scrophularia *Scorodoniæ* fol. ⊙. *Ripis aq. R.* 766. x1.
12 Hyoscyamus *vulg.* ●.*.L. Ruder. *R.* 711. 1.
TAB. XXXVI. 1. Balsamina *lutea* ●. Ripis aq. *rarò R.* 1328. *C.* 5.
2 Pedicularis *lutea* ●.L. Pascuis. *R.* 760. 1.
3 Pedicularis *rubra elatior* ●.L. Aquosis *R.* 770. 6.
4 Pedicularis *rubra vulg.* ●.H. Ericetis. udis *R.* 770. 5.
5 Euphrasia *Offic.* ●.*.L. Pascuis *R.* 771. 1.
6 Euphrasia *major lutea* ●. Uliginos. *rarò R.* 772. 4.
7 Euphrasia *pratens. rubra* ●.H. Prat. Seget. *R.* 772. 3.
8 Euphrasia *Ortonensis* Udis *rarò R.* 773. 5.
9 Melampyrum *luteum* ●.H. Dumet. *R.* 775. 4.
10 Melampyrum *cristatum* ●. Sylvis *R.* 775. 3.

11 Lentibularia *major* ⊙ Fossis aq. *R.* 1332. 2.
12 Lentibularia *minor* ⊙ Fossis aq. *R. S.* 279. 3.
TAB. XXXVII. 1. Viola *purp.* ⊙ ✱ L. *Hort. R.* 1049. 1. *M. Apr.*
2 Viola *fl. pleno* ⊙ Hort. *Sylvis* rarò.
3 Viola *alba* ⊙ Sepes agger. *R.* 1050. 2.
4 Viola *sylv.* ⊙ H. Dumet. Sepes *R.* 1050. 3.
5 Viola *aq. rotundi fol.* ⊙ Udis Muscosis *R.* 1050. 4.
6 Viola *rot. lutea* ⊙ Cambria.
7 Viola *hirsuta major* ⊙ Dumet. *R.* 1051. 5.
8 Viola *tricolor* ☺ + Hort. *Seget. R.* 1052. 2.
9 Viola *bicolor.* ☺ L. Seget *R.* 1053. 7.
10 Viola *lacin. lutea* ⊙ Mont. udis. *R.* 1052. 5.
11 Reseda *vulg.* ● Arvis Cret *R.* 1053. 2.
12 Luteola ☺ L. *Muris. ruder. R.* 1054. 8.

HERBÆ Sem echinato & stellato RAY. 578. SECT. IX.

TAB. XXXVIII. 1. Chelidonium *minus* ⊙ ✱ L. Udis *R.* 579.
2 Ranunculus *dulcis* ⊙ H. Dumet. *R.* 584. 1.
3 Ranunculus *prat. erectus* ⊙ L. Pratis. *Com. R.* 383. 7.
4 Ranunculus *bulbosus* ⊙ L. Pascuis. *Com. R.* 381. 2.
5 Ranunculus *erect. pallidus* ● Udis *R.* 382. 4.
6 Ranunculus *trifidus* ● Agger.
7 Ranunculus *repens vulg.* ⊙ L. Pratis udis *R.* 581. 1.
8 Ranunculus *repens major.* ⊙ L. Fluv. ripis.
9 Ranunculus *hirsut. fl. minimo* ● L. Arvis *R.* 583. 10.
10 Ranunculus *echinatus arvensis* ● L. Seget. *R.* 585. 1.
11 Ranunculus *palustr. lævis.* ● L. Aq. *Com. R.* 585. 1.
12 Ranunculus *alb. Hederaceus* ☿ Vadosis

TAB. XXXIX. 1. Ranunculus *aq. fol. varijs* ⊙ L. *Stagnis R.* 586. 3.
2 Ranunculus *aq. tenuifol.* ⊙ L. Stagnis *R.* 586. 4.
3 Ranunculus *aq. cornutus* ⊙ L. Aq. cænosis. *R. S.* 136. 5.
4 Ranunculus *aq. fol. Fœniculi* ⊙ Fluvijs *R.* 586. 6.
5 Ranunculus *flameus major* ⊙ L. Vadosis *R.* 587. 8.
6 Ranunculus *flameus minor* ⊙ L. Uliginos. *R.* 587. 7.
7 Cauda Muris ● L. *Arvis udis R.* 1332. *c.* 5.
8 Flos Adonis ● *Seget. R.* 596. 1.
9 Malva *Offic.* ⊙ ✱ L. Sepes. ruder. *R.* 599. 1.
10 Malva *minor.* ⊙ L. Semit. ruder. *R.* 599. 2.
11 Althea *Offic.* ⊙ ✱ Maritimis *R.* 602. 1.
12 Alcea *vulg.* ⊙ L. Uepret. Sepes *R.* 604. 1.
TAB. XL. 1. Caryophyllata *vulg.* ⊙ ✱ L. Dumet. *R.* 606. 1.
2 Caryophyllata *fl. majore* ⊙ Sylvis *R.* 606. 2.
3 Caryophyllata *mont. purp.* ⊙ Montosis *R.* 607. 3.
4 Caryophyllata *mont prolifera* ⊙ Rarò *R.* 607. 4.
5 Caryophyllata *pentaphyllea* ⊙ Scotiæ *R.* 608. 10.
6 Caryophyllata *fol.* Chamædryos ⊙ *Montosis R.* 608. 11.
7 Fragraria *vulg.* ⊙ ✱ H. Dumetis *R.* 609. 1.
8 Fragraria *sterilis* ⊙ L. Steril: pascuis. *R.* 611. 2.
9 Ranunculus *nem. albus* ⊙ H. Udis. dumet. *R.* 624. 1.
10 Pulsatilla *fl. clauso.* ⊙ Ericetis. *R.* 634. 2.
11 Viorna. ⊙ L. Sepibus *R.* 620. 1.
12 Viorna *fol. integro* ⊙ L. Sepibus.
TAB. XLI. 1. Pentaphyllum *rubr. palustre* ⊙ *R.* 611. 1.
2 Pentaphyllum *villosum Palustre R. S.* 141. 2.
3 Pentaphyllum *vulgare* ⊙ + L. Semitis. *R.* 611. 2.
4 Pentaphyllum *minus hirsutum* ⊙ Pascuis *Rarò R. S.* 142. 4.
5 Pentaphyllum *argenteum* ⊙ L. Pasc: arenos *R.* 613. 14.
6 Pentaphylloides *fragiferum* ⊙ Montos. *Rarò. R.* 616. 1.
7 Pentaphylloides *Scoticum.* ⊙ Sylvis *rarò R. S.* 142. 4.
8 Pentaphylloides *Eboracense* ⊙ Fluv: ripis *R.* 616. 5.
9 Tormentilla *vulg.* ⊙ ✱ H. Dumet &c: *R.* 617. 1.
10 Tormentilla *reptans.* ⊙ Arvis. Sylvis *R.* 618. 3.
11 Argentina ⊙ + L. *Udis. R.* 617. *c.* 16.
12 Moscatellina ⊙ L. *Umbrosis.* 684. *c.* 27.
TAB. XLII. 1. Telephium *vulg* ⊙ ✱ L. Umbros. *R.* 689. 1.
2 Rhodia *radix* ⊙ Montos. *R.* 690. 7.
3 Cotyledon *vulg.* ⊙ ✱. Saxis &c. *R.* 1878. 1.
4 Sedum *majus* ⊙ ✱ L. Tectis *R.* 687. 2.
5 Sedum *luteum minus* ⊙ L. Tectis *R.* 691. 2.
6 Sedum *lut. scorpoides.* ⊙ L. Tectis. *R.* 691. 3.
7 Sedum *palustre purp.* ● Mont. *humid. R.* 691. 4.
8 Sedum *minus* Vicentij ⊙ *Rupibus R. S.* 152. 3.
9 Illecebra *lutea* ⊙ L. Tectis *R.* 1041. 12.
10 Illecebra *alba mitis* ⊙ Rupes *R.* 1041. 14.
11 Helleborus *fl. viridi* ⊙ Rarò. *R.* 697. 2.
12 Helleborus *niger vulg.* ⊙. Sepes rarò. *R.* 698. 3.
TAB. XLIII. 1 Caltha *Palustris* ⊙ L. *Aq: R.* 700. *c.* 9.
2 Ranunculus *globosus.* ⊙ Mont. *R.* 700. 1.
3 Juncus *floridus* ⊙ L. Fossis *limosis. R.* 701.
4 Aquilegia *sylv.* ⊙ Dumetis *R.* 706. 1.
5 Damasonium *stellatum* ⊙ L. Stagnis *R.* 701.
6 Plantago *aq: latifol.* ⊙ L. Stagnis *aq. R.* 618. 1.
7 Plantago *aq: longifol.* ⊙ L. Stagnis &c.
8 Plantago *aq: minor* ⊙ L. Stagnis. *R.* 618. 2.
9 Sagitta *Graminea* ⊙ L. Fluvijs *R. S.* 619.
10 Sagitta *latifolia* ⊙ L. Rivul. *R.* 619. 1.
11 Sagitta *angustifol.* ⊙ L. *R.* 619. 3.
12 Sagitta *minor* ⊙ L. Fluvijs.

Sect. X. Herbæ Bacciferæ *Ray* 652.

TAB. XLIV. 1. Bryonia *alba* ⊙ ✱ L. Sepes. *R.* 659. 1.
2 Bryonia *nigra* ⊙ + L. Dumet. *R.* 660. 2.
3 Christophoriana ⊙ Sylvis *rarò R.* 662. 1.
4 Ruscus ⊙ ✱ H. Dumet. *R.* 664.
5 Polygonatum *vulg.* ⊙ ✱ Sylv. umbros. *R.* 664. 1.
6 Polygonatum *fl. maj.* ⊙ Rupes. Sylv. *R.* 664. 3.
7 Lilium *Convallium* ⊙ ✱ H. *Sylv. umbros. R.* 667. 1.
8 Herba Paris ⊙ + Sylv. *umbros. R.* 670. 1.
9 Dulcamara ⊙ ✱ L. Aquos *R.* 672. 1.
10 Solanum *Hort.* ● ✱ L. Fimetis. *R.* 672. 2.
11 Solanum *lethale* ⊙ Sepes. *ruder. R.* 679. 1.
12 Asparagus *Hort.* ⊙ ✱ Prat. marit. *R.* 683. 1.

Sect. XI Herbæ *flore tetrapetalo R.* 782. 1.

TAB. XLV. 1. Alliaria ☺ ✱ L. *Agger fossar. R.* 792. alb.
2 Camelina ● + *Salicetis. R.* 8. 11. 2. lut.
3 Leucoium *luteum* ⊙ ✱ L. Muris. *R.* 782. 1.
4 Leucoium *marinum* ● Marit. *R.* 780. 3.
5 Brasica *perfol. alba.* ● Rarò. *R.* 797. 20.
6 Brasica *maritima* ⊙ Clivis. *R.* 796. 13. *lut.*
7 Rapa *rotunda* ● ✱ L. Agriseritur. *R.* 800. 1. *lut.*
8 Rapa *oblonga* ● + L. Agriseritur. *R.* 800. 2. *lut.*
9 Napus *sylv.* ● + L. Agger. fossar. *R.* 802. 2. *lut.*
10 Sinapi *album* ● + L. Agger. fos. *R.* 802. 2. *lut.*
11 Sinapi *sativum* ● ✱ L. Hort: arvis *R.*
12 Sinapi *arvorum* ● + L. Seget. *R.* 802. 1.
TAB. XLVI. 1 Barbarea ⊙ L ✱. *Muris agger. R.* 809. 8.
2 Barbarea *præcox* ☺ Fossis *R.* 809. 8. *lut.*
3 Erysimum *vulg.* ☺ ✱ L. Ruder. muris *R.* 810. 9.
4 Erysimum *latifol.* ☺ L. *Agger. ruder. R.* 811. 3. lut.
5 Eruca *aquatica* ⊙ L. Fossis aq. *R.* 808. 3. *lut.*
6 Eruca *maritima* ● Aren. marit *R.* 840. *purp.*
7 Eruca *Monensis* ● marit *R.* 809. 5. *lut.*
8 Eruca *muralis* ⊙ L. Ruder *R.* 807. 4. *lut.*
9 Raphanus *hort.* ● L. Seritur. *R.* 804. 1. *purp.*
10 Rapistrum *album* ● L. Seget. *Com. R.* 805. 2.
11 Rapistrum *majus.* ● Raro. *R.* 806. 4. *alb.*
12 Sophia *Chirurgorum* ● ✱ L. Ruder. *R.* 812. 10. *lut.*
TAB. XLVII. 1. Nasturtium *amarum* ⊙ L. Udis. *R.* 814. 1.
2 Nasturtium *aquaticum* ⊙ ✱ L. Vadosis. *R.* 816. 6. *alb.*
3 Nasturtium *aq. præcox.* ⊙ L. Vadosis. *R. S.* 172. 7.
4 Nasturtium *hirsut. minus.* ⊙ L. Udis. *R.* 815. 5.
5 Cardamine *prat.* ⊙ + L. Udis. prat. *R.* 814. 2. *carn.*
6 Cardamine *fl. pleno.* ⊙ Raro. *R. S.* 171. 2.
7 Cardamine *impatiens. Rup. udis. R.* 815. 4. *alb.*
8 Cardamine *triphyll.* ⊙ Raro. *R.* 817. 11.
9 Cardamine *Bellidis* folio. ⊙ *Rupis.* raro. *R.* 817. 10.
10 Turritis *vulg.* ☺ L. Muris. *R.* 799. 3.
11 Turritis *major.* ☺ Raro. *R.* 799. 5.
12 Turritis *mural. minor.* ⊙ Muris. Rupib. *R.* 799. 6.
TAB. XLVIII. 1. Turritis *minor.* ● L. *Aren. sicc. R.* 800. 7.
2 Turritis *minor foliosa.* ● Muris. *alb. Apr.*
3 Lunaria *contorta minor.* ☺ Montib. udis *R.* 789. 6.
4 Lunaria *contorta major.* Rupes. *R. S.* 165. 2.
5 Paronychia *major.* ● Mont. *R.* 790. 4. *alb.*
6 Paronychia *vulg.* ✱ L. Siccis. *R.* 789. 1. *alb.*
7 Paronychia *trifida.* ● Siccis. *alb.*
8 Paronychia *Hibernica* aq. *Lacubus. R. S.* 281. alb.
9 Glastum *sativum* ☺. Agris. seritur. *R.* 842. *lut.*
10 Lepidium *vulg.* ⊙ ✱ Aquos. *R.* 828. 1. *alb.*
11 Myagrum *sylv.* ● Seget. *R.* 820. 1. *lut.*
12 Brasica *monospermos.* ⊙ Aren. marit. *R.* 838. *alb.*
TAB. XLIX. 1. Cochlearia *Hort.* ☺ ✱. Hort. marit. *R.* 822. 1.
2 Cochlearia *marit.* ☺ ✱. Salsis marit. *R.* 823. 2. *alb.*
3 Cochlearia *Hederacea* ☺ Marit *R.* 824. 6. *alb.*
4 Bursa Pastoris *Offic.* ● ✱ L. Vijs &c. *Com. R.* 838. 4.
5 Bursa Pastoris *fol.* Coronopi. ● L. *Muris* &c. alb.
6 Bursa Pastoris *minor.* ● L. Muris. Agger. *alb.*
7 Bursa Pastoris *fol. integro.* ● L. Muris &c. *alb.*
8 Raphanus *aq. latifol.* ⊙ L. *Aquis pigris. R.* 819. 3. *lut.*
9 Raphanus *aq. minor.* ⊙ L. Udis. *R.* 818. 2.
10 Raphanus *aq. fol. lacerat.* ⊙ L. *Aq. pigris.*
11 Raphanus *Rusticanus* ⊙ L. Fossis. *R.* 818. 1. *alb.*
12 Raphanus *Rusticanus fol. lacerat.* ⊙ Aq. *alb.*
TAB. L. 1. Nasturtium *sylv.* ● Marit. *R.* 825. 2.
2 Nasturtium *petræum* L. Arenos. *R.* 827. 9. *alb.*
3 Nasturtium *petræum* Cambriæ. *Rupibus. R. S.* 174. 4.
4 Nasturtium *mont. parvum.* Rupibus. *R. S.* 174. 5.
5 Nasturtium *Valentinum.* ● Raro. *R.* 826. 8.
6 Nasturtium *verrucosum.* ● L. Vijs. udis. *R.* 843. *alb.*
7 Thlaspi *vulg.* ☺ + L. *Seget. R.* 830. 1.
8 Thlaspi *glabrum.* ● Rarò. *R. S.* 175. 5.
9 Thlaspi *Dioscorid.* ● + Seget. &c. *R.* 831. 5.
10 Thlaspi *incanum* ⊙. Montos. *R.* 831. 2.
11 Thlaspi *Glasti fol.* ● Pascuis mont. *R.* 832. 10. *alb.*
12 Thlaspi *perfol. minus.* ● Saxosis. *R.* 832. 8.

TAB. LI. 1. Veronica *Spicata* Cambriæ ⊙ *R. 845. 1.*
2. Veronica *mas* Offic. ⊙.+ L. Pascuis *sicc. R. 851. 7.*
3. Veronica *prat. vulg.* ⊙. L. Pascuis *M. R. 850. 3.*
4. Veronica *Sylvat. pedic. oblongo* ⊙ L. Sylv. humid *&c. R. 850. 4.*
5. Veronica *Spicata parva* ⊙ *R. 846. 3.*
6. Veronica *Serpyllifolia* ⊙ L. Pratis *R. 848. 6.*
7. Veronica *fol.* Trifl. ● L. Hort. *R. 847. 3.*
8. Veronica *acaulis* ●. L. Mur. *&c. R. 847. 2.*
9. Veronica *fol.* Rutæ ● *R. 848. 5.*
10. Veronica *Hederacea* ● L. Com. Seget. *R. 848. 4.*
11. Becabunga *vulg.* Offic. ⊙ L. Rivulis *R. 852. 1.*
12. Becabunga *fol. longo* ⊙ L. *R. 852. 4.*
13. Becabunga *fol. angusto* ⊙ L. Udis palustr. *R. 852. 5.*
TAB. LII. 1 Papaver *sylvestre* ● L. Hort incultis I. *R. 854. 1.*
2. Papaver *Rhœas* ⊙ L. Seget. *R. 855. 4.*
3. Papaver *capitæ longo* ● Seget. *&c. R. 856. 7.*
4. Papaver *luteum* Cambriæ. ⊙ Rivulis. *R. 856. 7.*
5. Argemone *cap. rotundo* ●. Seget. *I. R. 855. 5.*
6. Argemone. *rotundo* ● Seget *R. 856. 6.*
7. Glaucium *luteum* ⊙ Aren. Marit. *R. 857. 12.*
8. Glaucium *Violaceum* ● Seget. I. Y. *R. 857. 14.*
9. Chelidonium *majus* ⊙ Ruder *&c. R. 858. 15.*
10. Chamænerion *vulg.* ⊙ Pratis I. Y. *R. 861. 4.*
11. Chamænerion *hirsut: fl. magno* ⊙ Ripis fluvior. Y. A. *R. 861. 4.*
12. Chamænerion *hirs. fl. parvo*. Aquos Y. A. *R. 861. 5.*
TAB. LIII. 1. Lysimachia *major* ⊙ L. Sylvis *&c.* I. Y. *R. 861. 6.*
2. Lysimachia *min. latifolia R. 862. 9.*
3. Lysimachia *media* ⊙. L. Ripis fluvior *R. 861. 7.*
4. Lysimachia *angustifolia* ⊙ L. Palustr. *R. 862. 8.*
5. Tithymalus *Sylvat. vulg.* ⊙. H. Sylvis. *R. 863. 1.*
6. Tithymalus *verrucosus* ⊙. *R. 871. 42.*
7. Tithymalus *latifolius* ●. Seget. *R. 870. 3. 2.*
8. Tithymalus *maritimus* ⊙ Arenos. Marit. *R. 865. 10.*
9. Peplus *min. Segetum* ●. L. Seget *R. 868. 23*
10. Peplus *Helioscopius* ●. L. Arvis *R. 869. 26.*
11. Peplus *rotundifolius* ● L. Hort *&c. 869. 27.*
12. Peplus *marit. vulg.* ●. Arenos. Marit. *R. 869. 2.*
SECT. XII. *Plantæ* Flore *cavo & pentapetalo.*
TAB. LIV. 1. Convolvulus *major* ⊙ L. *R. 725. 6.*
2. Convolvulus *minor* ⊙. L. Vijs Arvis *&c. R. 725. 8.*
3. Convolvulus *minimus* ⊙. Seget. I. *R. 725. 8.*
4. Convolvulus *maritimus* ⊙ Arenos Marit. *R. 726. 12.*
5. Rapunculus *esculentus* ⊙ Aggeribus fos's *&c. R. 739. 11.*
6. Campanula *rotundif. vulg.* ⊙. H. Ericetis *&c. R. 740. 12.*
7. Campanula *rotund. major* ⊙. Sylv. Sepib *&c.*
8. Campanula *Hederacea* ⊙. Raro. *741. 17.*
9. Campanula *maxima* ⊙. Mont. Y. A. *R. 732. 1.*
10. Campanula *minor* ⊙. Pascuis Mont. *R. 735. 18.*
11. Campanula *fol.* Urticæ ⊙. Dumet *&c.* Y. A. *R. 732. 4.*
12. *Speculum* Veneris *minus* Seget. I. Y. *R. 743. 4.*
TAB. LV. 1. Rapunculus *orbiculatus* ⊙. Pascuis Y. A. *R. 744. 2.*
2. Rapunculus *vulg. cæruleus* ●. H. Pascuis Steril. Aren. *R. 744. 3.*
3. Gentiana *palustris angust:* Ericetis humid. Y. A. *R. 719. 6.*
4. Gentiana *Autum. minor* ⊙. Mont. Cret. A. S. *R. 719. 7.*
5. Trifolium *palustre* ⊙. H. Udis palustr. *R. 1099. c. 14.*
6. Valeriana *Græca* ⊙. *R. 1102. 20.*
7. Centaurium *min. vulg.* ●. Pascuis Steril. sice. *R. 1092. 1.*
8. Centaurium *perfoliat: luteum* ⊙ Pascuis Mont sice. *R. 1093. c. 10.*
9. Linum *Sativum.* ●. Agris Seritur. I. *R. 1072. 1.*
10. Linum *Sylvestre* ●. Seget. *R. 1073. 2.*
11. Linum *angust: minus* ⊙. Salsis Palustr. *R. 1074. 13.*
12. Linum *Catharticum* ●. Pascuis sice Mont. *R. 1076. 21.*
TAB. LVI. 1. Caryophyllus *muralis* ⊙. *R. 988. 5.*
2. Caryophyllus *min. repens* ⊙. L. Arenos. *R. 988. 6.*
3. Caryophyllus *fl. vnico* ⊙. Y. A.
4. Caryophyllus *muscosus* Rupib. *&c. R. 1004. 11.*
5. Armeria *sylv. barbata* ●. L. Aren. *R. 991. 4.*
6. Armeria *fl. laciniato* H. Pratis humidis I. Y. *R. 1000. 6.*
7. Pervinca *major* ⊙. Sepib. M. *R. 1091. 2.*
8. Pervinca *minor* ⊙ *R. 1091. 1.*
9. Primula *veris. vulg.* ⊙. H. Dumet. Sepib. *R. 1080. 1.*
10. Paralysis *major* ⊙. Sylv. Sepib. *R. 1081. 4.*
11. Paralysis *vulg.* ⊙. L. Pascuis *R. 1081. 5.*
12. Paralysis *min. rubra* ⊙. Mont. udis M. *R. 1084. 9.*
TAB. LVII. 1. Lychnis *marina* ⊙. Marit. *R. 998. 3.*
2. Lychnis *Vesicaria* ⊙. L. Seget. *R. 998. 1.*
3. Saponaria *vulg.* ⊙. L. *R. 999. 2.*
4. Saponaria *concava* ⊙. Raro. *R. 999. 2.*
5. Lychnis *Sylv. alba* ⊙. L. Pascuis *&c. R. 994. 2.*
6. Lychnis *Sylv. rubra* ⊙. Sepib. *&c. R. 994. 3*
7. Muscipula *latif. alba* ⊙. I. Y. *R. 1001. 5 Alb.*
8. Muscipula *angust: rubra* ●. Rupib. *R. 1000. 1.*
9. Lychnis *Segetum alba* ●. Seget. *R. 996. 13.*
10. Lychnis *Noctiflora* ⊙. Seget. *R. 994. 5.*
11. Muscipula *muscosa* ⊙. R. *1002. 9.*
12. Nigellastrum ●. L. Seget. *R. 998. 1.*
TAB. LVIII. 1. Holosteum *majus* ⊙ H. *R. 1027. 2.*
2. Holosteum *medium* ⊙. L. Pratis humid
3. Holosteum *minus* ⊙. L. Vepret. *R. 1027. 4.*
4. Holosteum *uliginosum* ⊙. H. Udis. *R. 1030. 21.*
5. Myosotis *latif. præcox* ⊙. L. Pascuis sice *R. 1029. 14.*
6. Myosotis *vulg. Serotina* ⊙. L. Arvis reslib. *R. 1029. 15.*
7. Myosotis ⊙. L. Pascuis *&c.*
8. Myosotis *fl. puchro* ⊙. Ericetis *R. 1027. 5.*
9. Myosotis *fl. amplo* ⊙. Mont. humid.
10. Myosotis *grandiflora* Cambriæ ⊙. Rupib.
11. Holosteum *aq. majus* ⊙. L. Ripis humidis Y. A. *R. 1030. 19.*
12. Holosteum *f.* Alsine *vulg.* ☉ L. Com. *R. 1030. 20*
TAB. LIX. 1. Alsine *fol.* Plantaginis ● H. Uliginos *& R. 1032. 5.*
2. Alsine *multicaulis* ● L. Com. Mur. *R. 1031. 1.*
3. Alsine *tenuifolia* ●. Seget *R. 1031. 4.*
4. Alsine *fl. pulchro* ⊙. Mont *R. 1033. 11.*
5. Alsine *Arenaria* ● Y. *alb. R. 1032. 9.*
6. Spergula *Segetum* ● L. Seget *R. 1034. 19*
7. Spergula *marina* ☉. Salsis palustr. *R. 1034. 20*
8. Spergula *purp* ● H. Arenos *R. 1034. 18.*
9. Spergula *tetrapetala* ● H. Pascuis steril Aren. *R. 1025. 1.*
10. Millegrana *Graminea* ⊙. H. Hort. Amb. *&c. R. 1026. 5.*
11. Millegrana *Graminea* ●. *R. 1026. 6.*
12. Millegrana *minima* ● L. Ericetis udis. R. *1026. 7.*
TAB. LX. 1. Chamæcistus *vulg.* ⊙. Mont. Cret. *R. 1023. 13.*
2. Chamæcistus *fol. incano* ☉. Rupib *R. 1015. 7.*
3. Chamæcistus *fol.* Poly ⊙. Pascuis
4. Chamæcistus ● *fl. guttato* ●. I. *&c. R. 1012. 2.*
5. Hypericum *vulg.* ⊙.*.L. Dumet Sep. *R. 1018. 5.*
6. Hypericum *pulchrum* ⊙.+H. Dumet *&c. R. 1019. 11.*
7. Hypericum *bifolium* ⊙. L. Rupib. *R. 1021. 19.*
8. Hypericum *minimum* ☉. Pascuis Aren *&c R. 1019. 10.*
9. Androsemum *vulg.* ⊙.*.H. Dumet. Sepib. *R. 1020. 16.*
10. Androsemum *Hypericoides* ⊙. H. Dumet Sepib *R. 1020. 17.*
11. Ascyron *vulg.* ⊙. H. Ripis fluv. *&c. R. 1019. 12.*
12. Ascyron *villosum* ⊙. Udis Muscosis *R. 1020. 18.*
TAB. LXI. 1. Geum *Hors.* vulg. *R. 1046. 6.*
2. Geum *fol. circinato. R. 1047. 1.*
3. Geum *Hibernicum. R. 1045. 3.*
4. Geum *Cambrice.* Rupib. *R. 3. p. 507. 2.*
5. Geum *hirsutum.* Mont. humid *R. 1046. 8.*
6. Geum *album* Saxifraga *vulgo* L* Pascuis sicc. *R. 1048*
7. Geum *trifidum.* Mont. *R. 1043. 21.*
8. Geum *fol.* Rutæ. Muris *R. 1048. 25.*
9. Geum *cærul.* Ericoides. Rupib. *R. 1040. 6.*
10. Geum *mont. luteum.* Mont. humid. *R. 1042. 20.*
11. Sedum *alb. teretifolium.* Muris *&c. R. 1040. 1.*
12. Parnassia *vulg.* Palustrib. *R. 1049. c. 4.*
TAB. LXII. 1. Verbascum *lut: vulg.* Agror. *Margin &c. R. 1094. 1.*
2. Verbascum *lut. fl. parvo. R. 1094. 3.*
3. Verbascum *nigrum. R. 1095. 7*
4. Verbascum *album.* Viis *R. 1095. 5.*
5. Blattaria *lutea. R. 1096. 1.*
6. Salicaria *vulg.* Ripis fluvior *R. 1036. 1.*
7. Salicaria *fol. brevi.*
8. Salicaria *trifolia.*
9. Lysimachia *lutea.* Aquos *R. 1021. 1.*
10. Lysimachia *globosa. R. 1022. 5.*
11. Pyrola *vulg.* * *R. 1233. 1.*
12. Pyrola *mucronata. R. 1233. 2*
13. Trientalis. *R. 1101. c. 19.*
TAB. LXIII. 1 Anagallis *mas* ● Seget. *R. 1023. 1.*
2. Anagallis *fœmina* ● × *R. 1024. 2.*
3. Anagallis *lutea* ⊙. Sylv. Umbros. *R. 1024. 4.*
4. Anagallis *Aquatica* ⊙. Udis I. Y. *R. 1101. c. 18.*
5. Nummularia *vulg.* ⊙.*. *R. 1099. 1.*
6. Nummularia *rubea* ⊙. Udis Y. A. *R. 1100. 2.*
7. Oxys *alb.* ⊙ × Sylvis *&c. R. 1098. 1.*
8. Viola *Aquatica* ☉ Vadosis. *R. 1101. 2.*
9. Hyssopifolia *Aquatica* ●. Aquos. *R. 1055. 1.*
10. Ros *solis fol. rotundo* ☉. Udis *R. 1100. 1.*
11. Ros *solis fol. oblongo* ⊙. *R. 1100. 2.*
12. Rorella *longifol. mar. R. 1100. 5.*
TAB. LXIV. 1 Geranium *columb.* ● L *Sepib &c. R. 1059. 19*
2. Geranium *columb. alb.* ● Fossis *&c.*
3. Geranium *columb. minim* ● Pascuis steril.
4. Geranium *columb. fl. min.* ● L. *R. 1059. 18.*
5. Geranium *columb. fl. maj.* ● L. Pascuis Arenos.
6. Geranium *columb. dissect fol.* ● Pascuis steril. *R. 1059. 21.*
7. Geranium *columb. max. fol. dissect* ● Sep. *&c. R. 1060. 24.*
8. Geran. *columb. dissect. fol. ped. fl. longiss* ● *R. 1059. 23*
9. Geran. *hæmatodes.* ⊙. Ericetis mont *&c.* Y. A *R. 1060. 32.*
10. Geran. *hæmat. altius incisis* ☉ Agger *fossar*
11. Geran. *hæmat. fl. striato* ☉ Raro *R. 1061.*
12. Geran. *lucidum* ● Umbros I. Y. *R. 1060. 25*
TAB. LXV. 1. Geranium *Pusillum.* Aren. marit *R. 1056. 3*
2. Geran. *moschatum. R. 1057. 10*
3. Geran. *Cicutæ fol.* Arenos *R. 1057. 8.*
4. Geran. *nodosum.* Mont *R. 1060. 29.*
5. Geran. *Robert* × Sepib. *&c. R. 1058. 17.*
6. Geran. *lucid saratile.*
7. Geran. *batrachoides.* Pratis humid *R. 1061. 33*
8. Geran. *betrach. mont.* Pratis Mont *R. 1062. 34.*
9. Anthyllis *marit.* Arenos marit *1024. c. 11.*
10. Glaux *marit.* Salsis Palustr. *R. 1102. 1.*
11. Portulaca *aquat.* Udis *R. 1035. 25.*
12. Plantaginella *palustris. R. 1077. c. 12.*
TAB. LXVI. 1 Allium *Sylvestre R. 1117. 4.*
2. Allium *Sylv. cum flosc. bulb. intermixtis*
3. Allium *Sylv.* Tenuifolium *R. 1118. 4.*
4. Allium *Sylv.* Nucleis *rariorib. et majorib.*
5. Allium *Sylv.* Amphicarpon *&c.*
6. Allium *Sylv. bicorni &c.* Seget. *R. 1119. 3.*
7. Allium *Holmense &c. R. 1125. 2.*
8. Allium *Sylv. latifol.* Pratis humid. *R. 1112. 12.*
9. Asphodelus *Lancastriæ R. 1195. 2.*
10. Ornithogalum *spicatum fl.* Virenti *R. 1153. 11.*
11. Ornithogalum *vulgare. R. 1153. 9.*
12. Ornithogalum *luteum. R. 1153. 13.*

TAB. LXVII. 1. Bulboſa *Alp. junciſol. Cambriæ*

2. Colchicum *Pratis R. 1170. 1.*

3. Crocus * *R. 1176. 17.*

4. Hyacinthus *Angl.* Dumet *Sep. R. 1159. 20.*

5. Hyacinthus *Stellatus. Cambriæ. R. 1155. 1.*

6. Hyacinthus *Stell. autumalis. Rupib. R. 1157. 13.*

7. Gladiolus *lacustris. R. 1325. c. 12.*

8. Narciſsus *pallido. lut. angl. alt. calyce magn. brev. aurao.*

9. Narciſsus *Sylvestris. R. 1131. 5.*

10. Narciſsus *medio-luteus vulg. R. 1135. 23.*

11. Iris *Palustris lutea. Rip. fluvior. R. 1186. 24.*

12. Xyris. *Diunet. Sep. R. 1190. 7.*

TAB. LXVIII. 1. Orchis *barbata fœtid* ⊙ *R. 1212. 1.*

2. Orchis *morio mas* ⊙ Paſcuis &c. *R. 1214. 7.*

3. Orchis *morio fœm.* ⊙ Paſcuis M. *R. 1214. 8.*

4. Orchis *purpurea.* ⊙ Paſcuis *ſicc. cret. R. 1215. 14.*

5. Orchis *Pannonica.* ⊙ Collib. *Steril et Cret. R. 1215. 12.*

6. Orchis *odorata moschata* ⊙ Y. *R. 1217. 22.*

7. Triorchis. ⊙ Paſcuis *Arenos* Y. A. *R. 1217. 26.*

8. Orchis *anthropophora.* ⊙ Glareos. *R. 1217. 27.*

9. Orchis *galea. &c.* ⊙ *R. 1218. 29.*

10. Orchis *myodes minor* ⊙ Agger. *foss. R. 1219. 32.*

11. Orchis *hermophroditica bifol.* ⊙. *R. 1221. 40.*

12. Orchis *all. bifol. min. calcari. oblongo. R. 1221.*

TAB. LXIX. 1. Orchis *myodes major.* ⊙ *R. 1220. 33.*

2. Orchis *fuciflora &c* ⊙ Pascuis *ſicc. R. 1220. 38.*

3. Orchis *sive* Teſticulus *Sphegodes hirsut. fl. R. 1221. 39.*

4. Orchis *all. odorata.* ⊙ Eborac.

5. Orchis *palmata maj. mar.* ⊙ Pratis *humid. R. 1223. 1.*

6. Orchis *palmata fœmin.* ⊙ Sylvis I. *R. 1223. 2.*

7. Orchis *palmata rub.* ⊙ Pratis *humid. R. 1224. 6.*

8. Orchis *palmata min.* ⊙ Paſcuis *ſicc. R. 1224. 7.*

9. Pleudo-Orchis. ⊙ Paluſtr. *R. 1226. 3.*

10. Orobanche *major.* ⊙ *R. 1227. 1.*

11. Orobanche *ramosa.* ⊙ Seget. *R. 1227. 5.*

12. Orobanche *hypopitys.* ⊙ Sylv. *umbros R. 1229. 2.*

TAB. LXX. 1. Orobanche *radice dentata maj.* ⊙ *R. 1229. 1.*

2. Nidus *Avis.* ⊙ Sylvis *R. 1228. 1.*

3. Nidus *Avis. purp.* ⊙ *R. 1229. 3.*

4. Calceolus *Mariæ* ⊙ Sylvis. *R. 1239. 12.*

5. Helleborine *fl. atro-rubente.* ⊙ *Mont. R. 1231. 5.*

6. Helleborine *latifol. mont.* ⊙ Sylvis *cæduis. R. 1230. 1.*

7. Helleborine *fl. albo.* ⊙ Sylvis M. I. *R. 1231. 6.*

8. Helleborine *palustris.* ⊙ Udis &c. *R. 1231. 10.*

9. Helleborine *augustifolio.* ⊙ Sylvis &c.

10. Bifolium *Majus. Pratis. humid. &c. R. 1232. 1.*

11. Bifolium *minimum Ericetis udis. R. 1232. 2.*

12. Bifolium *palustr.* Udis. *palustr. R. 1232. 4.*

TAB. LXXI. 1. Nymphæ *alba* ⊙ Fluvijs. *R. 1320. 3.*

2. Nymphæa *alb. minima* ⊙ Aquis *pigris. R. 1320. 4.*

3. Nymphæa *lutea.* ⊙ Fluvijs. *R. 1319. 1.*

4. Nymphæa *latea min. fl. fimbriato R. 1320. 2.*

5. Aloe *palustris.* ⊙ Foſsis *palustr. R. 1324. c. 7.*

6. Filipendula ⊙ Pratis *& pascuis mont. R. 623. 1.*

7. Filipendula. *min.* ⊙ Pascuis *steril. R. 623. 2.*

8. Ulmaria ⊙ Ripis *fluvior. R. 624. c. 3.*

9. Thalictrum *majus.* ⊙ Ad rivul. *& aq. R. 403. 4.*

10. Thalictrum *minus.* ⊙ Mont. *cret. R. 404. 5.*

11. Thalictrum *mont. minus.* ⊙ Rup. *R. 3. p. 249.*

12. Thalictrum *mont. minim.* ⊙ Rup. *udis. R. 3. p. 249.*

TAB. LXXII. 1. Valeriana *Sylvestris major.* ⊙ * *R. 388. 2.*

2. Valeriana *Sylv. min.* ⊙ Pratis *Humidis. R. 388. 3.*

3. Valeriana *Sylv. seu Palustris minor altera. R. 389. 4.*

4. Lactuca *agnina* ● Seget *&c. R. 392. 1.*

5. Lactuca *agnina fol. serratis* ⊙ Seget. *R. 392. 2.*

6. Limonium ⊙ Salsis *palustr. R. 395. 1.*

7. Limonium *min.* ⊙ Clivir. *Marit.* I. *R. 395.*

8. Caryophyllus *mont. min.* ⊙ Paluſtr. *marit. R. 1037. 1.*

9. Sparganium *ramosum* ⊙ Rip. *fluvior &c. R. 1311. 2.*

10. Spargan. *non ramosum.* ⊙

11. Spargan. *minimum.* ⊙ Stagnis *& rivul. R. 1312. 3.*

12. Cuſcuta *major.* ⊙ Ericetis I. Y. *R. 1903. c. 2, 3.*

ENGLISH PLANTS *with* BLINK *Flowers.* *TAB.* 1.

1. *Male* HOPS.
RAY HIST. PLANT. 156 Syn. 28. ed. 52.



2. *Female* HOPS.
RAY HIST & Syn idem



3. *Male* HEMP.
RAY. H. Pl. 158. 1. Syn. 28. ed. 53.



4. *Female* HEMP.
RAY HIST. & Syn. idem.



5. *Male Dogs* MERCURY.
RAY 163. 1. Syn. 29. edit. 2. p. 53. 1.



6. *Female Dogs* MERCURY.
RAY 163. 1. Syn. 29. ed. 53. 1.



7. *Male French* MERCURY.
RAY 163. 2. S. 29. ed. 54.



8. *Female Fr.* MERCURY.
RAY 163. 2. S. 29. ed. 54.



9. *Great* NETTLE.
RAY 160. 4. S. 29. ed. 54. 1.



10. *Small* NETTLE.
RAY 161. 5. S. 29. ed. 54.



11. *Roman* NETTLE.
RAY 161. 6. S. 29. 3. ed. 54. 3.



12. *Small* BURDOCK.
RAY. 165. 1. S. 29. ed. 55.



ENGLISH PLANTS *with* BLINK *Flowers*. TAB. II.

1. *Great Water* DOCK. RAY 177. 4. Syn. 30. 1. ed. 55. 1.



2. *Curl'd Sharp* DOCK. RAY 173. 6. Syn. 30. 3. ed. 55. 3.



3. *Smooth Sharp* DOCK. RAY 173. 7. Syn 30. 4. ed. 56. 4.



4. *Small Sharp-*DOCK. RAY 174. Syn. 31. edit. 2. 5 6.



5. *Blood-vein'd* DOCK. RAY 174. 10. Syn. 31. 7. ed. 56.

6. *Bloodless* DOCK.

7. *Gold* DOCK.

8. *Bur Gold* DOCK. RAY 174. 8. Syn. 31. 6. ed. 56. 6.

9. *Broad* DOCK. RAY 173. 5. Syn. 30. 2. ed. 5 2.

10. *Fiddle* DOCK. RAY 174. 9. Syn. 31. 5. ed. 565.

● *Signifies* ANNUAL
⊙ *Signif.* PERENNIAL

XI. BUCK-WHEAT. RAY 182. 1. Syn. 32. ed. 57 1.

12. *Trailing* BUCK-WHEAT. RAY 182. 2. Syn. 32. ed. 57. 1.

S. N. Sculp.

ENGLISH PLANTS *with* BLINK *Flowers.* *TAB.* III.

1. Common SORREL. RAY 178. 1. S. 31. 8. ed 56. 8.
2. Sheeps SORREL. RAY 180. 14. S 31. 9 ed 56. 9.
3. Barren SORREL.
4 Welsh SORREL RAY Syn 31. 10. ed 57. 10.



5. Common ARSMART. RAY 182. S. 32. ed 58. 1.
6 Creeping ARSMART. RAY 183. 3. S. 32. ed. 58. 2.
7 Spotted ARSMART. RAY 183. 2. S. 32. 3. ed 58. 3.
8. Spotted hoary ARSMART.



9. Silver ARSMART. RAY Syn. ed 2. p 58.
10. White branch'd ARSMART.
11. BOBARTS Arsmart.
12. Amphibious ARSMART. RAY 184. 6. Syn 32. 4. ed 58. 4.



Sutton Nicholls sculp.




ENGLISH PLANTS *with* BLINK *Flowers.* TAB: IIII.

1. *Common* PLANTAIN. *RAY 876. 1. Syn. 125. 1. ed 184. 1.*

2. *Dented* PLANTAIN. 3. *Hoary* PLANTAIN. *RAY 877. 5. Syn. 126. 2. ed. 184. 2.*

4. *Rose & Spiked* PLANTAIN. *RAY 876.*



5. *Besom* PLANTAIN. *RAY 877. 4. Syn. 126. 3. ed. 185. 3.*

6. *Common* RIBWORT. *RAY 877. 7. Syn. 126. 4. ed. 185. 4.*

7. *Mountain* RIBWORT. *RAY Syn. 126. 7. ed. 185. 7.*

8. *Childing* RIBWORT. *RAY 877. 1.*




9. *Sea* PLANTAIN. *RAY 880. 5. Syn. 126. 5. ed. 185. 5.*

10. *Bucks-horn* PLANTAIN. *RAY 879. 3. Syn. 126. 6. ed. 185. 6.*

11. *Great* BURNET. *RAY 402. 2. Syn. 162. 1. ed. 100.*

12. *Small* BURNET. *RAY 401. 1. Syn. 162. 2. ed. 100.*



Sutton Nicholls sculp.



ENGLISH PLANTS *with* BLINK *Flowers.* TAB. V.

1. *Common Great* BISTORT.
RAY. 186. 1. Syn. 33. ed. 59.





4. *Broad* PONDWEED.
RAY 188. 1. S. 34. 1. ed. 60. 1.



5. *Long* PONDWEED.
RAY 188. 2. Syn. 34. 2. ed. 61. 2.




6. *Round* PONDWEED.
RAY 188. 3. S. 34. ed. 61. 3.

7. *Heart* PONDWEED.


8. *Plain* PONDWEED.
RAY 189. 4. S. 34. 4. ed. 61. 4.

9. *Curld* PONDWEED.
RAY 189. 5. S 34. 5. ed. 61. 5.



10. *Broad Grass* PONDWEED. 11. *Narrow Grass* PONDWEED. 12 *Fine Grass* PONDWEED.
RAY 189. 7. S. 35. 7. ed. 61. 7.

13. *Fennell* PONDWEED.
PLUK. Tab. 216. Fig. 5.



Sutton Nicholls sculp


ENGLISH PLANTS *with* BLINK *Flowers* TAB. VI.

1. *Taſsel* PONDWEED. RAY 190. 10. Syn 35. 10. ed 62. 10.

2. *Horned* PONDWEED. RAY 190. 13. Syn 35. 11. ed 281.

3. *Water* STARWORT. RAY 1323. cap. 6. Syn. 208. 1.

4. *Long Water* STARWORT. RAY Syn. 208. 2. ed 280. 2. ed 280. 1.




5. *Feather* PONDWEED. RAY 191. c. 2. 1. Syn. 35. ed 279.

6. *Fine Feather* PONDWEED.

7. *Milfoil* PONDWEED. RAY 191. c. 2. 2. S. 35. ed 2805.

8. *Knotted* PONDWEED. RAY 1322. 1. Syn. 207. ed. 279.




9. *Golden* SAXIFRAGE. RAY 207. c. xi. 1 Syn 38. 1. ed 66.

10. *Long Golden* SAXIFRAGE. RAY 207. 2. Syn 39. ed 66.

xi. CORNWAL PENNYWORT. RAY Syn. 248. ed. 211. 14.

12. *Marſh* PENNYWORT. RAY 1323. 1. Syn 208. ed 280.



ENGLISH PLANTS *with* BLINK *Flowers* TAB. VII.

1. *Delt* ORRACH. RAY 192. 3. Syn. 36. 1. ed. 62. 1.



2. *Delt Sea* ORRACH. RAY 193. 10. Syn. 36. 4. ed. 63. 4.



Frosty Sea ORRACH. RAY 193. 8. Syn. 36. 5. ed. 63. 5.



4. *Jagged long* ORRACH. RAY 192. 6. Syn. 36. 3. ed. 62. 3.



5. *Spear* ORRACH. RAY 192. 4. S. 36. 2. ed. 62. 2.



6. *Grass Sea* ORRACH.



7. *Sea* PURSLAIN. RAY 195. 3. Syn. 36. 6. ed. 63. 8.



8. *Heart Sea* PURSLAIN. RAY Syn. ed. 63. 7.



9. *Small Garden* BLITE. RAY 208.



10. *Allseed* BLITE. RAY 196. 2. Syn. 38. 9. ed. 65. 11.



11. *Stinking* ORRACH. RAY 198. 11. Syn. 37. 4. ed. 64. 6.



12. *Wild* SPINAGE. RAY 195. 1. S. 37. 6. ed. 64. 8.



Sutton Nicholls sculp.

ENGLISH PLANTS *with* BLINK *Flowers* TAB. VIII.

1. RAND's Oak BLITE. 2. Frost BLITE. 3. BUDDLE's Fig BLITE. 4. BUDDLE's Round BLITE.

RAY 198. 8. Syn. 36. ed 63. 1.



5. Thick Shining BLITE. 6. Sharp pointed BLITE. 7. Maple BLITE. 8 Broad pointed BLITE.

RAY Syn. ed. 64. 5. RAY 197. 9. Syn. 37. 3. ed. 64. 3.



9. Sea BEET. 10. Wall PELLITORY. 11. Tree STONECROP. 12. Shrub STONECROP.


RAY 204. 3. Syn 38. ed. 65. RAY 206. 1. Syn 38. ed. 66. RAY 199. 17. Syn 38. 8. ed 65. 10. RAY 199. 16. S. 38. 7. ed. 65. 9.




Sutton Nicholls sculp

ENGLISH PLANTS *with* BLINK *Flowers.* *TAB.* IX.


1. Small GLASSWORT. *2. Prickley* GLASSWORT. *3. Small joynted* GLASSWORT. *4. Woody joynted* GLASSWORT.
RAY 198. 14. Syn 375. ed. 647 *RAY 212. 2. Syn 39. 3. ed. 673.* *RAY Syn. 39. 1 ed. 67. 1.* *RAY 211. 1 Syn. 39. ed. 67. 2.*



5. Bastard TOAD-FLAX. *6. Upright* KNAWELL. *7. Spreading* KNAWELL. *8.* PEPPER *Grass.*
RAY 399. c. 7 Syn 61 ed. 99. *TABERN. 505.* *RAY. 213. 1. Syn 40. 1 ed. 68. 1.* *RAY 1325. c. 10. Syn. 209. ed 281.*



9. LADIE'S MANTLE. *10. Small* LADIE'S MANTLE. *11 Silver* LADIE'S MANTLE. *12* PARSLEY PIERT.
RAY 208. 1. Syn 39. 1 ed. 66. *RAY Hist Plantar. 202. 2.* *RAY 209. 4. Syn 39. ed. 66.* *RAY 209. c. 14. Syn 39. ed 67.*



Biblioteka Jagiellońska

ENGLISH PLANTS *with* BLINK *Flowers* TAB. X.

1. Common KNOTGRASS. RAY 184. 1. Syn 33. ed 59.



2. Thick-set KNOTGRASS.



3. Short leav'd KNOTGRASS. TABERN. Vol 2. 202. Ic. 833.



4. Narrow KNOTGRASS. TABERN. V2. 203 Fig.




5. Sea KNOTGRASS. RAY 185. 2. Syn 33. ed. 59. 2.




6. NEWTONS KNOTGRASS.



7. Whorld KNOTGRASS. RAY 214. 3. Syn 40. ed. 68.



8. VALENTIA Knotgrass. RAY 215. 8.



9. Smooth RUPTURE-WORT. RAY 214. 6. Syn 40. ed. 69.



10. Hoary RUPTURE-WORT.



11. Sea HEATH. RAY 1716. 15. Syn 231. 5. ed. 314. 5.



12. BLINKS. RAY 1035. 26. Syn 149. 1. ed. 211. 14.




Edm. Nicholls sculp.



ENGLISH PLANTS *with* LETTUCE FLOWERS. TAB. XI.


1. Common MOUSE-EAR. 2. WELCH MOUSE-EAR. 3. Narrow MOUSE-EAR. 4. Brad MOUSE-EAR.
RAY 242. 1. Syn. 46. ed. 75. RAY. 241. 19. RAY 244. 2.



5. Narrow Smooth MOUSE-EAR. 6. PLUKENET's MOUSE-EAR. 7. Common DANDELION. 8. Narrow DANDELION.
RAY 245. 8. Syn. 45. ed. 76. 4. RAY Syn. ed. 2. p. 75. x1. RAY 244. 3. Syn. 46. 1. ed. 76. 1. RAY Syn. 46. 2. ed. 76. 2.



9. Common rough DANDELION. 10. SANDY rough DANDELION. x1 ROUGH Branched DANDELION. 12 Smooth-branched DANDELION.
RAY 245. 5. Syn. 46. 3. ed 76. 3. RAY 246. Syn. ed. 73. 10. RAY 230. 2. Syn. 42. 2. ed. 72. 2.



Simon Nicholls sculp.


®



ENGLISH PLANTS *with* LETTUCE FLOWERS. TAB. XII.

1. Comon HAWKBIT. 2. Jagged HAWKBIT. 3. Small Jagged HAWKBIT. 4. Dandelion HAWKBIT.

RAY 230. 1. S. 42. 1. ed. 71. 1.



5. Buddle's HAWK-BEARD. 6. Comon HAWK-BEARD 7. Succory HAWK-BEARD. 8. Castor HAWK-WEED

RAY 234. 16. S. 43. 4. ed. 72. 4. RAY 232. 6. S. 43. 3. ed. 72. 3.



9. Small Succory HAWK-WEED.


x. Tall Succory HAWK-WEED. x1. Curl'd HAWK-WEED 12. Ox-tongue HAWK-WEED

RAY 236. 5. S. 43. 8. ed. 73. 6. RAY 233. 12. S. 44. x1. ed. 73. 9. RAY 233. 10. S. 43. 9. ed. 73. 7.



ENGLISH PLANTS *with* LETTUCE FLOWERS. TAB. XIII.

1. Broad HAWK-LUNG
RAY 239. 7. S. 45. 6. ed. 73. xi.



2. Round HAWK-LUNG
RAY Syn. edit. 2. p. 74. 6.



3. Broad dented HAWK-LUNG
RAY. Syn. ed. 2. pag. 74. 7.



4. French HAWK-LUNG
RAY 239. 9. S. 44. 4. ed. 74. 4.



5. Narrow HAWK-LUNG
RAY 240. xi. S. 45. 5. ed. 74. 5.



6. WELCH hoary HAWK-LUNG
RAY 239. 8. Syn. 45. ed. 75. 8.



7. Broad hairy HAWK-LUNG
RAY 238. 2. S. 44. 1. ed. 74. 1.



8. Long hairy HAWK-LUNG



9. Broad smooth HAWK-LUNG
RAY 238. 1. S. 44. 2. ed. 74. 2.



10. Narrow hairy HAWK-LUNG
RAY 238. 5. S. 44. 3. ed. 74. 3.



11. Narrow smooth HAWK-LUNG



12. Grass HAWK-LUNG



Sutton Nicholls sculp.

ENGLISH PLANTS *with* LETTUCE *Flowers.* TAB. XIV.

1. Round leav'd SOW THISTLE. PLUKENET. Tab. 61. Fig. 5.



2. Broad SOW THISTLE. RAY 225. 7. Syn. 42. 4. ed 71. 4.



3. Narrow SOW THISTLE. PLUK. Tab. 62. fig. 4.



4. Prickle dented SOW THISTLE. DODON. Pempt. 643. fig. 3.



5. Prickle jagged SOW THISTLE. RAY. 225. 6. Syn. 42. 3. ed. 70. 3.



6. Corn SOW THISTLE. RAY 226. 10. Syn. 42. 5. ed 71. 5.



7. Tall Marsh SOW THISTLE. RAY 226. 11. Syn. 42. 6. ed 71. 6.



8. Smooth Broad SOW THISTLE. RAY. 224. 2. Syn. 42. 2. ed. 70. 2.



9. Smooth Jagged SOW THISTLE. RAY 224. 1. Syn. 42. 1. ed 70. 1.



10. BUDDLE'S Jagged SOW THISTLE. RAY 255. 4. Syn. 47. ed 77.



11. Wild SUCCORY. RAY 256. c. 2. Syn. 47. ed. 77.



12. NIPPLE WORT.



Sutton Nicholls sculp.



ENGLISH PLANTS *with* LETTUCE *Flowers &c.* TAB. XV.

1. *Broad* LETTUCE.
RAY 222.4. Syn 413. ed 703.

2. *Cut* LETTUCE.
RAY 221. 2. Syn. 411. ed 69. 1.

3. *Jagged* LETTUCE.
RAY 222.3. Syn. 412. ed 69. 2.

4. *Small Jagged* LETTUCE.
RAY 222.5. Syn 414. ed 704.




5. *Ivy* LETTUCE.
RAY 223. 7. Syn 415. ed 705.

6. *Narrow* GOATS-BEARD.
RAY 252. 6.

7. *Comon* GOATS-BEARD.
RAY 252. 1. Syn 46. ed 76.

8. *Purple* GOATS-BEARD.
RAY 252. 3. Syn 47. ed 77.



9. *Small* SWINES SUCCORY.
RAY 229. 2. Syn. 44. 12. ed 78.

10. *Common* CARLINE.
RAY 288. 2. Syn. 247. ed 80.

11. BUTTER-BUR *Leaves.*
RAY 260. Syn. 47. ed 78.

12. BUTTER-BUR *in* FLOWER.



Sutton Nicholls sculp

1. *ELECAMPANE*
RAY 273. c. 7. Syn. 49. ed. 81.



2. *Common* FLEA-BANE.
RAY 262. 5. Syn. 48. ed. 79. 1.



3. *Small* FLEA-BANE.
RAY 262. 6. Syn 48. 2. ed. 79. 2.



4. *Blue* FLEA-BANE.
RAY 270. 1. Syn. 49. ed. 80.




5. *Marsh* FLEA-BANE.
RAY 263. 10. Syn. 48. ed. 79.

6. *Jagged* FLEA-BANE.
RAY 264. 12. Syn 48. 3.

7. *BOBARTS Golden Rod.*
RAY 279. 6. Syn. ed. 2. p. 814.

8. *Marsh Golden Rod.*
RAY 280. x1. Syn. 49. ed. 81. 2.




9. *Narrow Golden Rod.*
GER. 348. Fig. 1.

10. *Common Golden Rod.*
RAY 278. 1. Syn. 49. ed. 81.

x1. *WELSH Golden Rod.*
RAY Syn. 50. ed. 81. 3.

12. *White Golden Rod.*
RAY 271. 4. Syn. 49. ed. 80.



Sutton Nicholls sculp

ENGLISH PLANTS *with* STAR-FLOWERS. TAB. XVII.

1. Common RAGWORT. RAY 284. 1. Syn. 50. 1. ed. 82. 1.

2. Marsh RAGWORT. RAY 285. 4. Syn. 50. 3. ed. 82. 3.

3. Groundsel RAGWORT. RAY 285. 2. Syn. 50. 2. ed. 82. 2.

4. CAMBRIDGE Ragwort RAY 272. 4. Syn. 49. 3. ed.



5. Common GROUNDSEL. RAY 290. 1. Syn. 50. 1. ed. 83. 1.

6. Cotton GROUNDSEL. RAY 290. 2. Syn. 50. 2. ed. 83. 2.

7. COLTSFOOT. RAY 259. 1. Syn. 47. ed. 78.

8. COLTSFOOT in Flower.



9. Golden SAMPIRE. RAY 268. 11. Syn. 48. 1. ed. 79. 1.

10. Great Sea STARWORT. RAY 270. 20 Syn. 49. 2. ed. 80. 2.

11. Small Sea STARWORT. RAY 270. 20. Syn. 49. 2. ed. 80. 2.

12. Naked Sea STARWORT. RAY 270. 20. Syn. 49. 2. ed. 80. 2.



Sutton Nicholls sculp

ENGLISH PLANTS *with naked* FLOWERS & *Downey* SEED. TAB. XVIII.

1. *Mont-Pelier* FLEABANE. *RAY 292. 1. Syn. 51. ed. 83.*



2. *Hemp Agrimony* *RAY 293. 1. Syn. 51. ed 83.*



3. AMERICAN *Live-long.* *RAY 284. 15 Syn. ed. 82.*



4. *CATS-FOOT.* *RAY 283. 12. Syn 50. ed. 82. 1.*



5. JERSEY *Live-long.* *RAY 284. 17. Syn. ed. 83.*



6. ENGLISH *Live-long* *RAY 295. 13. Syn. 51. 2. ed. 84. 2.*



7. *Long* CUDWEED. *RAY 295. 5. Syn. 52. 5. ed. 85. 6.*



8. GERMAN *Cudweed.*



9. *Childing* CUDWEED. *RAY 295. 4 Syn. 51. 3. ed. 84. 3.*



10. *Low Childing* CUDWEED.



11. *Least* CUDWEED. *RAY 296. 6. Syn. 52. 4. ed 85. 4.*



12. *Grass* CUDWEED. *RAY 296. Syn. ed. 85. 5.*



Sutton Nicholls sculp.

ENGLISH PLANTS *with* DAISIE FLOWERS. TAB. XIX.

1. Great DAISIE.
RAY. 350. 1. Syn. 56. ed. 91. 2.



2. Common DAISIE.
RAY 349. 3. Syn. 56. 2. ed. 91.



3. SNEEZ-WORT.
RAY 344. 1. Syn. 56. ed. 91.



4 YARROW or NOSEBLEED.
RAY 345. c. 3. 1. Syn. 56. ed. 91.



5. FEVERFEW.
RAY 357. 1. Syn. 57. ed. 93.

6. CORN MARYGOLD.
RAY 339. 3. Syn. 247. ed. 90. 1.

7. Yellow OX-EYE.
RAY 341. 9. Syn. 56. ed. 90.

8. White OX-EYE.









9. Bitter CAMOMILE.
RAY 355. 2. Syn. 56. 1. ed. 92. 1.

10. Sweet CAMOMILE.
RAY 353. c. 6. 1. Syn. 57. 2. ed. 92. 2.

11 Stinking CAMONILE.
RAY 355. 3. Syn. 57. 3. ed. 92. 3.

12. MAY-WEED
RAY 355. Syn. 56. ed. 92.









Sutter Nichols sc.

THE CROWN

ENGLISH PLANTS *with* BALD *or* NAKED FLOWERS. *Tab.* XX.

1 *Common* WORMWOOD
RAY.366.2.Syn.58.1.ed.94.1



2 ENGLISH *Sea* WORMWOOD
RAY.370.16.S.58.2.ed.94.2.



3 FRENCH *Sea* WORMWOOD
RAY.370.15.



4 *Wild* SOUTERNWOOD.
RAY.371.4.S.58.ed.94.




5 MUGWORT.
RAY.372.1.S.58.ed.95.

6 *Bur* MARYGOLD
RAY.361.2.S.57.ed.93.2

7 *Trifid Bur* MARYGOLD.
RAY.360.1.S.57.1.ed.93.1.

8 *Sea* COTTONWEED.
RAY.294.1.



9. TANSY.
RAY.365.1.Synops.58.ed.93

10 *Curled* TANSY.
RAY.365.2.

11 *Agrimony.*
RAY.400.1.Syn.61.ed.99.


12 *Enchanters* NIGHTSHADE.
RAY.401.c.10.S.247.ed.99.



ENGLISH CAPITATED PLANTS *with* JAGGED HOLLOW *Flowers* TAB. XXI.

1. *Musk* THISTLE. | 2. *Welted* THISTLE. | 3. *Gray* THISTLE. | 4. *Marsh* THISTLE.

RAY 308. 1. Syn. 53. 1. ed 86. 1. | *RAY 309. 2. S 53. 2. ed 86. 2.* | *RAY 309. 3. S 53. 2. ed. 86. 3.* | *RAY 309. 4. S. 53. 4. ed 86. 4.*




5. *Common* THISTLE. | 6 *Dwarf.* THISTLE. | 7. *Spear.* THISTLE. | 8 *Fryars.* THISTLE.

RAY. 310. 8. S 53. 5. ed. 87. 5. | *RAY. 310. 6. S. 53. 6. ed 87. 6.* | *RAY 310. 1. S 547. ed 877.* | *RAY 311. 3. S 548. ed. 87. 8.*



9. *Milke.* THISTLE. | 10. *Cotton.* THISTLE. | 11 *Star.* THISTLE. | 12 *Yellow* THISTLE.

RAY. 312. 1. S. 54. 9. ed. 87. 9. | *RAY 313. 1. S. 54 11. ed. 87. 11.* | *RAY. 317. 1. S. 54 12. ed. 87. 12.* | *RAY. 317. 4 S. ed. 88. 13.*



ENGLISH CAPITATED PLANTS *with* IAGGED HOLLOW *Flowers* TAB. XXII

1. *Peckham* THISTLE. *RAY. 306. 7. Syn. 52. 1. ed. 85. 1*

2. *Northern* THISTLE *RAY. 306. 8. S. 52. 2. ed. 86. 2*

3. SAF FLOWER. *RAY. 302. 1. S. 54. ed. 88.*

4. BLUE BOTTLES. *RAY. 321. 1. S. 55. ed. 89.*



5. *Broad.* SAW-WORT

6. *Common.* SAW-WORT *RAY. 331. c. 16. S. 54. ed. 88.*

7 MAT FELLON. *RAY. 325. 11. S. 55. 1. ed. 89. 1*

8. *Common.* KNAPWEED. *RAY. 325. 12. Syn. 55. 2. ed. 89. 2.*




9. IAGGED KNAPWEED

10 *Common.* SCABIOUS *RAY. 374. 2. Syn. 59. 1. ed. 95.*

11 *Field* SCABIOUS *RAY. 374. 3. S. 592. ed. 962*

12 DEVILS. BIT. *RAY. 380. 21. Syn. 59. 3. ed. 963.*



ENGLISH PLANTS *with* BUR-HEADS. TAB. XXIII.

1. BURDOCK.
RAY. 332. 1.



2. Rose. BURDOCK
RAY. 332.



3. Smallheaded BURDOCK



4. Small woolly headed BURDOCK.



5. Great woolly headed BURDOCK.

6. Cobwebheaded BURDOCK. 7. Manured TEASEL 8. Wild-TEASEL.
RAY. 332. 2. S. 55. ed. 88. 2. RAY 382. 1. S. 59. ed. 96. RAY 382. 2. S. 59. ed. 96.









9. Small wild TEASEL 10. Sea ERINGO xi. Common ERINGO 12. SANICLE
RAY 382. 4. S. 60. 3. ed. 97. 3. RAY 384. 3. S. 60. 2. ed. 97. 2. RAY 384. 1. S. 60. 1. ed. 97. 1. RAY 475. c. 4. S. 72. ed. 115.









ENGLISH PLANTS *with* UMBELLIFEROUS *Flowers* TAB. XXIV.

1 COW PARSNEP.
RAY. 408. 1 *Syn.* 63. ed. 101

2 *Jagged* COW PARSNEP
RAY. 408. 2 *S.* 63. ed. 102.

3. *Garden* PARSNEP.
RAY. 410. 2 *Syn.* 63. ed. 102

4. *Wild.* PARSNEP.
RAY. 409. *Syn.* 63. ed. 102.



5. *Great* HARTWORT.
RAY. 411. 1.

6. *Small* HARTWORT.
RAY. 412. 2 *S.* 63 ed. 102.

7. HOGS FENNEL.
RAY. 416. 1 *Syn.* 63. ed. 102.

8 SAMPIRE.
RAY. 457. 2. *S.* 69. ed. 11.





9. ANGELICA.
RAY. 434. 1.

10 *Water.* ANGELICA.
RAY. 434. 2 *S.* 64. ed. 104

11. CORIANDER.
RAY. 470. *S.* ed. 114.

12. ALEXANDERS.
RAY. 437. 1. *S.* 65. ed. 104.





ENGLISH UMBELLS *with long and round* SEED. TAB. XV.

1. VENUS *Comb.* — RAY. 428. 1. Syn. 64. ed. 103.



2. COW WEED. — RAY. 429. 1. Syn. 64. ed. 103.



3. *Wild.* CHERVIL. — RAY. 431. 6. Syn. 64. ed. 103.



4. SPIGNEL. *or* MEU. — RAY. 432. 1. Syn. 64. ed. 104.



5. *Water* DROPWORT — RAY. 441 1. S. 65. ed. 105.

6. *Small Water* DROPWORT. — RAY. 441. 2. Syn. 66. ed. 106.

7. *Hemlock* DROPWORT. — RAY. 441. 4. Syn. 66. ed. 106. 3.

8. *Narrow* DROPWORT. — RAY. 442. 6. S. ed. 106. 4.

9. EARTH NUT. — RAY. 440. 1. Syn. 65. ed. 105.



10. GOUT WEED. — RAY. 435. 4. Syn 65. 2. ed. 104 2.



11. *Bastard stone* PARSLEY. — RAY. 443. 3. S. 66. ed. 106.



12. HONEWORT. — RAY. 443. 4. Syn. 66. ed 106.











ENGLISH UMBELLS *with small round* SEED

TAB. XVI.

1. *BROAD WATER-PARSNEP.* *RAY 443. 5. Syn. 66. 3. ed 107. 3.*

2. *Narrow WATER-PARSNEP.* *RAY 444. 4. S. 66. 4. ed. 107. 4.*

3. *Creeping WATER-PARSNEP.* *RAY 444. 5. S. 66. 5. ed. 107. 5.*

4. *Least WATER-PARSNEP.* *RAY 444. 6. S. 67. 6. ed. 107. 6.*




5. *Great broad* SAXIFRAGE. *RAY 445. 1. S. 67. 1. ed 108. 1.*

6. *Great Cut* SAXIFRAGE. *Hist. Oxon.*

7. *Small broad* SAXIFRAGE. *RAY 445. 3. S. 67. 2. ed. 108. 2.*

8. *Small Cut* SAXIFRAGE. *RAY 445. 4. S. 67. 3. ed. 108. 3.*




9. *Cornwal* SAXIFRAGE.

10. CARAWAIES. *RAY 446. 1. S. 67. ed. 108. D.*


xi. SCOTCH PARSLEY. *RAY 447. 1. S. 68. ed. 109.*

12. SMALLAGE. *RAY 447. 2. S. 86. ed. 109. D.*




ENGLISH UMBELLS *with* ROUGH SEED. TAB XXVII.

1 *Common* FENNEL. 2 ROCK PARSLEY. 3 *Mountain* STONE PARSLEY. 4 *Common* CARROT
RAY 457 1. SYN. 69. ed 111. RAY 460. 5 SYN 69 ed 111. RAY 463. 5 SYN 70 ed 111 RAY 465. 1 SYN 70 1 ed.
1121.




5 *Wild* CARROT. 6 *Broad* BUR PARSLEY. 7 *Broad Jagged* BUR PARSLEY. 8 *Fine leaved* BUR PARSLEY
RAY 465, 2. SYN. 70. 2. ed. RAY 468 5 SYN 70. 2. ed 113. RAY 467. 3 SYN 70 1 ed 113. 1.

112.




9 *Rough* PARSLEY 10 *Corn Rough* PARSLEY. 11 *Knotted Rough* PARSLEY. 12 *Fine Rough* PARSLEY.
RAY 468. 6 SYN 71 3. ed 113 3. RAY 468 7. SYN 71 3 ed. 113 3. RAY 468. SYN. 71. 5. ed 114 5. RAY 469. 9. SYN. 71. 6 ed.




ENGLISH UMBELLS & PLANTS *with Rough Leaves.* TAB. XXVIII.

1 Great Water HEMLOCK. *2 Common* HEMLOCK. *3 Leſser* HEMLOCK *4 The Water* HEMLOCK
RAY 450 1. SYN 68 ed 109. RAY 451. 2 SYN 681 ed 110 1 RAY 451. 3 SYN 681 ed 110 2. RAY 452. 6 SYN 69 ed 110.



5 Meadow SAXIFRAGE *6 Prickly* SAMPIRE *7 Least* HARES EAR *8* THOROW-WAX
RAY 453 1 SYN 69. ed. 110. RAY 469 1 SYN 69 ed 111. RAY 474 4. SYN 72. ed 115 RAY 47 1. SYN 72. ed 115



9 Common BORAGE *10 Small Wild* BUGLOSS *11. Great* HOUNDS-TONGUE *12 Green Houres* TONGUE.
RAY 493 SYN. 76. ed. 120. RAY 494 3 SYN. 75 ed. 119 RAY 489 1. SYN. 78 1. ed 119 1 RAY 491. 8 SYN. 752. ed 119. 2



ENGLISH PLANTS *with Rough* LEAVES, *& comonly 4* SEED. TAB. XXIX.

1. Vipers BUGLOSS. *RAY 498. 1. Syn. 75. ed. 119.*

2. Small Vipers BUGLOSS. *RAY Syn. edit. 119.*

3. Sea BUGLOSS. *RAY 500. 13. S. 76. 2. ed. 119.*

4. Long BUGLOSS. *Cowslips. RAY 489. 3. Syn. 75. ed. 118.*




5. COMFREY. *RAY 505. 1. S. 77. ed. 121.*

6. Blew GROMILL. *RAY 503. 2. S. 76. ed. 120. 2.*

7. Shop GROMILL. *RAY 503. 1. Syn. 76. 1. ed. 120. 1.*

8. Bastard GROMILL. *RAY 503. 5. Syn. 76. 3. ed. 120. 3.*



9. Water SCORPION-GRASS. *RAY 504. 3. S. 77. 3. ed. 121. 3.*

10. Field SCORPION-GRASS. *RAY 504. 1. S. 77. 1. ed. 121. 1.*

11. Small SCORPION-GRASS. *RAY 504. 2. S. 77. 2. ed. 121. 2.*

12. German MADWORT. *RAY 502. 68. S. 76. ed. 120.*



ENGLISH HERBS *with* STARRY *Leaves.* TAB. XXX.

1. CROSS-WORT or MUGWEED. *RAY 479. 1. Syn. 73. ed. 116.*



2. Garden MADDER. *RAY 480. 1. Syn. edit. 116. 2.*



3. Wild MADDER. *RAY 480. 2. Syn. 73. ed. 116. 1.*



4. Great Smooth MADDER. *RAY 481. 1. Syn. 73. 1. ed. 116. 1.*



5. Small Smooth MADDER. *RAY 481. 3. Syn. 73. 2. ed. 117. 2.*



6. RAY's Small MADDER. *RAY 482. 4. Syn. 74. 3. ed. 117. 4.*



7. Cross-wort MADDER. *RAY 478. 1. Syn. 73. ed. 117. 3.*



8. Yellow BED STRAW. *RAY 482. 1. Syn. 74. ed. 117.*



9. WOODRUFF. *RAY 483. 1. Syn. 74. ed. 117.*



10. Blue Feild MADDER. *RAY 483. 3. Syn. 74. ed. 118.*



11. CLEAVERS or GOOSE-GRASS. *RAY 484. 1. Syn. 74. 1. ed. 118. 1.*



12. SQUINANCY-WORT. *RAY 485. c. 9. 1. Syn. 74. ed. 118.*



ENGLISH *Whirl* PLANTS *with Hooded & Lipt* FLOWERS. *TAB.* XXXI.

1 *Common* MOTHER *of* THYME. 2 *Large flowred* MOTHER *of* THYME. 3 *Upright broad* THYME. 4 LEMON THYME.

RAY 521. 4. *Syn.* 78. 1. *ed* 122. 1. *RAY* 521. 4. *Syn.* 78. 2. *ed* 122. 2. *RAY* 521. 2. *RAY* 522. 5. *Syn.* 78. 4. *ed* 122. 4.




5. *Water* WHIRL-MINT. 6. *Common Water* MINT. 7. *Red* MINT. 8. *Cross Whirl* MINT.

RAY 530. 1. *Syn.* 78. 1. *ed* 123. 1. *RAY* 533. 12. *Syn.* 78. 3. *ed* 123. 4. *RAY* 530. 2. *Syn.* 78. 2. *ed* 123. 3. *RAY* 531. 3. *Syn. edit.* 124. 6.



9. ESSEX *Pepper* MINT. 10. EALES *Pepper* MINT. 11. *Long* HORSE MINT. 12. *Round* HORSE MINT.

RAY 532 7. *Syn.* 79. 5. *ed* 124. 2. *RAY Syn. edit.* 124. 5. *RAY* 532. 9. *Syn.* 79. 6. *ed* 124. 3. *RAY* 532. 7. *Syn.* 79. 7. *ed* 124. 4.




ENGLISH *Whirl* PLANTS *with hood & lipt* FLOWERS. TAB. XXXII.


1. NEP *or* CAT-MINT. 2 *Penny-Royal* & *Pudding grass*. 3. *White* HOREHOUND. 4. *Stinking* HOREHOUND.
RAY. 548. 1. *Syn* 80. *ed.* 125. *RAY.* 533. 1. *Syn.* 79. *ed.* 125. *RAY.* 556. 1. *S.* 81 *ed.* 128. *RAY.* 571. 1. *Sim.* 84. *ed.* 132.



5. *Water* HOREHOUND. 6. *Wood* BETONY. 7. HEDGE NETTLE. 8. ENGLISH CLARY.
RAY. 535. 1. *S.* 79. *ed.* 125. *RAY.* 550. 1. *S.* 80. *ed.* 127. *RAY.* 548. *Syn.* 80. *ed.* 127. *RAY.* 545. 12. *Syn.* 80. *ed.*




9. *Great Wild* BASIL 10. *Small Wild* BASIL. 11. *Common* SELF-HEAL. 12. *Base* HOREHOUND.
RAY. 558. 17. *S.* 81. *ed.* 129 *RAY.* 553. 1. *S.* 81. *ed.* 128. *RAY.* 551. 1. *Syn.* 80. *ed.* 128. *RAY.* 554. 1. *Syn.* 81. *ed.* 128.



ENGLISH PLANTS with Hood & Lipt FLOWERS. TAB. XXXIII.

1. Ground Ivy, or ALEHOOF. 2. Red ARCH-ANGEL. 3. Red cut-leaved ARCH-ANGEL. 4. Great HENBIT.
RAY 567. 1. Syn. 131. et. 83. RAY 559. 3. Syn. 129. et. 82. 2. RAY 560. 6. Syn. 129. 3. et. 82. 3. RAY. 560. 10. S. 129. 4. et. 82. 4.



5. White ARCH-ANGEL. 6. Yellow ARCH-ANGEL. 7. Bastard Balm. 8. Purple NETTLE HEMP.
RAY 559. 1. S. 129. 1. et. 82. 1. RAY 560. 11. Syn. 129. 5. et. 82. 5. RAY 561. 13. Syn. 129. 6. S. 82. 6. RAY 561. 13. S. 129. 7. Syn. 82. 7.



9. Clowns ALL HEAL. 10. Yellow IRON WORT. 11. Narrow IRON WORT. 12. Round IRON WORT.
RAY 563. 3. S. 130. 1. et. 83. 1. RAY 566. 15. S. 130. 3. et. 83. 3. RAY 566. 16. S. 130. 4. et. 83. 4. RAY 566. 16. Syn. 130. 2. et. 83. 2.



ENGLISH *Whirl* PLANTS *with Hood or Lipt* FLOWERS. TAB. XXXIV.

1. *Common* CALAMINT. *RAY* 569. 1 *Syn* 83. *ed.* 131. 1.




2 *Field* CALAMINT. *RAY* 569. 2 *Syn.* 83. *ed.* 132.



3. *Common* BUGLE. *RAY* 575. 1. *Syn.* 84. *ed.* 133. 1.



4. *Mountain* BUGLE. *RAY* 575. 2. *Syn.* 85. 2. *ed.* 133. 2.



5. MOTHERWORT *RAY* 571. 1. *S.* 85. *ed.* 134.



6. SCORDLUM. *RAY* 576. c. 30 *S.* 85. *ed.* 133.



7. *Wood* SAGE. *RAY* 576. c. 29. *Syn.* 85. *ed.* 133.



8. *Wild* MARJORAM. *RAY* 539. 4. *Syn.* 80. *ed.* 126. 1.



9. GROUND-PINE. *RAY* 573. 1. *S.* 84. *ed.* 132.



10. HOOD-MINT. *RAY* 572. 1. *S.* 84. *ed.* 132. 1.




11. *Small* HOOD MINT. *RAY* 572. 2. *S.* 84. 2. *ed.* 132.



12. VERVAIN. *RAY* 535. 1. *Syn.* 79. *ed.* 125.





ENGLISH CAPSULES *with* SNOUT FLOWERS. TAB XXXV.


1. *Small* **TOAD-FLAX** 2. *Small* **SNAP-DRAGON**. 3. *Pointed* **FLUELLIN**. 4. *Round* **FLUELLIN**.

RAY 760. 32 Syn. 105. ed. 160. 5. *RAY 760. 31. S. 105. 1. ed. 161. 1.* *RAY 759. 35 S. 105. 3. ed. 160. 3* *RAY 759. 34 S. 105. 4. ed. 160. 4.*




5. *Comon* **TOAD FLAX**. 6. *Blwish Sweet* **TOAD FLAX**. 7. **BUTTERWORT**. 8. *Purple* **FOX GLOVE**.

RAY 752. 1 S. 105. 1. ed. 160. 1 *RAY 756. 20 S. 105. 2. ed. 160. 2.* *RAY 751. 1 Syn. 104. 1. ed. 159. 1* *RAY 767. 1. Syn. 106. ed. 161.*



9. *Brown* **FIG-WORT**. 10. *Water* **FIG-WORT**. 11. *Sage* **FIG-WORT**. 12. *Comon* **HENBANE**.

RAY 764. 3 S. 106. 2. ed. 161. 2. *RAY 764. 2 S. 106. 1. ed. 161. 1.* *RAY 766. 11 Syn. ed. 161. 3.* *RAY 711. 1 Syn. 101. ed. 155.*



ENGLISH CAPSULES *with* SNOUT *FLOWERS.* *TAB.* XXXVI.


1. *Quick in Hand. Touch me not.* 2. *Yellow* **RATTLE** 3. *Tall Red* **RATTLE** 4. *Comon Red* **RATTLE**

RAY 1338. *cv. S.* 209. *ed.* 282. *RAY* 769. 1 *S.* 106. 1. *ed.* 162. 1. *RAY* 770. 6. *Syn.* 106. 3. *ed.* 162. 3. *RAY* 770. 5. *S.* 106. 2. *ed.* 162. 2.




5. *Comon* **EYE-BRIGHT** 6. *Yellow Marsh* **EYE-BRIGHT** 7. *Red* **EYE-BRIGHT** 8. *ORTON red* **EYE BRIGHT**

RAY 771. 1 *S.* 106. 1. *ed.* 162. 1. *RAY* 772. 4 *Syn.* 107. 4 *ed.* 163. 4 *RAY* 772. 3. *S.* 107. 2. *ed.* 162. 2 *RAY* 773. 5. *S.* 107. 3. *ed.* 162. 3.



9. *Comon* **COW-WHEAT**. 10. *Crested* **COW-WHEAT** 11. *Great* **BLADDER-SNOUT** 12. *Small* **BLADDER-SNOUT**

RAY 775. 4 *S.* 108. 2. *ed.* 164. 2 *RAY* 775. 3. *S.* 168. 1. *ed.* 164. 1. *RAY* 1332. 2. *Syn.* 207. 2. *ed.* 279. 2 *RAY SYNOPS.* 208. 3. *ed.* 279. 3.




ENGLISH HERBS *with Heel'd* FLOWERS. *&c. TAB.* XXXVI.

1. *Purple* VIOLET.
RAY 1049. 1. S. 152. 1. ed. 214. 1.

2. *Double* VIOLET.

3. *White* VIOLET.
RAY 1050. 2. S. 152. 2. ed. 214. 2.

4. *Dog's* VIOLET.
RAY 1050. 3. S. 152. 3. ed. 214. 3.




5. *Bog* VIOLET.
RAY 1050. 4. S. 152. 4. ed. 214. 4.

6. *Yellow Rock* VIOLET.
RAY 1052. 6. S. 153. 10. ed. 215. 10.

7. *Hairy Wood* VIOLET.
RAY 1051. 5. S. 152. 6. ed. 215. 6.

8. *Garden* PANSIE.
RAY 1052. 2. S. 152. 7. ed. 215. 7.




9. *Corn* PANSIE.
RAY 1053. 7. S. 153. 9. ed. 215. 9.

10. *Great Yellow* PANSIE.
RAY 1052. 5. S. 153. 8. ed. 215. 8.

11. *Base* DYERS-WEED.
RAY 1053. 2. S. 153. 1. ed. 216. 1.

12. *Comon* DYERS-WEED.
RAY 1054. 8. S. 153. 2. ed. 216. 2.



ENGLISH PLANTS *with Rough* HEADS, *as* CROWFEET. TAB. XXXVIII.

1. PILEWORT. RAY. 579. 1 Syn. 85. ed. 134.



2. *Sweet Wood* CROWFOOT. RAY. 584. 1 Syn. 86. 6. ed. 135.



3. *Upright Meadow* CROWFOOT. RAY. 583. 7. Syn. 86. 6. ed. 135.



4. *Bulbous* CROWFOOT RAY. 581. 2. S. 862. ed. 135. 2.



5. *Pale upright* CROWFOOT. RAY. 582. 4. S. 86. 3. ed. 135. 3.

6. *Doodys Trifid* CROWFOOT.

7. *Creeping* CROWFOOT *or Buttercups.* RAY. 581. 1. Syn. 86. 1. ed. 135. 1.

8. *Thames* CROWFOOT

9. RAY's *Hairy* CROWFOOT. RAY. 583. 10. S. 86. 5. ed. 135. 5.


10. *Corn* CROWFOOT. RAY. 585. 18. 87. 7. ed. 136.

11 SMALAGE CROWFOOT. RAY. 585. 1 Syn. 87. 8. ed. 136. 1.


12 *Ivy* CROWFOOT. RAY. 586. 2. Syn. 87. 9. ed. 136. 2.

ENGLISH PLANTS *with Rough Heads &c.* TAB XXXIX

1. *Water* CROWFOOT *with various Leaves.* 2. *Fine Water* CROWFOOT. 3. *Fine trimed Water* CROWFOOT.
RAY. 586. 3. Syn. 87. 10. ed. 136. 3. RAY. 586. 4. S. 87. 11. ed. 136. 4. RAY. Syn. 24 2. ed. 136. 5: 4. *Fennel Water* CROWFOOT.
RAY. 586. 6. S. 87. 12. ed. 137. 6.



5. *Great* SPEAR-WORT. *RAY. 587. 8. Syn. 88. 14. ed. 137. 8.*
6. *Small* SPEAR-WORT. *RAY. 587. 7. S. 88. 13. ed. 1377.*
7. MOUSE TAIL. *RAY. 1332. C. v. S. 209. ed. 282.*
8. ADONIS *Flower Red Miithes RAY. 596. 1. Syn. 88. ed. 137.*



9. *Common* MALLOW. *RAY. 599. 1. Syn. 88. 1. ed. 138. 1.*
10. *Dwarf* MALLOW. *RAY. 599. 2. Syn. 88. 2. ed. 138. 2.*
11. *Marsh* MALLOW. *RAY. 602. 1. S. 89. ed. 138.*
12. *Vervane* MALLOW. *RAY. 604. 1. Syn. 89. ed. 139.*



ENGLISH PLANTS *with Rough HEADS & Naked SEED.* TAB. XL.

1. AVENS *Herb* BENNET. 2. *Great flowred* AVENS. 3. *Mountain* AVENS. 4. *Childing* AVENS.

RAY. 606. 1. S. 89. 1. ed. 139. 1. RAY. 606. 2. S. 89. 2. ed. 139. 2. RAY. 607. 3. S. 89. 3. ed. 139. 3. RAY. 607. 4. Syn. 89. 4. ed. 139. 4.



5. *Cinquefoil* AVENS. 6 *Germander* AVENS. 7. *Common* STRAWBERY. 8. *Barren* STRAWBERRY.

RAY. 608. 10. S. ed. 2. p. 139. 6. RAY. 608. S. 89. 5. ed. 139. 5. RAY. 609. 1. Syn. 90. 1. ed. 140. 1. RAY. 611. 2. Syn. 90. 3. ed. 140.



9. *Wood* ANEMONY. 10. PASQUE *Flower* 11. TRAVELLERS JOY. 12 *Plain* TRAVELLERS JOY

RAY. 624. 1. S. 93. 1. ed. 144. 1. RAY. 634. 2. S. 93. ed. 144. RAY. 620. 1. Syn. 92. ed. 143.



ENGLISH PLANTS *with Rough Heads & Naked SEED.* *TAB.* XLI.

1 *Purple Marsh* CINQUEFOIL. 2 IRISH *Marsh* CINQUEFOIL. 3. *Common* CINQUEFOIL. 4. *Smallrough* CINQUEFOIL.

RAY 611. 1 *S.* 90. *ed* 140. *RAY. Syn. edit.* 2. *p.* 141. 2. *RAY* 611. 2. *S.* 90. *ed.* 141. 3. *RAY* 612. 7. *Syn.* 90. 4. *ed.* 141. 5.




5. *Tormentill* CINQUEFOIL. 6 *Upright* WELSH CINQUEFOIL. 7. SCOTCH CINQUEFOIL. 8. *Shrub* CINQUEFOIL.

RAY 613. 14. *S.* 90. 3. *ed.* 141. 4 *RAY* 616. 1. *Syn.* 91. 1. *ed* 141. 1. *RAY Syn.* 91. 4. *ed.* 142. 4 *RAY* 616. 5. *S.* 91. 2. *ed* 1422.



9. TORMENTIL SEPTFOIL. 10 PLOT'S TORMENTIL. 11. SILVER *weed. wild* TANSEY. 12 MOS CAT ELL.

RAY 617. 1. *Syn.* 91. *ed.* 142. *RAY* 618. 3. *S.* 91. 2. *ed.* 142. 2 *RAY* 617. c. 16. *Syn.* 91. 3. *ed.* 142. 3 *RAY* 684. c. 27. *S.* 98. *ed.* 151.



ENGLISH HERBS *with 5 leaved* FLOWERS *& Star Heads.* TAB. XLII.

1. ORPINE *or Live-long.* 2. ROSE-ROOT. 3. NAVEL-WORT 4. HOUSELEEK.

RAY 689. 1. Syn. 99. ed. 152. *RAY. 690. 7. S. 99. ed. 152.* *RAY. 1878. 1. Syn. 99. ed. 153.* *RAY. 687. 2.*




5. *Comon Yellow* SENGREEN. 6. *Crooked Yellow* SENGREEN 7. *Purple Marsh* SENGREEN. 8. *Bristol* SENGREEN.

RAY 691. 2. S. 99. 1. ed. 152. 1. *RAY. 691. 3. Syn. 99. 2. ed. 152. 2* *RAY 691. 4. S. 99. 4. ed. 153. 4* *RAY. Syn. 99. 3. ed. 152. 3.*



9. STONECROP *or Wall Pepper.* 10. *Mild White* STONECROP. 11. *Green* BEARS-FOOT. 12. SETTER-WORT.


RAY 104 12. S. 150. 3. ed. 153. 5 *RAY 104 14. S. 150. 4 ed. 153. 6* *RAY. 697. 2. S. 100. 1. ed. 153. 1* *RAY 698. 3. S. 100. 2. ed. 153. 2.*



ENGLISH PLANTS *with* STAR & ROUGH HEADS,. *TAB.* XLIII.

1. *Mash* Marigold. 2. *Globe* CROW-FOOT. 3. *Water* GLADIOLE. 4. COLUMBINES.

RAY. 700. c. 9. S. 100. ed. 154 *RAY* 700. 1 Syn. 100. ed. 154 . *RAY* 701. c. 12. S. 101 ed. 155. *RAY* 706. 1. Syn. 101. ed. 155.




5. STAR *Water* PLANTAIN. 6. *Broad water* PLANTAIN. 7. *Narrow Water* PLANTAIN. 8. *Small water* PLANTAIN.

RAY 701. c. 11. S. 100. ed. 154 *RAY* 618. 1. S. 92. 1. ed. 142. 1. *RAY* 618. c. 18. 2. S. 92. 2. ed. 143. 2



9. *Grass* ARROW-HEAD. 10. *Broad* ARROW-HEAD. 11. *Narrow* ARROW-HEAD. 12. *Small* ARROW-HEAD.

RAY Syn. 92. ed. 143. *RAY* 619. 1. S. 92 ed. 143. *RAY* 619. 3. *Syn.* 92. ed. 143. *RAY Syn. edit.* 2. p. 143.




ENGLISH PLANTS *bearing* BERRIES.

TAB. XLIV


1 *White* BRIONY 2 *Black* BRIONY 3 *Herb* CHRISTOPHER 4 *Butchers* -*Broom*

RAY 659. 1 *Syn.* 95. *ed.* 146. *RAY* 660. 2. *S.* 95. *ed.* 146 *RAY* 662. 1 *Syn.* 95. *ed.* 147. *RAY* 664. 2. 1. *S.* 95. *ed.* 147.




5. SOLOMONS SEAL 6. *Sweet* SOLOMONS-SEAL 7 LILY-CONVALLY & HERB PARIS. ONE BERRY

RAY 664. 2. *S.* 96. 1. *ed.* 147. 1. *RAY* 665. 3. *S.* 96. 2. *ed.* 148. 2. *RAY* 667. 1. *S.* 96. 1. *ed.* 148. 1. *RAY* 670. 1. *Syn.* 96. *ed.* 148.



9. BITTER-SWEET 10. *Common* NIGHTSHADE 11 DWALE. *Deadly Nightshade.* 12. *Wild* SPARAGUS

RAY 672. 1. *S.* 96. 1. *ed.* 149. 1 *RAY* 672. 2. *Syn.* 97. 2. *ed.* 149. 2. *RAY* 679. 1. *Syn.* 97. *ed.* 150. *RAY* 683. 1. *S.* 97. *ed.* 150.



ENGLISH HERBS *with 4 Leaved* FLOWERS & *Long Pods* TAB. XLV.

1. *JACK by the* HEDGE
RAY 792. c. 9. S. 109. ed 165



2. *TREACLE* WORMSEED.
RAY 811. 2. Syn 113. 1. ed 170. 1



3. *WALL-FLOWER, or* STOCK
RAY 782. 1. Syn 108. ed 164



4. *Sea* STOCK-GYLLYFLOWER.
RAY 780. 3. S. 108. ed 164.



5. *White Thorow* COLEWORT
RAY 797. 20.

6. *Sea* COLEWORT.
RAY 796. 13. S. 109. ed 166

7. *Round* TURNEP.
RAY 800. 1. S. 110. ed 167.

8. *Long* TURNEP.
RAY 800. 2. S. 110. 2. ed 167. 2









9. *Wild* NAVEW.
RAY 802. 2. S. 110. ed 167

10. *White* MUSTARD.
RAY 802. 2. S. 111. 3. ed 168. 3

11. *Comon* MUSTARD.
RAY 803. 3. S. 111. ed 167

12. *Wild* MUSTARD.
RAY 802. 1. Syn. 111. ed 168. 2.











ENGLISH PLANTS *with 4 Leaved* FLOWERS *& Long Pods.* TAB. XLVI.

1. *Winter* CRESS.
RAY 809. 8. Syn. 112. 2. ed. 169. 2.



2 *Early Winter* CRESS.
RAY 809. 8.



3 *Hedge* MUSTARD.
RAY 810. 9. S. 112. 3. ed. 169. 3.



4 *Broad Hedge* MUSTARD.
RAY 811. 3. S. 113. 2. ed. 170. 2.



5. *Water* ROCKET.
RAY 808. 3. S. 112. 1. ed. 169. 1



6 *Sea* ROCKET.
RAY 840. c14. S. 118. ed. 176.



7 *Man* ROCKET.
RAY 809. 5. S. 112. 2. ed. 169. 2.



8 *Wall* ROCKET.
RAY 807. 4. S. 112. 1. ed. 169. 1.



9. *Garden* RADISH
RAY 804. 1. S. 111. 1. ed. 168. 1.



10. *White* CHARLOCK.
RAY 805. 2. S. 111. 2. ed. 168. 2.



11. *Great White* CHARLOCK.
RAY 806. 4.



12. FLIX-WEED.
RAY 812. 10. S. 113. 3. ed. 170. 3.



ENGLISH HERBS with 4 Leaved FLOWERS & slender Pods. TAB. XLVII.

1. Bitter CRESS. RAY 814. 1. Syn. 114. 1. ed. 171. 1.



2. Water CRESS. RAY 816. 6. S. 115. 6. ed. 172. 6.



3. Early Water CRESS. RAY. 3. 413. 1. S. 115. 7. ed. 17 2. 7.



4. Hairy CRESS. RAY 815. 5. S. 114. 4. ed. 171. 4.



5. Lady Smock or CRESS. RAY 814. 2. S. 114. 2. ed. 171. 2.



6. Double Lady CRESS. RAY. Syn. 114. 2. ed. 171. 2.



7. Impatient CRESS. RAY 815. 4. S. 114. 3. ed. 171. 3.



8. Trefoil CRESS. RAY 817. 11.



9. Daisy CRESS. RAY 817. 10. S. 114. 5. ed. 172. 5.



10. Tower MUSTARD. RAY 799. 3. S. 110. 1. ed. 166.



11. Great Tower MUSTARD. RAY 799. 5.



12. Daisy Tower MUSTARD. RAY 799. 6. S. 110. 2. ed. 166.



ENGLISH HERBS *with 4 Leaved FLOWERS, short Pods & Husks.* TAB. XLVIII.

1. *Thale* CRESS. *RAY 800. 7. Syn. 110. ed. 166.*



2. *Broad Thale* CRESS. *RAY Syn. 241. ed. 166. 2.*



3. *Wreathed* CRESS. *RAY 789. 6. Syn. 109. ed. 164.*



4 *Small wreath* CRESS. *RAY Syn. 109 2 edit. 2. p. 165. 2.*



5. *Speedwell* CRESS. *RAY 790. 4. Syn. 109. 3. ed. 165. 3.*



6. *Whitlow* CRESS. *RAY 789. 1. S. 109. 1. ed. 165.*



7. *Notched Whitlow* CRESS. *RAY Syn. ed. 2. p. 281.*



8. *Irish Rush* CRESS.



9. *WOAD.* *RAY 842. Syn. 118. ed. 176.*



10. *PEPPER-WORT. DITTANDER.* *RAY 828. 1. Syn. 117. ed. 174.*



11. *GOLD of Pleasure.* *RAY 820. 1. S. 115. ed. 172.*



12. *Sea Grape* COLEWORT. *RAY 838. c. 10. S. 118. ed. 176.*



ENGLISH HERBS *with 4 leaved FLOWERS & Short Cods.* TAB. XLIX

1. *Garden* SCURVY-GRASS. *RAY 822. 1. S. 115. ed. 173. 1.*



2. *Sea* SCURVY-GRASS. *RAY 823. 2. Syn. 116. ed. 173. 2.*



3. *Ivy* SCURVY-GRASS. *RAY 824. 6. Syn. ed. 173. 4.*



4. SHEAPERDS-PURSE. *RAY 838. 4. S. 118. 6. ed. 176. 7.*



5. Ragged SHEAPERDS-PURSE.



6. Small SHEAPERDS-PURSE.




7. Whole SHEAPERDS-PURSE.



8. Broad WATER-RADISH. *RAY 819. 3. S. 115. ed. 172. 1.*



9. Small Jagged WATER-RADISH. *RAY 818. 2.*



10. Great Jagged WATER-RADISH.



11. Broad HORSE-RADISH. *RAY 818. 1. S. 115. 2. ed. 172. 2.*




12. Jagged HORSE-RADISH.



ENGLISH HERBS *with 4 Leaved Flowers & round flat Cods.* TAB. L.


1. *Narrow Wild* CRESS. 2. *Shepherds* CRESS. 3. WELSH *Rock* CRESS. 4. *Fine* CRESS.
RAY 825. 2. Syn 116. 1. ed 1741. RAY 827. 9. S. 116. 2. ed 174. 2. RAY 3p. 413. 3. S. 117. 4 ed 1744. RAY. S. 236. ed 174. 5.



5. *Valencia* CRESS. 6. *Wart or Swines-* CRESS. 7. *Common Cow* CRESS. 8. *Smooth Cow* CRESS.
RAY 826. 8. S. 117. 3. ed 174. 3. RAY 843. c. 20. Syn. 119. ed 177. RAY 830. 1. S. 117. 1. ed. 175. 1. RAY Syn. 11 8. 5. ed 175. 5.



9. *Penny* CRESS. 10 *Hoary* CRESS. 11. *Woad* CRESS. 12. *Small thorow* CRESS.
RAY 831. 5. S. 117. 3. ed 175. 3. RAY 831. 2. S. 117. 2. ed 175. 2. RAY 832. 10. S. 117. 4 ed 175. 4. RAY 832. 8. S. 236. ed 176. 6.



ENGLISH HERBS *with 4 Leaved* FLOWERS *& small Cordated Pods. TAB. 51.*

1. *Broad vpright* SPEEDWEL. 2. *Comon Male* SPEEDWEL. 3. *Meadow* SPEEDWEL. 4. *Stalkt* SPEEDWEL.

RAY 845. 1. Syn. 119. 1. ed 177 1. *RAY 851. 7. S. 121. 13. ed 179. 13.* *RAY 850. 3. S 121. 11. ed 179. 11.* *RAY 850. 4. S 121. 12. ed 179. 12.*




5. *Least spiked* SPEEDWEL. *RAY 846. 3. S 119. 2. ed 177 2.*

6. *Smooth* SPEEDWEL. *RAY 848. 6 S 119. 3 ed 1783*

7. *Garden* SPEEDWEL. *RAY 847. 3. S 119. 4. ed 178 4.*

8. *Wall* SPEEDWEL. *RAY 847. 2. S 120 5 ed 1785*

9. *Ruc* SPEEDWEL. *RAY 848. 5. S 120. 6. ed 178. 6.*



10. *Ivy* SPEEDWEL. *RAY 848. 4. S. 120. 7. ed 178. 7.*

11. *Comon* BROOKLIME. *RAY 852. 1. S. 120. 8. ed 178. 8.*

12. *Long* BROOKLIME. *RAY 852. 4. S 120. 9. ed 179. 9.*

13. *Narrow* BROOKLIME. *RAY 852. 5. S 120. 10. ed 179. 10.*




ENGLISH *Plants with Four-leaved* FLOWERS. TAB. LII.

1. *Wild* POPPY.
RAY 854. 3. S. 121. 1. ed. 180. 1.

2. *Corn* POPPY
RAY 855. 4. S. 121. 2. ed. 180. 2.

3. *Long* POPPY.
RAY 856. 7. S. 122. 5. ed. 180. 5.

4. *Yellow* POPPY.
RAY 856. 9. S. 122. 6. ed. 180. 6.




5. *Rough round* POPPY.
RAY 855. 5. S. 122. 4. ed. 180. 4.

6. *Rough long* POPPY.
RAY 856. 6. S. 122. 3. ed. 180. 3.

7. *Yellow* HORN-POPPY.
RAY 857. 12. S. 122. 7. ed. 180. 7.

8. *Purple* HORN-POPPY.
RAY 857. 14. S. 122. 8. ed. 181. 8.




9. CELANDINE.
R. 858. 15. Syn. 122. 9. ed. 181. 9.

10. *Rose* WILLOW-HERB.
R. 860. 1. S. 123. 1. ed. 181. 1.

11. *Hairy great* WILLOW-HERB.
RAY 861. 4 Syn. 123. 2. ed. 182. 2.

12. *Hairy Small* WILLOW-HERB.
RAY 861. 5. S. 123. 3. ed. 182. 3.



ENGLISH *HERBS with Fore-leaved* FLOWERS. TAB. LIII.

1. Great Smooth WILLOW-HERB. *2 Ray's* WILLOW-HERB. *3 Midle Smooth* WILLOW-HERB. *4. Small Smooth* WILLOW-HERB.

RAY 861. 6. S. 123. 4. ed. 182. 4. R. 862. 9. Syn. 124. 7. ed 182. 7. RAY 861. 7. Syn. 123. 5. ed. 182. 5. RAY 862. 8. Syn. 124. 6. ed. 182. 6.







5. Wood SPURGE.

RAY 863. 1. S. 124. 1. ed. 183. 1.



6. Warty SPURGE.

RAY 871. 42. S. ed. 2. p. 183. 3.



7. Broad SPURGE.

RAY 870. 32. S. 124. 4. ed. 183.



8. Sea SPURGE.

RAY. 865. 10. S. 124. 2. ed. 184. 4.



9. Corn SPURGE.

RAY 868. 23. S. 125. 6. ed. 184. 6.



10. Sun SPURGE.

R. 869. 26. S. 125. 7. ed 184. 6.



11. Round SPURGE.

RAY 869. 27. S. 125. 8. ed. 184. 8.



12. Sea Dwarf SPURGE.

R. 869. 2. S. 125. 9. ed. 184. 9.



ENGLISH *HERBS with* BELL-FLOWERS. TAB. LIV.


1. Great BINDWEED. RAY 725. 6. S. 102. 1. ed. 157. 1.



2. Small BINDWEED. RAY 725. 7. S. 102. 2. ed. 157. 2.



3 Narrow BINDWEED. R. 725. 8. Syn. 102. 3. ed. 157. 3.



4. Sea BINDWEED. R. 726. 12. S. 102. 4. ed. 157. 4.



5. RAMPIONS. RAY 739. 11. S. 103. 4. ed. 158. 1.



6. Round BELL-FLOWER. R. 740. 12. S. 103. 5. ed. 158. 2.



7. Tall round BELL-FLOWER. 8. Ivy BELL-FLOWER. R. 741. 17. S. 103. 6. ed. 159. 3.





9. Giant THROAT-WORT. RAY 732. 1. S. 103. 1. ed. 158. 1.



10. Small THROAT-WORT. R. 735. 18. S. 103. 3. ed. 158. 3.



11. Great THROAT-WORT. R. 732. 4. S. 103. 2. ed. 158. 2.



12. Small VENUS LOOKING-GLASS. R. 743. 4. S. 104. 7. ed. 159.



ENGLISH *HERBS with 5 Leaved hollow* FLOWERS. TAB. IV.

1. Horned **RAMPIONS**. RAY 744. 2. Syn. 104. 9. ed 159. 1.



2. Scabious **RAMPIONS**. R. 744. 2. S. 104. 10. ed 159. 2.



3. Marsh **GENTIAN**. R. 719. 6. S. 101. 1. ed. 156. 1.



4. Dwarf **GENTIAN**. R. 719. 7. S. 102. 2. ed. 156. 2.



5. **BUCK-BEANS**. R. 1099. c. 14. Syn. 161. ed. 226.



6. Greek **VALERIAN**. R. 118 2. 20. S. 163. ed. 228.



7. Small **CENTORY**. R. 109 2. 1. Syn. 159. ed. 224.



8. Yellow **CENTORY**. R. 1093. c. 10. S. 160. ed. 224.



9. Manured **FLAX**. R. 107 2. 1. S. 157. ed. 220.



10. Wild **FLAX**. R. 1073. 2. S. 157. 2. ed. 220. 2.



11. Narrow **FLAX**. R. 1074. 13. S. 157. 4. ed. 221. 5.




12. Purging **FLAX**. R. 1076. 21. S. 157. 5. ed. 221. 6.



ENGLISH PLANTS with 5 Leaved FLOWERS. TAB. 56.

1. Wall PINK. 2. Wild PINK. 3. Single PINK. 4. Moss PINK.

R. 988. 5. S. 138. 2. ed. 199. 2 RAY 988. 6. S. 138. 1. ed. 198. 1. R. Syn. 242. ed. 199. R. 1004. 11. S. 141. 6. ed. 202. 15




5 Deptford PINK. 6 Jagged PINK. 7. Great PERIWINCKLE 8. Small PERIWINCKLE

R. 991. 4. S. 139. 3. ed. 199. 3. R. 1000. 6. S. 139. 3. ed. 200. 3 R. 1091. 2. S. 242. ed. 223. 2. R. 1091. 1. S. 159. ed. 223.



9. Yellow PRIMROSE. 10. OX-SLIPS. 11. COW-SLIPS or PAGILS. 12. BIRDS-EYN.

R. 1080. 1. S. 158. 1. ed. 222. 1. R. 1081. 4. S. 158. 2. ed. 222. 2. R. 1081. 5. S. 158. 3. ed. 222. 3 R. 1084. 9. S. 159. ed. 223.



ENGLISH Plants with 5 leaved Flowers. — TAB. 57.

1. Sea **CAMPION.** RAY 998. 3. S. 139. 1. ed. 199. 1.



2. Bladder **CAMPION.** R. 998. 1. Syn. 139. 2. ed. 199. 2.



3. **SOPE-WORT.** R. 999. 2. S. 140. 6. ed. 200. 5.



4. Hollow **SOPE-WORT.** R. 999. 2. S. 140. 7. ed. 200. 6.



5. White **CAMPION.** R. 994. 2. S. 140. 8. ed. 200. 7.



6. Red **CAMPION.** R. 994. 3. S. 140. 9. ed. 200. 8.



7. Broad White **CATCH-FLY.** R. 1001. 5. S. 140. 11. ed. 201. 10.



8. Red German **CATCH-FLY.** R. 1000. 1. S. 141. 4. ed. 201. 13.



9. DENT's Small **CAMPION.** R. 996. 13. S. 140. 10. ed. 201. 9.



10. Night **CAMPION.** R. 994. 5. S. 141. 13. ed. 201. 12.



11. Spanish **CATCH-FLY.** R. 1002. 9. S. 141. 15. ed. 201. 14.



12. **COCKLE.** R. 998. 1. S. 139. 4. ed. 200. 4.



ENGLISH *PLANTS with 5 Leaved, Forked* FLOWERS. TAB. 58.

1. Great STITCH-WORT.
R. 1027. 2. S. 146. 1. ed. 207. 1.



2. Middle STITCH-WORT.
RAY. S. 245. pl. 3. ed. 207. 3.



3. Lesser STITCH-WORT.
R. 1027. 4 Syn. 146. 2. ed. 207. 2.



4. Bogg STITCH-WORT.
R. 1030. 21. S. 147. 8. ed. 209. 10.



5 Broad Hairy STITCH-WORT.
R. 1029. 14. S. 146. 3. ed. 208. 5.



6. Narrow Hairy STITCH-WORT.
R. 1029. 15. S. 146. 4. ed. 208. 6.



7 Buddle's Hairy STITCH-WORT.
R.



8. Mouse-ear STITCH-WORT.
R. 1027. 5. S. 248. p. 2. ed. 208. 4.



9 Snowdon STITCH-WORT.
R. Syn. 147. 5. ed. 208. 7.



10 Welsh STITCH-WORT.
RAY. S. 147. ed. 209. 11.



11. Marsh CHICK-WEED.
R. 1030. 19. S. 147. 6. ed. 208. 8.




12. Comon CHICK-WEED.
R. 1030. 20. S. 147. 7. ed. 209. 9.




ENGLISH *Chick-weeds, Spurreys Pearl-worts &c.* TAB. 59.


1. *Plantain* CHICKWEED. 2. *Wall* CHICKWEED. 3. *Grass* CHICKWEED. 4 *Mount* CHICKWEED.
R. 1032. 5. S. 148. 2. ed. 209. 2. R. 1031. 1. S. 147. 1. ed. 209. 1. R. 1031. 4. S. 198. 3. ed. 209. 3. R. 1033. xi S. 148. 4. ed. 209. 4.



5. *Sand* CHICKWEED. 6. *Corn* SPURRY. 7. *Sea* SPURRY. 8. *Purple* SPURRY.
R. 1032. 9. S. 148. 5. ed. 210. 5. R. 1034. 19. S. 148. 6. ed. 210. 8. R. 1034. 20. S. 148. 8. ed. 210. 10. R. 1034. 18. S. 148. 7. ed. 210. 9.



9. *Ray's Stitch-wort.* 10. PEARL-WORT. x1. *Plots* PEARL-WORT. 12. *Least* RUPTURE-WORT
R. 1025. 1. S. 145. 1. ed. 206. 1. R. 1026. 5. S. 145. 2. ed. 206. 2. R. 1026. 6. S. 145. 3. ed. 207. 3. R. 1026. 7. S. 146. 5. ed. 207. 5.




ENGLISH *PLANTS with 5 Leaved FLOWERS.* TAB. *60.*


1. Comõn **DWARF** *Cistus. 2. Kendal* **DWARF** *Cistus. 3. Brent* **DWARF** *Cistus. 4 Jersey* **DWARF** *Cistus.*
RAY 1043. 1. S. 142. 1. ed. 202. 1. R. 1015. 7. Syn. 142. 2. ed. 203. 2. RAY. Syn. 143. 3. ed. 203. 3. R. 1012. 2. S. 238. ed. 203.



5. Comõn **S^t. IOHNS-WORT.** *6. Upright* **St IOHNS-WORT.** *7 Bray-blade* **St IOHN^s WORT.** *8. Ground* **St IOHNS-WORT.**
R. 1018. 5. S. 143. 1. ed. 203 1 R. 1019. 11. S. 143. 2. ed. 203. 2. R. 1021. 19. S. 143. 5. ed. 204. 5. R. 1019. 10. S. 143. 3. ed. 205. 3.



9 **IUTSAN** *or* **PARK** *leaves. 10 Iutsan* **S^t. IOHNS-WORT.** *11* **S^t. PETERS-WORT.** *12 Hoary* **S^t. PETERS-WORT.**
R. 1020. 16. S. 143. 6. ed. 204. 6. R. 1020. 17. S. 143. 4. ed. 204. 4. R. 1019. 12. S. 144. 7. ed. 204. 7. R. 1020. 18. S. 144. 8. ed. 205. 8.



ENGLISH Plants with 5 leaved Flowers. — *TAB. 61.*

1. Garden **PRIDE**. *RAY. Hist. Plant. 1046. 6.*



2. Round **PRIDE**. *RAY. Pl. 1047. 1.*



3. Irish **PRIDE**. *RAY 1045. 3.*



4. Welsh **PRIDE**. *R. 3 p. 507. 2. S. 151. 2. ed. 213. 2.*



5. Hairy **PRIDE**. *R. 1046. 8. S. 151. 1. ed. 213. 1.*



6. White **PRIDE**. *R. 1048. S. 151. 3. ed. 213. 3.*



7. Trifid **PRIDE**. *R. 1043. 21. S. 151. 6. ed. 213. 4.*



8. Rue **PRIDE**. *R. 1043. 25. S. 151. 7. ed. 213. 5.*



9. **PURPLE** *Heath* **SENGREEN**. *R. 1040. 6. S. 150. 2. ed. 212. 2.*



10. **RAY'S** *Yellow* **SENGREEN**. *R. 1042. 20. S. 150. 5. ed. 212. 3.*



11. White **HOUSLEEK**. *R. 1040. 1. S. 150. 1. ed. 212. 1.*



12. Parnass Grass *R. 1049. c. 4. S. 151. ed. 213.*






ENGLISH Mulleins, Loose-strifes &c. *TAB. 62.*

1. Comon **MULLEIN** *RAY 1094. 1. S. 160. 1. ed. 225. 1.*

2. Small **MULLEIN** *R. 1094. 3. S. 160. 2. ed. 225. 2.*

3. Sage **MULLEIN** *R. 1095. 7. S. 160. 4. ed. 225. 4.*

4. White **MULLEIN** *R. 1095. 5. S. 160. 3. ed. 225. 3.*




5. Yellow **MOTH-MULLEIN** *RAY Hist. Plant. p. 1096. 1.*

6. Spiked **LOOSE-STRIFE** *R. 1036. 1. S. 149. ed. 211.*

7. Short **LOOSE-STRIFE**

8. Trefoil **LOOSE-STRIFE** *RAY Syn. 149. ed. 212.*




9. Yellow **LOOSE-STRIFE** *RAY. 1021. 1. S. 144. 1. ed. 205. 1.*

10. Yellow Globe **LOOSE-STRIFE** *R. 1022. 5. S. 144. 2. ed. 205. 2.*

11. Comon **WINTER-GREEN** *R. 1233. 1. S. 176. 1. ed. 243. 1.*

12. Pointed **WINTER-GREEN** *R. 1233. 2. S. 176. 2. ed. 243. 2.*

13. Chickweed W... *R. 1101. c. 19. S. 162. ed. 227. 2.*



ENGLISH Plants with 5 leaved FLOWERS. TAB. LXIII.


1. *R.d* PIMPERNEL. 2. *Blue* PIMPERNEL. 3. *Yellow* PIMPERNEL. 4. *Water* PIMPERNEL.

RAY 1023. 1. Syn. 144. 2. ed. 205. 1 RAY 1024. 2. Syn. 144. 2. ed. 205. 2. RAY 1024. 4. Syn. 144. 3. ed. 206. 4. RAY 1101. c. 18. Syn. 162. ed. 227.



5. *MONEY-WORT.* 6. *Purple MONEY-WORT.* 7. *WOOD-SORREL.* 8. *Water VIOLET.*

RAY 1099. 1. Syn. 161. 1. ed. 226. 1. RAY 1100. 2. Syn. 161. 2. ed. 226. 2. RAY 1098. 1. Syn. 161. ed. 225. RAY. 1101. c. 17. Syn. 162. ed. 227.



9. *Small* HEDGE-HYSSOP. 10. *Round* SUNDEW. 11. *Long* SUNDEW. 12. *Great Long* SUNDEW

RAY 1055. pl. 1. Syn. 153. ed. 216. RAY 1100. 1. Syn. 161. 1. ed. 226. 1. RAY 1100. 2. Syn. 162. 2. ed. 226. 2. RAY 1100. 5. Syn. 162. 5. ed. 227. 5.



ENGLISH *Cranebills, with 5 leaved* FLOWERS. TAB. 64.

1. Common Dove *Craneſbill*
RAY 1059. 19. Syn. 155. 7.
ed 218. 2.



2. White Dove *Craneſbill*



3. Leaſt Dove *Craneſbill*



4. Small flowred Dove *Craneſbill*
RAY 1059. 18. Syn. 155. 6.
ed 218. 1.



5. Large flowred Dove *Craneſbill*



6. Jagged Dove *Craneſbill*
RAY 1059. 21. Syn 155. 8.
ed 218. 3.



7. Plots *jagged*, Craneſbill
RAY 1060. 24. Syn 155. 10.
ed 219. 5.



8. Bobarts *long cut* Craneſbill
RAY 1059. 23. Syn 155. 9.
ed 218. 4.



9. Bloody Craneſbill
RAY 1060. 32. Syn. 156 xi.
ed 219. 6.



10. Jagged Bloody *Craneſbill*
RAY Syn. ed. 219. 7.



xi. Striped Bloody *Craneſbill*
RAY 1061. Syn. 156. 12. ed 219. 8.



12. Shining *Craneſbill*.
RAY 1060. 25. Syn. 156. 15. ed. 220. xi.



ENGLISH Cranesbills with 5 leaved Flowers &c. TAB. 65.

1 *Small Sea Craneſbill.*
RAY 1056. 3. Syn. 154. 1. Syn. 216. 1.



2. Muſk *Craneſbill*
RAY 1057. 18 Syn 154. 4. ed. 217. 4.



3. *Small* Hemlock *Craneſbill*
RAY 1057. 8 Syn. 154. 2. ed. 217. 2.



4. Knotty *Craneſbill*
RAY 1060. 29. Syn. ed. 220. 12.



5 *Herb* Robert
RAY 1058. 17. Syn. 155. 5. ed. 218. 1.



6 Shining *Herb* Robert
RAY Syn. 155. ed. 218. 2.



7. Crow *Craneſbill.*
RAY 1061. 33. Syn. 156. 13. ed. 219. 9.



8 Mountain *Crow Craneſbill*
RAY 262. 34. Syn. 156. 14. ed. 219. 10.



9 Sea *Pimpernel.*
RAY 1024. c. xi. Syn. 145. ed. 206.



10 Sea *Milkwort*
RAY 1102. 1 Syn. 163. ed. 228.



xi. Water *Purſlain*
RAY 1035. 25. Syn. 1049. 9. ed. 210. 12.



12 Plantain *Milkwort.*
RAY 1077. c. 12. Syn. 158. ed. 221.



ENGLISH Herbs with Bulbous Roots. *TAB. 66.*

1. Crow GARLICK *RAY 1117. 4. Syn. 164. 1. ed. 229. 1.*

2. Flowring Crow GARLICK. *3. Twinheaded* GARLICK. *4. Raven* GARLICK. *RAY 1118. 4.*



5. Purple LEEKS. *RAY Syn. 165. 6. ed. 230. 6.*

6. Corn GARLICK. *RAY 1119. 3. Syn. 164. 3. ed. 229. 3.*

7. Holm GARLICK. *RAY 1125. 2. Syn. 165. 4. ed. 229. 4.*

8 RAMSONS. *RAY 1112. 12. Syn. 165. 5. ed. 230. 5.*




9. Lancashire ASPHODEL. *RAY 1195. 2. Syn. 169. 1. ed. 234. 1.*

10. Green spiked Bethlem-Star. *RAY 1115. 11. Syn. 166. 1. ed. 231. 1.*

11. Common Bethlem Star. *RAY 1153. 9. Syn. 166. 2. ed. 231. 2.*

12. Yellow Bethlem Star. *RAY 1153. 13. Syn. 166. 3. ed. 231. 3.*





ENGLISH Herbs with Bulbous Roots. — *TAB. 67.*

1. Lewyd's Snowdon **BULB.** *RAY. Syn. 168. ed. 233.*



2. Meadow **SAFFRON.** *RAY 1170 1. Syn. 167. ed 232.*



3. True **SAFFRON.** *RAY 1176. 17. Syn. 167. ed 232.*



4. English **HYACINTH.** *RAY 1169. 20. Syn. 167. 2. ed. 232. 2.*



5. Star **HYACINTH.** *RAY 1165. 1. Syn. 167. 1. ed. 232. 1.*



6 Autumn Star **HYACINTH.** *7 Lake* **HYACINTH.** *RAY 1157 13. Syn. 167 3 ed. 232. 3. RAY 1325. c. 12. Syn. 208. ed. 281.*





8. Hornsey **DAFFODIL**



9. English **DAFFODIL.** *RAY. 1131. 5. Syn 166. 1. ed 230. 1.*



10. Primrose **DAFFODIL.** *RAY 1135. 23. Syn 166. 2. ed. 231. 2.*



11. Yellow Flower de-luce. *RAY 1186. 24. Syn. 168 1. ed. 234. 1.*



12. Stinking Gladdon. *RAY 1190. 7. Syn. 168. 2. ed. 234. 3.*



ENGLISH Orchis'es *with* double *or* single *Roots. TAB. 68.*

1. *Goat-Stones.*
RAY 1212.1. Syn. 169.1. ed. 235.1.



2. Spotted *Male* Fool-stones.
RAY 1214.7. Syn. 169.2 ed. 236.3.



3. *Female* Fool-stones.
RAY 1214.8. Syn. 170.3. ed. 236.4.



4. *Oval* Iune *Orchis*
RAY 1215.14. Syn. 170.5. ed. 236.5.



5. *Little* Purple *Orchis.*
RAY 1215.12. Syn. 170.4. ed. 236.4.



6. *Small* Yellow *Musk Orchis.*
RAY 1217.22. Syn. 170.6. ed. 237.6.



7. *Triple* Ladies-traces.
RAY 1217.26. Syn. 171.7. ed. 237.7.



8. *Rusty* Man-Orchis.
RAY 1217.27. Syn. 171. . ed. 237.9.



9. *Gray* Orchis.
RAY 218.29. Syn. 718. ed. 237.8.



10. *Common* Fly-Orchis.
RAY 1219.32. Syn. 171.10. ed. 237.10.



11. Butterfly-Orchis.
RAY 1221.40. Syn. 172.13. ed. 238.13.



12. *Lesser* Butterfly-Orchis.
RAY 1221. Syn. edit. 238.14.



ENGLISH Orchis'es *with* double, *or* handed *Roots.* & Rapes. *TAB.* 69.

1 Great Fly-Orchis.
RAY 1220. 33 *Syn: ed.* 238. 1.



2 Humble Bee *Orchis.*
RAY 1220. 38 *Syn.* 172. 11. *ed.* 238. 11.



3 Green-wing'd Humble-Bee.
RAY 1221. 39. *Syn.* 172. 12. *ed.* 238. 12



4 Sweet *White* Orchis



5 Male Hand-Orchis
RAY 1223. 1. *Syn.* 172. 14. *ed.* 239. 15.



6 Spotted Hand-Orchis.
RAY 1223. 2 *Syn* 172. 15. *ed.* 239. 10.



7 Red spurd Hand-Orchis.
RAY 1224. 6 *Syn* 173. 16. *ed* 239. 17.



8 Frog Hand-Orchis
RAY 2247. *Syn.* 173 17. *ed.* 239. 18.



9 Zeeland *Dwarf* Orchis.
RAY 1226. 3 *Syn.* 173. *ed.* 240.



10 Broom-Rape.
RAY 1227. 1. *Syn* 173. 1. *ed.* 240. 1



11 Branched Rape.
RAY 1227. 5.



12 Plotts Rape.
RAY 1229. 2. *Syn.* 174. 2. *ed.* 240. 2



ENGLISH Orchis-like Plants, with scaly or threddy Roots. TAB. 70.

1 *Great* Toothwort.
RAY 1229.1. Syn 174. ed. 241.



2 *Brown* Birdsnest.
RAY 1228.1 Syn 174. ed. 240.



3 *Purple* Birdsnest.
RAY 1229.3. Syn 174.3. ed. 240.3.



4 Ladies Slipper.
RAY. 1232.12 Syn. 175. 6. ed. 242.7.



5 *Blackish* Helleborine.
RAY. 1231.5. Syn. 175. 2. ed. 241.1.



6 *Greenish* Helleborine.
RAY 1230.1 Syn 174.1. ed 241.1



7 *White* Helleborine.
RAY 1231.6. Syn. 175. 3. ed. 242.3.



8 *Marsh* Helleborine.
RAY 1231.10 Syn. 175. 5. ed. 242.6.



9 *Long, pointed* Helleborine.
RAY Syn 175. 4. ed. 242.5.



10 *Common* Tway-blade.
RAY 1232.1 Syn 175 1. ed. 242.2.



11 *Least* Twayblade.
RAY 1232. 2 Syn 176 2. ed. 243.2.



12 *Marsh* Tway-blade.
RAY 1232.4 Syn 176. 1. ed. 243.3



1. White Water-Lily
RAY 1320. 3. Syn. 207. 3. ed. 278. 3.



2. Frog bit.
RAY 1320. 4. Syn. 207. 4. ed. 279. 4.



3. yellow Water-Lily.
RAY 1319. 1. Syn. 207. 1. ed. 278. 1.



4. Curl'd yellow Water-Lily
RAY 1320. 2. Syn. 207. 2. ed. 278. 2.



5. Water Aloe.
RAY 1324. c. 7. Syn. 208. ed. 281. 1.



6. Common Dropwort.
RAY 623. 1. Syn. 92. ed. 143.



7. Small Dropwort.
RAY 623. 2.



8. Meadow-sweet.
RAY 624. c. 3. Syn. 93. 1. ed. 144. 1.



9. Meadow Rue.
RAY 403. 4 Syn. 62. 1. ed. 100. 1.



10. Small Meadow Rue.
RAY 404. 5. Syn. 62. 2. ed. 100. 2.



11. Small Welch meadow Rue.
RAY 3. p. 249. Syn. 60 2. 3. ed. 100. 3.



12. Small red floured meadow Rue.
RAY. 3. p. 249. Syn. 62 4. ed. 100. 4.



ENGLISH Miscellany Plants. *TAB.* 72.

1. *Water* Valerian. *RAY* 388. 2. *Syn.* 60. *ed.* 98.



2. *Marsh* Valerian. *RAY* 388. 3. *Syn.* 61. 2. *ed.* 98. 2.



3. Small floured *Marsh* Valerian. *RAY* 389. 4. *Syn.* 61. 3. *ed.* 98. 3.



4. *Corn*-Sallet. *RAY* 392. 1. *Syn.* 61. 1. *ed.* 98. 1.



5. Jagged *Corn*-Sallet. *RAY* 392. 2. *Syn.* 61. 2. *ed.* 98. 2.

6. Sea Lavender. *RAY* 395. 1. *Syn.* 61. *ed.* 99.

7. Small Sea Lavender. *RAY* 395. *Syn.* 61. *ed.* 99.

8. Common Thrift. *RAY* 1037. 1. *Syn.* 149. *ed.* 212.

9 Branched Bur-Reed. *RAY* 1311. 2. *Syn.* 205. 1. *ed.* 277. 1.

10. Unbranched Bur-Reed. *RAY* 1311. 2. *Syn.* 205. 2. *ed.* 277. 2.

11. Least Bur-Reed. *RAY* 1312. 3. *Syn.* 205. 3. *ed.* 277. 3.

12. Dodder. *ed.* 282. *RAY* 1903. c. 23. *Syn.* 209.

5

PLANTS *already Engraved in Mr.* Petiver's ENGLISH HERBAL.

Herbs with Stamineous, Threddy *or* Blink *Flowers.*

SECT. I.

Male *Hops* Ray Hiſt. Plant. 156. Syn. 52. T. 1. F. 1.
Female *Hops.* Ray Hiſt. & Syn. id. Tab. 1. Fig. 2.
Male *Hemp.* Ray H. Pl. 158. 1. Syn. 53. Tab. 1. Fig. 3.
Female *Hemp.* Ray id. Tab. 1. Fig. 4.
Male *Dog's Mercury* R. 163. 1. Syn. 53. 1. T. 1. 5.
Female *Dog's Mercury* T. 1. 6.
Male *French Mercury* R. 163. 2. S. 54. T. 1. 7.
Female *French Mercury* R. 163. 2. S. 54. T. 1. 8.
Great *Nettle* Ray 160. 4. S. 54. 1. T. 1. 9.
Small *Nettle* Ray 161. 5. S. 54. T. 1. 10.
Roman *Nettle* Ray 161. 6. S. 54. 3. T. 1. 11.
Small *Burdock* Ray. 165. 1. S. 55. T. 1. 12.
Great Water *Dock* Ray 177. 4. Syn. 55. 1. Tab. 2. 1.
Curl'd Sharp *Dock* Ray 173. 6. Syn. 55. 3. T. 2. 2.
Smooth Sharp *Dock* Ray 173. 7. Syn. 56. 4. T. 2. 3.
Small ſharp *Dock* Ray 174. Syn. 56. Tab. 2. 4.
Blood vein'd *Dock* Ray 174. 10. Syn. 56. T. 2. 5.
Bloodleſs *Dock* Tab. 2. Fig. 6.
Gold *Dock* Tab. 2. Fig. 7.
Bur Gold *Dock* Ray 174. 8. Syn. 56. 6. Tab. 2. 8.
Broad *Dock* Ray 173. 5. Syn. 55. 2. Tab. 2. 9.
Fiddle *Dock* Ray 174. 9. Syn. 56. 5. Tab. 2. 10.
Buck-wheat Ray 182. 1. Syn. 57. 1. Tab. 2. 11.
Trailing *Buck-wheat* Ray 182. 2. Syn. 57. 2. Tab. 2. 12.
Common *Sorrel* Ray 178. 1. Syn. 56. 8. Tab 3. 1.
Sheep's *Sorrel* Ray 180. 14. Syn. 56. 9.
Barren Sheep's Sorrel T. 3. 3.
Welſh *Sorrel* Ray Syn. 57. 10. T. 3. 4.
Common *Arſmart* Ray 182. Syn. 58. 1. Tab. 3. 5.
Creeping *Arſmart* Ray 183. 3. Syn. 58. 2. Tab. 3. 6.
Spotted *Arſmart* Ray 183. 2. Syn. 58. 3. Tab. 3. 7.
Spotted hoary *Arſmart* Tab. 3. 8.
Silver *Arſmart* Tab. 3. 9.
White branched *Arſmart* Tab. 3. 10.
Bobarts *Arſmart* Ray Syn. 58. Tab. 3. 11.
Amphibious Arſmart Ray 184. 6. Syn. 58. 4. Tab. 3. 12.
Common *Plantain* Ray 876. 1. Syn. 184. 1. Tab. 4. 1.
Dented *Plantain* Tab. 4. 2.
Hoary *Plantain* Ray 877. 5. Syn. 184. 2. Tab. 4. 3.
Roſe and ſpiked *Plantain* R. 876. Tab. 4. 4.
Beſom *Plantain* Ray 877. 4. Syn. 185. 3. Tab. 4. 5.
Common *Ribwort* Ray 877. 7. Syn. 185. 4. Tab. 4. 6.
Mountain *Ribwort* Ray Syn. 185. 7. Tab. 4. 7.
Childing *Ribwort* Ray 877. 1. Tab. 4. 8.
Sea *Plantain* Ray 880. 5. Syn. 185. 5. Tab. 4. 9.
Bucks-horn *Plantain* Ray 879. 3. Syn. 185. 6. Tab. 4. 10.
Great *Burnet* Ray 402. 2. Syn. 100. Tab. 4. 11.
Small *Burnet* Ray 401. 1. Syn. 100. Tab. 4. 12.
Common *Biſtort* Ray 186. 1. Syn. 59. Tab. 5. 1.
Small *Biſtort* Ray 187. 4. Syn. 60. 2. Tab. 5. 2.
Welſh *Biſtort* Ray 187. 6. Syn. 60. 3. Tab. 5. 3.
Broad *Pondweed* Ray 188. 1. Syn. 60. 1. Tab. 5. 4.
Long *Pondweed* Ray 188. 2. Syn. 61. 2. Tab. 5. 5.
Round *Pondweed* Ray 188. 3. Syn. 61. 3. Tab. 5. 6.
Heart *Pondweed* Tab. 5. Fig. 7.
Plain *Pondweed* Ray 189. 4. Syn. 61. 4. Tab. 5. 8.
Curl'd *Pondweed* Ray 189. 5. Syn. 61. 5. Tab. 5. 9.
Broad Graſs *Pondweed* Tab. 5. Fig. 10.
Narrow Graſs *Pondweed* Tab. 5. Fig. 11.
Fine Graſs *Pondweed* Ray 189. 7. Syn. 61. 7. Tab. 5. 12.
Fennel *Pondweed* Tab. 5. Fig. 13.
Taſſel *Pondweed* Ray 190. 10. Syn. 62. 10. Tab. 6. 1.
Horned *Pondweed* Ray 190. 13. Syn. 281. Tab. 6. 2.
Water *Starwort* Ray 1323. Syn. 280. 1. Tab. 6. 3.
Long Water *Starwort* Ray Syn. 280. 2. Tab. 6. 4.
Feather *Pondweed* Ray 191. Syn. 279. Tab. 6. 5.
Fine Feather *Pondweed* Tab. 6. Fig. 6.
Millfoil *Pondwed* Ray. 191. 2. Syn. 280. 5. Tab. 6. 7.
Knotted *Pondweed* Ray 1322. 1. Syn. 279. Tab. 6. 8.
Golden *Saxifrage* Ray 207. 1. Syn. 66. Tab. 6. 9.
Long Golden *Saxifrage* Ray 207. 2. Syn. 66. Tab. 6. 10.
Cornwal *Pennywort* Ray. Syn. 211. 14. Tab. 6. 11.
Marſh *Pennywort* Ray 1323. Syn. 280. Tab. 6. 12.
Delt *Orrach* Ray 192. 3. Syn. 62. 1. Tab. 7. 1.
Delt Sea *Orrach* Ray 193. 10. Syn. 63. 4. Tab. 7. 2.
Froſty Sea *Orrach* Ray 193. 8. Syn. 63. 5. Tab. 7. 3.
Jagged long *Orrach* Ray 192. 6. S. 62. 3. Tab. 7. 4.
Spear *Orrach* Ray 192. 4. S. 62. 2. Tab. 7. 5.
Graſs Sea *Orrach* Tab. 7. 6.
Sea Purſlain Ray 195. 3. Syn. 63. 8. Tab. 7. 7.
Heart *Sea Purſlain* Ray Syn. 63. 7. Tab. 7. 8.
Small Garden *Blite* Ray 200. Tab. 7. 9.
All ſeed *Blite* Ray 196. 2. Syn. 65. 11. Tab. 7. 10.
Stinking *Orrach* Ray 198. 11. Syn. 64. 6. Tab. 7. 11.
Wild *Spinage* Ray 195. 1. Syn. 64. 8. Tab. 7. 12.
Rands Oak *Blite* Tab. 8. 1.
Froſt *Blite* Ray 198. 8. Tab. 8. 2.
Buddle's Fig *Blite* Tab. 8. 3.
Buddle's round *Blite* Tab. 8. 4.
Thick ſhining *Blite* Ray Syn. 64. 5. Tab. 8. 5.
Sharp pointed *Blite* Ray 197. 9. Syn. 64. 3. Tab. 8. 6.
Maple *Blite* Ray 8. 7.
Broad pointed *Blite* Tab. 8. 8.
Sea Beet Ray 204. 3. Syn. 65. Tab. 8. 9.
Wall *Pellitory* Ray 206. 1. Syn. 66. Tab. 8. 10.
Tree *Stonecrop* Ray 199. 17. Syn. 65. 10. Tab. 8. 11.
Shrub *Stonecrop* Ray 199. 16. Syn. 65. 9. Tab. 8. 12.
Small *Glaſſwort* Ray 198. 14. Syn. 64. 7. Tab. 9. Fig. 1.
Prickly *Glaſſwort* Ray 212. 2. Syn. 67. 3. Tab. 9. Fig. 2.
Small joynted *Glaſſwort* Ray Syn. 67. 1. Tab. 9. Fig. 3.
Woody jointed *Glaſſwort* Ray 211. 1. Syn. 67. 2. Tab. 9. 4.
Baſtard *Toad-flax* Ray 399. 7. Syn. 99. Tab. 9. Fig. 5.
Upright *Knawell* Tab. 9. 6.
Spreading *Knawell* Ray 213. 1. Syn. 68. 1. Tab. 9. 7.
Pepper Graſs Ray 1325. 10. Syn. 281. Tab. 9. 8.
Ladies Mantle Ray 208. 1. Syn. 66. Tab. 9. 9.
Small *Ladies Mantle* Ray 202. 2. Tab. 9. 10.
Silver *Ladies Mantle* Ray 209. 4. Syn. 66. Tab. 9. 11.
Parſly Piert Ray 209. 14. Syn. 67. Tab 9. 12.
Common *Knotgraſs* Ray 184. 1. Tab. 10. 1.
Thick ſet *Knotgraſs* Tab. 10. 2.
Short leaved *Knotgraſs* Tab. 10. 3.
Narrow *Knotgraſs* Tab. 10. 4.
Sea *Knotgraſs* Ray 185. 2. Syn. 59. 2. Tab. 10. 5.
Newton's *Knotgraſs* Tab. 10. 6.
Whorl'd *Knotgraſs* Ray 214. 3. Syn. 68. Tab. 10. 7.
Valentia *Knotgraſs* Ray 215. 8. Tab. 10. 8.
Smooth *Rupture-wort* Ray 214. 6. Syn. 69. Tab. 10. 9.
Hoary *Rupture-wort* Tab. 10. 10.
Sea Heath Ray 1716. 15. Syn. 314. 5. Tab. 10. 11.
Blink's Ray. 1035. 26. Syn. 211. 14. Tab. 10. 12.

N. B. *The* Figures *of all theſe* Plants *done on* Copper Plates *are ready to be delivered upon paying* 10 *s. in* Hand, *and in* May *next, on depoſiting a* Guinea *they ſhall be made up* 600. *and* 10 *s. more, when they amount to* One Thouſand *Trees and Herbs, all which ſhall be of the* Growth *of* Great Britain *and* Ireland.

Such Generous Patrons *as will be pleaſed to give* one Guinea *in* Hand, *inſtead of* 10 *s. to forward this* Work, *ſhall have a* TABLE *Dedicated to them.*

Any *Perſon* ſubſcribing for Five *Books*, ſhall have a Sixth *Gratis.*

LONDON, Printed for Mr. *Chriſtopher Bateman*, Bookſeller in *Pater-noſter-row*, where *Subſcriptions* are taken and the *Figures* delivered.

Hortus PERUVIANUS *Medicinalis*:

OR,

The *SOUTH-SEA* Herbal.

Containing the *Names*, *Figures*, *Uſe*, &c. of divers *Medicinal Plants*, lately *diſcovered* by *Pere L. Feuillèe*, one of the *King* of *France*'s Herbaliſts.

To which are ADDED,

The Figures, *&c. of divers* American *Gum-Trees*, Dying *Woods*, Drugs, *as the* Jeſuits Bark-Tree *and others, much deſired and very neceſſary to be known by all ſuch as now* Traffick *to the* South-Seas, *or reſide in thoſe Parts.*

TAB. I. *Medicinal* PERU Plants.

FIG. 1. *Peru* Chilca *or* Long *Fleabane.*
Conyza frut. fol. anguſt. nervoſis L. *Feuillée* p. 750.
Conyza Afric. humilis, *fol.* anguſtioribus nervoſis, *Floribus* umbellatis *Inſt. Rei Herb.* 455.

It has a pleaſant Smell, the *Indians* make a *Tea* of it, to ſtrengthen their Stomach.

2. Manga Paki *or* Round *Peru* Fleabane
Conyza fol. ſubrotundo utrinque acuto F. p. 749.

This is a ſweetning Herb, Aſtringent and Vulnerary, the *Natives* drink a *Tea* of it in *Cholick* Pains, *Diſſenteries*, and other Fluxes. *Grows* 4 Feet high with blewiſh *Flowers*, in the Valleys about *Lima* the Capital City of *Peru*.

3. Paica Jullo. Bidens *Mercurialis* folio, fl. radiato F. 744.
Its *Flower-rim* white. *Grows* about *Lima* and *Callao*.

4. *Cuiez-bane. Bidens* fol. trinervi lanceato, *fl.* ſingulari & radiato F. 766.

The *Flower-rim* compoſed of 6 yellow *Petals*. Grows in the ſtoney Valleys of *Lima*. It's a purging Plant, but rarely uſed by reaſon of its Violence, they alſo think it a *Poiſon*, becauſe it kills a Houſe Animal call'd *Cuiez* in *Peru* and *Chili*.

5. White, *Mugwort* Bident. Bidens *Arthemiſia* folio, *fl.* albo radiato F. 745.

Found in the Plains about *Lima*.

6. Heart-leaved *Maracoc.*
Granadilla pomifera, *Tiliæ* folio F. 720.

Its Rays crimſon with a white Circle in the middle. *Grows* in the Vallies about *Lima* in divers Places, it's alſo nurſed in their Gardens.

7. Triſid, ſpotted *Maracoc.*
Granadilla fol. *tricuſpidi*, obtuſo & oculato F. 718.

Obſerved in a *Garden* at *Malambo*, in the *Suburbs* North of *Lima*.

8. Caigua *or* ſtriped *Melon.*
Momordica fructu ſtriato lævi.

The *Natives* eat its *Fruit* in their Broths which much refreſhes and cools them, the Heats there being very exceſſive. A. and B. are 2 ſmall *Beetles* which feed on the *Leaves* of this Plant.

9. *Lima* Pumkin.
Melongena Laurifolia, *fr.* turbinato variegato F. 735.

Its *Flower* white with a purple Star, the *Fruit* much eaten at *Lima* but apt to cauſe *Fevers*, which are there difficult to cure. C. its *Fr.* Slit.

10. Purple *Bladder Nightſhade*
Alkakengi amplo *flore* violaceo F 724.

They boil 3 or 4 of theſe *Berries* in White-wine or Water, and drink it with wonderful Succeſs in Stoppage of *Urine* or *Gravel*.

11. *Ancoacha* or yellow *Mallow.*
Malva lutea, calyce ſimplici, obtuſo *Carpini* folio, pediculis florum prælongis F. 750.

Its *Flower* yellow with a purple fringed bottom and cordated *Petals*. A Tea of this is wonderful in Ails of the *Stomach*, the *Indians* pick and make a Poultiſs of it, which they apply to ripen *Swellings* and uſe it as an *Univerſal* Remedy. *Grows* in moiſt Ground and by *River-ſides* North of *Lima*.

12. Lima *Tea.*
Capraria Peruviana *Agerati* foliis, abſque pediculis F. 764.

Pere Feuillée ſays, the *Virtues* of this Herb (which are the ſame with the *China Tea*) was not known in *Peru* till 1709.

N. B. This ſeems to be the ſame or little different from Dr. *Sloan*'s Weſt-India *Tea*, which he has deſcribed in his *Nat.* Hiſt. of *Jamaica* p. 209. pl. 25. who ſays it's call'd in Curaſſow *Cabritta* and *Capraria* becauſe the *Goats* there feed on it, which laſt Name our *Author* here calls it by. *J. Petiver.*

TAB. II. Medicinal *Peru* and *Chili* Plants.

Fig. 1. LIma *Tobacco.*
Nicotiana minor, fol. cordi formi, tubo *Floris* prælongo F. 717. Its Flower of a greeniſh yellow. *Grows* in *Valleys.*

2. Ray-leaved *Bignon.*
Bignonia fl. luteo, *foliis* radiatis, & elegantiſſimè diſſectis F. 731.
Found in a very dry Place at the Foot of high *Mountains* about *Arica.*

3. Broad *Clove-ſtrife.*
Onagra Laurifolia *fl.* amplo pentapetalo. F. 716.

* Small *Female* Clove-ſtrife.
Onagra minor, *fl.* luteo pentapetalo.

The *Flower* yellow and L. like the laſt, but both ſmaller. The *Indians* highly eſteem theſe 2 Shrubs, making a Poultiſe of the L. pickt, which ſweetens, mollifies and diſſolves, fit therefore to diſſipate inveterate *Tumors* and *Buboes* which are very common in thoſe Parts. Theſe *grow* by *River* ſides.

4. Log-rooted *yellow* Wood-ſorrel.
Oxys luteo flore, *rad.* craſſiſſima F. 734.

Grows on the *Mountains* of *Peru*, &c.

5. Spotted *Mountain* Pelegrina.
Hemerocallis fl. purpuraſcentibus maculatis F. 711.

The Beauty of this *Flower* is, in having 3 of its *Petals* ſpotted, the reſt plain, and therefore the *Spaniards* call'd it *Pelegrina* or *Curious.*

6. Ylo *Hounds-tongue.*
Cynogloſſum fol. nervoſis acutiſſimis F. 765.

Grows in the *Valley* of *Ilo* near *Arica* about a Foot and an half *high*, with *blewiſh* Flowers.

7. Malla *or* Peru *Creſs-Violet.*
Cardamindum quinquifido folio F. 756.

This elegant Plant the *Spaniards* call *Paxarito* becauſe its *Flower* is compoſed of 2 particular large yellow L. extended like the Wings of a *Bird*. Grows about *Lima.*

8. Lima *Flower fence* or *Tara.*
Poinciana ſpinoſa *Feuillée.* 572.

The *Dyers* uſe the Huſks of this *Fruit* to dye black, they ſoke ſome of the Pods all Night in Water, mix a little *Allum* with it, and boil it to a due Thickneſs, which makes a very fine Black and ſtrong *Ink.*

Medicinal *Chili* Plants.

9. Daſie *Ragwort* or *Nillque.*
Jacobea *Leucanthemi* vulg. folio F. 759.

Its *Flowers* yellow. They drink a *Tea* of this after the cold Fit, which abates the hot in intermitting *Fevers*. *Grows* on the ragged *Sea* Banks of *Chili*, &c.

10. Chili *Dutroa* or *Floripondio.*
Stramonoides arboreum oblongo & integro folio, *fructu* lævi F. 761.

Grows in *Chili* about a Yard high, with a white *Flower* ſo very ſweet, that a ſingle Plant is enough to perfume a whole *Garden*. They apply the L. to haſten the Suppuration of *Tumors* which it does effectually. *N. B.* This Plant bears the *Flower* of a *Stramonium* or *Thorn-apple*, but differs in its *Fruit* being ſmooth, there is a ſort of this in the *Hort. Malabaricus* Vol. 2. Tab. 29.

11. Chili *Nightſhade*
Solanum *Chenopodoides*, acinis albeſcentibus F. 721.

The *Natives* were ignorant of the *Virtue* of this Plant until the *Negroes* came amongſt them who were ſubject to a certain *Diſeaſe* which kill'd them in their Prime, it was an extraordinary Extenſion of the *Anus* attended with a *Fever*, which was ſo mortal, that many of them dy'd before they diſcover'd this *Remedy*. They juice the tops of this Plant, mixing it with *Roſe-water* and a little *Allum*, which taken cures their Ail, ſtops the *Fever*, and they become very well. With this Juice they alſo bathe their *Eyes*, which takes away all *Pains* and *Dimneſs* in them. This *Sovereign* Plant *grows* about a Yard high, on the Mountains of *Valparaiſo*, &c.

12. Oak-leaved *Bitterſweet*.
Solanum foliis *Quercinis*. F. 722. Its *Flower* purple, *found* with the laſt, and *grows* near 2 *Yards* high.

TAB. III. Medicinal *Chili* Plants.

Fig. 1. SCarlet *Avens* or *Quellgon*.
Caryophylata fol. alatis, *fl.* amplo coccineo F. 726.

Its an *Aperitive* Herb, which the *Natives* make a *Tea* of to keep their Bodies in order. *Grows* about half a Yard high on the ſides of *Mountains*.

2. Purple *Septfoil*.
Pentaphylloides *Alcea* minori folio, *fl.* purp. F. 763.

Grows about a Foot high, with a purple *Flower*, on the Banks of the *River* Plata.

3. Panama *Centaury*.
Centaurium minus purp. patulum F. 747.

This Plant is very bitter. They make a *Tea* of it which is *Aperitive* and *Sudorifick*, it fortifies the *Stomach*, kills *Worms*, cures intermitting *Fevers* and the *Jaundice*, it's alſo given with very good Succeſs in *Rheumatiſms*, &c. They take it as hot as may be in Bed, covering themſelves cloſe, to provoke Sweat. *N. B.* The *Hiſtory* of the *Academy Royal* des Sciences A. D. 1707. p. 65. 8°. gives great Encomiums to this Plant, which they ſay has a fragrant Smell like *Natural Balſam*, and is ſo great a Sweetner of the Blood, that it's a ſpecinck in *Pleuriſies*, and in *Fevers* they uſe it inſtead of the *Jeſuits Bark*. Its *found* plentifully about *Panama* and divers other Places, that which grows on the *Mountains* is eſteem'd the *beſt*. *J. P.*

4. Upright Purple *Wood ſorrel*.
Oxys roſeo *flore* erectior F. 733.

They make a *Tiſan* or *Broath* of this Herb, which is opening its *L.* are tart and refreſhing, they abate *Choler* and cool the Heat of the Blood. *Grows* on the vaſt Plains along the *River* Plata.

6. Light *or* Purple ſtriped *Day-Lilly*.
Hemerocallis flor. purpuraſcentibus ſtriatis F. 710. Grows by *River* ſides.

7. Salſilla *or* Purple climing *Lilly*.
Hemerocallis ſcandens, *flor.* purpureis F. 713.

The *Natives* uſe the *Root* of this and attribute the ſame *Virtues* to it as *Sarſaparilla*, they infuſe it all Night in cold Water, and drink it for Pains in the *Stomach* alſo, and find great Relief by it.

8. *Illeu* or *Chili* Spiderwort.
Bermudiana cærulea, *Phalangii* ramoſi facie F. 715.

Grows *on* Mountains.

9. *Yellow* Star-leaved *Salſa*.
Salſa fol. radiatis, *floribus ſubluteis* F. 716.

The *Author* ſays this Plant is very well known in *Europe* for its Uſe in *Venereal* Diſeaſes.

10. Nuil *or* Gland-flag.
Epipactis flor. uno verſu diſpoſitis F. 727.

Its *Flowers* all white. The *Natives* drink a Tea of it in Stoppage of *Urine* proceeding from the *Gravel*, it's alſo good to expel *Wind*. Grows *on* Mountains and *dry* Places.

11. White *Gavilu* with a yellow Lip.
Epipactis fl. albo F. 727.

Grows 3 Foot high, in the ſame places with the laſt, and has the like *Virtues*.

12. *Piquicken* with a greeniſh Flower.
Epipactis fl. vireſcente & variegato F. 727.

Grows on the ſides of *Mountains* a Yard *high*.

13. *Gavilu* with a large *yellow* Flower.
Epipactis amplo *flore* luteo F. 729.

The *Indian Women* newly laid in, mix the *Juice* of this Plant with their *Broths* to cauſe their *Milk* to return, which it does in plenty.

TAB. IV. Medicinal *Chili* Plants.

Fig. 1. YEllow *Hedge Hyſſope*. *Gratiola* fol. ſubrot. nervoſis fl. luteis F. 745.

The *Indians* eat this Herb in their *Soops* to refreſh them. *Grows* in *moiſt* Ground and by *River* ſides.

2. Bloody, ſtreakt *Rampion*.
Rapuntii facie, *fol.* ſinuatis, *flore* ampliſſimo ſanguineo & ſtriato F. 729.

Grows near *Rivers* and in *moiſt* places 2 Foot high.

3. Tupa *or* Chili *Cardinal Flower*.
Rapuntium ſpicatum foliis acutis F. 739.

Its *Flower* red. *Grows* on Mountains. The *Root* and *Bark* yields a venemous *Milk*, which will endanger the Eyes like *Spurge*, the very Smell of the *Flower* cauſes Vomiting, and the whole Plant is reckoned a *violent* Poiſon.

4. Tall *Chili* Violet.
Viola arboreſcens, *Origani* acuto folio F. 738.

A *Tea* of this is opening, its *Flower* blew and without Scent. *Grows* by *River* ſides a Foot and an half *high*.

5. Blew *Chili* Milkwort.
Polygala cærulea, anguſtis & denſioribus *Foliis* F. 721.

The *Natives* make a cold Infuſion of this Herb all Night in Water and drank in the Morning proves a ſtrong *Diuretick* and eaſes *Pleuritick* Pains. *Grows* on *Mountains*.

6. Chili *Panke*.
Panke *Anapodophylli* folio F. 741.

They eat the raw *Stalks* peeled, which are of a ſweetiſh agreeable Taſte, they alſo drink a *Tea* of its *Leaves*, which very much refreſhes them in violent Heats. The *Tanners* boil the *Roots* of this with their Skins which very much thickens them, it alſo yields a black Dye. *Grows* in moiſt *boggy* Places and by *River* ſides.

7. Chili *Llau-panke*.
Llau-panke ampliſſimo *Sonchi* folio F. 741.

They apply the *Juice* of this Plant to eaſe the Pain and ſtop the immoderate Flux of the *Piles*, they uſe alſo the Grounds of it Poultiſe-wiſe. The *Dyers* mix it in their Compoſitions to ſtain *Black*. Grows about a Yard high.

8. *Pichua* with *Purſlain* Leaves.
Tithymalus perennis *Portulaca* folio F. 707.

The Inhabitants of *Chili*, &c. mix ſome Drops of the *Milk* of this *Spurge* in a large Glaſs of Water or Broth, which moderately and kindly purges them, for which Cauſe they call it the *weak* or *Female* Pichua. *Grows* commonly on the *Sea* Coaſts in *ſtoney* and *dry* Places.

9. Veiny *heart-leaved* Spurge.
Tithymalus fol. trinerviis & cordatis F. 709.

Grows with the laſt and *purges* like it.

10. Male *Pichua* Spurge.
So *call'd* becauſe it works more violently both upwards and downwards. It *differs* from the others, but *grows* in the ſame *Places*.

11. Chili *Ortiga*.
Ortiga urens, *Acanthii* folio F. 757.

Grows in *Valleys* about a *Cubit* high. *N. B.* Of this *Species* is the *Frutex* pungens & urens *Marcgr.* 79. *Fig.* or the *ſtinging Palma Chriſti* of Wafer 27. p. 237.

11. Dyers *Itiu*.
Peryclymenum fol. acutis, *flor.* profundè diſſectis F. 760. *Grows* about 4 Yards *high*, with Scarlet *Flowers* on the ſides of *Mountains*. They uſe the *Chips* of this *Wood* with the *Roots* of *Panke* at *Fig.* 6. mixt with a black *Earth* call'd *Robbo*, theſe they boil in Water to a juſt height, with which they dye their *Stuffs* of a fine Black, which fades not like thoſe of *Europe*.

12. Pillabilcum *or* Chili *Polypody*.
Polypodium rad. ſquamoſa F. 755. Filix *Dactyloides* perelegans *Muſ. Petiver* 215. *Ray* Vol. 3. p. 72.

A *Tea* of this opens *Obſtructions* and the Natives drink of it, when their *Stomachs* are overcharged. *Found* on the ſide of a *Mountain* neat *Pincho* in *Chili*. It alſo grows about *Mount Serado* on the Coaſt of *Africa*.

13. Chili *Guilno* or *Purging* Oat-graſs.
Gramen Bromoides *Catharticum* F. 705.

They make a *Tea* of its *Roots* which they drink hot in a Morning which purges them; its Taſte like its Operation little different from *Sena*. *Grows* in *marſhy* and *wet* Places.

TAB. V. American *Gum-trees* and others very deſirable.

Fig. 1. B*Dellium*. Is ſaid to flow from the Trunk of a *Thorney* Tree, call'd *Bdellia* growing in *Arabia* and *India*, its *Leaves* are like the *Oak*, the *Fruit* reſembles a *Fig* and of a pretty good Reliſh. The *Gum* of a bitteriſh Taſte and turns yellow upon the Tongue, the beſt comes in oval Drops, is fragrant, reddiſh and tranſparent, it's uſed both externally and internally, being *aperitive*, *ſudorifick*, *digeſtive and diſcuſſive*, It haſtens *Birth*, provokes *Terms* and reſiſts *Poiſon*.

2. *Cancamum*. Reſembles ſeveral ſorts of *Gums* or *Roſins* of different Colours clotted or ſticking together, it's ſaid to come from *Arabia*, *Pomet* ſays it was brought him from *America A. D.* 1686. by Dr. *Briſot* of 4 different Colours clinging together, iſſuing from a *Tree* of a moderate height, *Lemery* ſays it ſtrengthens the Stomach and Bowels, kills Worms and opens Obſtructions of the Spleen, *&c.*

3. Balſam *Copaiba*, by ſome *Colocai* and by the *Portugueſe* Gamemolo. *Marcgrave* ſays the *Wood* is very red, which they ſaw into *Boards* for divers Uſes, its L. 4 or 5 Inches long and

oval

oval, bears a midling 5 leaved *Flower*, its Pods roundish, thin shell'd, with a *Filbert*-kernel, which bruised smell like *Peafe*. *Piſo* adds that the *Fruit* ripens in *April* which the *Braſiliants* eat, by ſucking the Juice and ſpitting out the Skin; the *Monkeys* alſo are very greedy of them.

This *Balm* is yellower than *Turpentine*, and of a different Smell and Taſte. It comforts the *Stomach* and *Bowels*, ſweetens the whole Maſs of *Blood* and is an admirablee *Vulnerary*, provokes *Urine* powerfully and ſtops *Fluxes* of all kinds, it's *ſudorifick* and cures moſt Diſeaſes where Sweating is proper and equal, if not excells all other *Natural* Balſams. It's ſaid the *Natives* learnt the *vulnerary Virtue* of this *Balm* by obſerving the *Hogs* to repair to it when wounded.

4. *Caranna*. Flows from the Trunk of a *Tree* like a *Palm*, which grows plentifully in *New Spain*. Mr. *Lemery* ſays it's ſo call'd from *Carthagena* in the *Spaniſh* Weſt *Indies* where it grows in plenty. It's ſo famed a *Cephalick*, *Arthritick* and *Vulnerary*, that it's uſually ſaid what *Tacamahac* cannot cure, *Caranna* can. *Hernandez* ſays it's a large *Tree* with longiſh L. growing *Star-wiſe*.

5. *Copal*. It's brought from *New Spain* and other Parts of *America*. *Pomet* ſays this *Gum* flows from the Trunks and Branches of ſeveral large *Trees* growing on the *Mountains* with *Fruit* like our *Cucumbers* but of a dark grey, in which is a mealy Flower of a very good Taſte.

6. *Elemi*. This *Gum*, ſays *Pomet*, flows from the Cut Trunk and Branches of a midling *Tree* with long and narrow ſilvery *L.* and red *Flowers*, the Fruit of the Colour and Shape of *Olives*, and therefore by ſome *named* wild Olives. It's of ſingular Uſe in all *Wounds* and *Fractures* in the *Head* and *Scull*.

7. *New Balſam*. In Colour and Shape like *Tolu*, but of a leſs agreeable Smell, its boil'd from ſmall red cluſter'd *Fruit*, whoſe *L.* are very large and broad. *Grows* in *St. Domingo* and the other *Iſles*.

8. Balſam *Peru* or *Natural Balſam*. This *Pomet* aſſerts, is made by boiling its *Bark*, Branches and Leaves in Water, ſcumming off the Fat which is this *black Balm*. It's uſed as a great *Pectoral*, particularly in *Aſtma's*.

9. *Sarcocol* or *Fleſh-glue*. Is a granulated *Gum* ſaid to flow from a little prickly *Shrub* growing in *Arabia*, *Perſia*, &c. It agglutinates *Fleſh*, heals ſpongey *Wounds*, and ſtops *Hemorrhages*, it's alſo a very good *Ophthalmick*, taking away *Spots*, *Specks*, &c. hindring *Defluxions* into thoſe Parts.

10. Liquid *Amber*. Comes by Inciſion from the Bark of a large Tree with *Ivy* Leaves growing in *Virginia* and *Mexico*. where it's call'd *Ocoſolt* or *Ococol:* It's very fragrant, conſolides and mollifies the Hardneſs of the *Womb*, is good in *Sciatica*, *Rheumatiſm* and Weakneſs of the *Nerves*.

11. *Tacamahac*. Flows from the Bodies of large thick *Trees* like our *Poplars*, growing plentifully in *New Spain* and *Madagaſcar* where they are call'd *Harame*. The L. ſmall and dented, the *Fruit* red of the Size of a large *Nut*, with a Peach-like *Stone*, odoriferous and Reſinoſe. It's ſaid to eaſe all manner of Pains in the *Head*, *Nerves*, *Joynts* or *Womb* and very good in *Vapours*. It's ſo famous amongſt the *Indians*, that they uſe it in all *Pains* whatever.

12. Balſam *Tolu*. It being brought from that Province in *New Spain* ſeated between *Carthagena* and *Nombre de Dios*. It's of a grateful fragrant Smell, a great *Pectoral*, particularly in *Pthyſicks*, *Catarrhs* and Defluxions. *Outwardly* it alſo eaſes old *Aches* and Pains in the *Head* and *Joynts*.

13. *Braſil Wood* or *Fernambuck*. Being the Place from whence it comes, where it is called by the *Braſilians* Ibirapitanga It's a thick large *Tree* with a reddiſh and thorney *Bark*, the L. ſmall and blunt of a fine ſhining green. Its *Flower* little, ſweet and of a beautiful red, with *Pods* flat and prickly. This *Wood* is uſed amongſt the *Dyers*, and the *Stationerrs* make a red *Ink* of it.

14. Campechy, *Logwood* or *Braſiletto*.
In the Bay of *Campechy* it grows plentifully and thither our *Engliſh* go to cut it, it's alſo found in other Parts of *New Spain* as at *Sancta Cruce* where there are whole Forreſts of it. *Pomet* and *Lemery* are both miſtaken in making this Tree the ſame with our *Jamaica Pepper*, or *All Spice*., which we much better know than the *Logwood*, whoſe *Flowers* and *Fruit* we are as yet Strangers to.

15. Nephritick *Wood*. By reaſon it's a Sovereign Remedy for the *Stone*, *Gravel*, and Difficulty of *Urine*, it's alſo good in *Obſtructions* of the *Liver* and *Spleen*. Grows in *New Spain* and chiefly about *Mexico*. *Hernandez* ſays it's a large Shrub with little roundiſh Leaves, its *Flower* yellow, long and little, growing in *Spikes*. The *Mexicans* call this Tree *Coatli* and *Tlapatz patli*.

16. Jeſuits *Bark* or *Quinquina*.
This *Figure* is coppied from *Pomet*, who ſays it grows on the *Mountains* near the City *Loxa* in the Province of *Quito* in *Peru*; its Size about that of a *Cherry tree*; the L. round and indented, its *Flower* reddiſh, with a Pod including an Almond-like *Kernel*, covered with a thin Skin. Its *Bark* is much better known to us than either its *Leaves*, *Flowers* or *Fruit*. *N. B.* It is therefore highly to be wiſh'd, that the *Phyſicians* or other *curious Perſons* who correſpond to, or reſide in thoſe Parts where this *Tree* or any of the aforegoing grow, would be pleaſed to procure *Branches* of their *Leaves*, with its *Flowers* and *Fruit* on them, which Favour ſhou'd be acknowledged and more accurate *Figures* given of each, if communicated to your humble Servant,

James Petiver, F. R. S. Lond.

Alderſgate-ſtreet, London.
May 21. 1713.

Books, Tracts, &c. Publiſhed by the *Author*.

DE *Piſcibus* Fluviatilihus *Anglicanis*. An *Account* of our *Freſh water* Fiſhes, *viz.* ſuch as are found in *Lakes*, *Meres*, *Pools*, *Ponds*, *Brooks* or *Rivers*. Price 6 *d.*

Cochlearum & Cruſtaceorum *Animalium* Britannicorum *Catalogus*. Price 8 *d.*

De Scarabæis *Anglicanis*. In which are *named* and *deſcribed* near 150 different ſorts of *Engliſh Beetles* in a *Claſſical* Method Price 1 *s.* 6 *d.*

De Bombyliis *Anglicanis*. Of *Engliſh* Humble Bees. Pr. 2 *d.*

Mr. *Ray*'s Method of *Engliſh Plants* illuſtrated. Price 1 *s.*

Engliſh Plants, with ſtamineous, thready or *Blink Flowers*, No. 120. whoſe *Figures* are already *Engraven*. Price 2 *d.*

Mr. *Ray*'s Britiſh *Plants*. Illuſtrated with 600 *Figures*, in Folio *Copper Plates*. On which are *Engraven* their *Names* to each, with References to his *Hiſtory* and *Synopſis* of Britiſh *Plants*, as alſo the *Places* were growing, Colour of their *Flowers*, and Time of *Flouriſhing*, if *Annual* or Perennial, *Common* or Rare, *Medicinal* or otherwiſe. The *Flower*, Seed, Veſſel, *&c. Figured* from the *Life*, and added to each different *kind*. Price *One* Guinea and an half.

The *Engliſh* or *Latin* Engraven *Catalogues* of the aboveſaid 600 *Plants*. 1 *s.* 6 *d.* each.

Labels for *Specimens* of *Engliſh* Wild *Plants*. 1 *s.* 6 *d.*

Labels for *Medicinal* Engliſh and Foreign *Plants*, 1 *s.* 6 *d.* and if deſired, the *Specimens* themſelves.

Botanicum *Londinenſe*, or *London* Herbal. Giving the *Names Deſcriptions* and *Virtues*, &c. of ſuch *Plants* about *London*, as have been *obſerved* in the ſeveral *Monthly Herborizings* made for the Uſe of the young *Apothecaries* and others, *Students* in the *Science* of *Botany* or Knowledge of *Plants*. Price 2 *s.* 6 *d.*

Catalogues of *Sheppy*, *Kentiſh* and *Gloceſterſhire* Foſſils. Pr. 6 *d.*

A *Voyage* to the *Levant*, viz. *Sardinia*, *Sicily*, *Cyprus*, *Scanderoon*, *Rhodes*, *Stanchio* or *Coos*, *Samos*, *Scio* and *Smyrna*. Giving an *Account* of each *Place*, their *Inhabitants*, *Language*, *Coins*, *Weights* and *Meaſures*, their *Proviſions* and *Prices*, *Animals*, *Vegetables*, &c. to which are added ſome *Plants* lately diſcovered on the *Iſlands* of *Chio* and *Samos*. Price 8 *d.*

An *Account* of ſeveral *Collectors* of natural Rarities in *Italy*. Price 6 *d.*

De Animalibus *Cruſtaceis Caudatis*. Of divers *Cruſtaceous Animals*, as *Lobſters*, *Crawfiſh*, *Pawns*, *Shrimps*, &c. extracted from *P. Bellonius* and *G. Rondeletius* with *Remarks* on them. Pr. 6 *d.*

A *Catalogue* of the more *Rare Plants*, now and lately growing in the *Phyſick Garden* at *Leyden*. Price 8 *d.*

Catalogus *Plantarum* Indigenarum *Hiſpaniæ* & *Italiæ*, quorum *Icones* à *Jacobo Barrelier* nuper inciſæ ſunt. Price 4 *d.*

Plants *obſerved* on the famous Mountains and other Places about *Geneva* by the Celebrated Mr. *Ray* and other *Botaniſts*. Price 1 *s.*

Madam *Merian*'s Hiſtory of *Surinam Inſects*, abbreviated and methodized, with ſome *Remarks* on them. Price 1 *s.*

The *Virtues* of ſeveral *Sovereign Plants* found wild in *Maryland* with *Remarks* on them. Price 6 *d.*

Pterigraphia *Americana*. In which are the *complete Figures* of near 200 different ſorts of rare *American Ferns*, with divers *Muſhrooms*, *Coralls*, *Sponges*, *Shells*, &c. Price 10 *s.*

Gazophylacium *Naturæ*. Containing the *Figures* of above 1200 different *Animals*, *Plants*, *Foſſils*, &c. from all Parts of the *World*, with their *Names*, &c. in 100 *Folio* Copper *Plates*. Price 1 *l.* 10 *s.* The *Catalogues* and *Deſcriptions* ſeparate 2 *s.* 6 *d.*

Muſæi *Petiveriani* Centuriæ X. *Figuris*. Price 2 *s.* 6 *d.*

N.B. *Divers* of theſe *Tracts* are now ſo very *ſcarce*, that of ſome of them, there are not 20 left.


ORCHIDES ETRURIÆ, Floribus *Ligulis*, &c. A BRUNO TOZZI Ab. Val. Pictæ. TAB. I.

1. Orchis Etrur. *angustifol. ad Rad. maculata, linguâ ferrugineâ* Br. To. 221.

2. *Orchis mont: Italica A. ferrugineo, lingua oblonga C.B. pr. 29. 5.*

3. *Orchis* Etrur. *linguâ dilutè lata*. Br. To. 221.

4. *Orchis* Etr. *linguâ ferrug. pilosâ*. Br. Toz.




5. *Poly-Orchis* Etrur. *linguâ albidâ. B. T.*

6. *Poly-Orchis* Etrur. *linguâ rubro-luteâ.*

7. *Orchis* Tragodes *ligulis purpureis.*

8. *Orchis flore* Simiam *referens C.B. 82. 8.*



9. *Orchis* Etr. *marit. fl. hiante purpureo.*

10. Eadem *fl. dilutè rubente. B. T.*


11. Eadem *fl. candido.*

12. *Orchis* Etrur. *palustris, spicâ longâ Roseâ. Br. Toz.*

Plantæ Medicinales *e* PERU. *Medicinall* PERU Plants. *TAB.* I.




Plantæ Medicinales *e PERU &c. Medicinall PERU* Plants. *TAB.* II.




Plantæ Medicinales e *CHILI*. *Medicinall CHILI* Plants . *TAB.* III.



Plantæ Medicinales e CHILI. *Medicinal* CHILI *Plants.* TAB. IV.



AMERICAN GUM *Trees & others very desirable*



Sutton Nichells sculp

AMOMUM
verum
R.1697. C.8.

1

CARDAMOMUM
Longum
R.1204. C 13.

2

Folium Indum
seu
Malabathrum R.1563. 4.

3

Costus
Arabicus
R. 1347
c. 16.

5

Caryophyllus
or
Cloves R.1508. 1.

6

Nux Moschata
or
NUTMEG
R.1522.

4

Kinquina
or
Jesuits Bark
R.1796. C.9.

7

8 R.1077. c.15.
Rhabarbarum or Rhubarb

9

Benzoin
or
Benjamin
R.1845. 7.

Sutton Nichells sculp:

Brief Directions *for the Easie Making, and Preserving* Collections *of all* NATURAL Curiosities.

For IAMES PETIVER *Fellow of the Royall Society* LONDON.

All *small* Animals, *as* Beasts, Birds, Fishes, Serpents, Lizards, *and other* Fleshy Bodies *capable of* Corruption, *are certainly preserved in* Rack, Rum, Bandy, *or any other Spirits; but where these are not easily to be had, a strong* Pickle, *or* Brine *of Sea Water may serve; to every* Gallon *of which, put 3 or 4 Handfulls of* Common *or* Bay Salt, *with a Spoonful or two of* Allom *powderd, if you have any, and so send them in any* Pot, Bottle, Jarr, &c. *close stopt, Cork'd and Rosin'd. N.B. You may often find in the* Stomachs *of* Sharks, *and other great Fish, which you catch at Sea, divers strange* Animals *not easily to be met with elsewhere; which pray look for, and preserve as above.*

As to Fowls, *those that are large, if we cannot have their* Cases *whole, their* Head, Leggs, *or* Wings *will be acceptible, but smaller* Birds *are easly sent entire, by putting them in Spirits as above, or if you bring them dry, you must take out their* Entrals; *which is best done by cutting them unde*r *their Wing, and then stuff them with* Ockam *or* Tow, *mixt with* Pitch *or* Tar; *and being thorough-ly dried in the Sun, wrap them up close, to keep them from Moisture, but in long Voyages, you must Bake them gently, once in a Month or two, to kill the* Vermin *which often breed in them.*

All large pulpy moist Fruit, *that are apt to decay or rot, as* Apples, Cherries, Cowcumbers, Oran-ges, *and such like, must be sent in* Spirits *or* Pickle, *as* Mangoes, &c. *and to each Fruit, its desired you will pin or tye a sprig of its* Leaves, *and* Flowers.

All Seed *and dry Fruit, as* Nutts, Pods, Heads, Husks, &c. *these need no other Care, but to be sent whole, and if you add a* Leaf *or two with its* Flower, *it will be the more instructive, as also a piece of the* Wood, Bark, Root, *or* Gum *of any Tree or Herb that is remarkble for its* Beauty, Smell, Use, *or* Vertue.

In Collecting PLANTS, *Pray observe to get that part of either* Tree, *or* Herb, *as hath its* Flower, Seed, *or* Fruit *on it; but if neither, then gather it as it is, and if the* Leaves *which grow near the* Root *of any Herb, differ from those above, be pleased to get both to Compleat the Specimen; these must be put into a* Book, *or* Quire *of* Brown Paper *stitch'd (which you must take with you) as soon as gathered; You must now and then shift these into fresh Books, to prevent either rotting themselves or Paper. N.B. All* Gulph-Weeds, Sea-Mosses, Coralls, Corallines, Sea Feathers, Spunges, &c. *may be put altogether into any old* Box, *or* Barrel, *with the* Shrimps, Prawns, Crabs, Crawfish, &c. *which you will often find amongst the* Sea weeds, *or on the Shoar with the* Shells, *which you may place in layers; as we do a* Barrel *of* Colchester *Oysters. All* SHELLS *may be thus sent as you find them, with or without their* Snails *in them, and wherever you meet with different sizes of the same sort, pray gather the fairest of all Magnitudes; the* Sea shells *will be very acceptible, yet the* Land, *and* Fresh-water *ones, are the most rare and desirable. In Relation to* INSECTS, *as* Beetles, Spiders, Grasshopper, Bees, Wasps, Flies, &c. *these may be Drowned altogether, as soon as Caught in a little wide Mouth'd Glass, or Vial, half full of* Spirits, *which you may carry in your Pocket: But all* Butterflies *and* Moths, *as have mealy Wings, whose Colours may be rub'd off, with the Fingers, these must be put into any small Printed Book, as soon as caught, after the same manner you do y^e^* Plants.

All Metals, Minerals, Ores, Chrystals, Spars, *Coloured* Earths, Clays, &c. *to be taken as you find them, as also such formed* Stones, *as have any resemblance to* Shells, Corals, Bones, *or other parts of* Animals, *these must be got as intire as you can, the like to be Observ'd in* Marbeld Flints, Slates, *or oth-er* Stones, *that have the Impression of* Plants, Fishes, Insects, *or other Bodies on them: These are to be Found in* Quarries, Mines, Stone *or* Gravel *Pitts,* Caves, Cliffs, *and* Rocks, *on the Sea shoar, or wher-ever the* Earth *is laid open.* NOTE *If to any* ANIMAL, PLANT MINERAL &c. *you can learn its* Name, Nature, Vertue *or* Use, *it will be still the more Acceptible.*

N.B. As amongst Forreign Plants, *the most common* Grass, Rush, Moss, Fern, Thistle, Thorn, *or vilest* Weed *you can find, will meet with Acceptance, as well as a scarcer Plant; So in all other things, gather whatever you meet with, but if very common or well known, the fewer of that* Sort, *will be accep-tible to*

y^r^ most Humble Servant

Alders gate street
LONDON.

IAMES PETIVER.

Books &c *Printed for y^e^* AUTHOR.

Musei PETIVERIANI *Centuria* X. *FIG.* — *l.* 2. *s.* 6. *d.*
Labells *for* Medicinall *Plants.* — 1. 6.
Labells *for* English *Wild* Plants. — 1. 6.

FIGURES *to* M^r^ RAY^s^ *English* Plants.

with References *to his* History & Synopsis, *N.^o^* 600
in 50 Folio *Copper* Plates. — 2. 3. 0.
An ENGLISH *Catalogue* Engraved — 1. 6.
A Latine Catalogue *Engraved* — 1. 6.

GAZOPHYLACIUM *NATURÆ & ARTIS.*

Containing above 1200 Figures, *in* 100 *Folio Copper* Plates, *with their* Names &c. — 2. 3. 0.
The Catalogue & Descriptions *Seperate* — 0. 5. 0.

Aquatilium *Animalium* AMBOINÆ *Icones & Nomina,* Containing *near* 400 Figures *in* 20 *Folio* Copper *Plates.* — 10. 0.
The Printed Catalogue *Seperate.* — 6.
Directions for Collecting *Natural all* Rarities. — 6.

Such as Buy 5 *of each, to have a* 6.th Gratis. PETIVER.

JAMES PETIVER

his BOOK,

For a *Collection* of whatever *Trees*, *Shrubs*, *Herbs*, *Graſſes*, *Ruſhes*, *Ferns*, *Moſſes*, *Sea*, or *River-Weeds*, &c. you ſhall find.

Directions for the gathering of Plants.

1. OBſerve to gather that part of each Plant which hath either *Flower*, *Seed*, or *Fruit* on it, but if none, gather it as it is, and if the *Leaves* which grow near the *Root* of the *Plant*, differ in Shape from thoſe which grow at the top, (which frequently happens in Herbs) be pleaſed to add two or three of thoſe lower Leaves to compleat the *Specimen*. And of each *Tree*, *Shrub*, *Herb*, &c. be pleaſed to Collect 3 or 4 *Samples*.

2. On whatever *Tree*, *Shrub*, *Herb*, &c. you find any *ripe Seed*; or *dry Fruit*, as *Nuts*, *Podds*, *Heads*, &c. Beſides the Specimen gather ſome of the *Seed* or *Fruit* apart, with two or three of its *Leaves* (and *Flowers* if it have any) putting them into a piece of waſte Paper, marking it with the ſame Mark or Number you do the Specimen. The like to be obſerved if you find any peculiarity in the *Wood*, *Bark*, *Root*, *Gum*, *Rozin*, &c. of any *Tree* or *Herb*.

3. Wherever you go *aſhoar*, or into the *Fields* or *Woods*, carry with you the *Collecting-Book* (to gather the *Samples* or *Specimens* in, which you muſt ſhift into this Book the ſame Day, or within two or three at fartheſt after you have gathered them) alſo a *Knife*, *Pen and Ink*, or *Pencil*, three or four Sheets of waſte Paper (with ſome *Thread*) to wrap the *Fruit* or *Seed* in.

4. Entitle each *Collection* according to the *Place* and *Time* you gather them in, *viz.* Theſe Plants were gathered at the *day* of *Anno* Dom.

5. If to any *Plant* you can learn its *Name*, *Vertue*, or *Uſe*, it will very much add to the Illuſtration of it,

And to the Satisfaction of

Your moſt Obliged Friend and Servant,

James Petiver.



Plantarum ITALIÆ, *Marinarum & Graminum,*

ICONES, NOMINA, &c.

TABULA PRIMA.

FUCI, Spongiæ, Pennæ, &c. Maris *Mediterranei.*

Fig. 1. *Alga* ſpiralis maritima *Bocc.* Ray H. Plant. 1850. Ad *Oſtia Tyberina,* ſequentibus.

2. Fungus *Amanita,* marinus purpuraſcens *Barrel.* pl. 1310.

3. Fungus *Amanita,* marin. gilvo-luteus *Barrel.* pl. 1311.

4. *Dens Lupi* Piſcatoribus *Bar.* 1312. Sea *Wolfs-tooth.* It's a *white* or *fleſhy* Fungoſe Body, about 2 Inches *long* with a *poroſe* Bottom.

5. Penna *marina* carnea *Barrel.* 1313.

6. Penna *marina* purpurea 114. Theſe Two are like *Feathers* in *Quill* and *Plume,* its baſe *thorney,* by which it faſtens to other Bodies.

7. Penna *marina* ſpinoſa rubra 1315. *More fleſhy and thicker than* 6.

8. Penna *marina* ſpinoſa griſea obſoleta 1316. *More clammy than the reſt.*

9. Fucus *niger* vermiculatus & viſcoſus 1317. *Found* on the *Rocks* near *Pale* Fort.

10. *Fucus* Latifol. *Albicans,* criſpus, piloſus 1318.

11. *Fucus* anguſtifol. fruticans atropurpureus 1319. Its *Tips* often *whitiſh.* The *Fiſhermen* eat it with *Oyl* and *Vinegar.*

12. *Fucus* fruticans *Coralloides* ſubluteus major 1320. *It eats like the laſt, but grows much thicker.*

13. Eadem *minor* 1321. Its *Fleſh coloured* and *yellowiſh,* they mix it with *Sallets.*

14. *Fucus* criſpus virens & è gilvo luteus 1322. *It's ſoft, and eaten while freſh; its upper Tufts thick ſet, curl'd and green; the lower broad and black colour'd.*

15. *Fucus* criſpus loricatus nigricans 1323. *It's* 3 *Inches long, thick branched and covered with curl'd black Hairs.*

16. *Fucus* criſpus niger, craſſo & grumoſo caule 1324. *Its Stalks* 4 *Inches* long, *black and ſcaley, often ending in netted Hairs.*

Tab. II. COrallinæ, *&c. Maris* Mediterranei.

Fig. 1. *Fucus* criſpus niger tenuifolius 1325.

2. *Fucus* fruticans tenuifolius atropurpureus 1326.

3. *Corallina* criſtata minima 1328. *It's ſoft and joynted, growing in Tufts of divers colours, as white,* black, purple, greenish, *&c.*

4. *Corallina* minima bifida 1329. *Grows in longiſh Tails or Skains of very fine pale Threads much divided and ending forked.*

5. *Corallina* minima *Fæniculacea* 1330. *Its Threads finer than the laſt and not ſo cloſely ſet.*

6. *Corallina* minima criſpa, albida 1331.

7. *Corallina* cruſtacea bifida 1332. *It's brown with pale tips.*

8. *Corallina* fiſtuloſa fragilis craſſior 1333. *Ray* 65. *pl.* 2. *Of a* fleſh *Colour, each Joynt half an Inch* long.

9. *Corallina* Fiſtuloſa fragilis ſubtilior 1334. *Ray* 66. *Much leſs than the laſt and whitiſh, its tips ſwelled and pounc'd.*

10. *Corallina* Aſtaci corniculorum æmula 1335. *Ray* 79. 20.

11. *Corallina* fruticoſa pennata 1336. *A ſort of yellowiſh* Sea Feather, *with crooked, inch long, joynted L. facing one way.*

12. *Corallina* capillacea è cinereo fuſca 1337. *Its L. very fine and ſoft, growing in* Tails *like* Spikenard.

13. *Coralina* fuſca *Fæniculacea* & mollior 1338.

14. *Corallina* reticulata 1339. *This browniſh netted* Sea-moſs, *grows to other* Plants, Shells, *&c.*

15. *Lithophyton* marinum albicans 1340.

16. *Lithophyton* cinereum rugoſum 1341. CB. pr. 153. *pl.* 2. *Both theſe and moſt of the foregoing are found about the* Tybers *Mouth and on the* Shores *of the* Tyrrhene *Sea.*

Tab. III. Gramina *Italiana.* Italian *Graſſes.*

Fig. 1. GRamen ſpicâ *Brizæ* majus *Barr.* 1154. *Grows* in *Hedges* and dry Places.

2. *Gramen* Spica *Brizæ* minus *Barr.* 1155. *Common* in *Fields.*

3. *Gramen* Sparteum ſpicatum, utriculis *Feſtucæ,* majus 1156.

4. *Gramen* Sparteum ſpicatum, *Lolii* utriculis, minus 1157. *Differs from the laſt in having leſs and bearded Tufts.*

5. *Gramen* Paluſtre locuſtis *Erucæ-formibus* 1158. *Its* Spike *near a Foot* long *and ſtiffiſh, the back of each* Tuft *is round, prickly and compoſed of* 4 *chaffey Rowes.*

6. *Gramen* Loliaceum ſpurium hirſutum, ariſtis geniculatis, maximum 1159. *The whole* Spike *a Span or longer, with ſlender awned Huſks, its* Leaves and Stalks *hairy.*

7. *Idem* medium *ſeu* vulgare 1160. *Grows with the laſt but differs in being leſs and having narrower Leaves and ſlenderer* Spikes.

8. *Gramen* Loliaceum junceum majus 1162. *It's of a pale green.* Grows *on* Mountains *near half a Foot* high.

9. *Gramen* Loliac. *Junceum* minus 1163. *Grows with the laſt, but ſpreads on the Ground and is leſs.*

10. *Gramen* junceum, nodoſum, minimum, capillare 1164. *Grows in Hilly Meadows and but little taller than the* Figure.

11. *Gramen* Caryophyllatum *Loliaceum* repens 1167. *The lower Leaves broad, ſtiff and pale, its Stalks two Cubits tall.*

12. *Gramen* Alopecurinum viride & molli ſpicâ 1179. *It's ſoft downy* Spikes 2 *Inches long and hairy.*

13. *Gramen* Criſtatum perenne majus 1186. *Its* Spikes 4 *Inches long with party-coloured* Glumes *or* Chaff *of pale and green, in which and being ſlenderer it differs from the next.*

14. *Gramen* Criſtatum annuum minus 1187.

15. *Gramen* Alopecurum pratenſe, paniculâ ſericeâ 1188.

16. *Gramen* Typhinum prat. tuberoſum, ſpicâ aſperâ 1189.

Tab. IV. GRamen *Typhin.* arvenſe rad. tuberoſâ, ſpica aſperâ, Fig. 1. longâ 1190. *Its* Roots *more fleſhy and leſs threddy than the laſt.*

2. Gramen *Typhinum* ſupinum tuberoſum, ſpicâ non aſperâ 1191. *It's broad Leaves, crooked Stalks and ſmother Spikes diſtinguiſh it from the reſt.*

3. Gramen *Typhinum* ſupinum *Italicum* minus 1192. Head's ſoft and ſhort.

4. Gramen *Typh.* maritimum, longius radicatum 1193

5. *Gramen* Typh. *Phalaroides* majus bulboſ. aquat. 1200.

6. *Idem* minus 1201. *More ſlender and prickly than* 5.

7. *Idem* Spicâ piloſâ 1202. *In watery Ditches with the* 2 *laſt.*

8. *Idem* Arvenſe 1203. *On the Walls of* Rome, *&c.*

9. Gramen *proliferum* criſpum majus 1211.

10. Gramen *proliferum,* paniculâ janthinâ minus 1212.

11. *Gramen* paniculâ criſpâ 211. *Theſe* 3 *about* Rome.

12. Gramen *Eranthemum* Paluſtre, tenui & ſparsâ *Brizæ* paniculâ 1216. *Grows on wet Banks by River ſides.*

13. Gramen *Phalaroides* ſparsâ *Brizæ* paniculâ minus 1211.

14. Gramen *Phalar.* ſparsâ paniculâ, minimum anguſtif. 1218.

15. Gramen *Tremulum* majus, erectâ panic. citrinum 1222.

16. Gramen *Tremulum* minus, erectâ collectâq; panic. 1223.

Tab. V. GRamen *Phalaroides* majus, acerosâ erectâ parvâ paFig. 1. niculâ 1224. *Grows on Mountains.*

2. Gr. *Phalar.* majus aceroſum, nutante ſpicâ 1225.

3. Gr. *Phalar.* minus, erectâ ſpicâ, obliquis ariſtis 1226.

4. Gr. *Phalar.* ſparſa & nutante *Brizæ* paniculâ, obliquis ariſtis, minus 1227.

5. Gr. *Avenaceum* anguſtifol. paniculâ pyramidali 1233.

6. *Gr.* Sparteum *Bromoides,* brevioribus utriculis, nutante paniculâ 1234. *It's a rough dry Glaſs.*

7. *Gr.* Spart. *Brom.* longioribus & erectis utriculis 1235.

8. *Gr.* Spart. *Brom.* panic. ſpicatâ, majoribus utriculis 1236.

9. *Gr.* Sparteum ſive *Ægylops* Spartea villoſa 1237.

10. *Gr.* Feſtuceum *Myurum* elatius, ſpicâ heteromallâ gracili 1241.

11. *Scirpus* maritimus capite glomerato 1246. *Ray* 1298. 17.

12. *Scirpus* marit. minor, graciliore ſpicâ 1247.

13. *Scirpus* capitulo ſingulari, rad. tomentoſa 1249.

14. *Cyperoides* latifolium minus 1256.

15. *Cyperoides* latifol. typhâ erectâ minus 1257. *Shady Hills.*

16. *Cyperoides* anguſtifol. typhâ nutante minus 1258. *Found* in *Woods.*

LONDON:

Printed for *James Petiver* in *Alderſgate-ſtreet.* MDCCXV.

Where may be had Mr. *RAY*'s *Engliſh* Plants Illuſtrated with 600 *Figures* on *Folio* Copper Plates. *Price* 1 *l.* 12 *s.* 6 *d.* Aquatilium Animalium *Amboinæ,* Icones & Nomina. *price* 10. *s.* Pterigraphia *Americana*; In which are *Figured* near 200 rare Sorts of *American* Ferns *&c. Pr.* 10 *s. Hortus* Peruvianus *Medicinalis, or* South-Sea *Herbal*; Containing the *Figures, Names,* &c. of divers *Medicinal Herbs* and *Gum Trees* from thoſe Parts. *Price* 2 *s.* 6 *d.* Muſæi *Petiveriani* Centuriæ X. *Figuris.* Price 2 *s.* 6 d.



Fig. 1.



Musci *marini*, Corallinæ &c. *Maris* **MEDITERRANEI.** Levant *Sea Mosses &c.* TAB. II.





Fig 1.
Sepe
Rar
1257
pl. 1.


Arvis
2
R. 1257
2.


3
Saxat
aridis


Muris
4


Uligin
palaſt.
5


Incultis
6


Incult.
7


Iugis
aridis
8



Iugis
arid.
9


Pratis
siccis.
10


Ripis.
xi


Arvis
&Vijs
12



Muris
13


Camp.
14



Aggeri-
bus
15


Pratis
ſiccis.
16

Gramina Italiana. *ITALIAN Graſses* TAB. IV.



Gramina Italiana. *ITALIAN Graſses.* TAB. V.



Plantarum ÆGYPTIACARUM RARIORUM *ICONES* ET Aliarum minus vulgarium CATALOGUS.

A Jacobo Petiverio, *S. R. S.* Lond.

Tab. 1. Fig. 1. SAlix *Ægypt.* latifol. ex alis *Julifera* nobiſ. Calaf & Ban *Ray* Hiſt. *Plant.* 1424. Chabr. 66. f. 4. IB. 220. f. Salix *Ægyptiaca* Park. 1433. fig. 6.

2. *Sebeſtena* ſylv. CB. 446. 2. *Fructu* minore ſerotino *Nob.* Ray 1555. c. 25. *Var.* Chabr. 12. f. 6. IB. 198. f. 2. *Park.* 552. 2.

3. *Tamarix* Ægyptia arbor CB. 484. 3. *Ray* 1705. 3. *Tamariſcus* Ægyptia gallas ferens *Park.* 1479. 4.

4. Baſſamum *Syriacum* Rutæ folio CB. 400. 1. R. 1755. c. 13. *Chabr.* 24. 3. IB. 298. f. Park. 1528. c. 89. f.

5. Abavo *arbor*, rad. tuberoſa CB. 434. 10. R. 1371. 1.

6. *Cucumis* Ægypt. rotundifolius CB. 310. 5. *Phyt.* 618. 5. Chabr. 135. f. 2. IB. 248. fig. *Ray* 646. 4.

7. Melo *Ægyptius* CB. 311. 5. phyt. 620. 4. *Chabr.* 134. f. 4. IB. 245. f. Ray 945. 4.

8. *Kali* Ægypt. fol. valde longis hirſutis CB. 8. p. 289. *Ray* 1915. pl. 1. Chabr. 543. f. 5. *Park* 179. 3. & 1285. f. 4.

9. *Matricaria* inodora CB. 134. 5. *Phyt.* 223. 4. Ray 357. 2. *Chabr.* 374. f. 5. IB. 131. f. Park. 85. 8.

10. *Loto* affinis Ægyptiaca CB. 332. 1. Ray 922. 1. *Chabr.* 159. f. 4. IB. 361. f. Park 849 3.

11. *Melilotus* Ægyptiaca, corniculis *reflexis* minor CB. 331. 3. Phyt. 666. 45. *Ray* 953. 13. Park. 719. 5.

12. *Lenticula* paluſtris Ægypt. ſive *Stratiotes* aq. fol. *Sedi* majoris latoribus CB. 362. 6. *Ray* 1324. c. 8. *Chabr.* 567. f. 2. IB. 787. Park. 1249. f. 2.

13. *Stratiotes* Ægyptiaca fol. obtuſis *Nobiſ.* Ray 1324. cap. 8. 2. Park. 1249, f. 2. inferior.

14. *Herba* Ægypt. fol. *Junci*, ſucco flavo urente *Nob.* Felfel tavil *Ægyptiis* CB. 412. 5. Chabr. 126. f. 4. IB. 188. f.

15. Cyperus *rotund.* Oriental. major CB. 13. 1. Phyt. 13. 1. Th. 208. 1. *Ray* 1294. pl. 13. *Chabr.* 194. f. 5. IB. 502. fig.

16. *Papyrus* Nilotica *ſive* Ægyptiaca CB. 19. 1. Phyt. 44. 1. Theatr. 323. 1. *Ray.* 1320. c. 2. Chabr. 195. 5. IB. 460. f. 1. *Park.* 1207. f.

17. *Gramen* Dactylon Ægyptiacum CB. 7. 1. Phyt. 90. p. 20. Theatr. 110. 1. *Ray* 1272. 3. Chabr. 180. f. 5. IB. 14. f. Park. 1294. f. 7.

Tab. 2. Fig. 2. FIcus folio *Mori*, fructu in caudice ferens CB. 459. 1. *Ray* 1439. 1. Chabr. 9. f. 5. IB. 124. fig. Park. 1294. f. 1.

2. *Oenoplia* ſpinoſa CB. 477. 2. *Ray* 1534. 4. Chabr. 51. f. 3. IB. 39. f. 1. Park 1442. f.

3. Lycio *affinis* Ægyptiaca CB. 479. 10. Ray 1629. 10. *Chabr.* 52. f. 6. IB. 62. f. 2. Park 1011. f. 12.

4. Lycium *Indicum* alterum CB. 479. 8. Ray 1128. 9. *Chabr.* 53. f. 4. IB. 62. fig. 1. Park. 1011. f. 10.

5. Myrobalanus *Ægypt.* ſpinoſa, foliis geminis *Nob.* Park. 1678. f. 2. Veſl. *Obſ.* 61.

6. *Hippomarathrum* Sphærocephalum *Ægypt.* Alpin. Exot. 198. f. *Ray* 459. 4. Park. 884. 6.

7. *Marum* Ægyptiorum Alpini-Exot. 253. f. *Park.* 1674. f. 10. Veſl. *Obſ.* 79. f.

8. *Cucumis* Ægyptius reticulatus ſeu *Luffa* Arabum *Veſl.* Obſ. 48. fig. *Ray* 640. 2. GAZ. NAT. Tab. 11. fig. 2.

9. *Hyoſcyamus* albus Ægyptius Alpin. *Exot.* 192. f. Veſl. *Obſ.* 62. f. Ray 713.

10. Convolvulus Ægyptius *Veſl.* Obſ. 74. fig. Omel heſſen *Arabibus.* Ray 720. pl. 1.

11. *Lyſimachia* lutea Ægyptiaca Ray 1022. 4. Caſſabel darira Alpin. *Exot.* 194. f. *Veſl.* Obſ. 63. Park. 1189. f. 2.

12. Galega *Ægypt.* ſiliquis articulatis CB. 352 2. Ray 926. c. 3. Park. 1099. f. 6. *Seſban* Ægyptiis.

13. Galegæ *affinis* Sophera dicta CB. 352. 3. *Ray* 911. 3. Park 1089. f. 8.

14. *Arum* Ægyptium minus *Veſl.* Obſ. 44. *caule* maculoſo *Nob.*

15. *Nymphea* ſeu *Nufar* Ægyptium *Veſl.* Obſ. 43. c. 34. *Nymphea* alba *major* Ægypt. ſive *Lotus* Ægyptia Park. *Lotus* Ægyptia Alpin. *Exot.* 214. f. *Ray* 1321. 5. Veſl. *Obſ.* 43. f.

16. *Zatarhendi* Alpini 40. c. 29. *Veſl.* 94. fol. craſſis rotundis albis odoratis *Nob.* Chabr. 416. f. 6. IB. 256. f. CB. 223. 9. Phyt. 421. 7.

Plantarum *Ægyptiacarum* aliarum *Catalogus.*

1 OCimum *Ribau* Ægyptiis Alpini 53. *Veſl.* 132. Ray 1871. 2. *Anguria* Ægyptiaca CB. 312. 3. Phyt. 622, 3. Park. 773. 3. Ray 644. 4.

3. Melonis *Ægyptii* alterum genus CB. 313. 6. Phyt. 620. 5. *Chajar* Ægyptiis Alpini 45. *Veſl.* 115.

4. *Braſſica* ſpinoſa CB. 311. 3. pr. 54. f. Phyt. 178. 16. *Matth.* 369. f. 6. Chabr. 271. f. 5. IB. 835. f. 2. Park. 269. f. 3. *Ray* 797. 18. Alp. *Exot.* 200. f.

5. *Lupinus* peregrinus pentaphyllos CB. 348. 5. *Veſl.* Obſ. 70. f. *Pona* Ital. 102. f. Alp. *Exot.* 322. f. Park. 397. f. 3. & 1075. 5. *Ray* 859. 2.

6. Thlaſpi *Alexandrinum* CB. 108. 2. pr. 50. 10. Phyt. 165. 12. Park. 849. 3. Ray 834. 20.

7. Cicercula *Ægyptiaca* Cluſ. 236. f. 1. *Lathyrus* anguſtif. *ſem.* maculoſo CB. 344. 8. *Ray* 896. 15.

8. Phaſeolus *niger* Lablab *Alpini* 31. f. *Veſl.* 75. f. Obſ. 24. *Phaſeolus* Ægypt. *nigro* ſemine CB. 341. 1. Cluſ. 227. f. Pan. 732. *Chabr.* 140. f. 4. IB. 270. f. Ray 888. 25.

9. *Phaſeolus* Ægypt. *ſem.* ruffo CB. 341. 2.

10. *Datura* Ægyptia *Veſl.* Obſ. 58. f. *Contarena* Alp. Exot. 167. *Ray* 748. 2.

11. *Hyoſcyamus* Ægyptius *Cluſ.* 83. f. 2. Park 463. f. 4. *Ray* 712. 5.

12. *Beidelſar* Ægypt. Alpin. 36. f. *Veſl.* 86. f. *Apocynum* Ægypt. *fl.* ſtellatis crōceis ſpicatis, *folliculis* magnis cordatis *Nob.* Humidis propè *Alexandriam.*

13. Beidel Sſar *Medicis* Arabum *Offar & el Ufar* dictum *Veſl.* Obſ. 28. f. Apocynum *Hort.* flor. umbellatis reflexis, *folliculis* hirtis *Nob.*

14. *Secamone* Ægypt. Alpini 53. f. *Veſl.* 134. f. Ray 1087. 2. Apocynum *anguſto* Salicis folio CB. 303. 3. Park. 385. 3.

15. *Melochia* Alpini c. 28. f. *Veſl.* 93. f. *Ray* 1068. 10. *Corchorus* CB. 319. Phyt. 632 *Lob.* Ic. 585. 1. Belg. 597. f. *Obſ.* 269.

16. *Faba* Ægyptiaca, *Dioſcoridis* affinis CB. 196. 8. *Chabr.* 562. f. 3. IB. 775. f. Park. 374. f. ult. *Ray* 1322.

17. *Felfel tavil* Ægypt. Piper *longum* Ægyptium *Veſl.* Obſ. 35. f. *Euphorbium* Ægypt. *marit.* Juncis *ramoſis* Nob.

18. *Gr.* ſtellatum Ægyptium *Veſl.* Obſ. 63. fig.

19. Capparis *non* ſpinoſa, *fructu* majore CB. 480. 3. Park. 1023. 3. Ray 1630. 3. Cappar *Alexandris* Alp. 52. *Veſl.* 129.

20. *Sebeſtena* Domeſtica, *fol.* latioribus & craſſioribus, *fructu* majore *Nob.* Alpin. 13. f. *Veſl.* 30. f. Obſ. 12. CB. 446. 1. *Chabr.* 12. f. 5. IB. 198. f. Park 552. 1. *Ray* 1555. c. 25.

21. El-hanne *Ægypt.* Alcanna *Avicennæ* Alpin. 20. f. *Veſl.* 47. f. Obſ. 16. *Liguſtrum* Ægypt. anguſtifolium CB. 476. 5. *Chabr.* 41. f. 5. IB. 541. f. Park. 1446. f. 3. *Ray* 1603. 3.

22. *Acacia* Ægyptiaca vera *Nob.* Alpin. 7. f. *Veſl.* 15. f. Obſ. 8. f. opt. *Chabr.* 92. f. 1. & 2. IB. 429. f. Park. 1548. f. 1. *Acacia* fol. *Scorpoidis leguminoſæ* CB. 392. 1. Ray 976. 1.

23. Carub. *vel* Carnub *Ægyptiis* Alpin. 4. f. *Veſl.* 9. Obſ. 5. *Siliqua* dulcis CB. 402. 1. *Chabr.* 89. f. 1. IB. 413. f. Park. 236. f. 1. *Ray* 1718. c. 2.

Plantæ Ægypti à *D. Lippi* obſervatæ; ex *Lutetia* nobis *tranſmiſſæ* à Clariſſimis Botanicis *D. Seb. Vaillant* & *D. Lud. Stoſchio.*

24. *Sonchus* Ægyptiacus giganteus *Nob.* Bot. *Hort.* 3. pl. 22.
25. *Senecio* Ægypt. fol. *Matricariæ* Bot. *Hort.* 2. pl. 85.
26. Echium *ferox* Ægypt. *flore* carneo *Boerh.* 7. p. 79.
27. *Horminum* Ægypt. *frutic.* nanum, *Sideritidis* folio.
28. Stachys *Ægypt.* ſalviæ minoris *fol.* fl. *purpuraſcente.*
29. Linaria *Memphitica*, haſtato *fol.* tricuſpidato, *fl.* luteo.
30. Raphaniſtrum *Ægypt.* Siliquis recurvis.
31. Geranium *Ægypt.* Altheæ *fol.* glauco craſſiori.
32. *Fabago* Ægypt. fol. *teveti* bidigitato.
33. Alhagi *Ægypt.* fol. longiori, *aculeis* brevioribus.

N.B. Vide *Plantæ* aliæ Ægyptiacæ in *Petiveriana* 11. No. 465. &c.

Ab Autore *nuper editi.*

1. PETIVERIANA 1, 2 & 3. ſive *Collectanea* NATURÆ Domi Foriſque *Autori* Communicata. *Lond.* Fol.
2. Papilionum *Britannicorum* Icones, Nomina, *&c.* Figuris pluſquam 80. *Tabulis* Æneis inciſi. *Londini* MDCCXVII. Folio.
3. Hortus *Peruvianus* Medicinalis: or the *South Sea* Herbal *Fig. Æneis.* Fol.

LONDINI, Sumptibus Autoris, *Platea* vulgò dictâ *Alderſgate ſtreet.* MDCCXVII.

Plantæ ÆGYPTIACÆ Prosp. Alpini — *ÆGYPTIAN Plants* — TAB: I



Plantæ ÆGYPTIACÆ Pr. Alpini & Veslingij. *Ægyptian* Trees & Herbs. *TAB. II.*



PTERI-GRAPHIA AMERICANA

JCONES *continens plusquam 400* FILICUM *variarum* Specierum, *Viz.* Arboreſcentes, Scandentes, Spinoſas, Floriferas, *aliasque perrarας; nec non* Muscos, Lichenes, Fungos, Corallia, Spongias, *aliaq; non pauca* Submarina *cui adjiciuntur* Cruſtacea, Teſtacea, *aliaque* ANIMALIA *ferè omnia ex* Inſulis *noſtris* Charibbæis *Viz.* Antego, Barbados, *S.t* Chriſtophers, Nevis, Jamaica *&c.* Figuris *Æneis*, Folio *inciſis*, XX Tabulis. *A* IACOBO PETIVER. *Soc. Regal. S. LOND.*

FILICES Seminibus *maculis rotundis.*

Phyllitides *foljis integris.*

1 Phyllitis *maculata, ampliſsimo folio* Tab. 6 *fig.* 8.
2 . . *breviori & craſsiori folio.* 6.1.
3 . . *latifolia, pediculo & coſtâ ſpinoſis* 4.14.
4 . . *folio longo leviter undulato* 6.9.
5 . . . . . *& marginato* 6.10.
6 . . . . . *apice palmato* 6.11.
7 . . . . . *anguſtifolia* 6.3.
8 . . . . . *maculis majoribus* 6.2.
9 . . . . . *lineis maculata* 10.3.

Phyllitides *ramoſæ.*

10 . *ramoſa, maculis majoribus* 6.13.
11 . . . *minoribus* 6.14.
12 . . *maculata ſcandens, caulibus ſquamoſis* 4.15.
13 . . . . . *anguſtifolia* 4.16.
14 . *mac. & folia, pediculis ſquamoſis* 4.13.

Polypodij *ſeu* Filices *pinnis alatis.*

15 Polypodium *maximum* 7.8.
16 . . *auriculatum* 7.5.
17 . . . *pentaphylloides* 7.6.
18 . . . *trifoliatum* 7.3.
19 . auritum *majus. laciniis criſpis* 7.7.
20 . . *tricuſpidatum, oris piloſis* 7.4.
21 . *ſcandens* Quercus *folio. caulibus Lycopodij* 15.2.
22 . *minus vulgaris facie* 7.9.
23 . . Aſplenij *folio* 1.14.
24 . . . . *brevi pendulum* 1.15.
25 . . . . *criſpo pendulum* 13.12.
26 . . . . *villoſo* 7.16.
27 . *longifolium, radice dulci* 7.10.
28 . . *maculis minoribus* 7.10.
29 . . *ſquamulis argenteis* 7.11.
30 . *criſpum* Struthionis *pennis* 3.8.
31 . Lonchitidis *folio* 7.14.
32 . . . *undulato minus* 1.16
33 . . . *anguſtiſsimo pendulum* 14.1.
34 . *vulgare, ſummo triſido* 15.3.
35 . Taxi *folio pendulum* 14.1.
36 . *pendulum ſubtus piloſum* 12.3.
37 . *ſerratum majus, coſtâ alatâ* 7.13.
38 . *minus, fol. integris & ſerratis* 14.2.

Filices *ramoſæ* Fœminæ *dictæ.*

39 . ramoſa, *aculeata repens* 4.6.
40 . . . *piramidalis, pinnis parvis* 4.12.
41 . . arboreſcens, *pinnis dentatis* 1.1 & 2.
42 . . . . . *latis caudice ſpinoſo* 4.1.
43 . . Cicutæ *foljis* 2.8.
44 . . globulifera *major* 2.11.
45 . . *pinnis dentatis, caule piloſo* 4.9.
46 . . . . . *& coſtis hirſutis* 2.7.
47 . . . . arboreſcens *caudice & caule ſpinoſis* 4.7.
48 . . . . . *humilis & ſpinoſa* 4.8.
49 . . . *latis laceratis* 3.13.
50 . . . . *gladiatis, caudice ſpinoſo* 5.1.
51 . . *furcata* Taxi *foljis* 5.4.

Filices *minus aut non ramoſæ* Mares *dictæ.*

52 . dentata *caule & coſtâ villoſis* 4.10.
53 . pinnis *aculeatis* 1.6.
54 . . acutis *planis majoribus* 2.1.
55 . . . . *minoribus* 2.2.
56 . . . . *parvis* 2.3.
57 . . . . *ad alas foliosa* 5.5.
58 . . *latis ſummo dentatis* 2.10.
59 . . . . . *apice piramidali* 2.13.
60 . . *rotundis planis* 1.5.
61 . Taxi *foljis major* 2.5.
62 . . . *minor* 2.6.
63 . mas Enſiformis *major* 1.3.
64 . . . *vix ſerrata* 1.4.
65 . . Betonicæ *folio* 1.7.
66 . . . . *vix ſerrata* 7.15.
67 . . *auriculata, ſerris biſidis* 2.9.

Filiculæ *ſeu* Filices *minores.*

68 Filicula *Rutaceo folio* 1.12.
69 . *pinnis planis, caule hirt°* 4.11.
70 . . *dentatis, caule ſquamoſo* 9.6.
71 . . *lunulatis* 3.15.
72 . *alis inferioribus pendulis* 1.9.
73 . . . *auriculatis* 1.8.
74 . . *laceratis, tota tranſlucens* 3.14.

Trichomanes *pinnis ſimplicibus.*

75 Trichomanes *folio cordato* 1.11.
76 . . *triangulo dentato* 1.10.
77 . argenteum *ad oras nigrum* 9.16.

Adianti *pinnis ferè angulosis & membranaceis.*

78 Adiantum *ramoſius repens ſpinoſum* 11.5 & 6.
79 . . frutescens, *pinnis ſubrotundis* 5.12.
80 . . altiſsimum *pinnis globuliferis* 2.12.
81 . . alis *longis criſpis* 5.13.
82 . . *pinnis* Quercinis *ramis villoſis* 4.5.
83 . mas, *caule ſqamoſo* 5.3.
84 . . . *& pediculo pulverulento* 5.7.
85 . . pinnis *acutis* 5.9.
86 . . . *ſubrotundis* 5.10.
87 . . . crispis, *lunulis albicantibus* 5.11.
88 . . . *ſpecioſis* 5.14.
89 . Trichomanoides *ſummo crenatum* 1.13.
90 . . . . *& criſpum* 10.8.
91 . . pinnis *criſtatis* 5.8.
92 . . . *latis* 5.5.
93 . . alis *radiatis* 14.6.
94 . *pinnis* hexagonis *furcatis* 10.2.

Adiantuli *pinnis clavatis.*

95 Adiantulum *clavis ſimplicibus* 14.7.
96 . . . capillaceum 10.7.
97 . *clavatum* Crithmi *fol. majus* 5.15.
98 . . . . *minus* 5.16.
99 . . *triphyllum* 11.4.
100 . triphyllum *repens* 11.9.
101 . *membranaceum* Lichenoides 13.5.

Darea *ſeu* Filices *pyxidatæ.*

102 Darea *ramoſiſsima ſcandens* 12.5.
103 . Filicis maris *facie* 11.8.
104 . Tumbrigenſis *facie* 13.13.
105 . *affinis digitata* 15.5.

FILICES Seminibus *ſtriatis.*

106 Phyllitis *major, margine crenato* 6.7.
107 . *folio, geminato dentato* 13.11.
108 . *ramoſa, margine membranaceo* 12.2.
109 . . . *& ſtrijs undulatis* 7.1.
110 Lonchitis *ſtriata* 3.2.
111 . . *auriculata & crenata* 3.1.
112 . . *ramoſa, caule ſquamoſa* 5.2.
113 Filix *ſtriata pinnis crenatis, major* 3.3.
114 . . . . *minor* 3.4.
115 Adiantum *ſtriatum, nigri facie* 3.7.
116 . . *alis laceratis* 3.5.
117 . . . . *latioribus* 2.14.



118 Adiantum *striatum, cacumine bisecto* 3. 6.
119 . . *pentaphyllum, humile* 11. 7.
120 Trichomanes *striatum, vulg. facie* 2. 15.
121 . . *pinnis bifidis.* 2. 16.

FILICES sem. *medio, vel margine striatis.*

122 Phyllitis *angustifolia, lineis catenatis* 6. 4.
123 . lineata, *hinc inde dentata* 6. 5.
124 . . *apice trifido.* 10. 6.
125 . *aspera,* furcis *lineatis* 6. 6.
126 . lineata, *Graminis fol. longissimo* 14. 3.
127 . ramosa, *ad margines pulverulenta* 6. 15.
128 Lonchitis *juxta nervum* pulverulenta 3. 9.
129 lineata, *pinnis longissimis* 6. 12.
130 . . . . *ad basin foliosa* 12. 1.
131 . *ramosa,* limbo *pulverulento* 3. 10.
132 Filix *lineata* arb. *caudice aculeato* 4. 2.
133 . . aculeata, *apice pyramidali* 4. 3.
134 . . Lonchitidis *pinnis* 3. 11.
135 . . Fœmina *vulg. facie* 3. 12.
136 Adiantum *limbo nigro præcinctum* 9. 15.
137 Trichomanes *argenteum, ad oras nigrum* 9. 16.

FILICES *Pulverulentæ.*

138 Phyllitis *pulverulenta angustifolia, caule crinito* 8. 7.
139 . . . . & *oris crinitis* 8. 10.
140 . . *glabra, & rigida* 8. 8.
141 . . *fol. angustis trifidis* 8. 9.
142 . . *ramosa aurea* 8. 5.
143 . . *nodosa major* 6. 16.
144 . . *nodosa minor* 9. 7.
145 . . & *crinita latissimo fol.* 13. 14.
146 . . . . *longifol.* 9. 14.
147 . . *latifolia villosissima* 9. 13.
148 Hemionitis *max. pulverulenta 5 folia* 7. 2.
149 Lonchitis *pulverulenta scandens* Citrij *fol.* 8. 6.
150 . . Vaniliæ *folio* 15. 1.
151 . . *pinnis Ensiformibus* 8. 4.
152 . . . *vix crenatis* 8. 3.
153 . Calamifera, *pinnis serratis* 9. 8.
154 Osmunda *pulverul. pinnis vix serratis* 8. 1.
155 . . scandens, *sarmentis capillaceis* 8. 2.
156 Filix *albissimo pulvere subspersa* 9. 11.
157 . pulverul. *ramosa,* pinnis *parvis* 2. 4.
158 Filicula *pulverul.* Crithmi *facie* 9. 4.
159 . *pendula, alis digitatis* 11. 1.
160 Adiantum *pulverulentum* aureum 9. 9.
161 . . *alis infrà auritis* 9. 10.

FILICES *in racemulis* Floridæ.

162 Osmunda *racemifera* Phyllitidis *folio* 8. 13.
163 . . . . *vix crenato* 8. 15.
164 . . *spicis geminis* 14. 5.
165 . . . . *villosa* 8. 16.
166 . . *pinnis parvis* 8. 14.
167 . . Adianti *nigri facie* 9. 1.
168 . . Asphodeli *radice* 9. 2.
169 . . . . Matricariæ *folio* 9. 2. A.
170 . . Cicutæ *folio* 9. 3.
171 . . . . *verticillata* 12. 4.

FILICES Miscellaneæ.

172 Filix *spinosa,* sem. *lunulatis* 4. 4.
173 . *Conifera* scandens, *pinnis varijs* 9. 12.
174 . *macul.* scandens, *fol. rotund. & longis glabris* 5.
175 . . . *fol. ovalibus & longis pilosis* 10. 5.
176 . *marginifera,* Granij *folio* 8. 12.
177 . Ranunculi *folio, prolifera* 8. 11.
178 Ophioglossum *Palmatum* 11. 2.
179 . vulgaris *facie* 10. 4.

MUSCI, Lycopodij, Hepaticæ &c.

180 *Muscus* denticulatus *erectus* 16. 5.
181 . . *repens* 12. 6.
182 . *max.* Linariæ *foliis* 16. 4.
183 Lycopodium *altissimum* 3. 16.
184 . Coridis *fol. flagellis longis* 16. 3.
185 . *erectum,* Sabinæ *folio* 16. 2.
186 . *ramosissimum* crispum 16. 1.
187 Hepatica *capite palmato* 15. 6.
188 . *digitata* Fungoides 11. 3.
189 Lichen *cornua* Damæ *referens* 16. 6.

Agarici; Boleti Fungi, Tuberæ &c.

190 Agaricus *amplissimis squamis* 17. 3.
191 . *cinereus* & *sericeus* 17. 15.
192 . *luteus* Clypeiformis *transfixus* 16. 13.
193 . *niveus* Brassicam crispam *referens* 13. 6.
194 . *Roseo-niveus, striis aureis rugosus* 17. 2.
195 Boletus *cancellatus purpureus* 17. 11.
196 . Phalloides, *pileolo villoso* 17. 9. G. H.
197 . . *rugosus, pedic. fistuloso* 17. 10. I. K.
198 Coralloides *fusca* & *laciniata* 16. 14.
199 . *ramosissima purpurascens* 16. 15.
200 Fungus *aureus laciniatus* 17. 7. E
201 . coccineus, *squamosus & globosus* 17. 4. A. B.
202 . crenatus, *tenuissimus & niveus* 17. 6. D.
203 . striatus *totus niveus* 17. 5. C.
204 Fungoides *Cyathiforme* coccin. *oris pilosis* 13. 8.
205 . . candidum, *intus villosum* 17. 4.
206 *id.* purpureum 16. 16.
207 . *reticulatum* Flabelliforme 17. 8. F.
208 . *rugatum* Infundibuliforme & *purp.* 13. 7.
209 . scutellatum *purp. deforis villosum* 15. 10. & 17. 5.
210 Lycoperdon *coronatum* 17. 12. L. M.
211 Tubera *candida mollia* 17. 14. N. & 13.
212 . Testiculorum *forma, majora* 16. 17.
213 . . . *minora* 13. 9. 10. A.

SUBMARINA, *viz.* Corallij, Spongiæ, Fuci &c.

214 Corallium *album, nodulosum* 18. 5.
215 . . stellatum, *ramosum* 18. 4.
216 . . Fungoides, *ovale* 20. 16.
217 . . . *crispum* 20. 17.
218 . . *virgulis minoribus* 18. 6.
219 . porosum, *latum planum* 18. 13.
220 . . . *muricatum* 18. 7.
221 . . Typhoides *muricatum* 18. 18.
222 . . . *stellulatum* 20. 15.
223 . Roseum *fossile* 20. 20.
224 . rubrum *crispum* 16. 9.
225 *Alcyonium* Cornu Cervi *referens* 16. 8.
226 *Asteria* Coralloides, *stellis maximis* 18. 2.
227 . . . *majoribus* 18. 3.
228 Lithophyton *Polypodij ramosi* facie 16. 7.
229 Madrepora *cristata urens* 16. 10.
230 Millepora *perforata* 20. 18.
231 Spiculum *Barbadense* Lapideum 20. 21.
232 Epicorallum *reticulatum vulg.* 18. 8.
233 . virgulis *punctatis & asperis* 18. 11.
234 . . *alatis* 18. 12.
235 . . muricatis *majoribus* 18. 9.
236 . . . *minoribus* 18. 10.
237 Spongia *dura, compressa foraminosa* 18. 14.
238 . Typhoides *foraminosa* 18. 19.
239 . . ramosa 19. 1.
240 . . . apicibus *cavis* 19. 2.
241 . . . . *acutis, furcis* 19. 3.
242 . . maculata 19. 8.
243 . . muricata & *ferè cava* 19. 9.
244 . . *ramosa* & nodulosa 19. 5.
245 . . fibrillis *reticulatis* 18. 20.
246 . . . . *cava longa* 18. 21.
247 . foliata *aspera* 19. 4.
248 . Infundibuli *formis* 19. 6.
249 . Labri *formis* 19. 7.
250 *Corallina* Opuntioides *minor* 20. 19.
251 *Muscus* marinus *pennatus* 14. 4.
252 . . triangulâis 18. 15.
253 . fruteſcens, *fructu tricapsulari* 16. 11.
254 Sargazo *dentata vulg.* 16. 12.
255 . . *longifolia* 19. 10.
256 . . *latifolia* 19. 11.
257 . . *angustifolia* 19. 12.
258 . *angustifolia* plana 19. 13.
259 Fucus *vesiculis alatis* 18. 17.
260 . vesicarius, *summo planis* 18. 16.
261 Ovarium *JAM. vesicis rot: compressis* 18. 1.
262 Vesicaria *coronâ serratâ* 17. 1.

ANIMALIA Crustacea, Testacea, Insecta &c.

263 Perca *BARBAD. costâ lineatâ* 20. 3.
264 Lacerta *BARB vnguibus fuscis* 20. 1.
265 . Cæciliæ *facie* 20. 2.

366 Cancellus *BARB. brachijs tuberculosis 20. 4.*
367 . . *quadratus 20. 5.*
368 . . rugosus, *pedibus hirtis 20. 6.*
369 . . ruber, *lævis 20. 7.*
370 . . muricatus, *compressum 20. 8.*
371 . . *Arancoides 20. 12.*
372 *Mantis* marina *BARBADENSIS 20. 10.*
373 Squilla *BARB. ovalis 20. 9.*
374 Araneus *BARB. parvus, pedib. maculosis 20. 13.*
375 Capricornus *BARB. scaber, fuscus 20. 14.*
376 Cochlea *BARB. compressa, minor 14. 13.*
377 . IAMAIC. *verruculata 10. 9. 10.*
378 . . umbilico *patulo 14. 11.*
379 . . ore *tridentino 14. 14.*
380 Fibula *IAMAICENSIS 14. 12.*
381 Nerita *BRASIL. alba, radijs coracinis 15. 12.*
382 . . . vndis *nigris 15. 13.*
383 Buccinum *BARB.* minus *prætenue 12. 10.*
384 Olivaris *IAM. strijs* capillaribus *10. 12.*
385 . . . *vndatis & radiatis 12. 9.*
386 Clavicula *BARB.* ore *pulvinato 10. 11.*
387 Rhombus *BARB. fasciâ* albidâ *12. 7.*
388 Sphondylus *IAM. tessellata 12. 8.*
389 *Tridacna* Campeach. *parva perelegans 15. 11.*
390 Ichneumon *max. tripile 13. 1.*
391 . *majus* caudâ *lunatâ 13. 2.*
392 . *affinis*, antennis *clavatis 13. 3.*
393 . . . *acutis 13. 4.*
394 . alis *maculatis 11. 10.*
395 Musca *Apiformis* major *11. 12.*
396 . . *minor 11. 13.*
397 . . *minima 11. 11.*
398 . alis *nubulosis 12. 12.*
399 . . . anten. *acutis 12. 14.*
400 . . . *minor 12. 11.*
401 . . . *minima 12. 15.*
402 . . . ano *acuto 12. 13.*
403 *Vespa* impennis *è croceo nigro 11. 14.*
404 . . *minor 11. 15.*
405 Scolopendria *BARB. prælonga pedibus plumosis* 17.13
406 Perla *major 15. 7.*
407 . . *maculis vitreis 14. 10.*
408 . *cornubus clavatis 15. 9.*
409 . *triangularis 14. 9.*
410 . . *maculis vitreis 14. 8.*
411 Musca *alis opacis & vitreis 15. 8.*
412 Cochlea *IAM. ore lacerato x. 13.*
413 *Filix* Androgymus, *maculatus 9. 5.*
414 *Muscus marinus dentatus 14. 4.*

Cochleæ *AMERICANÆ in Museo Nostro, quarum ICONES in Gazophylacio NATURÆ non Figurantur.*


415 Pecten *IAM.* strijs *lævibus Mem. 1 List. 168.*
416 P. Anteg. *minor*, undis *fuscis.*
417 P. *BARB. albus minor*, strijs *lunulatis M. 3. L 177.*
418 P. *B. alb. min.* str. *squamosis M. 4. L. 176.*
419 *Sphondylus* Amer. *max. ruber*
420 *S. BARB.* rugis *minoribus M. 5. L. 215. 50.*
421 *S. B.* rug. *major. sulcatus M 6. L. 215. 51.*
422 *S. Amer.* rostro *internè dextro M. 7.*
423 *S. Amer* rostro *int. sinistro M. 8.*
424 *Berberi IAM. auritus L. 224. 59.*
425 *B IAM. tenuis M 9 L 223. 57. & 8.*
426 *B IAM. cardine serrata L 227.*
427 *Glycimeris IAM. striatus percrassus M 13. L 238.*
428 *G. IAM. lævis striatus M xi L 240.*
429 *id. minor maculatus L. 245.*
430 *G. BARB. min. striat. maculatus M 12 L. 243.*
431 *Mytulus IAM.* albus *crassus L. 236.*
432 *M. I.* alb *tenuior L 229.*
433 *M. I.* quadratus *vulg. M 16. L 368.*
434 *M I.* quadr. *min fuscus M 17. L 367.*
435 *M. BARB.* ovalis *fuscus M 14. L 231.*
436 *Lunata* Anteg. *lævis mac. pene 4 dratis L. 270.*
437 *L IAM. albida, leviter fasciata L. 273.*
438 *L IAM. major. fascijs densè elatis M 21. L. 286.*
439 *L. IAM. maj fasc. plurimis tessellatis M. 22.*
440 *L. BARB. minor* tessellata *M. 18.*
441 *L. BARB. min fasc. rarior. elatis M 19.*
442 *L. BARB. min fasc. plurimis elatis M 20 L. 278.*
443 *L. BARB. min fasc. latis & elatis.*
444 *Bucardites MARIANA lævis. H. Iones.*
445 Tellina *cuneata* Anteg. *fasc. & undata* T. Grigg.
446 *Pectunculus IAM. ex toto lunulatus M. 25. L. 323.*
447 *P. BARB.* Compressus, *lævis, intus flavus. T. Walduck*
448 *P. AMER.* Compr. *albus dense fasciatus.*
449 *P. AMER.* Compr. *eleganter* imbricatus *M. 26.*
450 *P. BARB. Cancellatus M 27. L. 337.*
451 *P. IAM. minor, quasi* cancellatus.
452 *P. AMER. cavus*, strijs *undatis. Carter*
453 *P. BRASIL. alb.* undis *capill. majoribus M. 23. CAP 17.*
454 *P. IAM. rubesc.* undis *capill. tenuissimis M. 24. C. 18.*
455 *P. IAM.* triquetrus, *mac. fuscis L. 316.*
456 *Puruscula* Campeach *strijs crassis M 28 L. 347.*
457 *Chama IAM minor compr. rubra M 30.*
458 *C. IAM. min.* radiata *fragilis* W. Brown.
459 *C. IAM. alba splendens*, radijs *rubris* Car. 12.
460 *C. alba* fasciata *tenuis* Car. 9 *L. 308.*
461 *C. CAR. tenuis*, cuneâ *costatâ.*
462 *C. alba*, cuneata, *fasciata CAR. xi.*
463 *C. alba* cuneata, *radijs rubris Stratton*
464 *C. alba* cun. *undis fuscis G. Searl.*
465 Musculus *striatus minor*, cardine *serrato L 365.*
466 *M.* striat. *min.* rostro *acuto, latior L. 362. 201.*
467 *id. longior L. 362. 202.*
468 Pholas *Virginiana L. 434.* Car. 21.
469 *P.* Campeach. *&c. cardine foraminoso L. 432.* Car. 20.
470 *P. CAR. &c* card. *ferè bidente L. 431.* Car. 22.
471 *Solen* Marianus *latus L 421. Car. 13.*
472 Curassavicus *latus*, radijs *binis albis* H. Ruysch.
473 Buccinum *minus* Anteg. *fascijs nigris M. 17.*
474 Cochlea *IAM. alba, crassa M. 2 L. 571.*
475 *C. IAM. flavicans, crassa M. 3 L. 566.*
476 *C. aure magno fusco CAR. 29.*
477 *C. aurita*, fascijs *catenatis CAR. 28.*
478 *C.* Amer. *undis flavis M. 4.*
479 *C. IAM. verrucis fasciata M. 10.*
480 *Nerita* Amer. *e nigro & rubro undata M 12.*
481 Trochus *IAM. minor altè umbilicatus M 22.*
482 *T. IAM. min. marmoreus M. 23.*
483 *T. IAM. maj. costis sinuosis, &c M 20 L. 646.*
484 *Vermiculus BARB. tortilis fuscus.*
485 *Patella Amer. alba rugosa M. 3.*
486 *P. rostrata* Barb. *alba crassa rugosa L 544. 31.*
487 *P. rostr. Barb. cancellata parva M. 6.*
488 *Concha Veneris* Virg. *ventre flaves c. &c. M. 14.*
489 *Cylindraceus Amer. albus parvus M. 28.*
490 *C. BARB. vulg. undis marmoratis M. 19.*
491 *Olivaris IAM. fascijs eleg. maculatis &c M. 23.*
492 *Persicoides IAM. maculatus M. 29.*
493 *P. Barb. fasciatus M. 26. L 834.*
494 *P. Barb. fuscus M. 27.*
495 *Buccinum BARB. dent. fascijs nodosis M. 32.*
496 *B.* Campeach. *fasciatum crassum M. 13.*
497 *B. IAM. fasciatum tenue M. 14.*
498 *B. IAM. triangulare M. 15.*
499 Murex *bilinguis IAM. vulg. M. 3.*
500 *M. IAM. varie spinosus M. 7.*
501 *M. AMER. valdè rugosus M. 8.*
502 Buccinum *ampullac. & c. muricatum minus CAR. 33.*
503 Bursa *IAM. vulg. imbricata M. 20.*
504 *Perdicea IAM. vulg. M. 21. L. 984.*
505 *P. IAM. nodosa M. 22 L. 989.*
506 *Unicornu AMER. muricatum M. 25.*

Explicatio Liter. &c.

CAR. Acta Philosoph. *Reg. Societ. LOND. N.° 299.*
L. Lister *Hist. Conchyl.* Tabular. *N.°*
M. Memoirs *for y^e* Curious *A. D. 1708. p. 97. &c.*



Cat. 41.
FIG 1 & 2
In moist shady Woods and by Rivers



C. 41.



6 foot high In Woods.
3 C. 63.




Common.
About 4 foot high.
C. 64.
4




C. 60.
5



In Woods.
C. 53.
6




In Woods.
7 C. 65



In Woods.
8
C. 73.




Rare.
C. 72.
9




In Woods.
C. 76.
10



In Woods.
C. 75.
XI




Moist Shades
C. 68.
12



In Woods.
13
C. 89.



JAM.
In moist Woods and by Rivers.
C. 23.
14



15 C. 24.
It hangs down from old Trees.



By Rivers.
16
C. 32.

Sutton Nicholls sculp.


TAB. II.


C.54.
FIG. 1.



C.55.
In Shady Woods & by Rivers
2


Comon.
C.56.
3


On Mountains.
4 C.157


Frequent on Mountains.
5. C.61.



On divers Mountains.
6. C.62.



In moist Woods.
C.46.
7


In Woods.
C.43.
8


In Woods.
C.67.
9


10 C.58. In Woods.


By Rivers & in moist places.
XI C.44.


JAM.
By Rivers Man high.
C.80.
12


By Rivers. C.59.
13


C. 117.
In watry Rills & Mosiey places
14


In Rock-chinks
15. C.120.


16. C.121.

S. Nicholls sculp

TAB. III.


































Sutton Nicholls fec.

TAB. IV

FIG. I & 2 C. 42

In Woods plentifully

RAY V. 3. P. 91. 3

C. 32 2

T. 14. p. 12.

By Rivers 3 C. 133.

RARE in Vales

4 C. 172.

By Rivers.

5 C. 84.

RARE

C. 39. Tab. 11. 6

RARE

T. 3. P. 4.

C. 47. 7

RARE T. 4. P. 5 JAM.

In Woods

8 C. 48.

R. 3. P. 97. 2. JAM.

9 C. 45.

By Rivers in plenty

R. 3. P. 97. T. 3.

10 C. 52.

Often in Woods.

C. 69. XI

RARE.

C. 40. 12

In Woods. 13 C. 14.

RARE

C. 3. 14

In all Woods.

RARE JAM.

RAY 3. P. 53. 15 C. 12.

Often in Woods. 16 C. 13.

S. Nicholls sculp

TAB. V.



































Sutton Nicholls sculp

TAB. VI.


FIG 1.
Cat. 2.
On Hills
a
C. 8.
2
In Woods
About Lakes
3. C. 7.
RARE
On ROCKS
& TREES
4. C. 122.
On moist ROCKS
RAY 3.
p. 52.
15.
RARE
C. 123.
5
RARE
In Woods
C. 125.
6
7
C. 100.
In many places
RAY 3.
p. 52. 13.
Comon
In Woods
8
C. 1
In Woods
9
C. 4.
10
C. 5.
On TREES
Comon
RAY
V. 3.
p. 52.
pl. 16.
RARE
C. 6.
XI
RAY Vol. 3. p. 65. pl. vlt
Frequent by RIVERS
12. C. 129.
RAY 3. p. 73. pl. 3.
13. C. 10.
Sutton Nicholls sculp
RAY Vol. 3. p.
93. pl. 4.
IAM.
C. 11.
14
By RIVERS
In moist places
R. 3.
p. 64. pl. 1.
15. C. 127.
In Shady WOODS
& moist
places
C. 143.
16
RAY v. 3. p. 63.



TAB. VII.

FIG. 1.
By RIVERS
C. 109.
RARE.

In Shady WOODS & by RIVERS.
RAY 3. p. 67. pl. 1.
2. C. 148.

RAY 3. p. 66.
ROCKS & Shady WOODS.
3 C. 18.

RARE.
4. C. 20.

On Mountains
5. C. 16.

On moist ROCKS & by RIVERS
6. C. 17.

In WOODS.
7. C. 19.

On old TREES.
RAY 3. P. 56.
8. C. 15.

IAM
On ROCKS & old TREES
RAY 3. p. 56. pl. vet.
C. 22.
9

On Mountains
10
C. 27.

XI RARE.
C. 29.

Climbs on TREES.
12 C. 27.

In Shadey VALES.
RARE
13
C. 73.

IAM.
In Hedges & Paths
C. 31.
14

RAY 3. p. 67. plant 4.
In WOODS & by RIVERS.
C. 66.
15

RARE.
On Mountains
16
C. 26.


Sutton Nicholls sculp.

TAB. VIII.


FIG. 1
RARE.
C. 154.


a
Runs about TREES.
C. 156.
2


In WOODS
3
C. 152.


On Hills
4. C. 151.


a
BERM. JAM.
RAY 3. p. 63. pl. vlt.
In moist & Wet places.
5
C. 142.


In WOODS &c.
6. C. 149


About TREES
7. C. 138.


On Trunks of TREES
8. C. 140.


JAM.
9
C. 141.


RARE.
10
C. 139.


On ROCKS In WOODS
JAM.
11. C. 177.


In WOODS.
12
C. 176.



In wet places & by RIVERS.
13
C. 162.


4 In dry Stoney places
14
a
C. 166.


In WOODS
15
C. 163.


On ROCKS.
16
C. 165.


TAB. IX.


JAM.
On ROCKS
Cat:167.
FIG 1.
In WOODS.
C.168.
2
A
In WOODS
C.
170
3
RARE.
4
C.158.
RARE.
a
5
C.413
RARE.
6
C. 70
On HILLS
7
C.144.
a
RAY Vol. 3. p. 76. pl. 2.
8
About Trees.
C.153.
9
C.160.
10
C.161.
In WOODS
In most ISLANDS.
11
C.156.
This climbs plentifully about many TREES.
C.173.
12
Grows on TREES
13
C.147.
In moist WOODS.
C.146.
14
C.136.
15
On ROCKS & WOODS &c.
16
C.137.
In most WOODS & by RIVER Sides.
Sutton Nicholls sculp.

7

FIG. 1. C 33.

TAB. X.



Sutton Nicholls sculp

FIG. 1.
Cat. 159.

C. 394.
10.

C. 178.
2.

3
C. 188.

5. C. 78.

C. 397.
xi.

4. C. 99.

C. 395.
12.

C. 403.
14.

C. 404.
15.

a

b

c

6.
C. 78.

JAM.

C. 103.
8.

C. 396.
13.


C. 119. 7.

9
C. 100.

Sutton Nicholls sculp.

TAB. XII.

FIG. 1.



Sutton Nicholls sculp

TAB. XIII.



FIG. 1.
Cat. 390.
C. 391.
2.
C. 392.
3.
C. 101.
5.
6. C. 193.
XI.
C. 107.
C. 393.
4.
12.
C. 25.
14.
C. 145.
C. 208.
7.
C. 204.
8.
13.
C. 104.
9.
C. 213.
10.
11.
Sutton Nicholls sculp.

FIG 1. C. 35.

C. 410.

8.

9.

C. 409.

2. C. 38.

C. 414

4.

C. 126.

3.

JAM.

C. 164.

5.

11.

C. 378.

JAM.

6.

C. 93.

C. 379.

7. C. 95.

12.

C. 380.

10.

14.

C. 376.

13.

Sutton Nicholls fecit

TAB. XV.

FIG: 1.
C.150.

6.

C.389.
xi.

7. C.406

C411
8.

C.408
9.

3. C.34

C.381.
12.

2.
C.21.

C.209.
10.

C.382.

4. C.174.

5. C.105.

13.

Sutton Nicholls sculp.



FIG. 1
Cat. 186.




C. 185. 2



3
C. 184.



4 C. 182.



5 C. 180.




6
C. 189.



7 C. 228.



8 C. 225.



9
C. 224.



10 C. 229.




XI
C. 253.



12 C. 254.




C. 192. 13



C. 198.
14



C. 199.
15




C. 206. 16



17 C. 212.

Suzan Nicholls sculp.

AMERICAN MUSHROMES, PUFFS AGARICKS &c. TAB XVII.



Sutton Nicholls jun.

Bibliothèque nationale de France

Fig. 1. C. 261.
IAM.

2. C. 226.

3. C. 227.

4. C. 215.

5. C. 214.

6. C. 218.

7. C. 229.

8. C. 232.
IAM.

9. C. 23
BARB.

10 C. 236.
BARB.

a
a
b
b
11 C. 233.
ANT. IAM.

12 C. 2
IAM.

13 C219
IAM.

14 C. 237.

15 C.
IAM.

16 C.
IAM.


17 C.
IAM.

18. C. 221.
IAM.


19 C. 2 8.
ANTEGO


20 C. 245
ANT.

21 C. 246
BARB.



TAB. XIX.



2. C. 240.
Fig. 1. C. 239.
3. C. 241.



C. 247.
4


C. 244.
5


6. C. 248.


7
C. 249.


C. 242.
8
9.
C. 243.


10. C. 254.
11.
C. 256.
12.
C. 257.
13. C. 258.




FIG. 1
C.264.



C.265.
2



C.263.
3



C.366.
4



C.367.
5



6.C.368.



C.369.
7



C.370.
8




9.C.373.



10
C.372.





11

C.371.
12




C.374.
13




C.375.
14





C.222
15

16
C.226.



C.217.
17




C.231.



21

18
C.230.



19
C.250.



C.223.
20



Sutton Nicholls delin: et sculp

Papilionum *BRITANNIÆ* Icones, Nomina, *&c.*

Containing the *Figures*, *Names*, *Places*, *Seaſons*, &c. of above *Eighty* Engliſh *Butter-flies*, being all that have hitherto been obſerved in *Great-Britain.*

By *James Petiver*, Fellow *of the* Royal Society, *LONDON.*

TAB. I. Papiliones BRITANNIÆ albidæ. *ENGLISH White* Butterflies.

Fig. 1, & 2. PApilio alba, *venis* nigris *Muſ*, noſt. 301. White *Butterfly* with *black* Veins. *Ray* Inſector. *Hiſt.* 115. 5. Its fine *black Veins* without any Spots, differs it from all the following. *Found* in *Meadows* about *June.*

3, & 4. Papilio *alba* major, *apicibus* nigris. *Great* white *Cabbage* Butterfly. *Differs* from the next, in having no *Spots* on its upper Wings, *Appears* in *May*, *June*, &c.

5, & 6. Papilio *alba* major, *bimaculata.* Ray 113. 1. *Great* Female Cabbage *Butterfly*, Gaz. Nat. 62. f. 3. *Muſ.* noſt. 825. Theſe are very common with the laſt, in *Kitchen Gardens* where *Cabbages* grow, on which they lay their *Eggs*,

7, & 8. Papilio *alba* media, *maculata*, Ray 118. 2. *Leſſer* white *Cabbage* Butterfly. Very *common* in *Fields* and *Gardens* moſt part of the *Summer.*

9, & 10. Papilio *alba* media, *bimaculata.* Leſſer *white* double ſpotted *Butterfly.* This and the next are found promiſcuouſly with the reſt.

11, & 12. Papilio alba, media, *trimaculata.* Leſſer *white* treble-ſpotted *Butterfly.* Differs from the laſt in having a third ſpot on the parting of the Wings.

13, & 14. Papilio *alba*, media, *immaculata*, Ray 114. 3. Leſſer *white* unſpotted *Butterfly.* The under Wings of theſe 6 laſt are *froſted* below with a *pale yellow* and without Veins, which the 3 next have,

15, & 16. *Papilio* alba, *media*, trimaculata, *venis* ſubtùs *latis*, *Muſ.* noſt. 302. Common *white*, veined *Butterfly*, with 2 or 3 Spots, GAZ. Nat. 62. f. 4. *Common* with the next in *Fields* and *Meadows* moſt part of the *Summer.*

17, & 18. *Papilio* alba, *minor*, immaculata, *venis* ſubtùs *latis.* Leſſer, white, *veined Butterfly.* This has no Spots.

19, & 20. *Papilio* alba, *media*, maculata, *venis* ſubtùs *latis.* Leſſer, *ſpotted*, white, *veined Butterfly.* Differs from 15 in having but one Spot on each upper Wing,

21, & 22. Papilio *alba* minor, *apice* nigricante. *White* ſmall *tipt Butterfly*, Ray 116. 8. I have obſerved this in *Hampſted* and other Woods in *June*, &c.

23, & 24. Papilio *alba* minor, *Mas.* Small *white* Wood Butterfly. This is ſometimes tipt below, but ſcarce ſeen above, *N. B.* I have obſerved amongſt all theſe *white Butterflies*, the moſt ſpotted to be the *Females.*

TAB. II. *Papiliones* Britanniæ, luteæ, albæ, &c. mixtæ. Engliſh, *yellow*, *white*, and other mixt *Butterflies.*

Fig. 1. PApilio *Sulphurea*, Muſ. noſt. No. 1. *Ray* 112. 4. The Brimſtone *Butterfly.* This and the next appear amongſt the firſt in the *Spring* and again in *Autumn.*

2. Papilio *ſulphureus*, pallidus, *Muſ.* noſt. 2. The *Male* Straw Butterfly. This being ſo near white, it often eſcapes as common.

3. *Papilio* crocea, *limbo* nigricante. The Saffron Butterfly. Its Ground *Saffron*, with broad black Edges, ſeen about *Deptford*, *Peckham*, &c. from *June* till *September.*

4. *Papilio* crocea, *limbo* nigricante, *maculato*, Gaz. Nat. 14. f. 11, *Rap* 112. 6. Spotted *Saffron* Butterfly, Found with the laſt, and differs from it in having a *ſpotted* Edge.

5. *Papilio* major *caudata*, ex nigro & luteo variegata, *Ray* 110. Royal William. Muſ. *noſt.* 328. Its *Beauty*, *Size*, and *Tail* differs it from all others. This has been caught about *London* and divers *Counties* in *England*, yet rarely.

6. Papilio *albus*, ſubtùs viridi colore marmoreatus, *Mas*, apicibus *croceis*, Muſ. noſt. 306. *Ray* 115. 6. White, *marbled* Male Butterfly. *Found* with the *Female*, but more particularly obſerved by its *Saffron Tips*, by which its eaſily known flying.

7. Papilio *alba*, ſubtùs viridi colore marmoreata, *Fœmina*, Ray 115. 7. *White* marbled *Female Butterfly*, Muſ. noſt. 305. This appears in *April* and *May*, but not common.

8. *Papilio* alba *minor*, ſubtùs virideſcens marmoreata. *The ſlight* greeniſh *Half-Mourner* This is ſomewhat leſs than the next, and has fewer Spots, eſpecially above.

9. Papilio *Leucamelanos* ſubtùs virideſcens marmoreata. *Vernouns* greeniſh *Half-Mourner* Muſ. noſt. 304. Gaz. Nat. 1. fig. 7. *Rap* 116. 10. This has alſo been found about *Hampſted* in *July* or *Auguſt.*

10. Papilio *Leucomelanos.* Common *Half-Mourner*, Muſ. noſt. 3. fig. *Ray* 116. 9. Theſe have near an equal Mixture of *white* and *black*, they appear about *Midſummer* and after, in moiſt *Meadows.*

11. *Papilio* major *nigreſcens* tricolor, *circulo* ferè *ſanguineo* ornatus. *Muſ.* noſt. 327. *Ray* 126. 1. The Admiral. A beautiful Fly, and eminently diſtinguiſht by a *red Liſt* croſs the upper Wing. Often ſeen in *Gardens* and *Fields* from the End of *July* till *Autumn.*

12. Papilio *fuſca*, areâ & maculis albis. Gaz. *Nat.* Tab. 15. f. 12. White *Admiral.* Found about *Dullidge* and *Wickham* near *Croyden.* as alſo at *Henly* upon *Thames.*

TAB. III. Papiliones *Britanniæ* maculatæ. *Britiſh* ſpotted *Butterflies.*

Fig. 1, & 2. PApilio *Fritillaria* major, *crocea*, lineis ſubtùs argenteis. *Great* Silverſtreakt Orange *Fritillary.* Differs from the next in having Streaks above on an *Orange* Ground.

3, & 4. *Eadem* Aurea. *Great* Silver-ſtreakt Golden *Fritillary.* Muſ. noſt. 321. *Ray* 119. 4. The *Spots* above *more* and *larger*, without any black Streaks, on a pale golden Ground. Theſe *appear* about the beginning of *July.*

5, & 6. Papilio *Fritillaria* major, *maculis* ſubtùs *argenteis.* Great *Silver-ſpotted* Fritillary. Muſ. noſt. 320. *Ray* 119. 5. In this the Spots above are larger than the next, and below the ground between the Spots pale.

7, & 8. *Papilio* Fritillaria *major*, ſubtùs viridior, *maculis* argenteis. In this the Spots are leſs, and the Ground below greeniſh. This and the laſt appear about the midſt of *July.*

9, & 10. *Papilio* Fritillaria, *teſſellata*, ſerotina, *Muſ.* noſt. 323. ſubtùs albida. White *May* Fritillary. Ray 120. 8. 2. Very like the *next*, but *whiter* below.

11, & 12. *Eadem* ſubtùs ſtraminea. *Straw* May *Fritillary.* Both theſe pretty common in *Cain-Wood*, and differ from the next in being *Checker'd* above.

13, & 14. *Papilio* Fritillaria *maculata*, precox, *Muſ.* Pet. 322. *Ray* 120. 7. April *Fritillary.* This has many white and Silver *Spots* below, by which it chiefly differs from *Fig.* 18.

15, & 16. Papilio *Fritillaria* minor. *Muſ.* noſt. 324. *Gaz.* Nat. 16. f. 10. *Ray* 122. 12. *Vernons*, ſmall *Fritillary.* It's the leaſt of all the *Fritillaries* yet known. Found in ſeveral *Woods* round *London.*

17, & 18. Papilio *Fritillaria*, maculata, præcox, *maculis* ſubtùs argenteis paucis. *April* Fritillary with few *Spots.* This has but one oval Silver Spot in the midſt of each Wing beneath, whereas Fig. 14. has divers. Perhaps *Male* and *Female.* Frequent in *Cain-Wood.*

19, & 20. Papilio *Fritillaria* media, *meandris* nigris. *Dandridge*'s midling *Black Fritillary.* Ray 121. 10. Mr. *Dandridge* has obſerved this and the next about the end of *May* and beginning of *June* in *Cain Wood* and the *Oak* of *Honour* Woods near *Dullidge.*

21, & 22. Papilio *Fritillaria* minor, *meandris* nigris. *Small* black *Fritillary.* Ray 121. 11. *Differs* chiefly in being leſs than the *laſt.*

23, & 24. Papilio *Fritillaria* minor, *maculis* argenteis ſubtùs perbelle notata *Muſ.* noſt. 520. Leſſer *Silver-ſpotted* or *Riga* Fritillary. *Ray* 120. 6. Obſerved about *Cambridge*

25, & 26. *Papilio* Fritillaria *minor*, undulata, *areis* ſubtùs albis. *White* Dullidge *Fritillary.* Found in the *Wood*, thereabouts in *May.*

TAB. IV. Papiliones *Britanniæ*, maculatæ & ſtriatæ.
Britiſh ſpotted and ſtreakt *Butterflies.*

Fig. 1, & 2. PApilio *Teſtudinarius* major. *Muſ.* noſt. 315. Great *Tortoiſe-ſhell* Butterfly. Ray 118. 2. A large Fly, I have obſerv'd them both in *Spring* and *Autumn*, they often ſettle on *Trees*, and commonly the *Elm.*

3, & 4. Papilio *Teſtudinarius* minor, *Muſ.* noſt. 316. *Leſſer* or *Common* Tortoiſe-ſhell. *Ray* 117. 1. Very frequent all *Summer*, and often found in *Houſes* in the *Winter.*

5, & 6. *Papilio* Teſtudinaria, *Comma* dicta, ſubtùs fuſca. The Silver *Comma.* Ray 118. 3. This and the 3 following appear about *Midſummer.*

7, & 8. *Eadem* ſubtùs pallidior. The pale *Comma.* This *below* is of an *Oker Marble*, and paler than the *laſt.*

9, & 10. Eadem, *alis* magis *laceratis.* Jagged wing'd *Comma.* Theſe Wings are deeper cut and more vivid; it's finely marbled underneath, with ſmall geeeniſh *Eyes* ſpeckt with *black.*

11, & 12. *Eadem* minor, *Small Comma.* It's very dark below, and in all Parts *leſs.*

13, & 14. *Papilio* minor *aureus*, ex nigro permaculatus *Muſ. noſt.* 317. Ray 125. 20. *Small Tortoiſe ſhell.* In *Meadows* and about *Hedges* from *July* till *Autumn.*

15, & 16. *Papiliunculus* fuſcus, *punctis* paucioribus albicantibus, Gaz. Nat. *Tab.* 36. f. 9. Ray 132. 20. *Brown* Marſh *Fritillary.* The *Spots* in this are *larger* and *fewer* than the next, and *Found* with it.

17, & 18. *Papiliunculus* fuſcus, *punctis* plurimis albicantibus *Muſ. noſt.* 325. Ray 133. 21. Gaz. Nat. 36. f. 6. *Small-ſpotted* brown *Marſh Fritillary.* The *Spots* in this are *ſmaller* and more *diſtinct.*

19, & 20. *Papilio* niger fuſcus *Hampſtedienſis* marmoreatus, Gaz. Nat. 36. f. 3. *Ray* 132. 18. Handley's *ſmall* brown *Butterfly.* It's brown above and paler below, and dully *marbled.*

21, & 22. *Papilio* eleganter variegata agilis, *Bella donna* dicta *Muſ. noſt.* 326. Ray 122. 13. *Painted Lady.* It uſually ſettles on Banks and dry Ground.

23. *Papilio* minor *fuſcus*, ſubtùs ſtriatus, Gaz. Nat. *Tab.* 11. f. 9. Ray 129. 8. The *brown* Hair-ſtreak. Mr. *Ray* has ſeen this and 26 in Coitu on *Nettles*, July 8. 1692.

24. *Idem* agro aureo. Gaz. Nat. 11. f. 11. Ray 130. 10. *Golden* Hair-ſtreak. *Found* with the laſt about *Croydon.*

25. *Pars inferior.* This *Figure* repreſents the Under-ſide of the 2 laſt, which differ not below.

26. *Papilio* minor *cæruleſcens*, ſubtùs ſtriatus, *Muſ. noſt.* 319. Ray 130. 9. *Ray*'s blew *Hair-ſtreak.* The Ground above is a dark-hair brown, with a blewiſh Caſt over it.

27. *Idem* fuſcus, *agro* cæruleo. *Our* blew *Hair-ſtreak.* The Ground the ſame with the laſt, but the Inſide of its upper Wings has a broad Field of vivid blew.

28. *Pars inferior.* The 2 laſt are the ſame below.

TAB. V. Papiliones *Britanniæ* Oculatæ.
Britiſh *Eye-wing'd* Butterflies.

Fig. 1. PApilio *Oculus Pavonus* dictus *Muſ. noſt.* 314. The *Peacock's Eye.* Ray 122. 14. This often appears early and continues long, it's pretty common both in *Gardens* and *Fields.*

2. *Papilio* Oculatus *Hampſtedienſis*, ex aureo fuſcus. *Albin*'s Hampſted *Eye.* Where it was caught by this Curious Perſon, and is the only one I have yet ſeen.

3. Papilio *oculis nigris*, ſubtùs marmoreus, *Muſ. noſt.* 307. Ray 128. 6. Gaz. Nat. *Tab.* 14. f. 9. The *Tunbridge Grayling.* Becauſe firſt caught in thoſe Parts. This I take to be the *Female*, and appears about *Midſummer.*

4. *Idem* obſcurior. *Brown* Tunbridge *Grayling.* Much darker on the upper ſide and ſomewhat ſmaller.

5. Papilio *oculatus*, è fuſco & flaveſcente mixtus, *Gaz. Nat.* Tab. 24. fig. 3. opt. *Cat.* 23. The *Enfield Eye.* It being the Place I firſt obſerved them in. Theſe appear from *April* till *July.*

6. *Idem* obſcurior & ſerotinus. *Brown* Enfield Eye. Mr. *Dandridge* firſt obſerved this about *Watford* towards the *End* of *July.*

7. Papilio *Oculatus*, ex aureo & fuſco marmoreatus, *Muſ. noſt.* 312. *Ray* 123. 5. The *London Eye.* Theſe I have met with from *May* till *Auguſt*, but not very common.

8. *Idem* areâ fuſcâ. *London Eye*, with a brown Liſt. *Found* with the laſt, and may be *Male* and *Female.*

9. *Papilio* pratenſis *Oculatus* aureus, *Muſ. noſt.* 309. Golden *Meadow Eye*, Ray 124. 17. Common in *Meadows* before *Mowing*, and perhaps *Female* to the next.

10. *Papilio* prat. *Oculatus* fuſcus, *Muſ.* noſt. 309. *Ray* 124. 16. Brown *Meadow-Eye.* Found frequently with the laſt in *May* and *June.*

11. Idem *ſequutenre*, areâ fuſcâ. Differs from the next in having a brown Liſt. *Perhaps* Male and Female.

12. *Papilio* aureo-fuſcus minor *Oculatus*, pupillis geminis, *Muſ. noſt.* 310. Ray 124. 18. *Hedge-Eye* with double Specks. *Seen* about Hedges in *Auguſt.*

13. Papilio *med.* omnino fuſcus, plurimis *Oculis* nigris in circulis luteis ſubtùs ornatus, *Muſ. noſt.* 313. Ray 129. 7. *Brown* 8 *Eyes.* Theſe rarely appear before *Auguſt*, and moſtly near *Rivers.*

14. *Idem* 7 Oculis. *Brown* 7 *Eyes.* This has often underneath *one Eye* fewer than the laſt.

15. Golden *Heath-Eye.* Papiliunculus aureus *oculatus* in *Ericetis* frequens, Muſ. noſt. 311. *Ray* 125. 19. Very common on Heaths, from *May* till *Autumn.*

16. *Idem* margine fuſco. *Selvedg'd* Heath-Eye. *Differs* from the *laſt*, in having a brown brim or edge and found with it.

TAB. VI. Papiliunculi *Britan. cæruleſcentes*, aurei, *&c.*
Small *Engliſh*, Blue, Golden and Brown *Butterflies.*

Fig. 1. P*Apiliunculus* cæruleſcens, *limbis* nigris, *Gaz. Nat.* 35. f. 2. Pale blue *Argus.* I firſt obſerv'd this in *Thickets* near *Banſtead-Downs*, about *July.*

2. *Idem*, lineâ ſubtùs nigrâ. Nicely *differs* from the *laſt*, by a ſmall *line* underneath.

3. Papiliunculus *cæruleus* vulgatiſſimus, *Gaz. Nat.* 35. f. 1. Blue *Argus*, Muſ. noſt. 318. *Ray* 131. 11. Very *common* on *Heaths* from *June* till *Auguſt.*

4. *Papiliunculus* cæruleus, *limbis* nigris. *Selvedg'd* blew Argus. *Found* with the *laſt*, but more rare.

5. *Papiliunculus* è cæruleo fuſcus. *Gaz. Nat.* 35. f. 3. Mixt *Argus.* It's brown above mix'd with blew.

6. Papiliunculus *cæruleſcens* minor, *limbis* nigris. *Differs* from *fig.* 4. in being *leſs* and with *ſmaller* eyes.

7. Papiliunculus è *fuſco-cæruleus.* This has *fewer Spots* underneath than *fig.* 5.

8. Papiliunculus *plumbeus.* Lead *Argus. Eyed* underneath like the foregoing, and found with them.

9. Papiliunculus *plumbeus* parvus. *Small* Lead Argus. *Leſs* than the *laſt.*

10. *Papiliunculus* fuſcus, *marginibus* aureis, *Gaz. Nat.* Tab. 35. f. 4. Edged, brown *Argus.* Its ground darker than the 2 laſt.

11. Papiliunculus *cæruleſcens*, ſubtùs punctatus. *Blue ſpeckt Butterfly.* I have obſerved this on *Holly* Trees.

12. *Papiliunculus* cæruleus, *apicibus* nigris, ſubtùs punctatus. *Blue ſpeckt Butterfly*, with black tipps. *Found* with the laſt.

13. Papilio *minor* ſupernè fuſcus, infernè *viridis.* Holly *Butterfly.* Becauſe I firſt obſerved it on that tree.

14. *Papilio* minor *aureus*, immaculatus, *Gaz. Nat.* 34. 9. in *Deſcript.* The *ſpotleſs Hog.* Ray 125. 22.

15. Papilio *minor* aureus, *ſtriâ* nigrâ diſtinctus, *Gaz. Nat.* 34. f. 9. Ray 125. 21. *Streakt* Golden Hog.

16. Papilio *minor* ex aureo & fuſco mixtus, *ſtriâ* nigrâ *Gaz. Nat.* 34. f. 8. Streakt *cloudy Hog.* Differs from the laſt in being clouded with brown.


17. Papilio *minor* ex aureo & fuſco *mixtus*, Gaz. Nat. 34. f. 7. *Cloudy Hog.* This has no *Slants.* All theſe *Varieties* are found in the *Woods*, &c. about *Hampſtead.*

Ab *Autore* nuper editi.

1. Petiveriana 1. 2 & 3. ſive *Collectanea* NATURÆ, Domi Foriſque *Autori* Communicata. *Lond.* Fol.
2. *Hortus* Peruvianus *Medicinalis:* or the *South Sea Herball.* Illuſtrated with many *curious Figures* of divers *Medicinal Herbs*, Gum-Trees, *&c.* growing in thoſe Parts with their *Virtues* and *Uſe.* Lond. *Fol.*

LONDON, Printed for the Author in *Alderſgate-ſtreet.* MDCCXVII.

Papiliones BRITANNIÆ albidæ ENGLISH White BUTTERFLIES TAB I




Pubd. as the Act directs Sept. 1, 1785.


Papiliones *BRITANNIÆ*, Luteæ. Albæ &c *Mixtæ*. TAB. II

ENGLISH Yellow, White & *other mixt* *BUTTERFLIES*.


FIG. 1



Papiliones *BRITANNIÆ maculatæ. ENGLISH Spotted* Butterflies. *TAB* III




H. Terryson, delin. et sculp. London.




Papiliones *BRITAN.* *maculatæ & striatæ.* **ENGLISH** *Spotted & Streak'd* *BUTTERFLIES*

TAB. III.




H. Fenaron, delin. et Sculp.

Papiliones BRITAN. *Oculatæ*, BRITTISH Eye-wing'd *Butterflies*. TAB. V




Sutton Nicholls sculp.

Papiliones BRITAN. *Oculatæ*, BRITTISH Eye-wing'd *Butterflies*. TAB. V



Sutton Nicholls sculp.

Papiliunculi *BRITANNIÆ cæruleſcentes, aurei &c TAB.VI.*
Small *ENGLISH, Blue, Golden & Brown Butterflies.*



Sutton Nicholls

MONSPELII Defideratarum *Plantarum* CATALOGUS.

E *RAIO*, Magnolo, Chabræo, C. & I. B. *&c.*

A *Jacobo Petiver*, Societ. Regal. Soc. *LONDINI.*

1 ABſinthium *Seriphium* Gallicum CB. Fl. Aug. R. 370. 15.
2 Acanthium *Illyricum* Park. 979. f. 2. Ray 313. 2.
3 Acer *Monſpeſſulanum* Lugd. 95. f. 3. *Ray* 1701. 3.
4 *Acetoſa* lanceolata anguſtifolia CB. prodr. 55. 5. [12.
5 *Acetoſa* marit. *fol.* ſinuatis & dentatis Bot. Monſp. 4. R. 175.
6 *Ageratum* fol. ſerratis *Monſp.* majus pallido luteo fl. BM. 6.
7 Alcyonium 1 CB. *Chabr.* 579. H. 5. R 82. 1.
8 *Alcyonium* 12 ſive *Burſa marina* CB. Chabr. 570. Ic. 1. R. 83. 8.
9 *Alga* longiſſimo, lato, tenuique folio B. pr. 154. R. 74. 2.
10 *Alga* criſpa, *Scabioſa* rubra & pallida I. B. *Chabr.* 569. 2.
11 Allium ſ. *Moly* mont. 3 Cluſ. 194. fig. *Fl.* Jun. R. 1117. 3.
12 *Allium* mont. bicorne *fl.* obſoletiore CB. *Fl.* Aug. R. 1118. 7.
13 Allium *Funcifolium*, bicorne *luteum* CB. R. 1118. 6. *Var.*
14 Allium ſ. *Moly* mont. 5. *Cluſ.* 195. f. 1. R. 1120. 5. *Fl.* I. & Y.
15 *Allium* ſylv. ſ. *Moly* anguſt. umbellat. CB. *Fl.* Maio.
16 *Allium* ſylv. minus, *Roſeo* amplo *flore* BM. 10. fig. *Fl.* Maio.
17 *All.* ſ. Moly. *moſcatum* capillaceo folio CB. pr. 28. f. *Fl.* Sep.
18 *Alſine* tenuifolia muſcoſa CB. Fl. *Jun.* Lugd. 1235. f. 1.
19 *Alſine* nodoſa *Gallica* CB. 251. 18. Lugd. 1234. f. 2.
20 Alſine *Spergulæ* facie minima BM. 14.
21 Alſine *fœtidæ* quodammodo ſimilis, laciniata I. B. l. 24. p. 366.
22 *Alſine* aq. minor & fluitans CB. 251. 3. *Ger.* 490. f. 10.
23 *Althea* fl. majore CB. *Thuringiaca* CAM. H. 12. f. 6. R. 602. 2.
24 *Althea* arborea Olbiæ Ad. 294. f. *Lugd.* 592. f. 3. R. 603. 1.
25 *Anchuſa* puniceis floribus CB. *Fl.* M. & Apr. R. 496. 2.
26 *Anchuſa* lutea *Ad.* 248. f. 1. minima *Obſ.* 312. Fl. M. & *Jun.*
27 Androſaces CAM. 638. fig. *opt.* CB. 367. 2. R. 66.
28 *Anonis* minima hirſuta *Cherleri* I. B. Chabr. 168. Ic. 6.
29 *Anonis* viſcoſa ſpinis carens, *lutea* latif. BM. 21. Fl. Aug.
30 *Anonis* ſpinis carens, lutea minor BM. 21. *Fl.* Aug.
31 *Anonis* puſilla glabra frut. *Cherl.* I. B. 2. l. 17. p. 394. f.
32 Anthyllis *Valentina* Cluſ. *Fl.* Maio &c. R. 215. 8.
33 Antirrhinum maj. rotundiore fol. CB. R. 760. 2. Var.
34 *Antirrhinum* fol. diſſecto CB. 211. 4. R. 761. 4. (& Jun.
35 *Antirrhinum* ſaxat. *Serpilli* folio 24. *fig.* B. pr. 106. *Fl.* M.
36 *Aquilegia* hirſuta fl. viſcoſo BM. 26. prope *Meyriols.*
37 After *Conyzoides* Monſpelienſium H. *Bleſ.* Fl. *Jun.*
38 After *mont.* lut. *Salicis* glabro fol. CB. *Ad.* 147. 2. R. 266. 1.
39 After *auricomus* glaber latiſ. fol. non rigido I. B. R. 266. 3.
40 After *Atticus* lut. Mont. villoſus, magno flore CB. *Fl.* Jun.
41 After *Tripolii* flore CB. *Ad.* 147. Fig. *Fl.* Sept. R. 269. 17.
42 *Aſtragalus* incanus, ſiliquâ incurvâ 33. *fig.* B. pr. 149. Fl. Apr.
43 *Atriplex* ſylv. *lappulas* habens B. *pr.* 58. f. R. 197. 7.
44 *Atriplex* ſylv. fructu *Roſeo* compreſſo B. pr. R. 192. 5.
45 *Bellis* mont. fol. obtuſo crenato B. pr. 121. 4. R. 351. 7.
46 *Bellis* montana minor I. B. *Chabr.* 361. 6. (Aut.
47 *Bellis* media caule carens CB. *Chabr.* 361. Ic. 5. *Fl.* Vere &
48 *Blitum* minus fol. ex albo & viridi variegatis BM. 38.
49 *Braſſica* arvenſis CB. *Fl.* Vere. *Lugd.* 524. f. 3. R. 796. 13.
50 *Brunella* Hyſſopifolia CB. *Chabr.* 474. Ic. 2. R. 552. 5.
51 *Bulbocaſtanum* majus *Apii* folio CB. *Fl.* Jun. R. 440. 1.
52 Buphthalmum *Cotulæ* fol. CB. Cluſ. 332. R. 341. 10.
53 *Bupleuron fol.* rigido CB. *Fl.* Y. & Aug. R. 474. 2.
54 *Bupleuron* ann. anguſtifolium BM. 42. *Fl.* Jul. &c. R. 474. 3.
55 *Campanula* fol. *Echii* fl. villoſis B pr. 36. f. 1. R. 733. 10.
56 Camphorata *Monſpelienſium* I. B. *Chabr.* 454. f. 6. *Fl.* A. & Sept.
57 *Camphoratæ* congener. CB. *Fl.* Y. & Jul. R. 210. 2.
58 *Carduus* prat. *Aſphodeli* rad. latifolius CB. *Chabr.* 347. Ic. 3.
59 Carduus *Cirſium* dict. fol. laciniato nigrius I. B. Jun.
60 Carduus *Galactites* I. B. *Fl.* Vere *Chabr.* 348. f. 2. R. 313. 6.
61 Carduus *Acanthoides* I. B. Fl. *Mart.* Chabr. 350. f. 6. R. 309. 3.
62 Carduus *Lanceolatus* ferocior I. B. *Fl.* Jun. *Chabr.* 349. f. 2.
63 Carduus *Sphærocephalus* cærul. minor CB. *Chabr.* 351. f. 4.
64 Carduus monſtroſus I. B. *Chabr.* 348. f. 4.
65 *Carduncellus* Montis *Lupi* Ad. 374. f. R. 316. 8.
66 *Carduncellus* Montis *Lupi* fol. non ſpinoſis BM. 51.
67 Carlina *Richeri* BM. 51. *Fl.* Y. & Aug.
68 *Carlina* ſylv. minor *Hiſpanica* Cluſ. 157. f. 1. *Fl.* Y. & Aug.
69 Caryophyllata *Alpina* lutea CB. *Fl. Jun.* R. 608. 7.
70 *Caryophyllus* ſylv. repens *multiflorus* B. *pr.* 104. 2.
71 Caryopyllus *Saxifragus* CB. Fl. *Jun.* (*Fl.* Jun.
72 *Caryophyllus* ſaxat. *Ericæ* fol. umbellatis corymbis B. pr.
73 *Caryophyllus* arv. glaber minimus B. *pr.* 105. 11. f.
74 Caryophyllus *Holoſt.* toment. anguſtifolius B. pr. *Fl.* Jun.
75 *Caryophylli* minimi ſpecies fl. albo BM. 54. *Fl.* May. *Ch.* 449.
76 *Caucalis* pumila *maritima* CB. R. 467. 4. (fig. 4.
77 *Centaurium* minimum purp. ramoſum BM. 57. *Fl.* Ju
78 *Centaurium* puſillum luteum CB. R. 1092. 4.
79 *Chamæmelum* leucanthemum magno flore CB. *pr.* 70. 1.
80 *Chamæmelum* maritimum *Dal.* Lugd. 1394. f. 1. *Ad.* 345. f.
81 *Chelidonia* rotundiſ. major B. *pr.* 137. R. 580. 2.
82 *Chondrilla* viſcoſa, caule foliis obducto CB. *Fl.* Aug. &c.
83 *Chondrilla* viminea *Monſpeliaca* B. pr. R. 223. 9. (f. 1.
84 *Chondrilla* fol. *Cichor.* tomentoſis CB. *Fl.* Vere *Lugd.* 569.
85 *Chondrilla* puſilla *marit.* lutea, bulboſa Ad. 83. f. *Fl.* Maio.
86 *Chondrillis* affinis quædam laciniata BM. 64. R. 227. 2.
87 *Eadem* minor BM. 65. Fl. *Apr.* circa *Gigean.*
88 *Cirſium* fol. non hirſutis, *fl.* compactis CB. *Chabr.* 346. 3.
89 *Ciſtus* mas 1. *Cluſ.* 68. f. 2. fol. oblongo incano CB. *Fl.* A.
90 Ciſtus *Salviæ* folio CB. *fœm.* Cluſ. 70, f. (& Maio.
91 *Eadem* virgis humiſparſis BM. 67.
92 *Ciſtus* fœm. *Monſpel.* fl. Roſeo BM. 67.
93 Ciſtus *Ladanifera* Monſpel. CB. *fol.* latioribus BM. 67.
94 *Chamæciſtus* v. Cluſ. 75. f. 1. fol. minor. & incanis CB.
95 *Chamæciſtus* 4. Cluſ. 74. f. 2. fol. *Thymi* incanis CB. Fl. Jun.
96 *Helianthemum* fol. *Thymi* incano I. B. *Chabr.* 103. 3. R. 1016. 11.
97 *Helianth.* fol. *Sampſuci* capit. valde hirſutis I. B. Ch. 101. 4.
98 *Chamæciſtus* 2. Cluſ. 73. f. 2. repens *Serpillifolia* lutea CB.
99 *Chamæciſtus* 3. Cluſ. 74. f. 1. fol. *Myrti* minoris incanis CB.
100 *Ciſtus*, ann. *fol. Ledi*, fl. luteo I. B. *Ch.* 99. f. 6. R. 1013. 4.
101 *Clematis* minor ac anguſtiſſimis foliis BM. 70.
102 *Clematis* maritima repens B. pr. 135. R. 621. 3. Var. (*Fl.* Oct.
103 *Clematis* parva, *Montibus* propè *Caſtelneuf* I. B. l. 15. p. 127.
104 *Convolvulus* major *albus* maritimus &c. BM. 73. *Ad.* 274.
105 *Convolvulus* Spicæfolius *argenteus*, rad. repente BM. 74.
106 *Conyza* caul. rubent. tenuioribus *fl.* luteo nudo BM. 76. f.
107 Conyza *tuberoſa* lutea &c. BM. 77. *marina* Lugd. 1366. f. 1.
108 Conyza *Helenitis* mellita incana Lob. Ic. 347. R. 263. 1.
109 *Corallina* fruticoſa recta alba CB.
110 Coronopus *Serpentina* I. B. Chabr. 500. f. 2. R. 880. 8.
111 Crocus *vernus* anguſtif. 2. *Cluſ.* 207. f. 2. *Fl.* M. & Apr.
112 *Cyanus* peramarus ſupinus, *capit.* ſquarroſis &c. *Ad.* 236. *Fl.*
113 Cyclamen *Byzantinum* Cluſ. 263. *Fl.* Mart. (Aug.
114 Cynogloſſum *Cret.* anguſto argenteo fol. CB.
115 *Cytiſus* fol. anguſtis quaſi complicatis CB. *Fl.* Maio.
116 *Daucus* glauco folio, ſimilis *Fœniculo* tortuoſo I. B.
117 Dens *Leonis* latiore & rotundiore *folio.* BM. 85.
118 Dens *Leonis* minor *fol.* aſpero B. pr. 63. R. 246. 11.
119 *Echium* mag. & aſperius *fl.* albo CB. *Fl.* Y. & Aug.
120 *Elatine* fol. acuminato *fl.* cæruleo CB. *Fl.* Aug.
121 *Erica* max. *alba* CB. prima *Cluſ.* 41. f. R. 1714. 5.
122 *Erica* 2 altera Cluſ. 42. f. 1. R. 1714. 7.
123 *Erica* 3 Cluſ. 42. f. 2. R. 1715. 8.
124 *Erica* 5 Cluſ. f. 1. R. 1715. 10.
125 *Eruca* ſylv. minor incana B. *pr.* 39. R 809. 7.
126 *Euphraſia* purp. minor BM. 94. *fig.* B. pr. *Fl.* Maio.
127 *Euphraſia* prat. *lutea* CB. Fl. *Aug.* R. 773. 6.
128 *Faba* ſylv. fr. rot. atro CB. *Chabr.* 140. 6.
129 Ferula *fœm.* Plin. CB. R. 420. 1.
130 *Ficus* ſylv. *Dioſc.* Caprificus *Plin.* CB. R. 1433. 2.
131 *Fœnumgræcum* ſylv. *Dal.* Lugd. 481. f. *Fl.* M. & Jun.
132 *Fœnumgræcum* ſylv. alterum polyceration CB. *Lugd.* 446. f.
Fl. Apr. R. 954. 3.
133 *Fucus* lentus *Fœniculaceus* BM. 100. Chabr. 571. f.
134 *Fucus* fol. *Ericæ* BM. 100. Chabr. 571. f. R. 73. c. 4.
135 *Fucus* fruticoſus, caudice verrucoſo BM. 100. *Chabr.* 571. f.
136 *Fumaria* tenuiſſimis foliis, *fl.* albo CB. *Fl.* Vere.
137 *Fungus* Eryngii BM. 103. *Brigoule* vulgò.
138 *Geniſtella* piloſa I. B. *Chabr.* 84. f. 5. Fl. *Apr.* R. 1725. 1.
139 *Geniſtella* ſpinoſa *Monſpel.* B. pr. 157. R. 1728. 3.
140 Geranium *Columb.* tenuius laciniatum B. *pr.* Fl. *Vere.*
141 *Geranium* Petræum *Cicutæ* fol. *rad.* craſſa BM. *fig.* 103.
142 *Gnaphalium* minus repens CB. *Lob.* Ic. 481. 2. Fl. *Maio.*
143 Gnaphalium *Roſeum* B. pr. 122. f. Fl. *Maio.* R. 297. 12.
144 Gramen *Caninum* arvenſe CB. *Lob.* Ic. 20. 2.
145 Gr. *Caninum* marit. ſpicatum CB. pr. 2. f. 2.
146 Gr. *Canin.* marit. aſperum B. pr. 2. f. 2. Fl. *Aug.*
147 Gr. *Tremulum* minus panicula parvâ CB. pr. 4. f. 3.
148 Gr. *prat.* ſpica purp. ex utriculo prodeunte CB.
149 Gr. *Typhoides* molle CB. Lob. Ic. 8. 2. R. 1266. 10.
150 Gr. Phalaroides majus CB. Lob. Ic. 8. 1. R. 1264. 1.
151 Gr. *Alopecuros* major, ſpica longiore CB. *Lugd.* 430. f.
152 Gr.

152 Gr. *Alopecuros* minor ſpicâ longiore CB. R. 1266. 13.
153 Gr. *ſpicâ* ſubrotundâ *echinatâ* B. *pr.* 16. f. R.1268. c.10
154 Gr. *tomentoſum* ſpicatum CB. *Lugd.* 430. f.
155 Gr. *Paniceum*, ſpicâ ſimplici CB.
156 Gr. *Arundinaceum* ſpicâ multiplici CB.
157 Gr. *Arundin.* marin. maximum *Ad.* 4.
158 Gr. *Arundin.* ramoſum plumoſum *album* CB. R. 1280. 2.
159 Gr. *Cyperoides* latif. *ſpicâ* ſpadiceo viridi *majus* CB.
160 Gr. *Cyperoid.* paniculâ ſparſâ minus CB.
161 Gr. *Cyperoides* maritimum CB. Ad. 44. f. R. 1298. 17.
162 Gr. *Cyperinum* nemoroſum Tab. R. 1298. 16.
163 Gr. Sparteum *Monſpel.* ſ. capillaceum fol. minimum CB.
164 Gr. *Loliaceum* minus, ſpicâ ſimplici CB. R. 1264. 6.
165 *Idem* minimum BM. 120. Luco *Gramuntio.*
166 Gr. *Loliac.* minus ſupinum, *ſpicâ* multiplici CB.
167 Gr. *Loliaceâ* paniculâ ramoſa, *maritimum* BM. 120.
168 Gr. *Phœnicoides* fol. convolutis &c. argenteis BM. 120.
169 *Gr.* Spica *Brizæ* majus & minus CB. R.1257. c. 2.
170 Gr. *Tremulum* Monſpel. BM. 121. pl. 6. CB. *Theatr.*
171 Gr. *Aven.* max. utriculis lanugine albâ, *ariſt.* longiſſimis BM. 121. *fig.* Fl. *Maio.* R. 1290.12.
172 Gr. ſ. *Feſtuca* longiſſimis ariſtis CB. R.1290.13.
173 Gr. *Aven.* locuſtis rubris montanum B *pr.* 20.f.
174 Gr. *Aven.* mont. lanuginoſum CB. R. 1269. 5.
175 Gr. *Aven.* lanug. glumis rarioribus B. *pr.* 20. f. 2.
176 *Gr.* rubrum *Monſpelienſe* I.B.
177 *Gr.* aliud *Monſpelienſe* I.B.
178 *Gr.* aliud glabrum *Monſpelienſe* I.B.
179 *Gr.* ſupinum *Monſpelienſe* Laugerii *Lob.* illuſtr.
180 Gratiola ſ. *Hyſſopifolia* anguſtioribus foliis CB. pr.
181 *Groſſularia* non ſpinoſa BM. 123.
182 *Stœchas* citrina altera *Ad.* 203. f. R. 283. 11.
183 *Stœchas* citrina altera inodora *Ad.* 204. f. R.283. 10.
184 *Helleborine* fl. albis I.B. Fl. *Malo.*
185 *Helleborine* 2 Cluſ. 272. *mont.* anguſt. purp. CB. Fl. *Maio.*
186 *Helleborine* 3 Cluſ. 273. f. *anguſt.* prat. CB.
187 *Heſperis* ſylv. fl. parvo B. *pr.* 103. 1.
188 *Hieracium* pulchrum I.B. *Fl.* æſt. tota. R.234. 17.
189 *Hieracium* minimum *falcatum* B. pr. 64.13.
190 *Hieracium* D. Leonis folio *bulboſum* B. pr. 63. 5.
191 *Hieracium* minus D.L. fol. ſubaſpero CB.R.229.1. (B. *pr.*
192 *Hieracium* D.L. fol. hirſutie aſperum minus laciniatum
193 *Hieracium* parvum hirſutum, caule aphyllo I.B.R.246.2.
194 *Hieracium* 1. latifol. *Cluſ.* 139.f.R.239.7.
195 *Hieracium* muror. anguſt. laciniatum minus CB.
196 *Hieracium* capillaceo *folio* B. pr. 66. 21.
197 *Holoſteum* Monſpelienſe *Ad.* 18. f. R. 880.6. c.7.
198 *Hyacinthus* comoſus minor *Ad.* Fl. F. & Mart.
199 *Hypecoum* CB. Fl. *Apr.* &c. R.1328. 1.
200 *Hypericum* ſupinum tomentoſum minus vel *Monſpel.* CB.
201 *Jacea* ſquammis pennatis ſ. cap. villoſo I.B.
202 *Jacea* mont. incana capite *Pini* CB. Fl. Jun. R. 329. 29.
203 *Jacea* mont. *Narbonenſis* Lob. Obſ. 293. R.329.30.
204 *Jacea* incana *Lugd.* 1194. f. Fl. Jun. *Ad.* 235. f.
205 *Jacea* latif. ſpinoſis capit. pulchris, *fl.* purp. I.B.
206 *Jacea* capitulis ſpinoſis *Ad.* 234.
207 Jacea *lutea* capite ſpinoſo CB. Fl. *Jun.* &c. *Ad.* 234. f.
208 Jacea *Melitenſis* capitulis conglobatis *Boc.*
209 *Jacobea* 3. latifolia 1 *Cluſ.* 24. f. Fl. *Jun. Jul.* &c.
210 Jacobea *Senecionis* folio H. Bleſ. *Fl.* Maio.
211 *Iberis* latiore folio CB.
212 *Iberis* Naſturtii folio CB. *Fl.* Jun. R.827.1.
213 *Ilex* folio *Agrifolii* BM. 140.
214 *Ilex* media *Coccifera Ilici* planè ſuppar, fol. *Aquifolii* Ad.
215 *Iris* maritima *Narbonenſis* Ad. 32. f. maj. & minor.
216 *Iris* perpuſilla ſaxat. acaulis ferme *Ad.* 32. f. R. 1187. 3.
217 *Iris* minor lutea *Dod.* 244. Fl. *primo Vere.* R.1188. 6.
218 *Juncus* acumine reflexo majore CB. R.1304. 11.
219 *Juniperus* major baccâ rufeſcente CB. R. 1413. 2.
220 *Kali* minus villoſum CB. R. 199. 15.
221 *Kali* minus *fol.* lucidis BM. 146.
222 *Lathyrus* luteus latifolius BM. 150. Fl. *Apr.* &c.
223 *Lathyrus* anguſtifolius humilior BM. 150. (150.
224 *Lathyrus* humilis fol. *Gramineis* venoſis, *fl.* pheniceo BM.
225 *Lathyrus* anguſtiſſimo ſ. capillaceo fol. B. *pr.* fl. *Apr.*
226 *Lathyrus* maj. *Narbon.* anguſtifolius I.B. *Chabr.* 145. f. 3.
227 *Leucoium* marit. anguſtifol. CB. Fl. *Vere* & *æſtate* Ad. 141. f.
228 Libanotis *Cachryophoros* quibuſdam *fl.* luteo I.B. Fl. *Mag.*
229 *Libanotidi* congener BM. 154. *Lugd.*
230 *Limonium* ſupin. *reticulatum* Bocc. *Fl.* Sept. R. 396. 9.
231 *Limonium* parvum *Bellid.* min. folio CB.R. 395. 4.
232 *Limon.* marit. minus, fol. cordatis B. pr.99.1.
233 *Limonium* minus bullatis fol. BM. 156. f. Fl. *Jun.*
234 *Linaria* arvens. *cærulea* erecta B. *pr.* 107. 5. Fl. *Apr.* &c.
235 *Linaria* &c. fol. imis rotund. BM. 158. f. Fl. Maio.
236 Linaria *lutea*, parva annua I.B. Fl. *Maio.* R.755. 12.
237 *Linaria* folioſo capitulo CB. Fl. *Sept.* R. 292. c. 16.
238 *Linum* maritimum CB. lutenm Fl. *Aug.* R. 1074.17.
239 Linum *marit.* majus I.B.
240 Linum ſylv. minus, luteo flore CB. Fl. *Jul.*
241 Linum *luteum* palmare BM. 160. Fl. *Jul.*
242 *Linum* anguſtifolium *Lob.* Obſ.
243 *Linum* ſylv. fl. *albis* Lob. *Obſ.* Fl. *Jun.* &c. R.1073.11.
244 *Linum* ſylv. *cærul.* fol. acuto B. pr. 107. 2. Fl. *Jun.*
245 *Linum* minimum *ſtellatum* B. pr.107.2.BM. Fl. *Vere.*
246 *Linum* ſylv. *luteum* fol. ſubrotundis CB. Fl. *Jun.*
247 Lithoſpermum *Linariæ* foli *Monſpel.* CB. Fl. *tota æſt.* Lob. Ic. 411. 2.
248 *Lotus* corniculata *marit.* hirſuta BM. 164. Fl. *æſt.*
249 *Lotus* 5 phyllos minor hirſut. *fol.* anguſtiſſ. CB. Fl. *Aug.*
250 *Lotus* pentaphyllos maj. hirſutis candicans CB. Fl. *Maio.*
251 *Lotus* marit. lutea filiquoſa, *fol.* pingui glabro BM. 165.
252 *Lychnis* ſylv. anguſt. *calic.* turgidis ſtriatis CB. *Chabr.* 446. f. 1.
253 *Lychnis* ſylv. *lanuginoſa* minor CB. *Fl.* Maio.R.995.11.
254 *Lychnis* ſylv. minima *fl.* muſcoſo BM. 171. Fl. *Jul.* &c.
255 *Lychnis* minima rigida *Cherleri* I.B. Fl. *Vere.* Chabr. 445. f. 1. (&c.
256 Lychnis *Alpina* vel *Ocymoides* repens mont. CB. Fl. *Maio.*
257 Lycium *Gallicum* I.B. Fl. *Maio.* R. 1626. 1.
258 Marrubium *nigrum* longifol. CB. Fl. *Ap.* M. & *Jun.*
259 Marrubium *album* villoſum B.pr. 110.2. R.557.6.
260 *Marrubium* paluſt. hirſutum CB. R. 535. 2.
261 *Meliloto* vulg. affinis, *fol.* min. & rotundiore I. B.
262 *Millefolium* odorat. minus *Monſpel.* H. Bleſ.
263 *Morus* fructu *albo* parvo BM. 178.
164 *Morus* fr. *nigro* parvo BM. 178.
165 *Muſcus* terr. *Coralloides* erectus, *cornibus* rufeſcentibus CB.
166 Muſcus *Capillaceus* longiſſimus CB.
167 Muſcus fugax membranaceus pinguis BM. 180.
168 *Narciſſus* anguſtif. *albus* minor B. *pr.* Fl. *Apr.* (BM.182.
169 *Narciſſus* juncifol. palmaris, *parvo* fl. luteo, odore *Mellis*
270 *Naſturtium* prat. *parvo* flore CB. Fl. *Jun.*
271 *Nymphea* alba minor CB. Fl. *Jun.* &c.
272 Oenanthe *Paſtinacæ ſylv.* fol. ſem. *Atriplicis* CB. Lugd.
273 O. ſ. Filipendula *Monſpel.* Apii fol. I.B. Fl. *Jun.*
274 O. ſ. *Filipendula* aq. cap. majore hiſpidiore CB. 163.
275 *Olea* ſylveſtris CB. R.1544.2. (*Amellau.*
276 *Oliva* maj. oblonga anguloſa *Amygdali* forma BM. 187.
277 *Oliva* media oblonga anguloſa BM. 187. *Ouliviere.*
278 *Oliva* media oblonga fr. *Corni* figura *id.* Corniau.
279 *Oliva* minor oblonga *id.* Pichouline.
280 *Oliva* major ſubrotunda *id.* Ampoulau.
281 *Oliva* media rotunda viridior BM. 190. *Verdale.*
282 *Oliva* media rotunda præcox *id.* Mourau.
283 *Oliva* minor rotunda racemoſa *id*, Bouteillau.
284 *Oliva* minor rotunda rubro-nigricans *id.* Salierne.
285 *Oliva* minor rotunda, ex rubro & nigro variegata *id.* Pi-
286 *Onobrychis* fructu echinato minor CB. Fl. *Jun.* (gau.
287 *Onobrychis* clypeata aſpera minor B. pr.149. 1. Fl. *Jun.*
288 *Polygala* minus ſaxatile *Chabr.* 153. f. 3.
289 *Ophioglooſſum* minus ſubrotundo folio B. *pr.* 150. 2.
290 Cynogorchis latifol. ſpicâ compactâ CB. Fl. *Maio.* R.1214.9.
291 *Orchis* odore *Hirci* minor CB. Fl. *Maio.* R.1213.2.
292 Orchis *Muſcam* referens major & minor CB. Fl. *Maio.*
293 Orchis *Muſcam* referens lutea CB. Fl. *Maio.* (*Maio.*
294 Orchis *Palmata* anguſt. minor, fl. odoratiſſimo B. *pr.* Fl.
295 Origanum *Monſp.* pulchrum *Cam.* 468. f.
296 *Ornithogalum* majus *Monſpel.* Cluſ. 187. R.1151.2.
297 *Ornithopodio* affinis hirſuta, *Scorpioides* leguminoſa *Ad.* Fl. *Maio.*
298 *Ornithopodio* affinis hirſuta, *ſtella* leguminoſa CB. Fl. *Maio.*
299 *Eadem* flor. & ſiliq. *cauliculis* adhærens BM. 195. *Chabr.* 156. f. 5. (270. f.
300 *Orobanche* magna purp. *Monſpel.* I.B. Fl. *April.* &c. Cluſ.
301 *Orobanche* ſubcæruleo flore ſ. 2. *Cluſ.* 271. Fl. *Maio.*
302 *Orobanche* minor *purpureis* flor. ſ. ramoſa I.B. Fl. *Apr.*
303 *Panax* Coſtinum CB. R. 410. c. 3.
304 Panax *Heracleum* fronde *Paſtinacæ* Ad. 312. R.409.5.
305 *Panicum* Dod. 507. f. 1. paniculâ minore CB. R. 1247. 1.
306 Papaver *Cornic.* phœniceum hirſutum CB. R.857.13.
307 Papaver *Cornic.* Violaceum CB. *Lob.* Ic.R.857.14.
308 *Paſtinaca* tenuif. marin. fol &c. lucidis BM. 199.
309 *Peplus* minor I.B. 3. l. 34. *p.* 670. R. 869. 28.
310 *Phyllyrea* latif. ſpinoſa CB. Fl. *Vere.* Cluſ. 51. f.
311 *Phillica* elatior CB. *Cluſ.* 50. f. Ad. 421. f. R. 1608. 1.
312 *Philica* humilis & quaſi repens BM. 203.
313 *Piloſella* maj. erecta CB.R.241.16. (BM.205.
314 Pimpinella *Sanguiſorba* minor, *ſem.* majore & craſſiore
315 *Pinus* ſylv. altera *maritima* Lob. Obſ. R.1400.7.
316 *Pinaſter* humilis *Lob.* Obſ. R. 1400. 6.

317 *Plantago*

317 *Plantago* max. tota glabra B. pr. 97.1. R.877. 3.
318 *Plantago* capitulis *Lagopi* longioribus BM. 206.
319 Polium *Lavandulæ* folio CB. Fl. *Jun.* &c. R. 525. 6.
320 *Polium* marit. erect. *Monſp.* CB. R.524.1.
321 *Polium* mont. album CB. R.524. 2.
322 *Polygala* acutioribus fol. *Monſpel.* CB. Fl. *Maio.*
323 *Polygala* erecta anguſtifolia &c. BM. 208. *Fl.*M. & Jun.
324 Polygonum *baccif.* marit. minus CB. (*Chabr.* 457. f. 6.
325 Polygonum *Herniariæ* facie Lugd. 1124. f.3.
326 *Polygonum* alter. puſillo vermic. *Serpilli* fol. *Ad.* 80. f.
327 *Polygonum* anguſtiſſimo *Gramineo* fol. erectum BM. 211. Fl. *Jul.* &c. (XI.
328 *Polygonum* muſcoſum minimum *Bocc.* Fl. *Maio.* R. 216.
329 Polytrichum ſ. *Tricomanes* minus & tenerius CB.
330 *Porrum* ſylv. Vinearum CB. R. 1226. c. 6.
331 *Potamogiton* anguſtifol. racemoſum B. *pr.* 101. 1.
332 *Potamogiton* minimum capillaceo fol. B. *pr.* 101. 3.
333 *Potamogiton* capillac. capitulis ad alas trifidis B.*pr.*101.4.
334 *Quinquefolium* minus repens luteum CB. 325.
335 *Ranunculus* magnus valde hirſutus I.B. R. 582. 5.
336 *Ranunculus* arvenſ. parvus,fol. trifido CB. *Jul.* &c.
337 *Ranunculus* paluſt. echinatus B. *pr.* 95. 3.
338 *Ranunculus* villoſiſſimus *Monſpel.* B. pr. 69.11.
339 *Ranunculus* ſaxat. magno flore B. *pr.*69. 8.
340 *Ranunculus* ſaxat. fol. ſubrotundis B. *pr.* 69. 9.
341 *Ranunculus* Cherophyllos *Aſphod.* radice CB. Fl. *Maio.*
342 Ranunculus *Coronopifolius*,cap.*Alopecuri* BM. 218. Fl.*Vere.*
343 *Ranunculus* nemoroſ. *Anemones* flore minor B. *pr.*
344 *Rapa* ſylveſtris CB. Fl. *Sept.*R.800. 3.
345 *Rapunculus* ſpicat. ſ. comoſus cæruleus I.B. Fl. *Jun.*
346 *Rapunculus* minor, fol. inciſis CB. Fl. *Apr.* &c.
347 *Reſeda* fol. *Calcitrapæ*, fl. albo H. Bleſ. Fl. *Maio*
348 *Phyteuma* alter *Monſp.* fol. minus laciniato *Lob.* illuſt.
349 *Rhamnus* corr. albo *Monſpel.* I.B. R.1592.1.
350 *Roſa* rubra *Mileſia* Plin. CB.
351 Roſa *Pomifera* major CB. R. 1472. 17.
352 *Roſa* ſpinoſiſſima pumila fl. rubro I.B.
353 *Rubia* ſylv. aſpera CB. R.480. 2.
354 *Rubia* mont. anguſtifolia B. *pr.*145. 1. R.480. 3.
355 Rubia *ſpicata* repens BM. 225. Fl. *Ang.*
356 *Rubia* marit. *Narbonenſium* Ad. R.485. 1.
357 *Rubia* quadrifolia verticillato ſemine I.B. Fl. *Apr.* &c.
358 *Rubeola* marit. aſpera B. *pr.* 145. 7. R.481. 5.
359 *Ruta* ſylv. major & minor CB. R.474. 3. 4.
360 *Salix* latifolia inferne hirſuta I. B. R. 1422. 1.
361 *Salix* humilis capitulo ſquamoſo *CB. Julio* &c.
362 *Scabioſa* cap. *globoſo*, fol. tenuiſſ. lacin. diviſis *CB.*
363 *Scabioſa* marit. parva I.B. Chabr.336. f.5. R. 378. 13.
364 *Scabioſa* glabra fol. rigidis viridibus IB. R. 377. 10.
365 *Scabioſa* integrifolia, i. fol. *Bellidis BM.* 231. Fl. *Maio.*
366 Scammonia *Monſp.* fol. rotundioribus *CB.* Fl. *Aug.*
367 Scandix *Cretica* minor *CB.* Fl. *Vere.* R.428.2.
368 Sedum *Alpin.* fl. pallido *CB.* Fl. *Jul.* 6. Cluſ. R. 1042. 19.
369 *Sedum* minim. lut. non acre *I.B.* R. 1041. 19.
370 *Sedum* minim. *ſtellatum* rubrum *BM.* 237. f. Fl. *Maio.*
371 *Sedum* tridactylites *Alpin.* minus B. *pr.* 131. 2. Fl. *Jul.*
372 *Serpyllum* longifol. hiſpidum *I.B.* Fl. *Jun.*
373 Seſeli *Maſſilienſe* fol. *Fæniculi* craſſiore *Ad.* 352. f. Fl. *Aug.*
374 Sideritis *Monſpel.* Scordioides *Ad.* 225. f.
375 *Sideritis* verticillis ſpinoſis *I.B.*Chabr.473.f.3.R.565.11.
376 *Sinapi* parvum ſiliquâ aſperâ *B.* pr. 41.
377 *Sonchus* aſper ſubrotundo folio *B. pr.*60.2. maj. & minor.
378 *Sonchus* anguſtifol. *maritimus B.* pr. Fl. *Aug.* R.226. 9.
379 Stœchas *Arabica*, cum ligulis albis BM. 246. Fl. *Maio.*
380 *Stœchas* odorata purpurea D. *Peliter.* Lob. *illuſt.*
381 *Symphitum* maj. tuberoſa radice CB.R. 595. 2.
382 *Terebinthus* maj. *Piſtachiæ* fol. *Ad.* 412.R.1579.2.
383 *Thalictrum* prat. max. *Monſp.* aſperior. foliis H. *Bleſ.* Fl.
384 Seſeli *Peloponenſe* Cicutæ fol. *Ad.*237. f. R.418. (*Jun.* &c.
385 *Id.* minor *BM.* 250. Circa *Mont. Lupi.*
386 Thlaſpi *Vaccariæ* incano fol. minus *B. pr* .47. 2. Fl. *Maio.*
387 *Thlaſpi* villoſum capſulis hirſutis *B. pr.*47.3. f.
388 *Thlaſpi* mont. minim. *Monſp.* fol. laciniato *I.B*
389 Tlaſpi *Alp.* minus, cap. rotundo *CB.* Fl. *Maio* &c.
390 *Thlaſpi* parvum ſaxat. *fl.* rubente *CB.* R.833.14.
391 *Thymum* Supin. candicans odoratum *BM.* 254.
392 Tithymalus *Characias* prat. incanus *BM.* 255. Fl. *Jun.*
393 *Tithymalus* Verrucoſus *I.B.*R.871.42.
394 *Tithymalus* fol. *Pini CB.* R. 867.
395 Tithymalus ann.*Lini* fol. acuto *BM.* 256. R.868.21.
396 *Tithymalus* exiguus ſaxatilis *BM.*258. f. B. pr. 133. 3.
397 *Tragopogon* fol. laciniato *Monſp.* fl. luteo *I,B.*
398 *Scorzonera* latif. ſinuata *CB.* R. 248.1.
399 *Scorzonera* fol. nervoſis *CB.* Fl. *Jun.*R.250.10.
400 *Trifolium* mont. album *CB.* Fl. *Maio* &c. Chabr. 163. f.5.
401 — parvum alb. *Monſp.* piloſum, paucis flor. *I.B.* Fl. *Apr.*
402 Trifolium *Fragiferum* tomentoſum *BM.*265. f. Fl. *Maio* &c.
403 Trifolium *globoſum* repens *CB. Chabr.* 162. f. 2. R.945.13.
404 *Trifolium* capit. glomerato rigido *I.B. Chabr.* 162. f. 4.
405 *Trifolium* cap. *ſpumoſo* aſpero min. *B. pr.*140.6.R.947.22.
406 Trifolium *argentatum* fl. luteis *IB. Chabr.* 159. f. 6.
407 *Medica* magna turbinata *I.B. Chabr.* 162. f. 2.
408 *Medica* fr. compreſſo minore *BM.* 268.
409 *Medica* hirſuta, echinis rigidioribus *I.B. Chabr.*
410 Trifolium *Cochleatum* polycarpon *CB.* R.964.21.
411 *Trifolium* fructu *cochleato*, ciliare *BM.* 269.
412 *Trifolium* folliculis *Coronæ* ſimilibus *CB. Chabr.* 167. f. 1.
413 *Valerianella* ſem. umbilicato rot. nudo *Moriſ.*
414 *Valerianella* ſem. umbilicato nudo oblongo *Mariſ.*
415 *Verbaſcum* fol. ſubrotundo, fl. *Blattariæ CB.* (147.4.
416 *Vicia* multifolia cum latis ſiliquis *I.B.* Fl. *Apr.* &c. *Chabr.*
417 *Viciæ* ſimilis, ſupra infraque terram *fructum* edens *CB.*
418 *Vitis* ſylv. *Labruſca CB.* (Fl. *Apr.*
419 *Ulmus* fol. minùs rugoſo & ſcabro ferè lucido *I.B.*

In *Appendice* Botanic. *Monſpelienſi.*

420 *Alga* tinctoria *I.B.* R. 73. c. 6. pl. 2.
421 *Allium* petræum umbelliferum *I.B.*
422 *Alſine* littoralis *Graminea BM.* 290. Fl. *Maio.*
423 *Aparine* minima *BM.* 291. Fl. *æſtate.*
424 *Bellis* mont. *Gramineis* foliis *BM.* 291. Fl. *Maio.*
425 Carduus *ſtellatus*, fol. integris ſerratis *BM.* 292.
426 *Carlina* caulifera & acaulos *I.B.* R.288. 1.
427 Caucalis *Dauci ſylv.* fol. echinato magno *fructu BM.*292.
428 *Chamæciſtus* repens *Serpilli* folio luteus *CB.* Fl. *Maio.*
429 *Chamæciſtus Nummulariæ* folio *BM.* 294.
430 *Corallina* fiſtuloſa fragilis lævis *I.B. Chabr.*578.f.1.
431 *Daucus* mont. fol. *Fæniculi* longiore *BM.* 294. Fl. *Jul.*
432 *Idem* multo minor *BM.* 295. an. *Lugd.*
433 Dens *Leonis* fol. radiatis *BM.* 295.
434 *Doronicum* integro & craſſo *Hieracii* folio *BM.*295.Fl.*Jun.*
435 *Fuci* Fungiformes *I.B. Ray* 78. 12.
436 Gramen *paniculatum* minimum molle *BM.*297.Fl.*Apr.*&c.
437 *Gramen* paniculâ ſparſâ luteâ *Loliaceâ BM.*297. Fl. *Maio.*
438 *Hieracium* mont. laciniat. lanuginoſo folio *CB.*
439 *Lactuca* ſylv. anguſto laciniato ſolio *BM.*298. Fl. *Jul.*&c.
440 *Lapathum* prat. capite comoſiore *BM.* 300. Fl. *Maio* &c.
441 Laſerpitium *Gallicum CB.* Fl. *Jul.* R. 426. 2.
442 *Idem* multò minus *BM.* 300.
443 *Lenticula* paluſtris bifolia, *fructu* tetragono *CB.*
444 *Limonium* fruticoſum *BM.* 301. (301.
445 *Lupinus* ſylv. purp. fl. *ſem.* rot. vario *majore* & *minore BM.*
446 *Orchis* flore nudi *Hominis* effigiem repreſentans mas CB.
447 *Orobus* ſylv. anguſtifol. *Aſphodeli* radice *CB.* (Fl. *Apr.*
448 *Porus* Anguinus *I.B.* Chabr.575.f.2.R.64.9. (304. Fl. *Jun.*
449 *Potamogiton* minus, fol. denſis mucronatis non ſerratis *BM.*
450 *Spongiæ* ramoſæ varietas *Bocc.*
451 Tithymalus *Lithoſpermi* majoris folio *BM.* 305.
452 *Tithymalus* mont. non acris *CB.*R.870.34.
453 *Scorzonera* latifol. altera *CB. fol.* anguſtioribus *BM.* 306.
454 *Tragopogon* humilis craſſiore folio BM. 306. *Fl.* Maio.
455 Tragopogon *Apulum* humile hirſutum *Col. Fl. Jun.* R.
456 Valeriana *Alpina* minor B. pr. *Fl.* pr. Vere. (307.
457 *Vicia* peren. *multiflora*, maj. fl. cærul. ex albo mixto BM.
458 *Aſter* luteus maj. fol. *Succiſæ* CB. Ray 267.8.
459 *Centaurium* luteum non perfoliatum CB. *Fl.* æſtate.
460 *Polygonum* minus glabrum BM. ap. alt.

Plantæ *Locis Propriis* creſcentes, *viz.* Circa

Boutonet. 13, 28, 38, 117, 36, 97, 236, 45, 55, 309, 25, 7, 44, 57, 69, 88. *Capouladou* 45, 51, 5, 69, 72, 4, 99, 113, 94, 5, 201, 40, 6, 69, 335, 45, 69, 89, 90, 429, 31. *Caſtelnau* 2, 94, 6, 103, 16, 27, 31, 86, 92, 203, 10, 47, 52, 95, 314, 34, 8, 55, 9, 64, 74, 404. *Ceti* monte. 9, 10, 32, 76, 89, 90, 1, 6, 208, 15, 34, 68, 318, 80, 4, 406, 44. *Columbiere* 14, 6, 7, 26, 54, 82, 5, 7, 95, 8, 105, 11, 42, 65, 7, 95, 6, 406, 12, 23. *Frontignan* 15, 29, 185, 237, 60, 329. *Garrigues* 31, 5, 47, 100, 26, 38, 92, 217, 24, 47, 86, 312, 23, 59, 75, 9, 91, 417, 37. *Grabels* 75. *Gramont* 4, 18, 20, 5, 33, 41, 53, 9, 77, 88, 93, 101, 15, 20, 3, 4, 7, 32, 49, 7, 53, 65, 80, 91, 210, 35, 45, 9, 53, 4, 65, 70, 91, 2, 3, 7, 300, 13, 22, 6, 8, 36, 41, 52, 4, 62, 70, 402, 16, 27, 36. *Later.* 22, 112, 56, 90, 271, 4, 80, 307, 76, 81, 3, 92, 449, 54, 8. *Lede* 22, 159, 209, 332, 7, 60, 1, 5. *Lupi* monte 40, 2, 6, 50, 62, 5, 6, 8, 71, 83, 95, 107, 10, 21, 2, 3, 38, 9, 41, 3, 58, 75, 81, 95, 202, 46, 56, 68, 87, 315, 6, 9, 71, 2, 85. *Meyriols* 36, 139. *Monteils* 205, 350. *Montpelier* 19, 23, 5, 43, 4, 9, 58, 60, 1, 3, 70, 3, 83, 4, 92, 7, 117, 8, 9, 28, 32, 48, 9, 54, 62, 3, 4, 9, 70, 2, & 9, 82, 3, 7, 8, 9, 96, 8, 200, 4, 6, 7, 11, 6, 8, 9, 23, 5, 6, 9, 43, 4, 57, 8, 72, 3, 88. 96, 301, 2, 4, 5, 11, 30, 1, 3, 9, 40, 3, 6, 8, 9, 53, 73, 4, 7, 94, 7, 401, 3, 5, 13, 4. *Perauls* 30, 56, 78, 106, 57, 8, 212, 41, 306, 17, 439, 69. *Piquet* 250, 421, 32. *Salenove* 26, 37, 50, 9, 68, 87, 94, 100, 8, 14, 26, 42, 50, 69, 93, 222, 36, 86, 94, 8, 9, 314, 8, 21, 34, 51, 64, 95, 6, 427, 51. *Serane* monte 421, 4, 6, 34, 8, 42, 7, 52, 3, 5, 6, 7. Valene 3, 68, 9, 121, 71, 256, 66, 9, 90, 310, 82, 6, 7, 93, 400. La *Valette* 12, 54, 82, 418, 9. *Villeneuf* 228, 62, 303, 25, 99. *Submarinæ* 7 & 10, 27, 109, 33, 4, 5, 420, 30, 5, 43, 50. Oris *maritimis* 1, 5, 32, 4, 56, 76, 8, 89, 5, 102, 4, 7, 43, 5, 6, 51, 2, 61, 6, 7, 8, 89, 215, 20, 1, 7, 30, 1, 2, 3, 7, 8, 9, 48, 51, 308, 20, 4, 56, 8, 63, 6, 70, 409, 22. *Abbreviat.* Explicatio. BM. *Botan.* Monſpel. R. *Ray* Hiſt. Plantar.

LONDINI, Ex Ædibus *Jacobi Petiver*, Plateâ vulgò dictâ *Aldersgate-ſtreet.* MDCCXVI.

Plantæ SILESIACÆ Rariores ac Desideratæ,

E *Casparo* Schwenckfeltio excerptæ, & Methodo *Rayana* digestæ.

A Jacobo Petiverio, *Societatis* Regalis *Socio*, Londini.

1 ACetosa *Alpina* pag. 8. Ad Rivulos altiss. montium.
2 *Acetosa* minima 8. *Agris* incultis & *collibus* squalidis.
3 *Atriplex* palustr. *polycaulis* 27. Fossis, *Julio*, &c.
4 Bistorta *Alpina* maxima 31. Jugis altiss. *Suditorum*.
5 *Lapathum* palustre *minus* 118. Fossis humid. *frequens*.
6 *Polyonum* fol. rubentibus 163. *Viis & Agris*.
7 Chondrilla *Viminea* 50. Fl. *Jun.* & *Jul.*
8 Hieracium 2. 6. 8. 9 & 10. *Schwenckfeld.* 106.
9 Hieracium 11. 12. 13. 14 & 15. *Schw.* 107.
10 *Lactuca* sylv. *purpurea* 114. Mont. *Suditorum*.
11 Pilosella *Alpina* 157. Montibus altis & herbidis.
12 Sonchus *lævis* latif. & angustifolius 199.
13 Sonchus *Alpina* cærulea.200. Fette Henne. *Silef. Fl.* Jul. &c.
14 *Aster* luteus *montanus* 25. Dumet. & collibus saxosis.
15 Erygeron *Alpinum* 67. Mont. altiss. & humidis. *Jul.* &c.
16 Gnaphalium *tenuifolium* 87. Agris & *Hortis* Oleraceis.
17 Tussilago *Alpina* minor 212. *Mont.* umbros. & humidis. *Jun.*
18 Virga aurea 1 & 2. *Schw.* 219. Wundkraut *Germ.*
19 *Bellis* mont. *maxima* 29.
20 *Chamæmelum* fatuum 47. *Ruddille.* Agris quiet. & cultis.
21 Absinthium *mont.* s. *vulg.* minus 6. Ruderibus & montosis.
22 Carduus *palustr.* fruticans 38. Mont. & Sylvis udis. Aug. &c.
23 Carduus *palustr.* minor 38. Humidis ad rivos. *Aug.* & *Sept.*
24 *Carduus* pratensis 39. Mont. pratis humidis. *Jul.* &c.
25 *Carlina* major *Schw.* 39. Eberwurtz. *Fl.* Jul. & Aug.
26 *Cirsium* montanum 1. 52. Schardistel *Sil.* Fl. *Jul.*
27 *Jacea* collina minor, *leptophyllos* 111. Agger. Viarum. *Jul.*
28 Jacea *mont.* villoso *capite* 111. Pratis *Mont.* Riphæorum.
29 *Scabiosa* minima *aspera* 192. Mont. fabulos. & asperis.
30 *Scabiosa* fl. luteo *odorato* 192. Agger. Itiner. *Jul.* &c.
31 Angelica *Alpina* 2. *Schw.* 18. Lufftwurtzel *Sil.*
32 Angelica *Alpina* 3. 19. Geistwurtzel *Sil.* Mont.
33 *Apium* montanum 20. *Mont.* & arenos. pratis. *Jul.* &c.
34 *Cicutaria* montana 52. *Montosis* humidis.
35 *Daucus* mont. *Boiemicus* 60 ad *Poidebradum*, Julio.
36 Libanotis *Theophrasti* alba & nigra. *Schw.* 122.
37 *Meum* Silesiacum *Alpinum* & palustre 136.
38 *Millefolium* palustre 1. 138. *Wasser Fenchel.*
39 *Millefolium* palustre 2. 138. *Wassel Veil* Jun.
40 *Myrrhis* montana 142. *Bergkorffel.* Flor. *Maio.*
41 *Seseli* Peloponense 196. *Hirschwurtz.* Vallibus herbid. *Julio.*
42 Sium *aquat.* odoratum & *aquat.* 2. Schw. 197.
43 *Thalictri* omnes *species* Schw. 204.
44 *Mollugo* 1. 2. & 3. Schw. 139. *Megerkraut* Germ.
45 *Rubia* sylv. *major* 184. s. mont. *Silesiaca. Rote* Germ.
46 *Cerinthe* minor 46. *Viis*, Agris & Collibus. *Fl.* Æstate.
47 *Cannabis* sylv. *spuria* 1. 2. & 3. Schw. 37. *Taubnesseln.* Germ.
48 Hedera *terrest.* minor 101. *Klein* Gunderman.
49 *Hedera* terrest. *montana* 101. *Opacis* Mont. *Sylvis.*
50 *Lamium* pictum 116. *Milzatella* i. e. Lienaris.
51 Serpillum *Boiemicum*, odore unctuoso suavissimo 195.
52 *Sideritis* 1 196. *Zeissgenkraut* Sil. *Fl.* Jun. & Jul.
53 *Sideritis* 2. 196. Brauner *Andorn.* Agris.
54 Filipendula *montana* 71. Monte *Giganteo.* Julio.
55 *Aconitum* luteum *majus.* Goel *Wolffswurtz.* 8. *Fl.* Jun. & Jul.
56 *Aconitum* cæruleum 9. Pratis agro *Hirsberg.* ad *Bober.*
57 *Napellus* minor 143. Saltubus Mont. ad Fluv. *Bober.*
58 *Napellus* major 143. Fuchswurtz *Germ.* Aug.
59 Caryophyllata *Alpina* minor 42. *Vallibus* umbros. *Suditor.*
60 *Malva* sylv. s. *Alcea* Querna 132. *Falris* Germ.
61 Plantago *aq.* minor s. *angustif.* humilis 161. *Udis.*
62 *Pulsatilla* nivea *Alpina* 171. Celsis *Suditor.* jugis. *Jun.*
63 Quinquefolium *Vernum* majus 174. Incultis &c. *Mart.*
64 Quinquefolium *Vernum* minus 174. *Collib. & Viis.* Aprili.
65 *Quinquefolium* maj. *albo* flore 174. Agro *Vratislav.* Maio.
66 Quinquefolium *Fragiferum* erectum 175. *Floret* Maio.
67 *Ranunculus* Alpinus *candidus* 179. Ad Rivos & sequente.
68 *Ranunculus* Alp. *luteus* maximus 179. *Mont.* alt. udis, *Jul.*
69 Ranunculus *dulcis* pratensis & major Schw. 176. *Pratis* freq.
70 Ranunculus *Mont.* hirsutus *Narcissi-florus.* 180. Junio.
71 *Sedi* omnes *species* Schw. 194. & 5.
72 Tormentilla *Alpina* maxima 208. ad lacus *Sudit.* & M. Riphæo.
73 *Polygonatum* angustifolium 162. *Mont.* sylvosis.
74 Polygonatum *latifol.* ramosum 162. *Humid. & Umbrof.* Sudit.
75 *Anagallis* aq. 2. 18. Palustribus & Rivulis.
76 Anagallis aq. 3. f. minor 18. *Priore.*
77 *Bursa Pastoris* minor, *fol.* perfoliato 34. *Mont.* apric. & arid.
78 *Bursa Pastoris* Myagrifolia 35. *Nagelkraut.* Agris aridis.
79 *Dentaria* Pentaphyllos 61. *Flor.* Aprili, Umbros. *Sudit.*
80 *Dentaria* Heptaphyllos 61. *Dod.* 162. f. 2.
81 *Dentaria* Enneaphyllos 61.
82 *Dentaria* baccifera 61. Opacis Mont. *Maio.*
83 Eruca *palustris* major & minor *Schw.* 65.
84 Lysimachia *filiq.* palustr. & *Roseo* flore *Schw.* 129.
85 *Nasturtium* montanum 145. *Pratis* copiosè. *Maio.*
86 Thlaspi *album* supinum 205. *Viis* circa *Vratislav.* Æstate.
87 Tithymalus *Cyparissias* capit. rubente 207. Mont. aridis.
88 *Tithymalus* stictophyllos & platyphyllos *Schw.* 207.
89 *Tithymalus* frutic. *palustris* 208. Ad Sabulos. crepid. *Flumin.*
90 Rapunculus *Nerifolius* 181. Vallib. sub. M. *Gigantæo.* Jul.
91 *Rapunc.* sylv. cær. *umbellatus* 181. Mont. ad *Quissum.* Aug.
92 Trachelium *Alpinum* maximum 209. *Flor.* Julio.
93 *Gentianæ* omnes *species* Schw. 83.
94 *Alsine* petræa *omnium* minima 16. *Petrosis* Jun. *&c.*
95 *Alsine* fontana 16. *Rivulis* limpidis pigrè labentibus.
96 *Alsine* palustris 16. *Aquis* residibus & palustribus.
97 *Caryophyllus* sylv. 1. 2. 4. 5 & 6. *Schw.* 42. & 3.
98 *Cistus* humilis 2. Panax *Chironium* minus 53. *Apricis.*
99 Primula Veris *inodora* Alpina 168. *Mont.* altiss. *Maio.*
100 *Sanicula* Alp. s. *Auric. Ursi* minima *fl.* purp. 190. *Maio.*
101 *Pyrola* frutescens 172. Mont. & Sylvis *Gorlicens.*
102 *Lagopus* montanus *minor* 115. Ad Agros & Vias.
103 *Pisum* sylv. *perenne* 156. Mont. asperis inter Saxa. *Julio.*
104 Pisum *sylv.* 2. s. minus alterum 159.
105 *Polygala* repens Nuperorum 161.
106 *Trifolium* sylvat. *alb.* maximum 210. *Ericetis.* Julio.
107 *Vicia* sylv. 3. seu *lutea* 218. Campis fruticosis. *Jul.* &c.
108 Allium *Alpin.* mas & fœm. 14. *Suditor.* humid. *Julio.*
109 *Bifolium* minus 31. *Mont.* & Vallibus opac. & udis.
110 *Bifolium* 3. seu *Ophris* trifolia 31. *Dreyblat.* Germ.
111 *Damasonii* omnes *species* Schw. 59.
112 *Orchides* omnes *species* Schw. 147. &c.
113 *Porrum* agreste 166. *Agror.* Marginibus.
114 *Porrum* agreste *proliferum* 166. *Agris* incultis.
115 *Por.* Alpin. *Sectivum* maj. 166. Vallib. *Oupæ* & *Mumchæ* Jul.
116 *Satyrium* abort. s. *Dentaria* aphyllos *minor* 199. Jul. *&c.*
117 Valeriana s. *Phu* montana 215. *Mont.* humid. & herbid.
118 *Adiantum* alb. *crispum* Alpinum 10. *Mont.* altiss. & petrosis.
119 *Filix* fontana 73. *Muris* puteorum & fontium.
120 *Filix* mas *Alpina* maxima 72. *Mont.* humid. & saxosis.
121 *Filix* muraria *seu* minor 72. *Saxis* præruptis.
122 *Filix* spinosa *seu* aculeata 72. *Mont.* opacis altiss.
123 *Lonchitis* aspera *major* 125. Asperis altiss. *Suditor.*
124 Lunaria *Botrytis* minor polyphyllos 126. Inter *Gramina.*
125 *Muscі* omnes *species* Schw. 739.
126 *Graminum* omnes *species* 88, &c.
127 *Juncus* sylvaticus 112. *Sylvis* udis.
128 Juncus *acutus* minimus 112. *Pratis* uliginosis.
129 Juncus *minimus* lanceatus *seu* spicatus 11.
130 Acer *bruscum*, intortius *crispum* 7. Urlenne Flader. *Sil.*
131 Fraxinus *crispa* 76. Ejus *materies* undulatur.
132 *Fraxinus* dura s. petræa 76. *Mont.* petros. & præruptis.
133 Fraxinus *Frugifera* 75. Montibus & clivosis. *Aprili.*
134 Ledum *Silesiacum* majus 120. *Montibus.* Jun. &c.
135 Pinaster *Alpin.* repens 159. *Jugis* Montium repit.
136 *Ribes* insipidum 182. M. *Riphæo.* Fl. *Maio.* Fr. *Autum.*
137 Rosa *Alpina* rubra 184. Ad Rivulos Montium. *Jun.*
138 *Rosa* Arvina s. *Avenaria* 184. Ad *Vratislav.* inter *Avenas.*
139 Rubus *Hircinus* 185. Saltibus nemorosis Montium.
140 *Salix* latifolia *pratensis* 187. Udis *Mont.* pratis.
141 *Salix* saxat. s. *Alpina* repens 188. Jugis *Sudit.*
142 *Ulmus* montana 220. *Montosis* ad arcem *Furstenstein.*

LONDINI, Sumptibus Autoris, *Platea* vulgò dicta *Aldersgate-street.* MDCCXVII.

PLANTARUM ETRURIÆ Rariorum

CATALOGUS.

E Clariſſimo *Cæſalpino*, *Boccone*, *Mentzelio*, *Raio*, &c.

1. *Farnia* glande maximâ rotundiore, *pag.* 32.
2. *Farnia* maritima, operibus inutilis, p. 32.
3. *Suberella* folio latiore modicè ſinuato 32. *Maritimis.*
4. *Carpinus* folliculis membranaceis 38. *Alpibus.*
5. Opulus *Aceri* ſimilis, foliis minoribus 42. *Planis.*
6. *Fraxinus* humilis 43. *Siccis & ſaxoſis.*
7. *Ceraſus* ſylv. *fr.* parvo ex viridi flavo, racemulis oblongis 51.
8. *Ilatrum* folio *Ilicis* anguſtiori 74. *Maritimis.*
9. Legno *Puzzo* & *Putine* 74. *Agro* Plumbienſi.
10. *Rhamnus* fol. *Oleæ*, fl. ex *purp.* candicante 74. *Sepibus.*
11. *Sambucus* umbellis parvis, *baccis* rubentibus 92. Montibus.
12. *Sambucus* paluſtris, *baccis* depreſſis 92. Circa *Piſam.*
13. *Rubus* humilis, *baccis* paucis 98. Humidis.
14. *Alvis* frutex in *Alpibus* ſine ſpinis, *Ribes* vulgò. 99.
15. *Lycium* fol. ſerrato perpetuo 101. Humectis & incultis.
16. *Arbutus* maritima, *fr.* aſperiore flavo 103.
17. *Cytiſus* fl. pallido, *ſiliq.* ſurrectis *Ipum* vulgò 113. *Mont.*
18. *Cytiſus* fol. albidis acaulos 114. *Collibus maritimis.*
19. *Cytiſus* fol. nigrioribus, *pedic.* longis 114. *Collibus frigidis.*
20. Geniſta *Alpina* aphyllos, *vineis* palmaribus mollibus 115.
21. *Geniſta* humilis, *juncis* acutis robuſtis 115. in *Ilva.*
22. *Spina Chriſti* vulgò, *Frutex* ſpinoſus aphyllos 117. (Alpibus.
23. *Populus* fol. leviter ſerratis infernè ſubhirſut. punct. albis 21.
24. *Saliæ* fol. anguſtiore, viminibus rubris 125. *Alpium* fluviis.
25. *Saliæ* 3. *viminibus* ad circulos *Lagenarum* colligandos 125,
26. *Saliæ* 4. fragilis, *fol.* ſubrot. hirſuto, *Vetricem* vulgò 125.
27. Valeriana *Sorbi* folio ſubhirſuto 148. *Montibus & Riguis.*
28. *Nardus* montana, *Aſphodeli* radicibus 149.
29. Spica *Celtica*, umbellâ luteâ 149. *Montibus.*
30. *Valeriana* inodora, *Violæ* folio 148 *Umbroſ.* Mont. *jugis.*
31. *Valeriana* ſylv. ſimilis, palmi longitudine 150. *Ilva.*
32. *Valeriana* fol. oblongis, *floſculis* puniceis 150. *Piſæ* mœniis.
33 *Laureola* fl. albo, *baccis* nigris 150. *Montoſis.*
34 Olivella *Alpicolis*, fol. molli, *fl.* albo 151. *Apenninis.*
35 *Olivella* fol. duro piloſo, *fl.* purpureo 151. in *Silicia*
36 Cneorum *Cupreſſi* folio ſupernè candic. *Miccia* Hiſp. 621.
37 *Caſſiæ lignea* ſimilis, *fl.* albo 155. *Alpibus.* (Marit.
38 *Eadem* fragiliſſima, *floſculis* herbaceis 155. *Saxoſis.*
39 Eadem *Ericæ* foliis craſſioribus 155. *Marit. aſperis.*
40 *Bupleuron* fol. *Lini*, dodrant. altitudinis 156.
41 *Bupleuron* latifol. Cubitali altitudinis 156.
42 Ambroſiana *Arthemiſiæ* foliis 158.
43 Herba *Turca* humiſtrata, *Polygoni* foliis 159. *Arenoſis.*
44 *Ead.* fol. anguſtioribus, Palmi altitud. 159. Mont. ſabuloſis.
45 *Perſicaria* fol. aſpero, acerbioris ſaporis 167.
46 *Polygonum*, Centinodia *vulgò*, Lingua Paſſerina aliis 168.
47 *Polygonum* erect. fol. & ſemine longiori 168. (ubique
48 *Polygonum* candid. humiſtratum *marit.* 162.
49 *Aſine* fol. binis *Portulaçæ* craſſis, *odore* Cucumer. 169. *Lætis* &c
50 Salſoſa *Oleracea* fol. vermic. aculeatis, *fl.* rubente 170. Mar.
51 Salſoſa *Oleracea* Hortor. *Iſgarum* vulgo 170.
52 *Salſoſa* fol. multis tenuioribus rubris 170. *Marit.*
53 *Salſoſa* fol. gracili inſipido 170. *Muris & Sterquilinis.*
54 *Salſoſa* fruticans lignoſum perpetuum 171. *Scopulis* Ilvæ.
55 *Far* ſem. ruſſo, *ſpicâ* craſſiore quam *Spelta* 173.
56 *Far* ſem. albo craſſo, *ſpicâ* muticâ 173.
57 *Spelta* grano lævi, ariſtâ ſubaſperâ 174.
58 *Hordeum* ſpicâ brevi, Mont. *Lucens.* Scandella *dicta.* 176.
59 *Hordeum* quinis ferè ordinibus 175.
60 *Hordeum* mundum in *Ptiſanis* utitur 176.
61 Avena *Græca* ſem. rubro, *ariſtis* longis 178. *Arvis frequens.*
62 Gamèn *Cauda Vulpina* dicta, *ſpicâ* molliſſimâ 183.
63 *Panicaſtrella* ſpicâ aſperâ 185. *Vineis & hortis.*
64 *Panicaſtrella* ſpicâ è folliculis latis candidis 185.
65 *Luciola* herba, quia *nocte* lucet 185. *Montibus.*
66 *Phœnix* puſilla, *ſpicis* Lolii *puniceis* 185. Muris & tectis,
67 *Perlara* fol. Tritici, jubâ *Milii*, rad. rot. candidis 196. Mont.
68 Herba *Capillaris*, ſpicis parvis ramoſis 186. *Alpium* pratis.
69 Herba *Capillaris*, culmo cubitali, *ſpicis* ex folliculis 186.
70 *Gramini* ſimilis, *floſc.* purp. ſpicatis, major & minor 186.
71 *Arundo craſſa* ad *Vites* ſuſtinendos colitur 186. (Muris.
72 *Arundo* calamis longiſſ. humi ſerpens 186. *Maritimis.*
73 *Juncus* rotund. *lanugine* vice *Seminis* 188.
74 *Juncus* lævis, *floccis* orbiculatis *nigris* 188.
75 *Juncus* magnus ad *Tegetes* contexendas 188. *Agris.*
76 *Phalaris* exilis, 3 aut 4 paniculis 193.
77 *Juncus* folia 3 in cacumine inflexa 195. *Marit.*
78 *Arum* parvum, *baccis* nigris 227. *Monte* Sancti Juliani.
79 *Rubilium* fol. binis anguſtis, fl. purp. 233. *Seget.*
80 *Rubilium* fl. multis Roſeis, *ſiliq.* tenuibus nigris 233. *Sylvis*
81 *Cicercula* fl. purp. *ſem.* albo nigro & vario 234. *Seritur.*
82 *Mochi* vulgò. *Alpibus* ſeritur, ad *pabulum* Brutorum 194.
83 *Aracus* fl. luteo, *ſem.* nigris ſcabris 235. *Seget.*
84 *Cicer* ſylv. *fol.* ternis, *Theriaca* vulgò, ab odore 238. *Collib.*
85 *Melilotus* ſylv. *fol.* ſubhirſutis, *ſiliq.* incurvis 244. *Ædific. vet.*
86 *Glaux* fol. hirſutis, *fl.* ex albo purp 245. *Aſperis marit.*
87 Polygala *Meliloto* ſimilis, *fl.* magno ſingulari pallid. 245. *Mar.*
88 *Tragos* fol. puſillis, *floſc.* in ſummo albicant. 245. *Marit.*
89 *Tragos* fol. *Glauci* latiore, bicubit. altitudinis 245.
90 *Lupinus* ſylv. dicta, 247. *Marit.*
91 *Lupinus* caulic. dodrant. erectis, *fl.* rubente 247. *Aſperis.*
92 *Aſtragalus* fl. ſanguineo, *ſiliquis* corniculatis 247. *Marit.*
93 *Securidica* ſylv. *fl.* albo aut rubente orbic. *ſiliq.* Meliloti 248.
94 *Anthyllis* 1 quibuſdam, *Lentis* fol. *floſc.* luteis aduncis 249.
95 *Onobrychis* fl. rubente, *ſiliq.* Viciæ nigris 249. *Mont. riguis.*
96 *Onobrychis* ſylv. fl. purp. *fol.* latioribus & paucioribus 249.
97 *Sena* fol. latioribus, *ſiliq.* compreſſis falcatis 249. *Agris* ſerit.
98 *Herba* humiſtrata *fol.* hirſutis, *fl.* luteis, *ſiliq.* tumidis 250. Saxoſis.
99 *Lychnis* fol. molli, *fl.* ex puniceo purpuraſcente 253.
100 *Lychnis* exilis, *fl.* Centaurii minoris 253. *Montibus.*
101 *Saxifraga* aphyllos, *ramis* junceis, *fl.* parvo purp. 253. ſaxoſis.
102 *Saxifraga* fol. anguſtiſſ. *fl.* albidis 255. *Pariet. umbroſis.*
103 Saxifraga *Romana*, rad. & fl. albidis 255. *Maritimis.*
104 *Ocymoides* major, *fol.* Ocimi hirſutis 256. *Ruderibus.*
105 *Ocymoides* parva, humiſtrata, *fl.* rubente 256. Saxoſ. aſperis.
106 *Niſeago* ſpicâ racemoſâ 257. *Aridis & maritimis.*
107 *Polemonio* levi ſimilis, *Rapum ſylveſtre* dicta 259. *Arvis.* &c.
108 *Odontides* caule dodrantali recto, *fl.* purp. 259. *Pratis Udis.* (paſſim
109 *Centunculus*, aliis *Centone* & *Morſus Gallinæ* 259. *Ruder.*
110 *Gratia Dei* altior & ramoſior, *fol.* longioribus 265.
111 *Fior Capuccio* fol. & fl. tenuioribus 267. *Segetibus.*
112 *Onagra* 3, folio *Hederæ* ſerrato 268. *Montibus.*
113 *Fumaria* caule longiore, *fol.* rarior. *fl.* candicante 271.
114 *Ferula* mas *fol.* tenuiùs ſciſſis 276.
115 *Ferula* fœmina 276. *Monte* Argentario.
116 *Thapſia* fol. latioribus ſubcandidis 277. *Ilvâ* ſpontè.
117 Panax *Aſclepium*, foliis Fœniculi 279. *Montibus.*
118 Meu *falsò*, fol. capillaceis, *fl.* luteo 280. *Montibus.*
119 *Libanotis* nigra, *fl.* luteo 282. *Montibus & umbroſis.*
120 *Meu* fol. Anethi, *fl.* luteo, *Imperatoria* quidam 283. *Alpib.*
121 *Ammi* ſem. minutiſſimo ſuavi 285. *Ilva.*
122 *Ammi* puſillam 286. *Aſperis*, *Apricis* inter ſaxa.
123 *Daucus* Mont. *folio & umbellâ* Staphylini 286. *Alpibus.*
124 *Daucus* campeſtris *fol.* Fœniculi 287. *Lætis & Agror.* lim.
125 *Caucalis* foliis variè diviſis 287. *Arvis* ubique.
126 *Gingidium* fol. *Staphylini*, fl. albo 289. *Ruder. & Vineis.*
127 *Gingidium* ſem. grandi hiſpido 290. *Collibus aſperis.*
128 *Cicuta* brevior & odoratior 292. *Alpibus.*
129 *Cicutaria* edulis cocta 273. *Collibus, humectis.*
130 *Cicutaria* hirſutior, *ſemine* grandiore 293. *Alpibus.*
131 *Finocchiella* Alpicolis, odore & ſapore *Fœniculi* 293.
132 *Pancaſeolus* flore purpureo 293. *Montibus.*
133 Pyrethrum *Clanarum* Incolæ *Imperatoria* 294. Paluſtribus
134 *Seſeli* Maſſilienſe, *Fœniculum marin.* quibuſdam 294. *Piſæ*
135 *Seſeli* Creticum 295. *Sylvis & Collibus maritimis.* (marit.
136 Seſeli *Æthiopicum*, ſem. nigro odorato 295. *Arenoſis.*
137 *Seſeli* peculiare *fol.* integro 296. *Segetibus.*
138 *Seſeli* parvum *folio* Graminis 296.
139 *Creſcione* & Herba *Canella* vulgo 300. *Aq. ſtagn. & limoſis.*
140 *Creſcione* caule recto, umbellis ſummis ramulis 300.
141 *Siſon* ſem. pàrvis nigris odoratis 301. *Aquis & udis.*
142 *Leviſticum* alterum *fl.* ſubrubentibus 305. *Incultis, ſeud-*
143 *Liguſticum*, Alpibus *Liguria* Imperatoria 306. (uid.
144 *Pſeudoliguſticum* inodorum 306. *Umbroſis.*

145 *Liguſticum* majus, *umbellâ* luteâ 307. *Montibus.*
146 *Angelica* vulgò *Alpicolis*, ſem. moſchato 307.
147 Herba Coſta *vulgò*, flore & ſucco luteis 310. *Montibus.*
148 *Panax Herculeum* vulgò *Panacea* Etruſcis 311. *Alpibus.*
149 Siſer *Germanicum*, foliis *Paſtinacæ*, &c. 314.
150 *Saxifragia* 4. ſem. craſſiore 315.
151 *Rubia* ſylveſtris 323. *Vepribus, Mont. & aridis.*
152 *Rubia* ſylv. caule breviori, *ſem.* nigro 323.
153 *Lappago* quidam lævis 325. *Ubique.*
154 *Crucialis* longè exilior 325. *Montibus.*
155 *Crucialis* in *maritimis* minima 325. (*Montibus.*
156 *Herba* quædam dodrantalis, *fol.* binis anguſtis, *&c.* 326.
157 *Fruticulus* in Collib. ſaxoſis, *&c. fr.* rotundo compreſſo 326.
158 *Herba ſtella* edulis cruda, *foliis* Gramineis 330. *Montibus ſaxoſis.* (*ficiis.*
159 *Herba ſtella* altera lanuginoſa, *Serpentina* quidam 330. *Ædi-*
160 *Antirrhinon* alterum exilius, *Parietibus* frequens 335.
161 *Auricula Muris* altera, in *Parietibus* 335.
162 *Phyllon* alterum humilius, *folio* exiliore 337.
163 *Pyrola* fl. albo 338. *Alpibus.*
164 *Pyrola* ſol. *Bætæ* carnoſo, *caule* foliato 338. *Aquoſis.*
165 *Circeæ* ſimilis, *fol.* ſubhirſutis criſpis 339. *Montibus.*
166 *Euphraſia* altera ramoſa, *fol.* majuſculis 339. *Liguriæ* Alp.
167 *Euphraſia* ſol. purp. ex latitudine criſtata 340. *Montibus cultis*, &c.
168 *Criſta* altera, *fol.* anguſtiſſ. *fl.* aureo 341. *Ericetis.*
169 *Criſta* ſimplici *caule* dodrantali 341. *c.* 37.
170 *Criſta* ramis rectis, cubitali altit. 341. *Pratis.*
171 *Criſta* quædam in *Alpibus*, folio *Filicis* 342. c. 38.
172 *Orobanche* vulgò *Cauda Leonis*, fl. albicante 342.
173 *Orobanche* ramoſa, *fl.* purpuraſcentibus 342.
174 *Verbaſcum* 7. fol. latis ſubrot. *fl.* luteo 347. *Montibus.*
175 *Verbaſcum* 9. fol. anguſto ſinuato virenti, *fl.* aureo 347. *Ruder. paſſim.* (*paſſim.*
176 *Galeobdolon* & *Urtica* mortua, *Verbaſci* fructu 349. *Ruder.*
177 *Scrophularia* ſol. purpuraſcente 349. *Alpibus* riguis.
178 *Scrophulariæ* ſimilis minor, *fol.* Rutæ ſimilis 350.
179 *Linaria* parva, *fol.* brevibus ſubhirſutis, *fl.* purp. 350. *Vineis.*
180 *Os Leonis* ſol. brevibus ſubhirſutis, *fl.* pallido 351. *Scopulis præruptis.*
181 *Os Leonis* fl. brevi cæruleo, *capit.* rotundioribus 351.
182 *Braſſica* ſylv. ingrata, *fol.* è cand. purpureo 352. *Ilvæ* ſcopulis, *&c.*
183 *Sinapi* 3 Ruca *vulgò*, ſol. *Erucæ* ſcabro 359. *Hortis.*
184 *Eruca* altera fruticoſa, *fl.* luteo 360.
185 *Eruca* fol. hirſuto, *fl.* albo 360. *Parietariis & maceriis.*
186 Herba *Sancti Alberti*, fol. laciniato, *fl.* luteo 361.
187 *Accipitrina* alter. *fol.* craſſus diviſis, *fl.* candido 361. *Incultis.*
188 *Herba* quædam, *caule* ſimplici, *fol.* ſerrato, *fl.* albo 361. *Aſperis*, &c.
189 *Siſymbrium* caule & ſol. ſubrubentibus 362. *Aq. riguis.*
190 *Siſymbrium* fruticoſior, *fol.* Erucæ laciniato 362. *Priore.*
191 *Herbula* humilis *Burſa Paſtor.* affinis, *Thymi* fol. rot. 366.
192 *Thlaſpi* fol. *Iberidis*, fl. albo 366. c. 76. (*Viis.*
193 *Thlaſpi* fl. luteo *fr.* lato valde depreſſo 366. *Monte* Sancti Juliani. (ore.
194 Thlaſpi *Cretic.* fol. *Lini*, fl. ſubrubente 367. *Aſperis*, pri-
195 *Thlaſpi* magnum, *Rafanus montanus* vulgò. 367. *Hortis & Montibus.*
196 *Dorella* vulgò, fol. *Thlaſpi* nigri, *fl.* candicante. 367.
197 *Heſperis* fl. albo ſ. purp. nocte olens 368. *Montibus.*
198 *Heſperis* puſilla, *fl.* purpureo 369. *Gracilibus.*
199 *Heſperis* fol. & capite rotundis, *fl.* luteo 369. *Montibus.*
200 Lunaria *Græca* 2. inodora, *fol.* Urticæ 369.
201 Lunaria *Græca* 3. fol. Verbaſci, *fl.* luteo, *ſiliq.* ſurſis 369.
202 Lun. *Græca* 4. fruticoſior, *fol.* Thymi, *fl.* luteo 369. *Mon-*
203 *Ruta ſylv.* Armell *Offic.* fl. albo 371. (*tacuto.*
204 Ruta 2. humilior, *Cicuta Athenienſium* quidam 371.
205 *Thalictbron*, vulgò *Verdemarcum* 372. Agger. agrorum. *&c.*
206 *Chamacias* fol. *Oleæ* ſubhirſuto, *fl.* ſubrubente 373. *Marit. aſperis.* (*Montibus.*
207 *Cham.* fol. *Oleæ*, ramis rubent. paucioribus & brevior. 373.
208 *Tithymalus* paluſtris 274. *Piſæ* paludibus *frequens.*
209 Eſula *Offic.* ſol. *Lini*, comâ ſubrubente 374. *Campeſtribus.*
210 *Eſula* maj. *fol.* longior. & rarioribus 374. *Humidis.*
211 *Eſula* 3, l. candida, *fol.* anguſtis 374. *Montoſis.*
212 *Alypum* ſol. *Thymi*, fr. aſpero 375. *Petroſis marit.*
213 Tithymalus *Myrſinites* anguſtioribus foliis 376. *Montibus.*
214 Tithymalus *Arboreſcens* 376. *Scopulis & præruptis.*
215 *Tithymal.* latiſ. alter, *fol.* & *fl.* hirſutis 377. *Ad Fluvias paſſim.*
216 *Cataputia* admodum puſilla, 4 digitorum 378. *Aſperis.*
217 *Scamonia* major ſol. *Hederæ* anguloſis 383. *Hortis.*
218 *Convolvul.* humiſparſus, *fl.* purp. 385. *Collibus aſper. marit.*
219 *Phyteuma* alter, *Archangelicæ* foliis minoribus 386.
220 *Erinos* fol. anguloſis, *flore* albido ſ. purp. *Rapunculi* 386. *Ædific. riguis.*
221 *Seſamoides* alter, *caule* unico 388. *Arenoſis.* (*aridis.*
222 *Seſamoides* 3. fol. brevib. paucis appendicibus 388. *Glareoſ.*
223 *Cyclamen* vulgò *Pamporinus* 392. *Montibus umbroſis.*
224 *Cyclamen* Vernum, rad. *Avellanis* magnit. 392. *Montibus* Sancti Juliani.
225 *Violà* lutea, gracilioribus foliis 393. *Montibus.*
226 *Coris* fol. anguſtiſſ. *fl. & fr. Hyperici* 396. *Montibus.*
227 *Coridi* ſimilis, *fl.* ab uno latere luteis 396. *Marit.* aſperis.
228 *Chironiæ* caule ſimpl. erecto, *fol.* maj. hirſutis 397. *Sabuloſis.*
229 *Chironia* flore candido majori 397. *Collibus* Urbevetan.
230 *Cepa* dulciſſima, *Nucis* magnitudinis 400. *Agro* Piſtorienſi.
231 *Cepa* lanata, habens *lanam* ſub primis tunicis 400. *Littoribus.*
232 *Bulbus ſylv.* quidam *Hyacinthus ſylv.* fl. cærul. 40. *Campis.*
233 Cepa *Canina*, fl. candicante 402. *Pratis paluſtribus.*
234 *Hyacinthus* alter exiguus, *fl.* diſſecto 403. *Sylvis.*
235 *Scilla* radice nigra 403. *Montoſis* marit.
236 Moly *Homericum* ſoboliferum, *fl.* candido 404. *Montibus.*
237 *Ornithogalum* luteum 1. ſeu majus 405. *Montibus.*
238 *Ornithogalum* luteum alterum breve ſ. dodrans 405. *Mont.*
239 *Ampelopraſſum* ſobolif. *fl.* albo pendente 407. *Collibus.*
240 *Allium* ſylveſtre, *fl.* rubente 409. *Arvis & Vineis.*
241 Allium *Urſinum* alterum, anguſtiore fol. 409. *Sylvis.*
242 *Colchicum* candicans, *fol.* anguſtiore 410. *Campis* &c.
243 *Colchicum* candicans, *fol.* latiori 410. *Montibus.*
244 *Crocus* alter, *fl.* albo ſ. purp. 411. Agro *Piſano*, ſegetibus.
245 *Lonchitis* fl. luteo, *Tulipæ* ſpecies 412. *Apenn.* Bargenſ.
246 *Narciſſus* aq. *fl.* candido, fine medio acetabulo 414. *Hu-*
247 *Aſphodelus* caule nudo ſimplici 415. *Alpibus.* (*meſtis.*
248 *Aſphodelus* caule nudo ramoſo 415. *Maritimis.*
249 *Aſphodelus* parvus, caule cubitali ſimplici 416.
250 *Aſphodelus* parvus, caule nudo ramoſo 416. *Aſperis.*
251 *Iris* puſilla purp. *rad.* odorata 421. ſequente
252 *Iris* puſilla pallida, *rad.* inodora 421. *Saxoſis ſterilibus.*
253 *Satyrium* linguâ latâ deorſum flexâ 428.
254 *Satyrium* bifurcata purp. 429. *Urbevetano.* (*Mont.*
255 Sigillum *Sanctæ Mariæ*, fl. 3 ſ. 4 in cacumine candidis 431.
256 Sigillum *S. M.* alter. flore cand. purp. 431.
257 Sigillum *S. M.* 3. *fl.* & *rad.* candidis 431. *Collib. marit.*
258 *Bugloſſa* quaſi *Lingua Bovina* 432. Sabuloſis.
259 *Anchuſa* altera, fol. anguſtiore 435. *Sabuloſis.*
260 *Echion* fl. è candido rubente 436. *Semitis & Aridis.*
261 *Lithoſpermum* caul. ſimplic. junceis 437.
262 *Cynogloſſa* latiore *fol.* ſpeciolo flore 440. Montibus.
263 *Salvia* niger 441.
264 *Salvia* 2 ſeu *Herba alba* 441. *Saxor. crepid.* apud *Seravallem.*
265 *Melinum* fl. ex candido palleſcente 443. *Apenninis.*
266 *Melinum* alter, brevior & fruticoſior, 443. *Gracilibus.*
267 *Betonica* odore magis gravi 444. *Montibus.*
268 *Horminum* ſylv. *Meliſſæ* folio 448. Aſperis & ſaxoſis.
269 *Horminum* ſativo ſimilis, folliculis *Otymi* 449. *Valle* prope *Piſas.*
270 *Milzadella* maculâ per medium folii 449. *Ruderibus.*
271 *Leucas* anguſtioribus *foliis* quaſi *Mercurialis* 450.
272 *Leucas* exigua 450. *Ruderibus & locis aſperis.*
273 *Sideritis* Heraclea 451. *Incultis & ſabuloſis.*
274 *Sideritis* altior ac viridior, *fl.* ſubluteis 452.
275 *Sideritis* fol. anguſtiore, *fl.* purpureo 452. *Vineis.*
276 *Sideritis* fol. anguſtiore, fl. albicante 452. *Vineis.*
277 *Prunella* hirſutior & brevior, fl. candido 453. *Aſperis & ſaxoſis.* (*troſis.*
278 *Prunella* alia exilioribus ramulis, fol. anguſtiore 453. *Pe-*
279 *Teucrium* alterum ramoſius, *fol.* denſius ſerratis 455. *Montibus.*
280 *Scordium* ampliore folio *Mentaſtri* 456. *Planis.*
281 *Polium* Mont. *flor.* candidis. 457. *Collibus incultis ſaxoſis.*
282 *Polium* ramis paucioribus. *fol.* ſubrot. non denticulatis 458. *Montibus.* *peris & Montibus.*
283 *Polium* exilius, *fol.* Roriſmarini infernè candidis 458. *Aſ-*
284 *Roſmarinum* ſylv. *Oleæ* folio, *fl.* grandiore 458. *Ilvæ* ſaxoſis.
285 Thymum *Italicum*, fol. *Satureiæ* 461. Monte Sancti Juliani, *&c.*
286 *Origanum* capit. magis ſparſis tenuioribus & longior. 463.
287 *Scaſapepe* vulgò & *Moncepepe* 464. Olitoribus *notiſſima.*
288 *Pepolina* vulgò, aliis *Piperella* 466. Saxoſis littoribus, *&c.*
289 *Mentha* aq. odorata, *fol.* rotundo, *cibis* grata 453. *Aquoſis.*
290 *Mentaſtrum* fol. oblongo lanuginoſo 473. *Incultis* paſſim.
291 *Abſinthium* alterum brevius, paucioribus ramis 476. *Agro* Senenſi.
292 *Achillea* fol. *Abrotani* vulg. *fl.* albicante 481. *Mont. cultis.*
293 *Millefolium* puſillum, *fol.* digitalibus *Ammi* ſimilibus 482.
294 *Chryſocome* fol. *Heliochryſi* rarioribus, *cap.* ſquamoſo 485. *Piſæ* mœniis.
295 *Chryſocome* tenui ſolo & ſaxoſo *naſcens* 485.
296 *Chryſocome* pluribus *capitulis* in unum aggregatis 485. *Mont.*

307 *Chryſocome* latioribus *fol.* hirſut. pluribus veluti *umbellis* ſparſis 485. *Planis.* (*Montibus.*
308 *Herba impia* alia tenuior. ac ſimplicioribus *corymbis* 486.
309 *Arctium* lanugine *Eupatorio* ſimile 488. *Maceriis & Pariet.*
310 *Cacalia* fol. *Tuſſilaginis* ſubtus candidis 489. *Alpibus.*
311 *Chamæmelum* vulgò *Chamomilla* 491. *Arvis* frequens.
312 *Cota* vulgò *Oculum vaccæ* quidam 492. *Ruderibus* paſſim.
313 *Chryſanthemum* ſimilis *Cotulæ* fol. & caulibus 494. *Ruderibus*
314 *Chryſanthemum* paucior. *ramis*, candidiorc *folio* 494. *Arvis.*
315 Calendula ſylv. minor, fl. magis pallido 495.
316 *Aſteriſcus* ſimpl. *caule* dodrantali, *fol.* duris 499. *Alpibus.*
317 *Eadem* fl. cæruleo 496. *Alpibus.*
318 *Aſteriſcus* ramoſa altior, cap. & fl. minoribus luteis 496. *Ruderibus.*
319 *Incenſaria* vulgò *radice* odorata 496. *Montoſ. aridis & incult.*
320 *Incenſaria* altera tenuiore *fol.* rad. *alba* inodora 496. *Priore.*
321 *Doronicum* fol. ab radice *Tuſſilaginis* pedic. longis 497. *Al-*
322 *Cineraria* vulgò 500. *Maritimis aſperis* frequens. (*pibus.*
323 *Jacobea* folio *Erucæ* laciniato 500.
324 Jacobea *Raphani* folio, ſed minus hirſuta 500.
325 *Anthyllis* quædam, *fol.* Lini aſperis, fl. Tripolii 500. *Montibus.* (*Sylvis.*
326 *Virga aurea* fol. *Laurinis* ſerratis, fl. Conyzæ major. 503.
327 *Virga aurea* caule ſingulari, fl. in umbellis 503. *Alpeſtribus.*
328 Cichorium *Romanum*, longiore folio 506.
329 *Aphaca* anguſtiore folio 508.
330 *Chondrilla* 2 *fol.* hirſutis, *rad.* rotundis ſubflavis 509.
331 *Chondrilla* quædam, *Collibus*, *Vineis* & *Ædificiis* vetuſtis 510.
332 *Eadem* ramis tuberculis nigris 510. *Priore.*
333 *Amarago* caule unico, cui in medio 3 ſunt *fol.* rot. 510. *Montibus.* (*Sylvis.*
334 *Amarago* altera, *caulibus* multis nudis 510. *Montibus &*
335 *Endivia* ſylv. fl. luteo ex alis foliorum 511. *Hortis incultis*, &c.
336 *Sonchus* criſpiore folio 512. *Collibus umbroſis & ſylvis.*
337 *Sonchus* caule bicubitali cavo, *fol.* majoribus 512. *Mont.*
338 *Hieracium* magnum, fol. *Sonchi* ſubhirſuto 512. *Ædificiis.*
339 *Hieracium* quædam in ruderibus, *fol.* nigricante 512. *c.* 13.
340 *Terracrepolus* vulgò, *Olus* ſylveſtre 513. *Collibus ſaxoſis & Ædificiis.* (*pideis.*
341 *Terracrepolus* quædam, *rad.* Fabaceis 413. c. 15. *Aſperis la-*
342 *Gineſtrella* fl. *Terracrepolæ* minore 513. *Vinear. ſuperciliis.*
343 *Gineſtrella* minima, *foliis* Gramineis 514. *Montibus ſaxoſ.*
344 *Piloſella* altera *caule* folioſo 514. *Collibus gracili ſolo.*
345 *Lactuca* ſylv. *Scariola* & *Serralia* dicta 516. *Agror. limit. & humid.*
346 *Lactuca* mont. *fol.* brevibus non ſciſſis *&c.* 516. *Alpibus.*
347 *Lactariola* vulgò, folio maculoſo ſubhirſuto 517. *Sylvis.*
348 *Lactariola* alia, *Sopragine* vulgò, grandior & ramoſior 517. *Arvis.* (*renoſis.*
349 *Crithmum* ſylv. fol. & umbellis ſpinoſis 522. *Maritimis a-*
350 *Carduus* ſativus, *Carcioſſus* vulgò 424. *Hortis* Cibi gratia.
351 *Carlina* vulgò 527. *Alpibus* freq. in *Pratis* Apenninis.
352 *Carlina* altera, *Alpibus* Piſtor. *ac* Lucenſibus 529.
353 Spina *Arabica* 530. c. 41. *Montibus & locis gracilibus.*
354 *Acanthion* 530. Sylveſtribus & *torrentium* alveis. (*Agris.*
355 *Acanthion* maj. & nigrior omnibus *Eriocephalo* ſimilis 531.
356 *Cirſium* Agro Piſano *uliginoſis* ad rad. *Mont.* S. Juliani 551.
357 *Cirſium* alterum fol. latior. & brevioribus 531. *Sylvis.*
358 Circium 3 *Stoppione* vulgò aculeis durior. 531. *Arvis* paſſim.
359 *Acorna* fl. aureo patulo 532. *Collibus aſperis & Campis.*
360 *Senecio* altior & major, *fl.* aureo 537. *Montibus.*
361 *Papaver Spumeum*, fol. *Papaver. Rheados* 539. Incultis & Marit. (*Saxoſis.*
362 *Papaver Spumeum*, caule erecto, fol. tenuiſſimè ſciſſis 540.
363 *Centaurea* major *Serratulæ* folio 440. *Monte* Gargano.
364 *Scabioſa* folio integro 541. *Arvis.*
365 *Ranunculus* lævi ac molli folio 544. Circa *Piſcinas.*
366 *Ranunculus* lanuginoſus *Malvæ* folio 544. *Incultis, pratis.*
367 *Ranunculus* hirſuto ſemine fol. ſubrotundis 544. *Arvis & Cultis.*
368 *Ranunculus* hirſ. ſem. fol. *Apii* tenuioris 544. *Priore.*
369 *Ranunculus* aq. fol. parum ſciſſis, *fl.* albo 544. *Aquoſis.*
370 *Ranunculus* humiſerpens, *Apii* paluſt. fol. non acris 545. *Aq. foveis.*
371 *Ranunculus* inſectus, fol. *Plantag.* anguſtiore 546. *Humidis.*
372 *Ranunculus* inſectus folio *Tritici* 546. Humidis.
373 *Ranunculus* mont. fol. *rotundo* lanuginoſo 546. *Montibus.*
374 *Ranunculus* mont. 3 folio *minus* ſciſſo, fl. candido 546. *Montibus.*
375 *Chamæmelum* Eranthemon fl. rubicundo 546. Inter *Segetes.*
376 *Trinitas* aliis *Tora* fol. ſubrot. fl. cærul. *ſeu* rubro 457. *Sequente.*
377 *Eadem* fl. candido maculoſo 547. *Montibus & Opacis.*
378 *Anemone* trifoliata 548. *Monte* S. Juliani & Collibus *Maritimis.*
379 *Pulſatilla* fol. *Cicutæ*, fl. purpureo 550. *Montoſis* & Sylvis.
380 *Gariofilata* fol. rotundo, fl. grandi, *purp.* ſ. luteo 550. Montoſis.
381 *Oenanthe* ſimilis *Filipendulæ*, fol. *Agrimoniæ* 551. Montibus.
382 *Fragaria* bis in anno fruticans 554. *Alpibus* Bargeis.
383 *Heptaphyllon* caule recto cubitali 555. *Aſperis.*
384 *Heptaphyllon* alter. humile, palmi altit. fl. candidis 556.
385 *Tormentilla* altera fol. ſubtus candidis 556.
386 *Pes Columbinus* vulgò & *Geranium roſtrum* 558. *Ruderibus.*
387 *Pes Columbinus* fl. amplo *Leucoii* ſubrubente 559. Sylvis.
388 *Pes Columbinus* fol. rot. diviſa in multas partes 559. *Sylvis.*
389 *Balſaminum* vulgò fl. ex purp. cæruleis, *roſtris* prælongis 559. *Sylvis.*
390 *Rubertiana* brevior ac minus rubens, fol. viridibus 55,.
391 *Linum* ſylv. brevius, fl. luteo, *capite* exiguo 563.
392 *Harmel* alia, fol. *Nigellæ*, cap. tripartito 573.
393 *Rhododendron* Herbaceum & puſillum, fl. albo 576. *Alpibus.*
394 *Cepæa* altera fol. brevibus denſis 578. *Montibus.*
395 *Cepæa* 4*or* digit. altit. fol. modicè anguloſis 579. *Pariet. opacis.*
396 *Cepæa* ramoſior, fl. candicante, fr. ſtellato 579. *Priore.*
397 Umbilicus *Veneris* grandior, fol. latiore hyemalis 579.
398 *Napellus* alter fol. *Platani*, fl. pallidis 585. *Alpibus.*
399 *Dentaria* maj. fl. albo, *ſiliq.* ſimplicibus 585. *Montibus &* Sylvis. (*clivis.*
400 *Dentaria* min. *ſobolifera*, fl. purp. *ſiliq.* exilibus 586. *De-*
401 *Dentaria* altera brevior non ſobolifera 586.
402 *Vulparia* fol. *Napelli*, fl. Ranunculi 587. *Alpibus.*
403 *Vulparia* fol. rot. ſerrato, fl. minore 587. *Humectis* Alpium.
404 *Vulparia* quædam fol. tenuiſſimis, fl. pallidis 587. *Alp.* Li-
405 *Filix* in paluſtribus *Piſanis* arenoſis 593. (guriæ.
406 *Filix* parva, foliolis nequaquam ſerratis 593. *Montibus umbroſis.*
407 *Filix* parva, fol. tenuiſſimè denticulatis 593. *Mont. umbr.*
408 *Hemionitis* 595. Vetuſtis Ædificiis, umbroſis & humectis.
409 *Ceterach.* fol. dodrantali ramoſo hirſutiori 596. *Ilvæ* ſaxoſ.
410 *Adiantum* nigrum paucioribus ramis 597. *Montibus.*
411 *Adiantum* alterum fol. Digiti longit. Pollicis latit. 598. *Liguriæ* Montibus. (598. *Sepibus.*
412 *Equiſetum* ſcandens. longiſſ. caule, fol. nullis aut paucis
413 *Equiſeto* ſimilis, capillaribus *foliis* numeroſiſſimis 600. *Fluviis* ferè ſtagnantibus.
414 *Fegatella* ſ. *Lichen* parva & inutilis 601. *Umbroſis.*
415 *Muſcus* fol. *Cupreſſi* ſed compreſſis 603. *Mont. umbroſis.*
416 *Muſcus* longiſſimus ex *Robore* antiqua aut *Abiete* pendens
417 *Muſci* marini *variæ ſpecies* 603. cap. 24. (603.
418 Roſa *marina* fol. rotundis, crebris foraminibus 608.
419 Burſa *marina* rotunda viridis 608. c. 29.
420 *Spuma* Maris, *globus* lævis ex *ampullis* conſtans 608.
421 *Spuma* Maris, fol. auriculatis mollibus 608.
422 *Corallina* fruticoſa, *cortice* rubro, *ramul.* tortuoſis 611.
423 *Corallina* frutic. *cort.* albo, *ramulis* erectis punctatis 611.
424 *Eadem* ramulis veluti denticulatis 611.
425 *Eadem* 4. lanugine nigric. aut cinerea, capillis in extremis granuloſis 611. *Hæ omnes Teſtis ſ. Scopulis marit. adhærent.*
426 Fungus *maritus* minimus 619. c. 48. Lapillis *mare* naſcitur.
427 *Thlaſpi* ſaxatile, foliis rubris. *Mentzel.* pugillo. *Saxis.*
428 Viola *Cruciata* marina *id.* Littoribus.
429 *Viola* lutea marina *id.* Littoribus.
430 *Thymbra* ſpinoſa *id.* Monte *Juliano.*
431 *Acetoſa* mont. *Mali Limon.* fol. *flagel.* ramoſis *Boc.* Muſ. 164. Alp. S. *Benedict.* (*Montibus Etruriæ.*
432 *Acetoſa* mont. fol. undulato, *flag.* non ramoſis id. 164.
433 *Sonchus* pyramidalis *Boc.* Muſ. p. 41. T. 31.
434 *Tragopogon* parvum, ex luteo purpuraſcens CB. *Etrur.* freq. (M ſ. 18. Etrur.
435 *Aſter* mont. ſaxat. lut. anguſto &c. *Plantaginis* fol. *Boc.*
436 *Virga aurea* mont. minor *Bocc.* Muſ. 169. f. 118. *Montibus.*
437 *Cyanus* mont. *caule* folioſo, *cap.* oblongo *Boc.* M. 20. f. 2.
438 Malva *Betonicæ* folio Boc. 15. fig. *Pratis.* (*Montibus.*
439 *Rubeola* Alp. ſaxat. tenuifolia *Boc.* Muſ. 145. T. 101. *Mont.*
440 *Rubia* lævis *Lini folio*, fl. albis M. *Virginis* B.M. 83. T. 75. Montibus. (ſylvoſis.
441 Pulmonaria *Alp.* anguſto folio *Italica* B.M. T. 86. *Mont.*
442 *Pulmonaria* mitis *Fragariæ* odore B. M. T. 105. Montibus.
443 *Digitalis* anguſto *Verbaſci* folio *montana* B.M. 108. T. 85.
444 *Naſturtium* mont. *Aſari* foliis Boc. 5. *Aquoſis* M. Bargæ.
445 *Thlaſpilinium* erect. fl. albo, turbinato utriculo B. M. 78. T. 69. *Montibus.*

Plantæ Monte *Paniæ* Etruriæ *&c.* E Boccone, & Rayo.

446 *Chamæleon* Alp. *Sonchi* ſpin. fol. lucido, rad. nigra R. 3. p.
447 *Helleborus* minimus *Alp.* Aſtrantiæ flore. *R.* 475. 3. (200. 22.
448 *Nepeta* tuberoſa ſpicata purp. *Ray* Vol. 3. p. 295. 7.
449 *Nepeta* ſaxatilis *cærul.* minima id. 9.
450 *Sideritis* mont. præalta &c. fl. rubello R. 307. 17.

441 *Braſſica* ſylv. albido *fl.* nutante *ſiliquâ* R. 410. 3.
442 *Turritis* fol. caulem ambientibus, *polyceration* R. id. 7.
443 *Lyſimachia* ſiliquoſa *Alp.* erecta, *Alſines* foliis R. 426. 18.
444 *Tithymalus* dulcis, tuberoſa radice R. 431. 54.
445 Plantæ Montibus *Appenninis* à Mentzelio, Raio,
446 *Adonis* fl. luteo *Mentzel.* Pugillo. (&c.
447 *Alſine* muſcoſa *id.* Saxoſis *Montibus.*
448 *Anagallis* fol. *acutis* oblongis, *fl.* luteo *id.*
449 *Anemone* trifolia, *fol.* integris *id.*
450 *Aquilegia* fol. Thalictri, *fl.* minutiſſimis albis *id.* Petroſis.
451 *Biſtorta* minima, *ſpicâ* proliferâ *id.* Pratis *Mont.*
452 *Cerinthe* fol. *&* flor. *tenuioribus* anguſtis *purp.* luteis *id.*
453 *Draba* ſaxatilis minor. *id.* (biſſ. *id.*
454 *Helianthemum* ſaxat. caule & fol. incanis oblongis, *fl.* al-
455 *Orchis* fol. & flor. ex toto luteis *id.*
456 *Tragorchis* purp. *barbulis* longioribus *id.*
457 Pentaphyllum *Fragiferum* repens, fl. luteo *id.* Jugis.
458 *Pentaphyllum* fl. albo 3 *unciar.* altit. *id.* Petris.
459 *Pimpinella* Agrimonoides *id.* à *Columna* differt.
460 *Polygala* lutea maj. pedis altitudinis *id.*
461 *Polygala* lutea minor, 3 *uncias* longa *id.*
462 *Polygala* fruteſc. *fol.* piloſis *&* glabris *id.*
463 *Polygala* frut. *fol.* Myrthi, *fl.* variis *id.*
464 *Polygala* frut. *fol.* tenuibus, *fl.* alb. purp. *id.*
465 *Polypodium* ſaxat. maj. *fol.* parum ſerratis & aſperis *id.*
466 *Ranunculus* nem. *fl.* pleno albo & purp. major. *id.*
467 *Ranunculus* nem. *fl.* cæruleo *fol.* major. & minoribus *id.*
468 *Ranunculus* dulcis *fol.* latis, Rapiſtri perfoliatis, *fl.* albo *id.*
469 *Saxifragia* alba ſaxatilis, puſilla *id.*
470 *Thlaſpi* repens, *fol.* Serpylli incanis, *fl.* luteo *id.*
471 *Thlaſpi* repens, fol. *Serpylli* incanis, *fl.* albo *id.*
472 Trifolium *Lupulinum* ſaxatile unciale *id.*
473 Trifolium *Lupul.* fl. *albo* oblongo *id.*
474 Trifolium *Veſicarium*, ſaxatile puſillum *id.*
475 *Barba Hirci* minor, *fol.* albo *Cam.* Hort. 27. *Jugis* Apen.
476 Plantæ *Euganeis* Montibus, è *Mentzelio* &c.
477 *Alſine* media, fol. *Solani* acutis, *fl.* umbellatis *Mentz.*
478 *Ranunculus* nem. *Stigmatoides* quibuſdam *id.* (423. 30.
479 *Veronica* frut. durior, oblongo *Chamedryos* folio R. 3. P.
480 *Nigella* flore magno, *Monitis* Ruah *Mentz.* pugillo.
481 *Caryophyllus* arvenſis glaber minimus C.B. pr. 105. xi. fig.
482 *Bellis* mont. major, *folio* acuto C.B. pr. 121. 3. fig.
483 *Centaurium* minus ſpicatum album C.B. *pr.* 130. fig.
484 Trifolium *Cochleatum* fol. minuto obtuſo, *fl.* latiore C.B. pr. 140. 9. (287. &c.
485 *Plantæ* circa *Florentiam.* vide *aliæ* Ray *Sylloge*
486 *Fragaria* ſterilis *major* & minor *Mentz.*
487 *Fragaria* fl. *pleno id.*
488 *Fragaria* fl. *pleno*, fructu *Botryoide* id. (30. *Muris.*
489 *Convolvulus* minimus, anguſto auriculato folio R. 3. 373.
490 *Lychnis* ſylv. minima, *fl.* exiguo C.B. pr. 103. *Agror.* marg.
491 *Plantæ* Agris & Littoribus *Liburni.*
492 *Alga* ſpiralis maritima *Bocc.* 69. Fig.
493 *Muſcus* ruberrimus marinus *Mentz.* pug. (xi. *Seget.*
494 Vicia *Lathyroides* minor, *fol.* longis &c. *fl.* binis R. 3. 449.
495 *Herniaria* hirſuta C.B. *Arenoſis.*
496 *Cichoreum* prat. Veſicarium *Col.* Sepibus.
497 *Chryſanthemum* tenuifolium Bœticum *Boëlii.*
498 *Sideritis* fol. anguſtiſſimo, *caule* rubro R. *Sylloge* 237. Marit.
499 *Medica* doliata ſpinoſa polycarpos *Park.*
500 *Lathyrus* fl. ex albo & coccineo *Ray.* Satis, *Flor.* Aprili.
501 *Trifolium* album rectum hirſutum valde I.B.
502 Trifolium *Fragiferum*, fl. nitidis *rubellis* Ray.
503 *Bulbus* fol. *Gramineo* hirſuto &c. *Ray* Syll. 269. *deſcr.*
504 *Hyacinthus* paluſtr. vernus *fl.* alb. fimbriatis id. 268. *Foſſis.*
505 *Iris* humilis latif. *fl.* violaceo I.B. *Rupibus.*
506 *Iris* pumila latif. *fl.* luteo R. *Syll.* 268.
507 *Orchis* macrophylla *Col.*
508 *Limonium* parvum Narb. *fl.* majore *R. H.* Pl. 395. 2.
509 Vide *plura* in *Ray* Sylloge p. 268. & 285. 6. *&c.*
510 Plantæ *Montanæ* prope *Lucam* Ray Sylloge 267.
511 *Heſperis* ſylv, latif. *fl.* albo parvo *Park.*
512 *Thlaſpi* folio Sonchi lanati *Ray* Syll.
513 *Thlaſpi* fl. albo monoſpermos *Ray* Syll.
514 *Alſine* Myoſotis *flore* maximo *Ray.* Fl. *Mart. & Apr.*
515 *Sedum* minus *ſem.* ſtellato *Ray* Rupibus & agger. Sepium.
516 Guaicum *Patavinum* ejve ſimilis *Frutex.* R. Syll.
517 Acetoſa *Alp.* minima, fol. *Aſari* Ambroſ. Ray 3. p. 115.
518 *Hieracium* Dentis Leonis *fol.* acuto, glabrum &c. id. 143. 67. *Muris.*
519 *Pentaphylloides* trifol. *Alpin.* fl. Chameciſti R. 326. 5.
520 Roſa *Alpina* ſupina ſpinoſiſſima R. *Dendr.* 25.
Vide aliæ *Plantæ Lucenſes* Ray Sylloge 267 &c.
521 Plantæ *Piſanæ.*
522 *Aconitum* ſaxat. rotundifolium *Mentzel.* pugil.
523 *Anchuſa* parva, *fol.* piloſ. incanis, fl. parvis *Bugloſſæ* id.
524 *Eſula* minor frut. *ſpinis* longis horridis *id.*
525 *Jacobea* mont. max. *fol.* incan. integris 6 ped. alt. *id.*
526 Fluviatilis *Piſana* fol. dentatis I. B. Ray 121.
527 *Thymus* repens *Piſanus* I. B.
528 Plantæ *Inſula Elbæ* Naſcentes.
529 *Corallina* nigra *Chamæ-conchis* innata *Mentzel.*
530 *Echium.* max. fol. *Bugloſſæ*, fl. magnis. *id.*
531 Gramen *Ægylops* umbell. maximum, 5 ulnæ altit. *id.*
532 Linaria *marit.* fl. luteis, rubris, purp. *id.*
533 *Muſcus* ruberrimus marinus *id.*
534 *Serpillum* erect. frut. *fl.* in ſpicâ multifidâ digeſtis *id.*
535 Thlaſpi *marit.* fol. oblongis ſtrictiſſimis, *fl.* albis *id.*
536 *Tithymalus* pediculis *florum* longiſſimis *id.*
537 *Hemionitis* altera *Dalech.* Lugd. 1218. Fig.
538 *Lonchitis* aſpera *Ilvenſis* Lugd. Lugd. 1221. Fig.
539 Polypodium *Ilvenſe* Lugd. 174. Fig.

PLantæ Aquis, Humidis, Ripis, Udis, *&c.* N°. 13, 5
24, 7, 108, 29, 39, 40, 1, 2, 64, 77, 80, 90, 210, 5, 20,
46, 89, 335, 44, 55, 9 & 62, 93, 403.
Paluſtribus 133, 208, 33, 395.
Maritimis 2, 16, 8, 36, 9, 48, 50, 2, 72, 7, 86, 7, 8,
90, 2, 103, 6, 34, 5, 55, 206, 12, 8, 27, 31, 5, 48, 57,
88, 312, 39, 51, 68, 407, & 16, 8, 9, 92, 3, 8, 529, 32, 3, 5.
Aſperis, Petris, Saxoſis, Scopulis, &c. 6, 38, 9, 44, 54, 86, 91,
8, 101, 5, 22, 58, 80, 2, 8, 94, 206, 12, 12, 4, 6, 8, 27, 50, 2, 64, 8,
72, 7, 8, 81, 3, 4, 8, 95, 330, 1, 3, 49, 52, 73, 90, 9, 417, 31, 3, 50, 8.
Collibus, Montibus, &c. 11, 4, 9, 20, 3, 7, 8, 30, 4, 7,
44, 58, 65, 78, 82, 4, 95, 100, 12, 5, 7, 8, 9, 20, 3, 7, 8,
9, 30, 2, 43, 5 & 8, 51, 4, 7, 63, 5, 6, 7, 71, 4, 7, 93, 5,
7, 9, 202, 7, 11, 3, 8, 23 & 6, 35, & 9, 43, 5, 7, 55, 7,
62, 5, 7, 79, 81, 2, 3, 4, 96, 8, 300, 6, 7, 9, 10, 1, 5, 7, 21,
& 4, 6, 7, 30, 3, 4, 6, 41, 2, 3, 6, 9, 50, 3, 63, 4, 7, & 72, 83, 4, 8, 9,
90, 2, 3, 4, 6, 7, 400, 1, 5, 20, 1, 2, 6, 9, 30, & 44, 7.
Mœniis, Muris, Parietibus, Ædific. Tectis, &c. 32, 53, 66,
70, 85, 102, 59, 61, 85, 220, 94, 9, 321, 2, 8, 30, 85, 6, 98.
Incultis, Ruderibus, Sterquilinis, &c. 15, 53, 104, 9, 26,
42, 75, 6, 87, 270, 2, 3, 90, 302, 3, 8, 9, 10, 51, 6, 76.
Aridis, Siccis, Sterilib. &c. 6, 106, 51, 222, 52, 60, 309, 10.
Arenoſis, Glareoſis, Sabuloſ. &c. 43, 136, 221, 2, 8, 58, 9, 73.
Ericetis, &c. 168. [335, 402.
Agrorum marginibus, Sepibus, Vepribus, &c. 151, 205,
Agris, Campis, Planis, &c. 75, 107, 25, 209, 30, 2, 42, 80,
97, 345, 9.
Lætis, Pratis, Paſcuis *&c.* 49, 68, 108, 24, 70, 341 1428.
Arvis, Cultis, Satis, &c. 61, 79, 81, 2, 97, 107, 66, 240, 381,
38, 48, 54, 7, 8.
Segetibus, &c. 79, 83, 111, 38, 365.
Hortis, Vineis, &c. 51, 63, 126, 79, 83, 93, 217, 4, 75, 6,
321, 2, 5, 32, 40. *Sylvis*, &c. 80, 93, 6, 135, 234, 316, 24,
6, 37, 44, 7, 69, 77, 8, 9, 89, 431.
Opacis, Umbroſis, &c. 30, 102, 19, 44, 366, 7, 85, 6, 96, 7, 8,
404, 5. *Semitis*, Viis, 191, 260 *Paſſim*, ubiq; &c. 46, 153.

Locis Propriis.

Acuto Monte 202. *Apennini* Mont. 34, 265, 341. *Argentario* Monte 115. *Benedicti* Monte 421. *Gargano* Monte 353.
Ilvæ Inſula 21, 31, 54, 116, 21, 82, 284, 399, *Juliani* Monte 78, 193,
285, 346, 68. Agris & Littoribus *Liburni* 491 & 509. *Liguriæ*
Mont. 143, 66, 394 401. *Lucæ* 58, 342, 510 & 210. *Paniæ* Monte
346 & 44. *Piſa* 12, 32, 134, 208, 44, 69, 94, 346, 95, 521 & 7.
Piſtorienſi Agro, &c. 230, 342. *Plombienſi* Agro, 9. *Senenſi*
Agro 291. *Seravalla* 264. *Urbevetani* Collibus 229.
Arbores & Frutices *Etruriæ* N°. 1 & 26, 33 & 9, 516, 20. *Plantæ* flore
Stamineo 42 & 54, 421, 2, 51, 75, 517. Lacteſcentes *Fl.* pleno 318 &
38, 523, 4, 75, 96, 518. *Pappoſis* Seminibus, *Fl.* radiato 311 & 7, 50, 425,
6, 525. *Corymbiferæ* 301 & 10, 482, 97. *Capitatæ* 340 & 9, 51, &
4, 427, 36. *Nodifloræ* & Nudo *flore* 291 & 300. *Umbelliferæ* 114,
& 50, 339, 437, 52. *Stellatis* foliis 151 & 9, 429, 30. *Aſperifoliæ*
258 & 62, 431, 2, 523, 30. *Verticillatæ* 110, 263 & 90, 420, 38, 9, 40,
98, 527, 34. *Naſifloræ* 111, 66 & 73, 7 & 81, 225, 388, 94, 418, 9, 33,
50, 522, 32. *Nudo* ſemine 355 & 75, 92, 3, 428, 46, 9, 57, 8, 66, 7, 8, 86, 7, 8,
66, 7, 8, 86, 7, 8, 515, 9. *Tetrapetalæ* 112, 60, 1, 82 & 204, 417, 34, 5, 41,
2, 3, 53, 70, 1, 9, 511, 2, 3, 35. *Pentapetalæ* 99, & 112, 62, 3, 4, 74, 5, 6, 217
& 22 6 & 9, 447, 54, 69, 77, 80, 1, 3, 9, 90, 514, 9, 33. *Piſifloræ* 79 & 98,
113, 460 & 4, 72, 3, 4, 84, 99, 502. *Bulboſæ* & affines 223, 4, 30 &
57, 455, 6, 503 & 7. *Anomalæ* 27 & 32, 40, 1, 78, 195, 205 & 16, 444,
508, 24, 36, 5. *Frumentaceæ* 55 & 77, 531 *Plantæ* minus perfectæ 395,
& 416, 465, 92, 3, 526, 9, 33, 7, 8, 9.

LONDINI, Ex Ædibus *Jacobi Petiver*, Plateâ vulgò dictâ *Alderſgate-ſtreet*. MDCCXV.

PETIVERIANA seu NATURÆ COLLECTANEA;

Domi Forisque *Auctori* Communicata.

A JACOBO PETIVER, *Regiæ Societatis Socio*, &c. LONDINI.

COMMU-NIC. I. DIvers *Shells*, *Fossils*, *Minerals*, *Marbles* and *Plants* found about *Lisbon*, and *Communicated* to me from thence, by the most Curious and Learned *Don Pedro d'Almeyda*, Son of the Noble *Count d'Azumar*.

Pecten *Lusit.* minor, *striis* plurimis.

P.L. min. compressus, medio extùs cavus.

Chama *Medit* mix. percrassa *Nob.* Bon. 106. fig. 59. *List.* Hist. Conchyl. *Tab.* 414. f. 258.

Chama minor tenuis ferè rubescens.

Eadem alba, medio rubro.

Chama *Lusit.* minima, ferè *Castanea.*

C. L. *alba*, rotunda, perexigua.

Purpura rugosa, *ore* crispo.

Argorhais *Edinburg.* minor, nodosa *Gaz.* Nat. Tab. 79. f. 6.

Buccinum tessellatum, *costis* pulvinatis.

Rhombus minor fuscus, *fasciâ* alba.

Rhombus *Gibraltar.* albus perexiguus.

Cochleola alba, compressa, parva, *ventre* pulvinato.

•• perexigua ex *Anja*, 4 mill. à *Lisbon.*

Balanus compressa & squammata *Grew* 149. Tab. 12. fig. Sect. 2. *Fossilia* Lusitanica. Or *Portugal* Fossils.

Chama *fossilis*, compressior, *de* Alcantara.

Chama *fossilis* ventricosior, *de* Alcantara.

Rhombus fossilis, *clavicula* latâ altè incisâ.

Unicornu foss. *Lusit.* orbibus perineisis.

•• *Barcin.* orbibus elatis peracutis.

Stalactites *Osteocollæ* facie *de* Ervedal.

Stalagmites *Botryoites* è Grotto d'*Alcaneda.*

Chrystallus alba, è *Poco* di *Lanca*, in *Alenteio.*

Chrystallus pallidè lutescens, *id.*

Chrystallus anthracinus columnaris, *id.*

Selenites *Rhomboides* pellucidus, *de* Alcanede. qr? *Lang.* Hist. *Lap.* Helvetii 27. *Tab.* 3. *Scheutz.* p. 49. f. 71. 2. & 3.

Ichyt-Alumen ruffum *de* Alcanede.

Marmor albescens è *Monte* Cintra.

Marmor cinereum, *micis* aspersis, *id.*

Marmor flavescens, lentiginosum, *id.*

Marmor nigrum, *Capillis* rarisalbis, *id.*

Marmor *Alabastrites* è Mont. *Clares* inter Villam *Vicosam*, & *Estremos*, Provincia de *Alenteio.*

* Mi.cinereo albedine mixtum. *Priore.*

Marmor carneum, *lituris* albidis, *Lapidicinis* de Loures, 3 mill. à *Lisbon* Copiosè.

Marmor perelegans, *lituris maculisque* variis. E *Monte* de *Arrabida*, 4 mill. à *Lisbon.*

Sect. 3. *Plantæ* Rariores *Monte Cintra* nascentes, &c.

Plantago augustifolia, capit. *Lagopi* CB. Ray. H. Pl. 878 8.

Chamæmelum fl. nudo.

Alrotanum fœm. fol. teretibus, CB. 136. *Ray* 359. 1.

Cnicus cæruleus asperior CB. Ray 302. Resta Bovis *Cintris.*

Centaurium majus *Lusit.* fol integro *Nob.* Ray 330. 4.

Eryngium pumilum, *capitulo* cæruleo.

Eryngium marit. *Lusit.* ampliore fol. R. 3. p. 240. pl. 12.

Oenanthe *Millefolii* fol. *Nob.* R. 459. 6. *Lugd.* 718. f.

Corallium flavescens, striatum, nodosum *Gazophyl.* Natur. Tab. 76. fig. 7. de *Ericera*, 4 mill. à *Lisbon.*

Sect. 4. *African* Shells and Drugs *from* Pernambuc, &c.

Chama *Pernamb.* maj. trequetra, *costâ* alatâ *Coch.* Pern. f. 35.

•• tenuis minor pellucida, ferè rubescens.

Auris marina vulg. facie, è *Marzagan* Africæ.

Nautilus præstantis, *dorso* bidentato *Nob.* List. T. 556. f. 7. opt. qr? *Bon.* 91, f. 13.

Neritulæ *Pern.* variæ *varietates* vid. *Gaz.* Nat. *Tab.* 67. & 8.

Sect. 5. *Drugs* from St. *Jago* one of the *Cape Verd* Isles, &c.

Indigo Officinarum seu *Anil Ray.* 920. c. 4. *Jam.* Cat. 141.

Anacardium Occidentale *Offic.* R. 1649 c. 15. *Jam.* Cat. 148.

Cassia fistula *Offic.* Ray 1746. c. 8. *Jam.* Cat. Plant. 145.

Cassia fistula *Brasiliana* C. B. 403. 2. R 1747. 2. *Jam.* C. 146.

Cola amarga Lusit. *Arbor* pernagra, *cortice* valde amaro, Seminibus *Olei* plenis.

54. *Spinho Beto* Lusit. *Acacia* filiq. falcatis cinereis, velutinis.

55. Mammee. *Arbor* Indica *Mammei* dicta C B 417. *Ray* 1665. c. 14. *Pluk.* Tab. 248. f. 4. *Jam.* Cat 179.

56. *Ouri* ou *Avila.* Incolis. *Bonduc* cinerea *Nob.* R. 1743. c. 3.

57. Semente de Purga *Lusit.* Ricinus *Amer.* major. fem. nigro CB. 432. *Ray* 166. 2. *Jam.* Cat. 41.

58. *Tavarom* Incolis. *Coral* filiq. articulatis, sem. coccineis.

59. Tamarindus *Offic.* Ray 1748. c. 9. *Jam.* Cat. Plant. 147.

60. *Tortollo* Incolis. *Arbor* venenata lactifera, *fem.* catharticis.

61. Jacapucaya *Marcgr.* 128. fig *Zabucayo* Pis. 66. f. edit. 2. fl. 155. fig. opt. *Ray* Hist. Plant. 1677. c. 7.

62. *Pareira* brava *Pomet.* l. 2. p. 68. fig. Wild *Vine*, Hist. of *Drugs* 37. Tab. 15. f. 14. A Specifick in *Stone.* H. *Acad.* R. 1710. 8vo. p. 73.

COM. II. *Shells*, *Fossils* and *Corals*, sent me from the Reverend F. *Philip Bonann*, S. I, at *Rome.*

63. Pecten *Mediter.* maj. costis altè striatis *Nob.* Bon. 98. f. 3. & 4. *List.* H. C. Tab. 165. f. 2. *Cappa Veneta* Italis.

64. Spondylus *Medit.* externè ruber muricatus, *Nob.* Bon. 100. f. 20. & 1. *Scataponzolo* Tarentinis.

65. *Pectunculus* max. crassus lævis ferè radiatus, *Mus. nost.* 833. A. Canadie *Tarentinis*, Bon. 107. f. 64. 5.

66. Pectunculus *Neap.* minor crassus, maculis rufis, G. N. 52. 9.

67. P.N. striatus, ex uno latere serratus, ex altero verruculatus.

68. Lunata *Neapolitana* minor tessellata

69. *Ead.* fusca radiata.

70. Lunata *Neap.* lucens crassa, parum cuneata.

71. *Auris* rugosa è *Sicilia.*

72. Cochlea *Sicula* umbilico aurito, *mucrone* compresso.

73. Trochus *Tarent.* catenis rubris quadratis.

74. T. *Tar.* spiralis, *caten.* eleganter marmor. & maculatus.

75. Neritula *Pernambuc.* maculata s. liturata *varia.*

76. •• Mac. s. liturata fasciata *varia.*

77. •• *Undulata* varia.

78. Buccinulum *Medit.* gibbosum, *ventre* albo calloso sessili, *List.* 971. f. 26. qr? Bon. 134. f. 175. f. 167. f. 383.

79. •• cancellatum, *lingulâ* cæruleâ G. N. 52. f. 13. ex *Ancona.*

80. B. *Corsicum* exiguum, rubescens, marmor. lucidum.

81. *Unicornu* minus, *costis* eleganter elatis *Mus. nost.* 705.

82. Unicornu *Anconæ* perexile, *tessulis* rugosum.

83. Concha *Vener.* maj. maculata, *ventre* albo è *Mozambique.*

84. C. V. *Media*, Castanea, è *Pantalera*, G. N. 52. 10. C. 151.

85. C. V. affinis, alba, parva, ex *Alexandria* Ægypti. *Pourcellanes* en *Coquilage* Pomet. pt. 2. p. 104. c. 49. fig. 97. H. *Drugs*, 302. T. 86. fig. 49.

86. *Eadem* minor.

87. Murex *Medit.* aculeis rigidis brevibus, G. N. 68. 13.

88. Purpura *Medit.* rugosa, *fasciis* Castan. & alb. transfucidis, List. 952. f. 1. qr? *Bon.* 150. f. 23.

89. Tursa *Medit.* fasciis eleganter nodosis.

90. *Unicornu* fossilis, *fasciis* regular. nodosis. E Monte *Pelia* prope *Urbem* veterem *Romæ.*

91. *Unicornu* fossilis, *fasciis* regular. verrucosis. *Priore*, vid. *Buccin* List. H. *Conchyl.* Tab. 1019, f. 82.

92. Corallium *Album* oculatum, ramosissimum.

93. *Corallium* albescens, ramosum. *id.* Pet. 153.

94. Epi-Corallum *Ericoides* album.

95. Retepora, Escara marina Imper. 625. & 30. f. 2. R. 65. c. 3. 1.

COM. III. Crustaceous & Testaceous *Animals*, sent me from the Curious Mr. *John Salvadore* Apothecary at Barcelona.

96. Cancer *Cista Galli* dicta *Nob.* Cancer *Ursus* dict. *Rondel*, 564. fig. Migrane *ou* Ours *edit.* Gallicè, 404 f. C. Heracleoticus *Aldr.* Exang. 199. f. ed. *Francof.* 61. f. 15. Gallus marinus *dict.* à similitudine *Chelarum.*

97. Cancellus *chelis* eleganter rugosis, *Bernard* l'Ermite *Rond.* 553. f. Brancha seu Brancha *Lig.* Locus cambus *Provinc.*

98. *Squilla* lata *Rond.* 545. f. Gall. ed. 392. f. *Gesn.* aq. p. 215. Ursus Marinus *Romæ* Ejusd. 216. *Icone* Sittardi.

99. Echinus *Catalonicus* aculeis longiſſimis *Nob.* Carduus Maris ſ. *Calyæ* Echinatus & *Auranti*a maris *Bonan.* 92. f. 17. This Elegant *Sea-Urchin*, the Curious Salvadore ſays, is very frequent on their *Coaſts*; ſome of its *Needles* are near 4 Inches long, very taper, and not thicker than a *Common* Ruſh.
100. Idem *nudus*, orbiculis *majoribus Nob. Bon.* 92. f. 18. It's the large Orbicular *Veſtigiæ* of this *Shell*, that we meet with *Foſſill* both *here* and in *Switzerland.*
101. *Uva* marina. *Salvad.* qr? *Sepiarum* ova *Rond.* 504. f.
102. Pecten *Barcin.* minor, rubeſcens.
103. *Sphondylus* max. ruber, intùs albus. qr? *Rond.* aq. 41. f.
104. Glycymeris *Medit.* maj. percraſſus, leviter ſtriatus.
105. *Glycymeris* zonis ferè faſciatis. The *Girdles* are moſt ſeen in the *largeſt Shells*; for whilſt *ſmall* they are more *Marbled*, and the inner Edges finely notch'd.
106. Mytulus *Medit.* vulg. *Nob.* Concha *Rhomboides* Bon. 103. f. 32. *Rond.* aq. 72. f. *Geſn.* aq. 267. *edit.* Ic. 227. f
107. Pectunculus *Barcin.* medius triquetrus. The *broad Part of this* Cocle, *eſpecialy the In-lid is purpliſh.*
108. Lunata *Medit.* faſciis valdè rugoſis.
109. Purra *Medit.* major, eleganter ſerrata.
110. *Tellina* Medit. *Olivacea*, interdum radiata.
111. Muſculus *Liburn.* oblongus, teres, qr? *Dactylus* Bon. 102. f. 28. *Solea* Venetum *Geſn.* Icon. aq. 242. f.
112. Muſculus *Barcin.* ore hiato.
113. Pinna *Medit.* permaxima muricata *Nob.* qr? *Pinna* aculeata *Aldr.* Exang. p. 533. fig. *ed.* Francof. 176. *Tab.* 16. f. 10. *Bon.* 101. f. 24. *Liſt.* 372. f. 213.
114. Dentale *Anglicum* minus G. N. 65 9. Cat. 82. *Liſt.* H. C. A. Tab. 547. f. 2. *Dentalium* Offic. *Dale* Pharm. 546. 1. *I ſhall be glad to ſee the* Worms *in this* Pipe-Shell.
115. *Cochlea* Hort. *Angl.* ſimilis, ſed compreſſior. *Very like* G. N. 65. f. 4. *but much larger.*
116. Cochlea *terreſt.* Fibularia *Barcinonenſis.* qr? *Trochus* 1. Rond. aq. 92. f. *but its more like the Shell as* Geſner *has copied it in his* Icon. Aquat. 249. f. ult. *being there much rounder and blunter.*
117. Cochea *calata* Bon. 114. f. 11. 2. & 13. *Rond.* aq. 98. f. Scaragol *vel* Cagarolo *di mar* Hiſpanis & Monſpel.
118. Ejus *Operculum* G. N. 65. f. 5. 6. Umbilicus *marinus* Langii H. Lapid. *Helvet.* 116. Tab. 50. fig. Bon. 114. f. 14.
119. *Buccinulum* Barcin. *Pyramid.* nigric. *ore* elato albo.
120. · · pellucidum, *mucrone* obtuſo.
121. · *Medit.* læve, ex albo nigroque variegatum G. N. 45. 14.
122. · *Gibralt.* mac. albis catenatis, *faſciâ* pellucidâ.
123. *Burſa* nodoſa Pet. 89. *Echinophora* Bon. 115. f. 19. *Liſt.* 1003. f. 68. qr? *Aldr.* exang. 399. fig. reverâ.
124. Burſa *Medit.* major, *faſciis* ſulcatis. *qr?* Bon. 115. f. 20. f. 21. *Rond.* aq. 83. f.
125. Burſoides *Maurit.* nodoſa, ore croceo. *qr?* Bon. 115. f. 18. *Liſt.* 957. f. 9.
126. *Trompeta* utriuſque *Indiæ.* qr? *Buccinum* Rond. aq. 81. f. reverſâ *Id.* Gallice 52. f.
127. *Trompeta* rugoſa minor, *ore* criſpo. *qr?* Turbo *magnus* Rond. aq. 88. f.
128. Unicornu *Medit.* muricatum *Liſt.* 1019. f. 28. qr? *Aldr.* exang. 354. f. 3. edit. *Franeof.* 120. Tab. 7. f. 5. N. B. *Almoſt if not all the* Shells *in both the* Latine and French *Editions* of *Rondelet* have reverted *Figures*, viz. their *Mouths* to the *Right*, which ſhould be to the *Left*, as they are copied by *Aldrovand* and *Geſner.*

Barcelona Foſſils.

129. Oſtrea *Barcin.* hinc inde verrucoſa.
130. *Oſtrea* craſſa & prælonga, *cardine* longiſſimo. *This reſembles the* Virginia *Rock-Oyſter*, Liſt. 201. f. 34.
131. Pecten *Medius* Foſſilis, *vid.* G. N. 94. f. 1.
132. *Pecten* minor, *ſtriis* tenuioribus: *vid.* Muſ. noſt. 830.
133. *Echinites* minor, *coſtis* 5. verucoſis. *Theſe are the* Size *of a* Cloak-Button, *round and ſomewhat compreſs like* Plot. 2. *Hiſt.* Oxon *Tab.* 5. f. 6. *but doubly bigger.*
134. Vomica *foſſilis* major. *Theſe are ſmooth and convex on both Sides, the* Largeſt *rarely exceed the Dimenſions of a* Shilling, *or the* Thickneſs *of an* Inch.
135. Vomica hæmiſpherica, *circulis* ſubtùs capillaceis. *This ſeems to be the laſt* ſplit, *whoſe inward Superficies are compos'd of circular* Fibres, *like* Scheutz. Lith. *Helvet.* fig. 48.
136. Vomica parva convexa. *Theſe exceed not a ſmall* Lupine *Seed.*
137. Vomica *compreſſa*, tenuis minor. *Very thin, and much flatter than the laſt, but double its Dimenſions.*
138. *Bracteola* parva *pileata* foſſilis. *Not broader than a* common Spangle; *concave on one Side, and convex on the other, riſing in a Point.*
139. *Trompeta* major *foſſilis.* Like 126. *It's a Span* long, *and near a Foot* about.
140. *Veneroides* foſſilis *faſciata.* Like G. N. 97. f. 23. *but this has furrow'd Girdles.*
141. *Rhombus* minor, pyramidalis *vide* Liſt. 729. f. 14.
142. *Rhombus* minor patulus, *elaviculâ* cavâ *vide* L. 1750. f. 4
143. *Unicornu* foſſilie *Noſt.* 20. *like* Muſ. *Pet.* 738. *A fair and elegant* Foſſill.
144. Unicornu *foſſile* maj. intùs albo vitreatum. *Like* Liſt. 521. f. 59. *it's ſomewhat larger than the laſt, with many ſmall* faſciæ, *if not defaced, the* Orbs *blunt or roundiſh*; *ſhines within like* white glazed Ware *or* China.
145. *Idem*, Fluoreſcens, matrice Argillacâ. *Seems the ſame with the laſt, but compoſed of* Spar, *in a hard clayey Bed.*
146. *Marmor* flaveſcens *Barcin.* dendrite. *This has the ſame* Moſs-like Ramifications *as are in our* Oriental *Moſchas.*
147. *Ferri* minera *Catal.* rubiginoſa & quaſi exuſta.
148. *Plumbi* minera *Barcin.* albo *Fluore* mixta.
149. Armoniacum *Catalon.* foſſile. *Its upper Bed* ſtriated *like* Talk, the reſt heterogeneous and more glittering.
150. Stalactites *Thuroides.* Like *Franckincenſe*, rugged and yellow without, but within whitiſh.

Corals and other *Mediterranean* Submarines.

151. *Corallum* albidum *Medit.* noduloſum. *Like our ſmall Cornwal* Coral, *but this grows in* Cluſters *and much larger.*
152. *Corallum* implexum, *tubulis* intùs & extremitatibus ſtellatis.
153. Corallum *chelis* brevibus obtuſis punctatis.
154. *Epicorallum* Muſcoſum. *An Incruſtation over ſome fine* Sea-Moſs.
155. Reticulum *Tophaceum* marinum *Chabr.* 577. Ic. 5. I. B. 3. l. 30. c. 54. f. *Imper.* 642. f. opt. *Ray.* 65. 3.
156. *Ribes* marina. *From the Nature of their growing in* Cluſters *like* Currans, *perhaps an* Ovary.
157. *Burſa* marina CB. 368. 12. Algæ *Pomum* Monſpel. I. B. 3 l. 39. p. 3. *Pulmo* marinus *Rond.* aq. 131. 28. f. *Geſn.* aq. Icon. 266. f. *Ray* 83. 8. I. B. & *Chabr. have* figured *this on the left Sides of the* Root *of the* Alga *anguſtifolia* Vitrariorum, *which others have copied without mentioning.*
158. *Pila* marina *Medit.* vulg. G. N. 64. f. 4. *Cat.* 157. *Chabr.* 570. Ic. 1. I. B. 3. l. 39. c. 4. p. 783. *Ray* 83. 9. *It's like a rough* Maw-Ball, *made up of the hairy Fluſe about the* Roots *of the* Graſs-wrack. *&c.*
159. *Manus* marina *Geſn.* aq. 524. fig. edit. Ic. 273. *Chabr.* 572. Ic. 4. I. B. 3. l. 31. c. 31. f. *Ray* 77. 7. *This is like* Geſner's *Figure* which *Cornelius Sittard ſent him.* N. B. *The* Fingers *in our* Specimen *are full of ſmall ſeedy Warts as in our* common *Wrack* or *Quercus* maritima. *This elegant Sea Body Dr.* Salvadore *ſent me growing to the* Pectunculus Echinatus.
160. Sertolaria *Imper.* 653. fig. opt. *Chabr.* 572. Ic. 3. *Opuntia* marina *Park.* 129. 4. f. 12. *Ray* 77. 5. Sea Band-ſtrings.

COM. IV. Barbadoes *Trees*, whoſe Specimens were collected there and brought me by Mr. *Jam. Rheed. Arbores* Coniferæ & Juliferæ. *Trees* bearing *Cones*, Catkins, &c.

161. *Button* Tree Pluk. Tab. 204. fig. 3. *Ray* Dendr. xi. 7. *Dendr.* Amer. 51. 1. *Alni* fructu, Lauri folia, *Arbor* maritima *Jam.* Cat. 135.
162. *Barbadoes* Baſtard *Cedar* Pluk. 159. f. 4. *Dend.* Amer. 51. 3. *Cencramidea* 3. Alm. Bot. 92. *Alni* fructu, Loti Arbor folio Barbadenſis.
163. Barbadoes *Cypreſs* Pluk. 197. f. 4. *Alm.* Bot. 201. pl. ult. *Juniperus* Barbad. *Cupreſſi* folio, *ramulis* quadratis.
164. Fuſtick *Pluk.* 239. f. 3. *Alm.* Bot. 395. pl. 4. *Dendr.* Amer. 52. R. *Dendr.* 14. 3. Morus *Barbad.* fr. viridi, *ligno* Sulphureo tinctorio, *Jam.* Cat. 128.
165. Manchaneel-Apple *Jam.* Cat. 129. *Pluk.* 142. f. 4. *Dend.* Amer. 52. 6. Mancinella *Barb.* arbor Julifera, lacteſcens, venenata, *Pyri* folio.

Arbores Siliquiferæ. *Trees* with *Pods*, &c.

166. Bean-tree *Jam.* Cat. 142. *Coral* arbor *Cluſ.* 253. f. Ray. 1736. c. 1.
167. Pidgeon-pea *Jam.* Cat. 39. *Pluck.* 213. f. 3. *Ray* 1723. 6. Anagyris *Indiæ* utriuſque, *ſiliquis* catenatis.
168. Indigo *Jam.* Cat. 116. R. 926. c. 4. *Park.* 600. f. 3. *Chabr.* 82. f. 6.
169. *Wild* Indigo *Jam.* Cat. 148. *Pajomirioba* hexaphylla ſubrotundis foliis.

170 Pur-

170. Purging *Caſſia* Jam. *Cat.* 145. R. 1746. c. 8. CB. 403. 1.
171. *Horſe* Caſſia *Jam.* Cat. 146. *Caſſia* fiſtula *Braſiliana* CB. 403. 1. Ray. 1747. 2.
172. Spaniſh *Carnations* or wild Sena *Jam.* Cat. 140. *Barbadoes* Flower Fence *Ray* 281. 10. & Vol. 3. p. 482. 1. Poinciana *Indiæ* utriuſque *Nob.* H. Mal. Vol 6. T. 23. p. 1.
173. Tamarinds *Ray* 1748. c. 9. H. Mal. V. 1. T. 23. p. 39.
174. *Aſh* Nickars *Jam.* Cat. 144. *Bonduc* ſem. caſio Ray 1743. c. 3.
175. *Yellow* Nickers *Jam.* Cat. 144. *Bonduc* ſem. flavo.
176. Arnotto *Jam.* Cat. 150. *Maucaw*, or *Roucou*-tree *Ray* 1771. c. 21. CB. 419. 8. *Cluſ.* Exot. 74. f. *Hern.* 74. f. opt.
177. Barbadoes *Spaniſh* Briar *Ray* 977. 2. Jam. *Cat.* 152. pl. 1. *Park.* 1547. f. 2. opt. Acacia *Amer.* ſiliquis tumidis.
178. *Spaniſh* Aſh *Pluk.* 140. f. 3. Ceratia 1. *Ray* 3. p. 113. Caroba *Barbad.* fol. Fraxini.
179. Spaniſh *Oak* Pluk. 141. f. 2. Caroba *Barbad* tetraphylla, fl. flam. ſpicatis.
180. Barbadoes *Rot-bean* Almag. Bot. 96. pl. 1. qr? *Ray* 1760. Jetaiba *Barbad.* lobis minoribus.
181. *Moabite*-tree *Pluk.* Tab. 1. fig. 6. *Jam.* Cat. 162. *Ray* 1754. c. 8. & Y. 3. p. 478. pl. 34. id. *Dendr.* 113. Inſia *Barbad.* tetraphylla, filiq. intortis, *ſem. nigri lucidis.*
182. Dogs-prick *Pluk.* 172. f. 4. Alm. Bot. 126. pl. ult. *Jam.* Cat. 153. pl. 5. *Ray* D. 102. 3. Dendr. *Amer.* 52. 9. Caroba *Barbad.* Laurifolia, *filiq.* mucoſa miniatâ.
183. Black *Sallow* Pluk 221. f. 2 & Alm. Bot. 328. Breynia *Barbadenſ.* tetraphylla.
184. *White* Willow Pluck. 221. 1. *Jam.* Cat. 153. pl. ult. *Ray* D. 100. 5. *Breynia* Barbad. *Oleaſtri* folio.
185. Barbadoes *Jeſſemy*-tree *Pluk.* 207. 2. A. B. 109. pl. 3. *Jam.* Cat. 154. 3. *Ray* D. 114. 4. Dendr. *Am.* 52. 9. Nerium *Barbad.* arbor. fl. incarnato.
186. White-wood *Pluk.* 204. 3. & A. B. 215. Jam. *Cat.* 154. pl. ult. *Ray* D. 114. 2. Dendr. A. 52. 12. Nerium *Barbad.* Album, folia *Laurinis* palmatis.
187. Cabinet *or* Prince-wood *Pluk.* 239. 2. & A. B. 395. *Spaniſh-Elm*, or *Prince-wood* Jam. *Cat.* 155. Ray *Dendr.* 115. 6. Dendr. *Am.* 53. 15. *Nerio* affinis, *Lauri* folio, fl. luteo amplo.
188. Swamp *Mangrove* or *Oyſter-tree* Pluk. 204. f. & A. B. 241. *Jam.* Cat. 152. 2. R. 1772. 1. Mangle *Barb.* fol. *Pyri* rigido.
189. White *Mangrove* Pluk. 204. 4. & A. B. 241. Mangle *Barbad.* fol. *Carobæ* adverſis.
190. Silk-Cotton *Pluk.* 188. f. 4. & A. B. 172. H. Mal. 3. T. 49. p. 59. *Ray* 1064. 2. & 1899. pl. 5. & 6. Goſſipium *Indiæ utriuſque*, fol. digitatis planis.
191. Barbadoes *Cotton-buſh* Pluk. 188. f. 1. & A. B. 172. Goſſipium *Barb.* fol. trifido.
192. Musk *Mallow* Pluk. 127. 1. *Jam.* Cat. 98. *Ray* 1067. Bamia *Barbad.* hirſuta, ſem. Moſchato.
193. Ocra *Jam.* Cat. 98. pl. 4. *Alm.* Bot. 16. pl. 5. *Bamia* fructu *eſculento*, brevi decogeno.
194. Long *Ocra* Jam. *Cat.* 98. pl. 3. Alm. *Bot.* 16. pl. 6. & Mant. 7. *Bamia* fructu *eſculento*, longo, recurvo.
195. *Dogwood*-tree *Jam.* Cat. 143. *Mant.* 150. pl. 2. *Ray* D. 108. 9. Bagua *fructu* membranulis alato, *Laſerpitii* more.
Arbores *fructu* maximo. *Trees* with large Fruit.
196. *Coco*-tree *Jam.* Cat. 132. *Park.* 1596. f. Dendr. *Amer.* 2. p. 50. Palma *Indica* Nucifera *Coccus* dicta *Ray* 1356. 4. Hort. *Malab.* Vol. 1. Tab. 1. &c. p. 1. *Chabr.* 24. f. 4. & 28. f. 1. CB. 508. 1.
197. Caſhew *Jam.* Cat. 187. *Park.* 1568. f. *Anacardium* Occidentale *Nob.* Ray 1649. c. 15. H. *Malab.* V. 3. T. 54. p. 65. *Chabr.* 24. f. 6. CB. 510.
198. Banana *Jam.* Cat. 192. *Dend.* Amer. 14. p. 51. *Banana* fructu maj. recto *Nob.* Ray. 1375. 2. *Piſo* 76. *ed.* 154. f. 2. CB. 508. 1.
199. *Plantain*-tree *Jam.* Cat. 189. *Ray* 1374. *Park.* 1496. fig. *Muſa* fructu adunco anguloſo *Nob.* Piſo 75. f. *ed.* 154. f. 1. H. *Mal.* 1 T. 6. p. 17. *Chabr.* 9. f. 5 & 6. p. 10. f. 1. CB. 507. XI.
200. Red *Guayava* Jam. *Cat.* 198. *Park.* 1671. Guayava *fructu* rubro majore *Nob.* H. Mal. 3. T. 35. p. 33. CB. 347. *Ray* 1455.
201. *Papaw*-tree *Jam.* Cat. 202. *Ray* 1370. c 1. & 2. *Park.* 1649. f. 5 *Papaya* major *mas & femina* Nob. H. *Mal.* 3. T. 15. p. 21. &c. CB. 431. 2. & 434. 12. & 457 4.
202. *Cuſtard*-Apple *Jam.* Cat. 204. *Pluk.* 134. 4. *Anona* anguſtifolia, *fructu* majore luteo *Nob.* H. Mal. 3. T. 30. & 1. p. 2. R. Dendr. 77. 2.
203. Sower-*ſop* or *Prickly* Apples *Jam.* Cat. 203. *Anona* fructu ſpinulis aſpero *Nob.* Ray 1651. 5. & Dendr. 77. 5. *Pluk.* 135. f. 2. qr? id. 134. f. 2.
204. Sweet-*ſop* Jam. *Cat.* 205. 1. Ray 1650. 1. Dendr. 77. 1. *Pluk* 134. f. 3. H. *Mal.* 3. T. 29. p. 21. *Anonis* fructu ſquamoſo dulci *Nob.*
205. Water *ſop* or *River*-Apple *Jam.* Cat. 205. 2. *Pluk.* 240. f. 6. R. Dendr. 78. 1. *Anona* aq. fol. Laurinis, *fructu* minore luteo.
206. Garlick-*Pear* Jam. Cat. 205. Ray 1644. c. 3. Dend. 79. 7. *Tapia* arborea triphylla *Plum.* E. B 22. T. 21 *Pet* 4. f. 22. Piſo 69. f *ed.* 140. f. H. *Mal.* 3. T. 42. p. 4.
207. *Arbor* Cucurbitifera *Barbad* fol. tenuibus apiculatis *Nob.* Cujete *Plum.* E. B. 23 T. 16 *Pet.* 2. f. 14. *Pluk.* 137. 7
208 Arbor *Cucurbitifera*, fol craſſis confertis.
209. Citron *Jam* Cat. 208. *Ray.* 1654 c. 1. *Citrus* vulg. *Nob.* Park. 1506. f.
210 Lemmon *Jam.* Cat. 209. *Ray* 1656. c. 2. *Limo* vulg. *Nob* Park 1507 f
211. Lime *Jam.* Cat. 211. *Limo* ſylv. fructu parvo ſubacido *Nob*
212. Orrange *Jam.* Cat. 210. *Aurantia* vulg. *Ray* 1658 c. 3. P. 1508. f.
213. China Orange *Jam.* Cat. 211.
214. Shaddocks *Jam.* Cat. 212 *Pompelmo's* Alm. Bot. 39. *Ray* Dend. 80. 1. *Aurantium* fructu maximo palleſcente.
Arbores *fructu* medio. *Trees* with *midling* Fruit.
215. *Cabbage*-tree *Jam.* Cat. 176. *Ray* 1361. 12. Dend. *Amer.* 1. p. 50. Alm. Bot. 275 pl. ult. *Palma* Regia *Barbadenſis.*
216. Palmetto *Jam* Cat 177. *Ray* Dendr. pl 2. 3. D. Amer. 7. p 50 Palma *Barbad.* non ſpinoſa, *fol* plicatili *ſeu* Flabelliformi, *fructu* officulo nigro *Alm* Bot. 277 pl. 8.
217. *Balſam*-tree *Jam* Cat. 167 *Ray* D 51. 4 Dendr. *Amer.* 35 p. 74 Barbadoes *Balſam*-Apple *Pluk* 157. f. 2. Alm. Bot. 92 pl. 4 Cencramidea *Barbad.* Balſamifera, fol. rotundo craſſo.
218. Barbadoes *All-ſpice* or *Mango* Pluk. 170. f. 4. Alm. Bot. 124. *pl.* ult. Lycium *Cucurbitiferum* Barbadenſe *aromaticum.*
219. Barbadoes *Dartwood* or *Ink*-berry *Pluk.* 97. f. 5. 6. Alm. Bot. 234. pl. 6. & ult. *qr?* Ink-wood *or* Berry *Pl* 205. f. 2. *Alm.* B. 246. 1. *Lycium* Barbadenſe, fol. lucido ſubrotundo.
220. Barbadoes *Cedar* Pl 157. 1. A. B 92 1 Ligon H. *Barb* 14. 41. & 73 Cedrus *Barbad* fol. *Fraxini*, fr. ſicco pentafori *Nob.* Jam. *Cat.* 182. pl. ult. R. Dendr. 41. 8. *This is known by its peculiar* Fruit *and Sweet red* Wood.
221. Maſtick-*Tree* Pl 217. f 5 A B 387 1. *Jam* Cat. 180 *id.* Hiſt 40. *Ligon* 14 & 73 R Dendr. 21 p 42 *Prunus* Barbad. *Lauri* folio, *Maſticifera.*
222. *Soap*-berry *Jam.* C. 184 Pluk 217 f 7 CB 511. 1. *Cluſ.* Exot. 42. f *Lugd* 1877. c 121. Stapel 363 f. *Quiti* Braſil *Maregr.* 113. f. *Piſ. ed.* 162. f. Arbor *Saponaria* Americana *Ray* 1548. 2.
223. Barbadoes *Olive* Pl. 209. f. 3 A. B 269. pl. 6. R D. 47. 6. *Olea* Barbadenſis.
224 White *Plum*, qr? *Pl* 216 f. 8. *Prunus* alba *Barbad.* fol. leviter ſerrato.
125. Barbadoes *Plum.* Pl 218 f. 3. A. B. 306. 3. qr? *Jam.* Cat. 181. Prunus *Barbad.* fol. venoſo rigido
226 Barbadoes *Damozen Pl.* 17. f. 6. A. B. 306. pl. ult. Prunus *Barbad.* fol. tenuiore.
227. Barbadoes *Black*-bud and *Black*-wood Pl. 205 f. 3. A. B. 246. 2. *Jam.* Cat. 135. Hiſt. 38. D. A. 23. p 54. qr? *Ray* 1687. c. 17 *Arbor* Barbad. *Laurocerafi* folio.
228. Jack in a Box *Pl.* 208. f. 1. A B. 266. 5. Hernandia *Plum.* E. B. Amer. 6. T. 40. *Pet.* T. 3. f. 22. Hernandia *fol.* cordato amplo umbilicato, *fl.* hexapetalo.
229. Barbadoes *Sweet*-wood Pl 176. f. 1. A B 139 8 *Jam.* Hiſt. 38. *Evedexylon* Barbad. fol. lato, *Beretini* fructu.
230. Baſtard *Sweet*-wood Pl. 176. f 2. A. B 139 pl. ult. qr? *Ray* Dendr. 23. p. 86. Evedexylum *Lauri* folio, *fl.* hexapetalo.
231 Fire-*Sprig* Pl. 175. f. 6. A. B. 138. pl. 7. *Ray* D. 127. *pl* ult. *Eſcaroxylum* Barbad. *fol.* Cacao.
232. Pidgeon-*Fig* Pl. 178. f. 4. *Jam.* C. 189 Ray D. 16. 5. *Ficus* ſtolonifera, *Pyri* folio, *fr.* Cerafi. *The* Pidgeons *much covet this* Fig.
233. Clammy *Cherries* Pl. 158. 1. A. B. 94. pl. 15 *Jam.* C. 169. 2. R. D. 45. 14. *Cerafo* affinis, *fr.* coccineo viſcoſo, ſem. rugoſo.

234. Bar.

234. Barbadoes *Cherry* Pl. 157. f. 4. A. B. 94. pl. 18. *Jam.* C. 172. R. D. 74. 1. Simaruba *fr.* rubro acido sulcato, p. H. Hermos. *Common in Gardens*, &c.

235. Chequer-*Grape*. Uvifera *arbor* Americana, *fr.* aromatico punctato *Pl.* 237. f. 4. A. B. 394. pl. 7.

236. Mangrove-*Grape* Pl 237. f. 5. A. B. 394. pl. 8. Uvifera *arbor* Barbad. *Cacao* fol *stolonibus* proliferis.

237. Jamica *Mangrove*-Grape *Jam.* C. 183. Ray 1795. 1. & *Dendr.* 40 5. Pl. 236. f. 7. A. B. 393. *pl.* ult. *Guajabara* Caribea *fol.* rotundis rigidis.

Sir *Hans Sloan*, says, the *Spaniards* with an *Iron* Pin *write*, or rather *style* on these *Leaves*, when *Paper* and *Ink* are scarce.

238. Coblolly *Pluk.* A. B. 38. *pl.* ult. *Guajabara* Barbad. fol. ret. venosis mollibus. *This bears its* Fruit *on a long* Spike *like the last.*

239. Leathercoat *Pl.* 222. f. 8. A. B 38. pl. 18. *Guajabara* Barbad. *fol.* subretundis venosis ferrugineis.
Arbores *fructu* minore. *Trees* with small *Fruit.*

240. Birch-*tree* Pl. 151. 1. A. B. 67. *Jam.* C. 167. R. D. 50. 2. D. A. 33. p. 73. *Betula* Amer. *baccâ* triquetrâ odore *Terebinthini.*

241. *Box* Pl. 139. 6. A. B. 74. 7. *Jam.* C. 167. 1. R. D 65. *pl.* ult. *Buxus* Barbad. *fructu* croceo dipyreno.

242. Great yellow *Hercules* Pl. 239. f. 6. A. B. 8. p. 396. *Fagara* Barbad. *Citri* folio.

243. Prickley *Yellow wood* Pl. 239. f. 4. A. B. 396. pl. 5. qr? Jam. C. 138. R. D. 70. 15. *Fagara* Barbad. *arboris* Fustick *fol.* rotundioribus crenis.

244. Wild-*Honey-tree* Pl. 142. f. 3. A. B. 43. pl. ult. Jam. C. 137. pl. 2. R. D. 75. 4. *Baccifera* argutè serrata *fr.* minimo croceo. In *Woods*, &c.

245. Bastard *Locust tree.* qr? *Jam.* C. 165. R. D. 49. 1. *qr?* Pl. 200 f. 6. Baccifera *Amer.* fol. *Lauri*, *f.* calyculato monopyreno. *Grows* in *Meadows.*

246. Barbadoes *Sweet-Bay* or *Pimenta* Pl. 155. f. 2. A. B. 88 6. Barbad. *Lauri* folio *baccâ* ovali.

247. Round *Barbadoes* Pimenta Pl. 155. f. 3. A. B. 88. 7. *Pimenta* Barbad. *fol.* & *fr.* rotundis.

248. Black-*Sage* Pl. 221. f. 3. A. B. 329. *Jam.* C. 163. 2. *Hist.* 39. R. D. 31. 18. Camara *Barbad.* Spicata *fol.* Salviæ.

249. White-*Sage* Jam. C. 4. p. 164. *Hist.* 39. R. D. 17. 31. *qr?* Pl. 114. f. 5. *Camara* Barbad. fol. & flor. rotundis.

250. *Bitter-wood* Pl. 238. f. 4. A. B. 395. pl. ult. *Xylopicron* Barbad. *fr.* oblongo calyculato.

251. *Fiddle wood* Pl. 162. f. 1. A. B. 108. 3 *qr?* Jam. C. 170. 5. R. D. 61. 1. *Citharexylon* Barbad. *Lauri* foliis.

252. Timber *Fiddle wood* Pl. 162. f. 2. A. B. 108. 5. *Citharexylon* Barbad. *Lauri* foliis. 2 ferè minoribus.

253. *Fiddle wood* with dented Leaves Pl. 161 f. 5. Citharexylon Barbad. *fol.* dentatis.

254. Lightwood *Lignum Rhodium* or *Rosum* Pl. 201. f. 3. A. B. 228. 2. *Jam.* C. 137. 2. R. D. 88. 30. D. A. 55. pl. 34. Baccifera *Barbad.* fol. *Betulæ* planis & perforatis.

255. *Milk-wood*, Pl. 185. 1. A. B. 164 *Jam.* C. 136. *Hist.* 39. R. D. 87. 27. D. A. 54. 31. *Galactoxylum* Barbad. *Laurocerasi* folio majore. *This yields* a Poysonous Milk *from all its Parts, and boils into* Birdlime.

256. *Poyson-wood* Pl. 230. f 8. A. B. 369. pl. 10. *Jam* C. 136. pl. *ult.* Hist. 39. R. D. 87. 28. D. A. 54. 32. *Ligon* 68. Tithymalus *Arbor* Barbad. *Citri* fol. leviter crenatis. *Common in Meadows.*

257. *Red-wood* Pl. 175. f. 5. Alm. Bot. 138. pl. 6. *Erithroxylum* Barbad. *Hydrolapathi* foliis.

258. *Rod wood* Pluk. 139. fig. 6. Alm. Bot. 46. pl. 6. Myrtus *Barbadensis* viminalibus virgis.

259. *Spirit-wood* Pluk. Tab. 215. f. 5. Alm. Bot. 320. pl. 3. *Pneumatoxylum* Barbad. *bacce* calyculatâ tetrapyrena. Arb. *Barbad.* flor. f. fructi. ferè i notis.

Barbadoes *Trees*, whose *Flowers* or *Fruit* are little known.

260. Barbadoes *Dogwood* Mantis. *Almag.* Botan 150. pl. 2 *Psiciula* arbor *Barbad.* fol. rotundis.

261 Black *Dogwood* Pluk. 172. f. 6. Alm. Bot. 127. pl. 2. Cynoxylum *Barbad.* nigrum, *Laurocerasi* folio.

262. Barbadoes *Iron-wood* Pl. 224. f. 2. Alm. Bot. 346. pl. 12. *Sideroxylon* Babrad. *fol.* apiculatis.

263. *Whip wood* Pluk. Tab. 298 fig. 2. Alm. Bot. 395. pl. 8. *Xylomastix* seu *Flagellifera* arbor *Barbadensis*

264. Rat bane. *A poysonous* Tree *Flowers* like *Honey suckle.* Arbor *Barbad.* Fagi *foliis* pulchrè venosis.

265 *Rusty bough* Pluk. Tab. 144. fig. 4. *Arbuscula* Barbad. *fol.* ferrugineis digitatis.

266. Barbadoes *Fingrigo* or *Satin* Pl. 107. f. 4. A. B. 319. 2. Fingrigo *Barbad.* spinosa, parvis *fol.* & *costis* alatis.

267. *Black-withy* Pluk. Tab. 145. 4. Alm. Bot. 48. 3. Volubilis *Barbad.* triphylla, pediculo alato.

268. Broad-leaf *Clymer*, Pluk. 146. f. 1. *Castaneæ* folio *Barbad.* scandens.

269 *Weeping Bower* Pluk. 145 f. 3. Volubilis *Barbad.* aculeis 2. ex alis fol. apiculat.

N. B. Divers *Trees* in *Barbadoes*, *Antego*, *Jamaica*, &c. *Sprigs* of whose *Flowers* and *Fruit*, will be very acceptable. *Trees* with *Catkins*, viz. * *Bastard* Cedars * *Fustick*, Manchineel. *Trees* with *Pods*, viz. *Bean trees*, Purging and Horse *Cassia*. Spanish *Ash*, *Elm*, * *Oak*, *Sinacod* and *Moabite Trees*, *Dogs-prick*, Black and white *Willow*, * *Cabinet* or *Prince wood*, White and other *Mangroves*, * *Dog-wood*, Common and Mountain *Ebony*, Indian *Savin*, * Wild *Tamarinds*. *Trees* with large *Fruit*, viz. *Banana's* and *Plantains*. All *Sop* Apples and *Gourd*-trees, * *Prickley*-Pole, * *Thatch* and *Dragon* tree, *Anchovy* Pear, *Mamee*, * M. Sapota, * *Santa Maria*, * *Avocado*-Pear, * *Sapotillas*, Wild *Pappaws*, &c. *Trees* with *midling* Fruit, *viz.* Cabbage, * *Palm* Oil and *Palmetto*-trees, * Great and small *Macaw*, * *Balsom* and *Mango* trees * *Cedar*, *Mastick*, *Soap*-berries and *Olives*. All *Plums*, Jack *in a* Box, * *Fire* and *Five*-Sprig, *Black* and *Sweet*-woods, *Black*, Sower, *Coubange* and other *Cherries*. All *Grapes*, Leather-coat, Coblolly, *&c.* *Trees* with *Berries* and other small *Fruit*, viz. *Birch*, *Box*, *Hercules* and yellow *Woods*, *All Spice* and sweet *Bays*, *Honey*-tree, Bastard-*Locus*, Hog Doctor and *Boar*-tree, * *Cloven* and *Poyson* berries, *Bichy* tree, * *Olive bark* and wild *Jasmins*. *All* Sorts of Sage *Bitter*-woods, *Fiddle*-woods, *Iron* and *Light*-woods, *Milk* and *Poyson*-woods, *Red* and *Rod*-woods, * *Spirit*-wood, * *Silver* wood, *&c.* *N. B.* Those with this * *Mark*, will be doubly acceptable to *J. Petiver.*

COM. V. *Trees* and *Herbs*, sent me from the *Isle* of *Providence*, by that Curious Gentleman Capt. *William Walker*, Chief of the *Bahama* or *Lucay* Isles.

270. Brasiletto *Dying-wood.* *Brasiletto* arbor spinosa, *foliis* Buxeis.

271. White *Cinamon* Pl. 160. f. 7. *Jam.* 165. ult. *Winteranus* Offic. *cortice* albicante.

272. Wild-*Grape*. Bears a small red *Fruit*, which makes good *Wine*. Walker. *Vitis* Provident. *fol.* altè dentatis.

273. Lignum *Vitæ*. Jam. *Cat.* 186. *Ray* 1685. R. D. 85. Pl. 33. f. 3. 4. A. B. 180. CB. 448. 1. 2. *Clus.* exot 312. f. *Guaicum* Amer. *Buxi* foliis.

274. Madera *Timber*. Jetaiba *Petiv.* Nat. Collect. 180.

275. Moho-tree *Pl.* 178. f. 3. quoad *Fol.* A. B. 144. 8. Mant. 175. *Jam.* C 95. R. D. 319. 16. *Ketmia* utriusque *India*, Tiliæ *folio* subtùs albicante.

276 * Sweet *Bark*. A Tree W. qr. Pl. 220. *f.* 5. *Elutheria* Provid. *fol.* cordato subtùs argenteo.

276. *Saffron* tree. *Celtis* Amer. fol. *Citri* subtùs aureo, *fructu* rubro *Instit.* R. j. Herb. 612.

277. A small *Tree* unknown *Walker*. Lilac *Provid.* Myrti *fol.* flore *tubuloso* staminеo.

278. Sea-side-*weed*. Bears a red *Berry*, which will make *Ink* or dye a *Purple*, Walk. *Solanum* racemosum *Americ.* minus *Jam.* C. 85. Pl. 112. f. 2. A. B. 353. pl. 3. *Ray* V. 3. p. 349. pl. 1.

279. A *Plant* made use of for *Burns* and Scalds W. Chrysanthemi *fortè* species.

COM. VI. My Hearty Friend, Mr. *John Partridge Apothecary*, presented me with the following *rare Corals* gather'd near the *North* Pole.

280. Coralloides *Americ.* lignosa, pereleganter verrucosa.

281. Corallia *marina* squamea, *squamis* deorsum spectantibus *Lang.* H. Lapid Helvet. p. 57. T. 17. f. 2. *Planta* marina *Resedæ* facie *Clus.* Exot. 123, f. *Chabr.* 576. Ic. 5. Park 1302. f. 4. *Reseda* lapidea CB. 100. 5. & 365. 18. *Ray* 68, c. 6.

COM. VII. The Three following *Animals* from *Buen Ayres*, were presented me by my Neighbour Mr. William Smith, *Junior.*

282. *Armadilla* valdè pilosa, *fronte* magno scutato. An accurate *Account* and *Figure* of this *rare Creature* we hope suddenly to see from that *expert Anatomist* Dr. Ja. Douglass, F. R. S. &c.

283. *Columba* marina palmipes, Call'd there *Pintado*. This Captain *George Jesson* caught with a *baited* Hook.

284. The *Spur-wing'd* Lapwing. *Vanellus* humeris cubiti armatis. Mr. *John Staploe* shot this 50 Leagues up the *Rio Plata*, on the *South* Shore.

LONDON, Printed for *James Petiver* in *Aldersgate-street.* MDCCXVI.

PETIVERIANÆ II, seu NATURÆ
COLLECTANEA;
Domi Forisque *Auctori* Communicata.

A JACOBO PETIVER, *Regiæ Societatis Socio*, &c. LONDINI.

COMUNIC. I. PLANTS growing *wild* about *PARIS*, sent me from that *Accurate Botanist*, D. Sebastian Vaillant.

1 *Fluviatilis* fol. denticulatis, *Hist.* Pl. *Paris* 196. Chabr. 563. f. 5
2 *Herniaria* glabra, 96. *Chabr.* 455. f. 1. Ray 214. 6.
3 *Perficaria* angustifolia, 220. B. *pr.* 43. R. 183.
4 Chondrilla *Juncea* vilcosa arvensis, 188. CB. 130. R. 223. 9.
5 *Hierac.* fol. *Coronopi*, 201. CB. 128. Tab. Ic. 181. 2. H. 607. f. 3.
6 *Aster* mont. lut. *Salicis* fol. glabro, 77. *CB.* 266. 6. R. 266. 1.
7 *Conyzis* affinis, 8. *CB.* 265. 7. *Lugd.* 1282. Fig.
8 *Jacobea* vulg. fol. instar *Erucæ* vulg. 277. *CB.* 131. 1. var.
9 *Carduus* prat. latifolius, 259. *CB.* 376. 1. R. 305. 1.
10 *Cyanus* repens latifolius, 203. *CB.* 207. 5. R. 322. 3.
11 *Chamæmelum* maj. *fol.* tenuiss. *caule* rubente, 416.
12 *Eryngium* mim. mitius, capitulo magno, 421. H. R. *Paris.*
13 *Succisa* hirsuta, 141. *CB* 269. 2.
14 *Apium* montanum, 216. *Dal*, Lugd. 702. f. 1.
15 *Bulbocastanum* maj. fol. *Apii*, 403. *CB.* 161. 1. Dod. 434. f.
16 *Bupleurum* fol. subrot. s. vulg. 180. *CB.* 278 2. R. 473. 1.
17 *Meum* latifol. adulterinum, 195. *CB.* 148. 4. R. 473. 1.
18 *Saxifraga* Matth. *Italorum*, 445. Chabr. 383. f. 5.
19 *Seseli* palustre lactescens, 367. CB. 162. xi. R. 314. 2.
20 *Cruciata* palustris supina minima Par. 426.
21 *Cynoglossum* minus 401. *CB.* 257. x. *Colum.* 179. f. R. 491. 5.
22 Lithospermum *Linariæ* folio *German.* 537. *CB.* 259. 8.
23 *Lycopus* palustris villosus, 288.
24 *Marrubium* album villosum, 291. B. *pr.* 10. 2. R. 557. 6.
25 *Prunella* 2. non vulg. *albo* flore, 62. Clus. 43. f. 2. R. 551. 2.
26 *Sideritis* hirsuta procumbens, 534. *CB.* 233. 2. R. 564. 7.
27 Aristolochia *Clematitis* recta, 175. *CB.* 307. 5. R, 762. 5.
28 *Linaria* min. repens & inodora, 209. H. R. *Paris.*
29 *Linaria* pumila supina lutea 110. *CB.* 213. 1. R. 754. 8.
30 *Melampyrum* purpurascente comâ, 288. *CB.* 234. 1. R. 774. 1.
31 *Pedicularis* lutea, 294. Tab. Ic. 791. 1. H. 2. p. 470. f. R. 769. 2.
32 Viola *Martia* arboresc. purpurea, 239. *CB.* 199. 2. 1052. 1.
33 *Ranunculus* aq. *Plantag.* fol. angustissimo *Par.* 525.
34 *Ranunculus* nemorosus *luteus*, 522. *CB.* 178. 1. R. 625. 3.
35 Ranunculus *Oleraceus* major, 523. Tab. Ic. 52. 2. H. 142. 1. 3.
36 *Sedum* min. lato & crasso caule *Portland.* Belgic. 533 H. R. *Par.*
37 *Asparagus* sylv. tenuissimo folio, 56. *CB.* 490. 2
38 *Thlaspi* Alysson *dictum* campestre majus, 52. *CB.* 107, 1.
39 *Thlaspi* arvense *perfoliatum* majus, 233. *CB.* 106. 7 R. 832. 7.
40 *Thlaspi* mont. luteum, 383. I. B. 2. l. 22. p. 929. f. R. 830. 4.
41 Alsinastrum *Gratiolæ* folio, *Par.* 380.
42 *Betonicæ* s. *Tunicæ* mim. similis planta, 490. I. B. 3. p. 338. R. 1003. 5.
43 *Caryophillus* arv. *umbell.* fol. glab. 51. *CB.* 210. 4. R. 1028. 8.
44 *Centaurium* purp. minimum, 412. H. *Blas.* 566. R. 1092. 3.
45 Chamæcistus *Ericæ* fol. lut. humilior, 465. *CB.* 466. 12. *var.*
46 Cistus *Ledon* fol. Thymi, CB. 467. 14. *Clus.* 81. f. R. 1011. 12.
47 *Helianthemum* fl. maculoso, 94. Col. 2. p. 77. CB. 465. xi. R. 1012. 2.
48 *Hyssopifolia* maj. latioribus foliis, 529. CB. 218. 13. *var.*
49 *Lychnis* sylv. angust. *calyc.* turgid. striatis, 211. CB. 2053. R. 997. 22.
50 *Lychnis* visc. fl. *muscoso* min. 211. Tab 820. f. 2. H. 2. 492. f. 1.
51 *Verbascum* fem. fl. *luteo* magno. 163. *CB.* 239. 3. R. 1094 2.
52 Anonis *lutea* sylv. minima, 52. *Col.* 301. f. R. 958. 7.
53 Fænum *Græc.* sylv. alterum polyceration, 195. CB. 348. 4.
54 Ferum *Equin.* Gall. *filiq.* in summitate, 191. CB. 349. R. 925. 1.
55 Trifolium *Cochleat.* polycarp. *fol.* crenatis, 492. CB. 329. 4. R. 964. 21.
56 *Trifolium* mont. *alb.* 540. *CB.* 328. 5. Clus. 245. f. 1. R. 943. 6.
57 *Vicia* peren. incana, multiflora, 311. Bot. *Monsp.* 277.
58 *Allium* sylv. tenuifolium, 413. *Lob.* Ic. 193. 2. R. 1117. 4.
59 *Orchis* fem. procerior majori flore *Par.* 508.
60 *Orchis* palmata *Batrach.* 509. *CB.* 86. 10. *Lob.* Ic. 133. 1.
61 *Orch.* palm. *palust.* 292. 111. *CB.* 86. 14. *Lob.* Ic. 1932. R. 1225. 3.
62 *Orchis* palm. *palust.* lat. 509. *CB.* 86. 12. *Dod* 241. f. R. 1225 1.
63 *Thalictrum*, 5. vel prat. 1. *Clus.* 234. Par. 537.
64 Festuca *Aven.* sterilis humilior, 91. *CB.* 10. 8. R. 1289.
65 Festuca *Graminea*, effusâ jubâ, 91. *B.* pr. 19. 65. R. 1290. 10.
66 Festuca *Graminea*, glumis hirsutis, 91. *CB.* 9. 1.
67 *Gramen* minimum, 87. *Dal.* Lugd. 425. f. R. 1279. 15.
68 Gr. *nemor.* panic. *albis* capillaceo fol. 33. *B.* pr. 14. 45 Th. 97. 1.
69 Gr. *prat.* spicâ purp. ex utriculo prodeunte, 273. Lugd. 425. f.
70 *Linagrostis* paniculâ minore, *Par* 486.
71 *Genista* ramosa fol. *Hyperici*, 451. *CB.* 395. 4. Lugd. 173. f.
72 *Pinus* marit. altera, 351. *Matth.* CB. 492. 6. Lob. Ic. 229. f.
73 *Salix* platyphillos *leucophæus* 357. *Lugd* 257. f.
Plantæ *PARIS*, quarum *Specimina ficca* vel *seminarecentia*, valde grata erunt *Fac. Petiver.*
74 *Atriplex* angustissimo & longissimo folio xi. H. L. *Bat.*
75 *Blitum* rubrum minus, 383. *CB.* 118. *Cam.* 235. f. R. 200. 2.
76 *Herniaria* hirsuta, 96. Chabr. 455. f. 2.
77 *Parietaria* minor *Ocymi* folio, 295. *CB.* 121. Bocc. 147. f.
78 *Perficaria* latif. floris *calyce* candido, *Par.* 220.
79 *Potamogiton* ramosum angustifolium. 352. *CB.* 193, 7.
80 *Dens Leonis* tenuissimo *folio*, 331. B. pr. 62. *Col.* 2. p. 31. f.
81 Hieracium *Erucæfolium* hirsutum, 99. Chabr. 319. f. 2.
82 *Hieracium* max. glabrum *Erucæ* folio *Par.* 470.
83 *Hieracium* luteum hirsutum 99. *Chabr.* 319. f. 2.
84 *Hieracium* min. *Dent. Leonis* fol. subaspero, 98. *CB.* 127. 5.
85 *Hieracium* min. D. L. *folio* oblongo glabro, 341. *CB.* 127. 6.
86 *Hieracium* muror. laciniat. minus pilosum, 97. *CB.* 129. 2.
87 *Hieracium* Phlomoides, 470. *Tab.* Ic. 184. 1. H. 608. f. 8.
88 *Scorzonera* angustifolia prima, 143. CB. 275. R. 249. 4.
89 *Scorzonera* fol. nervosis, 532. *CB.* 275. 3. R. 250. 10.
90 *Scorzonera* palustris *pulveriflora*, 301. H. R. Paris.
91 Chrysanthemum *Alpin.* fol *Abrotani* multifidis, 474. *CB.* 134.
92 *Conyza* incana, 178. CB. 265. *Lob.* Ic. 347. 1.
93 *Doronicum* Plantaginis *folio*, 433. CB. 184. R. 277. 9.
94 *Jacobea* mont. lanug. *angustif.* non laciniata, 474. CB. 131. 8.
95 *Carduus* stellatus, *fol.* integris serratis, 323. B. *Monsp.* 292.
96 *Jacea* Austriaca, *Par.* 473. vi. *Clus.* 7. 2. R. 328. 24.
97 *Sium* palustre alterum *fol.* serratis *Par.* 302.
98 *Sphondylium* hirsut *fol.* angustioribus, &c. 365.
99 *Rubia* sylv. *Monsp.* major, 528. *I. B.* 3. 715. R. 480. 2.
100 *Heliotropium* maj. *Autumnale* Jasmini *odore* Par. 96.
101 *Elatine* fol. acuminato, fl. ceruleo, 487. CB. 253. 3.
102 Viola *Mart.* sylv. min. *fol.* mucronat. oblong. & strictioribus, CB. 199. 1. var.
103 *Pulsatilla* fol. crassiore & majore, fl. laciniato *Par.* 131.
104 *Quinquefolio* Fragifero *affinis*, 350. CB. 326. 5. R. 616. 2.
105 *Sedum* minus *teretifolium* alterum, 147. CB. 283. 2.
106 *Consolida Regal.* arvensis 432. CB. 142. 4. R. 708. 4.
107 *Brassica* sylv. *fol.* circa rad. *cichoraceis* 160. *CB.* 112. 8.
108 *Chamædrys* spuria maj. *anguslifolia*, 169. *CB.* 249. 14
109 *Thlaspi* Alisson *dict.* campestre min. 52. *CB.* 107, 2. R. 829. 2.
110 *Campanula* arvensis minima, 252. Dod. 168. f. 1.
111 *Caryophyllus* sylv. vulg. latifol. 185. *CB.* 229, 1.
112 *Alsine* hirsuta minor, 120. *CB.* 251. 3.
113 Geranium *Columb.* tenuius laciniarum, 85. *B.* pr. 138. 2.
114 *Lychnis* sylv. 113. Tab Ic. 293. 2. H. 2. p. 10. f. 4. G. 382. f. 1.
115 *Verbascum* fœm. fl. albo, 164. *CB.* 239. 4.
116 *Cicercula* sylv. 259. Tab. Ic. 500. 2. H. 2. p. 22. f. 2.
117 *Trifol.* Fragifer. *nostras* purp. *fol.* oblongo 44. *Ox.* 144. 14.
118 Cynosorchus *Militaris* minor, 508 *CB.* 81. 3.
119 *Orchis* Anthropophora *Oreades* altera, 349. *Col.* 2. p. 9
120 *Orchis* palmata *palust.* maculata, 509. *CB.* 86. 15.
121 *Orobis* abortiva *Violacea*, 486. *CB.* 86. 2. R. 1229. 3.
122 *Orobanche* major fœtidissima, *Par.* 123.
123 *Helleborine* mont. *angust.* purpurascens, 200. *CB.* 187. 7.
124 *Helleborine* fl. *albo* vel *Damasonium* mont. lat. 340. CB. 187. 5.
125 *Tithymalus* mont. non acris, 537. *CB.* 292. 3. R. 870. 34.
126 *Tithymalus* palust. fruticosus, 368. *CB.* 292. R. 861. 8.
127 *Valeriana* sylv. major altera, folio lucido, 237. H. P. Par.
128 *Trichomanes* fol. elegant. incisis, 535. T. Ic. 797. 1. H. 474. f 3.
129 *Genista* alba, 430. *Tab.* Ic. 1100. 2. H. 2. p. 802. 1, 2.
130 *Quercus* fol. molli lanugine pubescentibus, 353. CB. 420. 1.

COM. II. Basil *Plants* sent me from Dr. *Zuinger*, *Physician* in that *City*.

131 *Polygonum* littor. min. *Flosc.* spadiceo albicantibus, 83. B. pr. 131. 3. Ray 213. 2.
132 *Hieracium* Chondrillæ *fol.* glabrum 37. CB. 127. 3.
133 *Hieracium* Chondrillæ *fol.* glabro, rad. Succisa majus, 37. CB. 127. 4.
134 *Hieracium* Chondr. *fol.* glabro, rad. succisa minus 38. CB. 128. 5.
135 *Hieracium* Chondr. *fol.* hirsutum 37. CB. 127. 2.
136 *Hieracium* Dent. Leonis *fol.* obtuso, minus 37. B. pr. 63. 3.
137 *Hieracium* minus glabrum, *fol.* eleganter virentibus, 37. B. pr. 63. 2.
138 *Hieracium muror.* lacin. minus pilosum 38. *latifolium.*
139 *Hieracium muror.* lacin. minus pilosum, 38. *angustifol.*
140 *Pilosella* major *erecta*, CB. 262. 2. R. 241. 16.
141 *Pilosella* maj. *repens*, minus hirsuta, CB. 262. 3. R. 243. 3.
142 *Carduus* in *Avena* proveniens, CB. 376. 8.
143 *Chamædrys* spuria minor, *angustifolia* CB. pr. 117. 5.
144 *Melampyrum* luteum angustifolium, B. pr. 112.
145 *Alcea* vulg. minor, CB. 316. 2.
146 Sedum *Alpinum* hirsutum luteum, CB. 284. xi.
147 *Polygonatum* angustifol. non ramosum, CB. 303. 8.
148 Papaver *Erraticum* minus, CB. 171. 13. pr. 28. 2.
149 *Cynosorchis* militaris *mont.* spica rubente conglomerata, B.
150 *Cynosorchis* milit. *prat.* elatior *fl.* variegatis, B. pr. 28. 3.
151 *Orchis* palmata *prat.* angustifol. major, B. pr. 60. 6. Fig.
152 *Orchis* palmata *angustifolia* minor, CB. 85. 6.
153 *Orchis* palmata *angustif.* minor odoratissima, B. pr. 30. 7. Fig.
154 *Orchis* palmata *mont.* maxima, B. pr. 30. 9. Fig.
155 *Orchis* arbortiva *fusca*, CB. 86. 1.
156 *Gramen* arvense *panicula crispa*, B. pr. 6. Fig. R. 1270. 9.
157 *Gram.* murorum *rad.* repente, B. pr. 2. 5.
158 *Gr* spica *cristata* subhirsutum, B. pr. 8. 19.
159 *Gr.* pratense *spicâ* flavescente, CB. 3. 3.
160 *Gr.* fol. *junceis* brevibus maj. rad. nigrâ, B. pr. 34. xi.
161 *Gr.* nemoros. *paniculis* albis, capillaceo folio, B. pr. 14. 45.
162 *Festuca* pratensis lanuginosa, B. pr. 19. 68.
163 *Festuca* dumetorum angustiss. & pilosis foliis, B. pr. 19. 70.
164 *Gr. hirsutum*, angustifol. majus, B. pr. 16. 47. Fig.
165 *Gr. Caryophyl.* foliis, *spicâ* divulsâ, CB. 3. 6.
166 *Gr. Caryophyllatum* mont. *spicâ* variâ, B. pr. 9. 23. Fig.
167 *Gr. Caryophyllatum* nemoros. *spica* multiplici, B. pr. 9. 22.
168 *Gr.* nemorosum, *spicis* parvis asperis, CB. 7. 4.
169 Filix *fontana* minor, CB. 358. 2.
170 Filix *ramosa* minor, *pinnulis* dentatis, CB. 358. 4.

BASILIÆ Plantarum *Catalogus*, quarum *Exemplaria* sicca vel *Semina* recentia, valde grata erant, pari Commutatione *Jac. Petiver.*

171 *Acetosa* arvens. mm. non lanceolata, 33. CB. 114. 15.
172 *Atriplex* sylvestris altera, 34. CB. 119. 2.
173 Blitum *album* minus, 34. CB. 118. 2. Ray 200. 4.
174 Blitum *rubrum* minus, 34. CB. 118. 5. R. 200. 2.
175 *Camphorata* glabra, 113. CB. 486. 2. R. 211.
176 *Lapathum* mm. seu minimum, 33. CB. 115. 5.
177 Lapathum *aquaticum* minus, 33. CB. 116.
178 *Persicaria* angustifol. 29. B. pr. 43. R. 183.
179 Plantago *angustifol.* minor, 56. CB. 189. 6. R. 878.
180 *Plantago* trinervia *angustissimo* folio, *B.* pr. 98. 3.
181 Chondrilla *juncea* viscosa arvensis, 39. CB. 130. 1. R. 223. 9.
182 *Cichoreum* mont. angustifol. hirsutie asperum, CB. 126. 3.
183 Hieracium *Dent. Leonis* folio, monoclonon, 37. CB. 127. 8.
184 Id. *culmis* è rad. pluribus, *Cat.* 37. var.
185 *Hieracium* montanum *Rapifolium*, 38. pr. 64. 14. R. 237. xi.
186 Hieracium *mont.* hirsutum ramos. parvis flor. CB. 128. 9.
187 Hieracium *mont.* latifol. glabrum majus, CB. R. 233. 13.
188 *Hieracium* muror. *angust.* non laciniatum, B. pr. 67. 22. Fig.
189 *Hieracium* profundè sinuatum, pubescens, B. pr. 67. 23.
190 *Hieracium* prat. *latifol.* non sinuatum majus, CB. 129. 2.
191 *Id.* minus, 39. CB. 129. 3. *Pratis* palustribus *Michelfeld.*
192 *Lactuca* mont. *purpuro-cerulea* major, *CB.* 123. 3. R. 223. 8.
193 *Senecio* minor, *latiore* folio s. montana, *CB.* 131. 2.
194 *Soncho* affinis, *Lampsana* sylvatica, 36. *CB.* 125. 2.
195 *Aster* mont. *luteus*, fol. *Salicis* glabro, *CB*, 266. 6. R. 266. 1.
196 *Cacalia* fol. crassis & hirsutis, 58. *CB.* 198. 2. R. 299. 1.
197 *Conyza* palust. *serratifolia*, 79. *CB.* 266. 4. Ger. 347. f.
198 *Gnaphalium* vulg. majus, 78. *CB.* 263. 3. R. 295. 4.
199 *Gnaphalium* medium, *CB.* 263. 4. qr? R. 295. 5.
200 *Gnaphalium* minus repens, *CB.* 263. 6. qr? R. 296. 6.
201 *Virga aurea* angustifolia, 79. *CB.* 268. 4.
202 Virga aurea *latifol.* serrata, 79. *CB.* 268. 2. R. 297. 6.
203 *Bellis* sylv. *media*, caule carens, 77. *CB.* 261. 6. R. 349. 1.
204 *Tanacetum* minus *album*, odore *Camphoræ*, *CB.* 132. 3. R. 346. 3.
205 *Tanacetum* mont. *inodorum*, minore flore, 40. *CB.* 132. 1, R. 352. 12.
206 Carduus *lanceatus* angustifolius, 104. *B.* pr. 155. 4.
207 Carduus *pratensis* latifolius, 102. *CB.* 376. 1. R. 305. 1.
208 *Carduus* prat. *Asphod.* rad. fol. profundè & tenuiter laciniatis, *CB.* 377. 4. Ger. 589. 6.
209 *Carduus* prat. *polycephalus*, 102. *B.* pr. 156. 5. R. 309. 5.
210 *Carduus* spinosissimus *angustifol.* vulg. *CB.* 365. 3.
211 *Carduus* spinosis. *latifol.* sphærocephalus, 102. pr. 385. 1.
212 Carlina *acaulos*, magno *flore* 103. *CB.* 380. R. 268. 1.
213 *Carlina* caulescens *magno* flore CB. 380. 2.
214 *Cirsium* angustifolium, 102. B. pr. 155. 2.
215 *Cirsium* singularibus capit. *CB.* 377. 6. Dod 737. f. R. 307 9.
216 *Cirsium* singul. capit. alterum, 102. *Monte* Wasserfall.
217 Jacea *nigra* angustifol. 81. B. pr. 126. 1. R. 326. 13.
218 *Scabiosa* capit. *globoso* major, 80. CB. 270. 2.
219 *Scabiosa* mont. *latif.* non laciniata *rubra*, CB. 270. 4. R. 379.
220 *Succisa* hirsuta, 80 CB. 269. 2. R. 380. 21. var.
221 *Stæbe* major, *calyculis* non splendentibus, 81. CB. 273 3.
222 *Bupleurum* angustifol. 81. CB. 278. 2.
223 *Angelica* aquatica, 47. CB. 156. 6 R. 434. 3.
224 *Apium* mont. fol. tenuibus divisis, *Cat.* 46. var.
225 *Caruifolia*, 47. CB. 158. 3. *Ray* 415. 4.
226 Cicutaria *latifol.* fœtida, 48. CB. 161. 3. R. 451. 5.
227 Daucus *Alpin.* multifido longoque folio, 45. *CB.* 150. 2.
228 Daucus mont *Apii* fol. *major*, *CB.* 150. 5. Ger. 858. f. 3.
229 *Daucus* mont. *Apii* fol. *minor*, *CB.* 150 6 qr? R. 463. 5.
230 *Daucus* pratensis *Apii* folio, *B.* pr. 77. 2. R. 449. 7.
231 *Millefolium* aq. *umbell.* capillaceo brevique folio, *CB.* 141. 2. R. 459. 5. Dod 535. f. 1.
232 *Seseli* mont. *Cicuta* fol. subhirsutum, 49. *B.* pr. 85. 1. R. 452. 7.
233 *Seseli* prat. *tenuifolium*, 49. *B.* pr. 85. 2. R. 453. 3.
234 *Sphondylium* Alpinum *glabrum*, 47. *B.* pr. 83. 3. Fig. R. 409. 4.
235 *Mollugo* mont. *latifol.* ramosa, 95. *CB.* 334. 1. R. 481. 2.
236 *Pulmonaria* angust. fl. cerul. rubente, 77. *CB.* 260. 2. R. 489. 3.
237 *Brunella* folio *laciniato*, 77. *CB.* 261. 2. R. 551. 2.
238 Brunella min. alb. laciniata, *CB.* 260. 1. R. 552. 5.
239 *Hedera terrestris* montana, 88. *CB.* 306. 2. R. 567. 2.
240 *Lamium* alba linea notatum, s. *Milzatella*, 66. *CB.* 231. 5. R. 560. 4.
241 *Pseudostachys* Alpina, 68. *CB.* 236. 2. R. 555. 5.
242 Pseudostachys *Alpina* inodora, 68. *B.* pr. 113. 2.
243 *Serpyllum* angustifol. hirsut. 63. *CB.* 220. 8. R. 522. 10.
244 *Sideritis* vulg. hirsuta, 66. *CB.* 233. 4. R. 563. 4.
245 Urtica *fatua* fol. non setratis, 66. *CB.* 232. 3. *Lob.* Ic. 527.
246 Scrophularia *Ruta canina* dicta *vulg.* 68 *CB.* 236. 8. R. 766. 9.
247 Aconitum *Lycoct.* albis pallidisve *floribus*, 54 *CB.* 183. 3.
248 *Millefolium* aq. *cornutum* majus, 43. *B.* pr. 73. 5. Fig. R. 191. 2.
249 *Millefolium* aq. *cornutum* minus, *CB.* 516. *descr.*
250 *Pulsatilla* fol. tenuius inciso, *fl.* minore, *B.* pr. 94 1.
251 *Quinquefolium* minus *repens* luteum, 92. *CB.* 325. 3.
252 *Quinquefolium* mont. *erect.* hirsut. luteum, *B.* pr. 139. 3. *R.* 613. xi.
253 *Ranunculus* nemorosus *luteus*, *CB.* 178. 1. *Fusch.* 152. *f.*
254 Ranunculus *palustris* serratus, 54. *CB.* 180. 2. *R.* 587. 7.
255 *Sedum* Alpin. *Gramin.* fol. lacteo flore, 83. *CB.* 284. 4.
256 *Sedum* arvense *fl.* rubente, *CB.* 283. 7. B. pr. 132. 9.
257 *Bryonia* lævis, f. *nigra* baccifera, 86. pr. 135. *R*, 661. 3.
258 *Polygonatum* latif. minus, *fl.* majore, 87. *B.* pr. 129. *R.* 665.
259 *Brassica* sylv. *ramosa* glabra, 33. CB. 112. 7. R. 799. 5.
260 *Bursa Pastoris* media, 31. CB. 108. 3.
261 *Dentaria* heptaphyllos, 91, CB. 322. 1. *Ray* 785, 3.
262 *Dentaria* pentaphyllos, *CB.* 322. 2. R. 784 2.
293 Eruca *cærulea* in arenosis crescens, 28. *B.* pr. 45. Fig. R. 793. 4.
264 *Myagrum* fœtidum, 42. B. pr. 51. 1. R. 820. 3.
265 *Nasturtium* aq. erect. *fol.* longiore, 30. *CB.* 104. 3.
266 *Nasturtium* prat. *fol.* ret. fl. majore, 29. *CB.* 104. 4.
267 *Rapistrum* monotpermon, 27. B. pr. 37. 2. Fig.
268 Thlaspi *Alpin.* majus, *capit.* rotundis, *CB.* 106. 6. R. 822. 6.
269 Thlaspi *Alpin.* minus, *cap.* rotundo, 31. *B.* pr. 48. 6. Fig. R. 821. 5.
270 *Thlaspi* mont. incan. lut. *Serpylli*, fol. majus, *CB.* 107. 12.
271 *Campanula* Alpin. *Linifolia* cerulea, *B.* pr. 34. 4. R. 740. 16.
272 *Rapunculus* nemor. *angustif.* magno *fl.* major, *CB.* 93. xi.
273 *Rapunculus* nem. *angustif.* parvo *flore*, 26. *CB.* 93. 13.
274 Rapunculus *spicatus* albus, 25. *CB.* 92 3. *R.* 743. 1.
275 *Gentiana* autumnalis *ramosa*, 55. *CB.* 188. 2. *R.* 720. 8.
276 *Gentiana* autumnal. *angustifolia*, 56. *CB.* 186. 6.
277 *Gentiana* cruciata, 55. *CB.* 188. 1. *R.* 717. 5.
278 *Gentiana* major *lutea*, 55. *CB.* 187. 1. *R.* 716. 1.
279 *Linum* sylv. *angustifol.* fl. minore, 62. *CB.* 214. 3. *R.* 1073. 9.
280 *Millefolium*, aq. *Equisetifolium* caule nudo, *CB.* 141. 5.
281 *Alsine* major, 73. CB. 259. 10.
282 *Alsine* minor *Serpilifolia* 74. B. pr. 118. 1.
* 282 *Alsine* major, 73. *CB*, 259. 10.

283

283 Cayophyllus, *sylv.* vulg. 60. *CB.* 209. 1. *R.* 950. 1.
284 *Caryophyllus* fl. tenuissimè dissecto, 61. *CB.* 209. 1.
285 *Caryophyllus* arvens. *hirsut.* fl. *majore*, *CB.* 210. 1. G. 477. f. xi.
286 *Caryophyllus* arv *umbellatus*, fol. *glabro*, CB. 210. 4 *R.* 1028. 8.
287 *Caryophyllus* sylv. *fl.* minimo, 61. CB. 211. 5. *R.* 1033. 13.
288 Geranium *Cicutæ* fol. maj. inodorum 90 CB.
289 *Geranium* fol. rot. minus, profundè laciniato, *Cat.* 90.
290 *Verbascum* fæm. fl. luteo magno, 69. CB. 237. 3. *R.* 1094. 2.
291 *Nigella* arvensis *cornuta*, 44. CB. 145. 1. *R.* 1079. 3.
292 *Lotus* pentaphyllos *corniculata*, 94. CB. 332. 1. *R.* 967. 5.
293 *Lotus* pentaphyllos *fruticosus*, 94. CB. 330. 3. *R.* 968. 7.
294 *Trifolium* mont. *purpureum*, 93. CB. 328. 1. *R.* 944 6.
295 Trifolium *capit.* spumoso aspero *majus*, 93. B. pr. 140. 8.
296 *Trifolium* capit. *spumoso* aspero *minus*, B. pr. 140 8. *R.*
297 *Lathyrus* major *sylv.* alter. 96. CB. 344. 4. 947. 22.
298 *Lathyrus* sylv. *minor*, 96. CB. 344 5. *Dod.* 529. f. 1.
299 *Orobus* sylvat. *pusp.* vernus, 97. CB. 351. 2. *Dod* 542 f. 2.
300 *Securidica* dumet. maj. *fl.* vario, fil. articulatis, CB. 349. 4.
301 *Securidica* dumet. min. pallidè cerulea, 97. CB. 349. 5.
302 *Vicia* sepium *fol.* rotundiore acuto, CB. 345. 4. *Dod.* 531. f. 1.
303 *Vicia* sylv *spicata*, 97. CB. 345. 8. *R.* 903. 19.
304 *Vicia* vulg. *acutiore* folio, 96. CB. 345. 5. *Matth.* 416. f. 2.
305 *Fumaria* bulbosa *rad.* cava *major*, 44. CB. 143. 1. *R.* 975 4.
306 *Fumaria* bulbosa *rad.* non cava *major*, CB. 144. 2. *R.* 975 5.
307 *Fumaria* bulb. *rad.* non cava *minor*, CB. 143. 3. *Dod.* 347. f. 2.
308 Allium *sparieeo* capite, *fol.* latiore, 21. CB. 74. 6.
309 Allium *sylv.* latif. *capitat.* purpurascens, 21. CB. 74. 10.
310 Allium *sylv.* latif *capitat.* purp. *majus*, 21. CB. 74. xi.
311 *Allium* sylv. *capitat.* purp. *minus*, 21. CB. 74. 12. *R.* 1119. 2.
312 *Allium* mont. *bicorne*, angustifol. *fl.* purp. 21. CB. 74. 22. *R.* 1119. 2.
313 *Pseudo-Asphodelus* Alpinus, 18. CB. 29. 10. *R.* 1194. 1.
314 *Iris* vulg. *German.* s. sylvestris, 19. CB. 30. 1. *R.* 1180. 1.
315 *Iris* prat. *angustif.* humilior. 19. CB. 32. 3. *Dod.* 246. f.
316 Cynosorchis *latifol.* hiante *cucullo* major, 21. CB. 80. 1.
317 Cynosorchis *angustifol.* hiante *cucullo*, 22. B. pr. 28. 1. *R.* 1216. 16.
318 Cynosorchis *militaris* major, 22. CB. 1. 1. *R.* 1213. 13.
319 Cynosorchis *militaris* minor, 22. CB. 81. 3. *Ger.* 165. f. 12.
320 Orchis *fol.* sessilibus *non* maculatis, 22. CB. 82. 3.
321 *Orchis* odore *Hirci* long. angustioreque *fol.* 23. CB. 82. 2.
322 *Triorchis* lutea *fol.* glabro, 23. CB. 84. 3. *R.* 1217. 24.
323 Triorchis *lutea* altera, 23. CB. 84. 4. Ger. 167. f. 1.
324 *Pseudorchis*, 24. CB. 84. 8. *R.* 1226. 1. *Cam.* H. 111. f. 35.
325 *Orchis* palmata *mont.* maxima, 24. *B.* pr. 30. 9 Fig. *R.* 1224 4.
326 Orchis *abortiva* fusca. 24 CB. 86. 1. *Dod.* 553 f. 2.
327 *Ophris* trifolia, 25. CB. 87. 2. *Ger.* 326. f. 2.
328 Ophris *trifolia*, minor *Cat.* 25.
329 Helleborine *angustif.* palustr. s. prat. 55. CB. 187. 3. *R.* 1230. 2.
330 Helleborine *fl.* alb. 55. CB. 187. 5. *R.* 1231 6.
331 *Helleborine* mont *angustif.* purpurascens, 55. CB. 187. 7.
332 Nymphea *alba* minor, 57. CB. 193. 2. *G.* 663. f. 3.
333 Thalictrum *prat.* angustissimo *folio*, 95. *B.* pr. 146. Fig. *R.* 404. 9.
334 Tithymalus *sylv.* lunato *flore*, 84. CB. 290. 7. *R.* 871. 41.
335 Tithymalus *Linariæ* fol. 84. CB. 299. 2. *R.* 866. 15.
336 *Tithymalus* Cyparissias, 85. CB. 291. 2. *R.* 867. 19.
337 *Tithymalus* Cypar. *fol.* punctis croceis notatis, CB. 291 1.
338 Tithymalus *palustris* fruticosus, 85. CB 292. 2. *R.* 864. 8.
339 Tithymalus *mont.* non acris, 85. CB. 292. 3. *R.* 870. 34.
340 Valeriana *sylv.* maj. *montana*, 50. CB. 164. 5.
341 Valeriana *palust.* med parum laciniata, 50. *B.* pr. 86. 2.
342 Valeriana *Alpina* prima, 50. *B.* pr. 86. 3. *R.* 390. 9.
343 *Valeriana* Alp. *Scrophulariæ*, folio 50. *B.* pr. 87. 4. *R.* 390. 10.
344 Gramen Caninum vineale, 3. *B.* pr. 1. 1.
345 Gr. Canin. supinum minus, 3. CB. 1. 7. *R.* 1256. 9.
346 Gr. Tremulum minus, paniculâ parvâ, 4 *B.* pr. 4. 9.
347 Gr. prat. panicula & glumis longioribus, *Cat.* 4.
348 Gr. mont. panic. spadicea delicatiore majus, 5. *B.* pr. 6. 12.
349 Id. minus, *Cat.* 5. *B.* pr. 6. 12. *Monte* Wasserfall.
350 Gr. palust. paniculatum altissimum, 5. CB. 3. 1.
351 Gr. palustre paniculatum minus, 5. *B.* pr. 7. 16.
352 Gr. palustre paniculatum altius, *Cat.* 5.
353 Gr. spicatum angust. montanum, 6. *B.* pr. 8. 20.
354 Gr. sylvat. angustifol. spicâ albâ, 6. *B.* pr. 8 21.
355 Gr. spicatum, fol. & spicis hirsut. mollibus, 6. *B.* pr. 9. 24.
356 Gr. *Cristatum*, spica elegantiore & densiore, 5. *B.* pr. 8. 18. var.
357 Gr. Typhoides max. spicâ longissimâ, 6. *B.* pr. 10. 25. Fig.
358 Gr. Typhoides molle, 7. CB. 4. 2. *Ger.* 9. f. 2.
359 Gr. Typhoides asperum primum, 7. CB. 4. 3. *G.* 10. f. 1.
360 Gr. Typhoides asperum alterum, 7. CB. 4. 4. *G.* 10. f. 2.
361 Gr. Typhoides, spicâ angustiore & longiore, 7. CB. 4. 5.
362 Gr. Typhoides, culmo reclinato, 7. CB. 4. 6. *G.* 9. f. 3.
363 Gr. Typhoides, spica multiplici, 7. CB. 4. 7. *R.* 1298. 13.
364 Gr. Sparteum Basil. capillaceo folio 7. *B.* pr. xi. 29.
365 Gr. Junceum polystachion, 8. CB. 5. 7. *R.* 1309. 16.
366 Gr. Junceum fol. & spica Junci minus, 8. CB. 6. xi.
367 Gr. Arundinaceum spicâ multiplici tenuiore, *Cat.* 10.
368 Gr. Arundin. enode minus sylvaticum. 10. CB. 7. 7.
369 Gr. mont. panic. Miliaceâ sparsâ, 12. *B.* pr. 17. 50.
370 Gr. Sorghi paniculâ erectum, 12. CB. 8. 1. *R.* 1283. 1.
371 Gr. latif. spica Triticea compactâ, 12. *B.* pr. 18. 53. Fig.
372 Id. *folio* angustiore, *Cat.* 12.
373 Gr. angustif spica Triticea compacta. 12. *B.* pr. 18. 56. Fig.
374 Gr. spica Brizæ majus, 12. *B.* pr. 18. 58. Fig. *R.* 1257. 1.
375 Gr. Hordeaceum mont. s. majus, 12. CB. 9. 1.
376 Gr. Loliac. latif spica angust. 13. *B.* pr. 19. 60. *R.* 1263. 2.
377 Idem fol. longioribus, *Cat.* 13.
378 Festuca Graminea, glumis vacuis, 13. *B* pr. 19. 64. *R.* 1290 9.
379 Festuca dumetorum, 13. *B.* pr. 19. 69. *R.* 1262. 2.
380 Gr. nemorosum spicâ rufescente molli. 10. CB. 7. 3.
381 Gr. hirsut. latifol. minus, junceâ paniculâ, *Cat.* 10.
382 Id. majus, *Cat.* 10.
383 Cyperoides angust. spica spad. viride minus, *B.* pr. 19. 41.
384 Cyperoides angust. spicis longis erectis, 9. CB. 6. 4.
385 Cyperus longus inodorus sylvaticus, 15. *B.* pr. 24.
386 Juncus acumine reflexo major, 14. CB. 12. 1. *R.* 1304. xi.
387 *Secale* luxurians, 17. CB. 23. 4.
388 *Secale* vernum, *vel* minus, 17. CB. 23. 3.
389 *Zea* Amylea, *vel* Zeopyrum *Amylæum*, 17. CB. 22. 3.
390 *Zea Briza* dicta, *vel* monococcos *Germanica*, CB. 21. 1.
391 *Zea* dicoccos, *vel* major, 17. CB. 22. 2. *Ger.* 62. f.
392 *Equisetum* palustre *Linariæ scopariæ* fol. *B.* pr. 24 1.
393 Equisetum *palustre* minus polystachion, 15. *B.* pr. 24. 2.
394 Equisetum *palust.* tenuiss. & longiss. setis, *B.* pr. 24 3.
395 Equisetum *nudum* minus *variegat.* Basiliense, *B.* pr. 24. 4.
396 Filix *aculeata* major, 99. CB. 358. 1. pr. 151. 2.
397 Filix *aculeata* minor, CB. 358. 2. pr. 151. 3.
398 Filix *fontana* major, s. *Adianth.* alb. *Filicis* folio, CB. 258. 1.
399 *Filix* non ramosa *pinnul.* tenuiss. & tenuissimè dentatis, CB. 358 4.
* 399 *Filix* Querna 99. *CB* 358. 5. Tab. Ic. 793. 2. *Ger.* 980. f. 1.
400 *Muscus* vulgatissimus, 100 CB. 360. 1. *Dod.* 472. f. 1.
401 *Muscus* vulg. *pennatus* major, 100. *B.* pr. 151. 1.
402 *Muscus* vulg. *pennatus* minor, 100. *B.* pr. 151. 1. var.
403 *Muscus* ramosus *repens*, spicatus, 100. B. pr. 151. 4.
404 *Muscus* ramos. *repens*, apicibus candicantibus, B. pr. 151. 4. var.
405 Muscus *ramosus* major, 100. B. pr. 155. 5. R. 123. 2.
406 Muscus *ramos.* maj. elegantior & viridior, 100. B. pr. 151. 5. var.
407 *Muscus* ramos *erect.* minor, 100. B. pr. 151. 6. R. 123. 3.
408 *Muscus* saxatilis *Ericoides*, 100. B. pr. 151. 7. R. 123. 4.
409 Muscus polytrichoides, 1. fol. capil. rigid. B. pr. 152. 10.
410 Id. alter minor, B. pr. 152. 10. var.
411 Id. 3. minimus & mollis, B. pr. 152. 10. var.
412 *Muscus* parvus *stellaris*, 100. CB. 361. 13.
413 *Muscus* terrestris *Coralloides* incanus, 101. B. pr. 152. xi.
414 *Muscus* terrest. *Coralioides* erectus *cornib.* rubescentibus, B. pr. 152. 11.
415 *Muscus* aquaticus, *folio* expanso, 101. B. pr. 152. 14.
416 *Pinus* sylvestris, 113. CB. 491. 2. R. 1299. 3.
417 *Pinaster* tenuifolius, julo purpurascente, CB. 492. 10.
418 *Salix* vulgaris rubens 111. CB. 473. 3. R. 1421. 8.
419 *Salix* sativa *lutea*, fol crenato, 111. CB. 473. 4. *R.* 1421. 7.
420 *Salix* fol. *Amygdalino*, utrinque virente aurito, CB. 473. 5.
421 *Salix* fragilis, 111. CB. 474. 9 Park. 1431. 4.
422 *Salix* humilis, *capitulo* squamoso, 111. CB. 474. xi.
423 *Salix* oblongo incano *folio* 111. B. pr. 159. 2. *R.* 1423. 2.
424 *Salix* humilis *latifolia* erecta 111. B. pr. 159. 4. *R.* 1423. 5.
425 *Buxus* foliis rotundioribus 111. CB. 471. 2. *R.* 1694. 2.
426 *Alnus* folio incano, 107. CB. 428. 3. *R.* 1410. 2.
427 Alnus *nigra* polycarpos, 107. CB. 428. 3.
428 *Alni* effigie, lanato *folio* minor, 109. CB. 452. 2. *R.* 1461. c. 9.
429 *Tilia* montana, maximo folio 106 CB. 426. 2. *R.* 1695. 3.
430 *Ulmus* campestris, 106. CB. 426. 1. *Dod.* 837. f.
431 *Ulmus* montana. 106. CB. 426. 2. *Ger.* 197. f. 1.
432 Genista *spinosa* minor *Germanica*, 104. CB. 395. 3.
433 *Chamæ-genista* sagittalis, 105. CB. 395. 2. *R.* 1725. 5.
434 *Cerasus* affinis, 108. CB. 451. 15. *R.* 1549. c. 15.
435 *Rosa* sylvestris *Pomifera* major, 112. CB. 484. 15.
436 *Rosa* arvensis *candida*, 113. CB. 484. 17. qui? *R.* 1471. 14.
437 Sambucus *racemosa* rubra, 110. CB. 456. 3. *R.* 1610. 4.
438 Vitis *Idea*, fol. carnosis, 110. CB. 470. 6. *R.* 1489. 5.

Plantæ *Basiliæ* locis *Propriis*, viz.

Circa *Urbem* pratis, 134. 6. aridis * 217. 21. 83. humidis * 207. * 23. * 38. collibus * 276. Agris 286. * 7. 436. marginibus 210. 92. 336. * 7. Viis 143 79. 80. Sepibus 244, 5. 85. * 9. 93. 302. 3. 4. 6. Fimetis 226. 81. Ruderibus * 240. Mœnïis 140.

Muris

Muris 221. * 410. 1. Foſſis * 419. Alnetis 435. Dumetis 203. 11. 8. * 34. 300. 1. 5. Sylvis cæduis * 340. Frumentaceis 198. 9. 200. Segetibus 291. Graminibus 141. Montibus 430. *Binninghen* * 417 *Birſa* arenonis * 383. 421. dumetis * 167. * 379 * 406. herbidis 316. paludoſis 384. ad pontem * 263. *Birſeca* arcis colle * 322. *Beneheh* agris uliginoſis * 361. *Brulingen* viis 143. St *Chriſtiana* monte 438. *Cliben* * 377. dumet. 165. 297. 312. 74 Pratis * 193. *Crentzachi* monte 140 229 52. * 72 94. 9 301 * 13. 26. * 50. * 69. 74 * 81. 2. * 403 4 7 25. Saxoſis * 188. 258. 77. 348. Umbroſ. & humidis 190. 366. *Dornach* 270 *Fliehen* ad Balneum 434 *Hiltelingen* * 248. *Huningen* ſylvis 168. * 94 257 75 7. 335 426 ſylvis humidis * 354 agris 145. 81. 256 67. *Lagenbruch* ſylvis * 196. *Landskron* 428. arce 327. montoſis 437. *Michelfeld* 350. 81. aquis * 231. 49. * 332. * 423. paludibus 197. * 364. * 86. * 92. * 3. 4. udis * 178. 352. 80. * 424. dumetis * 189. 274. *Salicetis* * 295 * 355 7. * 423. pratis 150. 1. 3. 60. 8. * 280. * 9. * 24. * 30. * 3. * 50. 4. * 333. 50. 81. * 93. 4 paludoſis pratis * 164. * 91. 220. 84. * 315. 29. 38. * 41. *Monchenſtein* 156. 306. 81. pratis * 190. muris 314. arenoſis ad pontem * 225. ſylvis mont. 330. *Muteto* monte * 144. 54. * 64. * 82. * 6. 92. 5. 201. 2. 5. 22. * 835. * 9. 61. 2. 99. 318. * 9. 319. 82. * 427. * 9. 32. herboſis 412. dumet. humidis * 247. * 367. ſylvis 274. pratis 152. * 275. pratis mont. 149. * 317. ſaxoſis 166. * 88. * 258. ad *Novum Domum* ſylvula 306. rivulis. * 415. *Otlingen* agror. ſemitis * 486. *Reichenſtein* monte 146. 428. *Rheni* ripis 181. 246. arenoſis * 422. ſaxoſis 309. dumetis 259. beh der *Baar* * 296. 321. 955. *Riehen* ſeget. * 389. 90. 1. dumetis 307. ſepibus * 167. Wieſæ ripis 156. 310. 1. ſaxis * 408. arenoſis 131. 204. 64. 90. 414. 22. 23. ad pontem * 238. pratis * 347. 420. agris 308. dumetis 347. 99. * 413, nemora ad pontem * 206. Alneto 253. * 82. 305. *Wilenſi* ſylva 368. 409. Vineis 266. uliginoſis * 401. 2. Waſſerfal monte 135. * 44. 7. * 85. 7. * 92. * 6. 212. * 3. * 4. * 5. * 6. * 27. * 32. * 34. * 41. 2. * 3. * 68. 9. 71. * 323. 4. * 43. * 9. 56. 68. * 75. * 96. 7. * 9. * ſaxoſis 331. * 42. N. B. *Hæ* * in duplo pergratæ erunt, *Jac. Petiver.*

COM. III. *Plants* gathered on *Mount Serato*, lately ſent me from Mr. *John Salvadore* at *Barcelona*.

439 *Hieracium* Pyrenaicum *Dent. Leonis* fol. latiſſimo *Schol. Bot.* 189. *Inſtit.* Rei Herbar. 472. *Ray* Vol. 3. p. 139. 14.

440 *Elychryſum* ſylveſtre anguſtifolium, *capitulis* conglobatis, CB. 264 9 *Phytopin* 5. 4 8. *Lob.* Ic. 486. 1. Ad 203. f. Belg. 570. f. *Ray* H. Plant. 283. xi.

441 *Globularia* montana humillima repens *El. Bot.* 571. Inſtit. 467. *Scabioſa* X. ſive repens, *Cluſ.* v. l. 4 f. Pan. 540 f. R. 381. 27.

442 Jacea *nigra* anguſtifolia, vel *Lithoſpermi* arvenſis foliis, *caule* aſpero, CB. 271. 2. *Prodr.* 127. 1. varietas R. 326. 13 var.

443 *Laſerpitium* anguſtiſſimo & oblongo *folio*, El. B. 274. *Inſt.* 324. Laſerpitio *Lobel.* ſimilis, *anguſtifol.* I. B. Vol. 3. l. 27. p. 237. f. 2. *Chabr.* 399. Ic. 5.

444 *Gallium* ſaxat. *minim.* ſupinum & pumilum, E. B. 94. *Inſt.* 115.

445 *Polium* mont. luteum, CB. 220. 2. *Phyt.* 417. 2. Tab. *Ic.* 364. Hiſt. 2. 80. f. 1. *Polium* luteum, *Lob.* Ic. 487. 1. Ad. 207. Belg. 572. f. R. 525. 8.

446 *Euphraſia* pumila *ſaxatilis*, oblongo, anguſto, ſerrato & villoſo folio, *fl.* purpuraſcente *Salvadore.*

447 Ranunculus *Gramineo* folio, *bulboſus*, CB. 181. 7. pt. 327. 30. Ray 588. 2

448 *Veronica* Hiſpanica *fol.* tenuiſſimè laciniatis, fl. ceruleo *Salv.*

449 *Convolvulus* argenteus *umbellatus* ſupinus, EB. 73. *Inſt.* 84. *Campanula* Lychnidea, I. B. 2. l. 20. p. 803. f. opt. *Chabr.* 264. f. 3. Ray 735. 25.

450 Aphyllanthes *Monſpelienſium*, Adv. 190. f. *Lob.* Ic. 454. 2. B. 538. f. *Caryophyllus* cerul. *Monſpel.* CB. 209. 8. pt. 392. 13. R. 990. 12.

451 *Helianthemum* fol. *Roriſmar.* ſplendent. ſubtus incanis, EB. 216. *Ledon* 8. Cluſ. 80. f. 2. Hiſp. 165. f. Ray 1010. pl. 10.

452 *Helianthemum* fol. *Roriſmarini* utrinque incano *Salvad.*

453 *Geranium* Pyrenaicum, *fol.* cineraceis, *rad.* craſsâ, magno *flore* variegato, *El. Bot.* 233. Ray *Vol.* 3. p. 515. 46.

454 *Coronilla* minima, EB. 510. *Inſt.* 650. Ray 925. 1.
Lotus enneaphyllos *Dalech.* Lugd. 510. f. CB. 349. 4.

COM. IV. *Plantæ* Ilvenſes. *Plants* ſent me from the Reverend *Bruno Tozzi*, which he gathered in the Iſland *Elba* or *Ilva*, lying in the *Tyrrhene Sea*, againſt *Tuſcany.*

455 Chinopodium *Creticum* Alp. *Exot.* 264. f. Ray 554. 4. Calamintha *Cret.* anguſto oblongo *folio*, Inſt. 194.

456 Linaria *Ilvenſis* ſaxat. fl. pallido *rictu* purpureo *Tozzi.*

457 Viola *Ilvenſis* montana, *fl.* albo.

458 Viola *Ilvenſis* mont. *fl.* ceruleo.

459 Viola *Ilvenſis* mont. *fl.* luteo.

460 Tithymalus *Ilvenſis* frutiçoſus *perennis.*

461 *Hemionitis* altera *Dalech.* Lugd. 1218. f. 2.

462 Polypodium *Ilvenſe* Lugd. 1230. f. 2. *Chabr.* 558. 4. *R.* 137. 3. *Filicula* ramoſa *Luſit.* pinnulis ad *Ceterach* accedentibus *El. Bot.* 432. Inſtit. 542. *Muſ.* noſtr. 212. *Ray* Vol. 3. p. 84. & 94. 6.

463 Erinacea *Ilvenſis* fl. *luteo* Tozzi. qr? Pl. *Etrur.* Cat. 21.
Plantæ *Ilvenſes* deſideratæ *Jac. Petiver*,

464 Geniſta *Ilvenſis*, Lugd. 174. f.
Vide aliæ *deſideratæ* in *Etruriâ* Plant. *varior.* Catalog. *viz.* N°. 21. 31. 54. 116. 21. 82. 284. 529, &c.

COM. V. *Egyptian Plants* ſent me from *Peter Anthony Michael* Botaniſt *to his* Highneſs *the* Grand Duke *of* Tuſcany.

465 Parietaria *Ægyptiaca* fol. ſubrotundo ſerrato, ſuperne glauco ſcabro, infernè incano & tomentoſo *Mich.* qr? Gaz. Nat. Tab. 7. fig. 2.

466 Filago *Ægypt.* pumila ſpicata, *Mich.*

467 *Cotonaria Ægypt. Chamædryos* folio tomentoſo *Nob.* Planta *Ægypt.* incana & tomentoſa, *Uvæ criſpæ* folio, *fructu* peltato *Mich.*

468 Jacea *Ægypt.* ſpinoſa *Mich.*

469 Polium *Ægypt.* tomент. erectum, *fol.* vermiculatis *Mich.*

470 *Serpylli* facie, *planta Ægyptiaca Mich.*

471 *Melilotus Ægypt. ſiliquis* ſecundum caulículorum longitudinem ex foliorum alis exeuntibus *Mich.*
Lotus Ægypt. fol. eleganter crenato D. *Lippi* à D. Stoſchio.

472 *Hypericum Ægypt. gummifer* elegantiſſim. *fol.* ſubrotundo bullato *Mich.* Myrto-ciſſus *ſpecies* Pennei, *Cluſ.* 68.

473 Tribulus terreſtris *Ægyptiacus.*

474 Tithymalus *Ægypt.* exiguus, *fol.* ſuperioribus crenatis *Mich.*

475 Kali *Ægypt.* villoſum, *calyce* ſtellato aculeato D. Valliant. N. B. *Vide* plura in *Iconibus* noſtris *Plantar. Ægyptiacarum.*

COM. VI. The following *Curioſities* were preſented me by my hearty Friend Mr. *John Burnet*, Surgeon to the *Engliſh Factory* at *Porto Bell.*

476 An *Abortive Negro* near full grown.

477 *Piſcis* triangularis *Amer.* fronte ventreque bicornutis. The *male Cunnie fiſh* from the *Weſt Indies.* Its *Noſe* and *Back* Cloud-ſtreakt with *Black*, ſomewhat *like Tortoiſeſhell.*

478 *Piſcis* triangularis *Amer.* minor, *ſtellis* albis. This is ſaid to be the *Female* to the Laſt. *Its* Belly wholly compos'd of ſmall *Diamond Angles.*

479 *Buccinum* rubeſcens, *ventre* faſciato St. *Thomæ.*

480 *Tamarindus* monoſpermos, *fr.* parvo ſericeo St. *Thomæ.* The *Inhabitants* eat the *ſower Pulp* of this, to quench *Thirſt* in *Fevers.*

481 Colocynthis *Guineenſis* Pomiformis, *ſem.* parvis.

482 *Taggee* Guin. *radix* forte *Traſi* generis *Gazoph.* Nat. *Tab.* 17. fig. 10. A ſort of *Earth Nuts* which the *Negroes* eat plentifully of. I ſhould be glad to ſee its *Leaves* and *Seed.*

483 An *Oſtrich Egg* from *Buen Ayres.*

484 *Radix* Gentianæ *facie* à Buen Ayres. *A ſpecific* Emetic in *all* Impoſthumes.

485 *Radix* Tinctoria, *Rubiæ* fortè *ſpecies.* (*Raiz roug* Hiſpanis) With this *Root* they dye a deep *Red* and probably may be an *Ingredient* in the following.

486 Glaſtrum *rubrum* è Buen Ayres. *A* Compoſition *like* Storax *but* red; with this they dye a very fine bright *Scarlet*, as may be ſeen by ſome *Wool*, this *Curious Gentleman* hath lately brought from thence to the *Directors* of the *South Sea* Company, from whom we may now expect greater *Diſcoveries.*

COM. VII. Miſcellany *Communications*, from divers Hands.

487 Corallium *Balearicum* globoſum, *tubulis* brevibus ſtellatis. *Broke* from a *Rock* in *Port Mahon Harbour*, by our *Curious Friend* Mr. James Campbell, *Surgeon* to that *Port*, &c.

488 Cambodia *Birds-neſts*, Hiſt. of Drugs, 21. p. 265. Nidus *gelatinus* Cambodienſis *Nobis*, Dale *Suppl.* 21. p. 265. Bont. 66. fig. *Pomet.* pt. 2. l. 1. c. 21. p. 72. Ray *Ornith.* 7. p. 151. id. *Angl.* 7. p. 215. Syn. *Avium.* 6. p. 72. *Two* of theſe intire *Neſts* moſtly cover'd with *Feathers*, were generouſly preſented me by Mr. *John Courtney* Surgeon.

489 Braſilian *Frog-fiſh.* Rana *Piſcatrix* minor *Grew* Muſ. Reg. Soc. 102. *deſc.* Water Batt, *Wafer* xi. p. 196. *Guacucuia Braſil.* Marcgr. 193. fig. Ray *Icth.* 89. Tab. E. 2. f. 3. This ſtrange Fiſh Dr. *Crawford* ſent me from *Jamaica.*

490 *Stella* marina *Indica* reticulata *Lobel* in Pharmacop. *Rond.* 139. fig. *opt* & *deſcr.* This elegant *Sea Star*. Mr. John Douglaſs *Surgeon*, ſent me from *Antegoa.*

LONDON, Printed for *James Petiver*, in *Alderſgate-ſtreet*. M DCC XVI.

PETIVERIANA III, ſeu NATURÆ
COLLECTANEA;
Domi Foriſque *Auctori* Communicata.

A JACOBO PETIVER, *Regiæ Societatis Socio*, &c. LONDINI.

COMMUNIC. I. PLANTÆ *Baleares*. Plants *found* in the Iſlands *Majorca* and *Minorca*, by the Curious Mr. *John Salvadore*, Apothecary at *Barcelona*, and Mr. *George Bouchere*, Surgeon at *Port Mahone*.

1 *Plantago* fol. lato *Coronopi* Nobis. *Bouchere.*
2 *Plantago* minima anguſtifol. villoſa. *Salvadore.*
3 Perexil Balear. *fol.* minore *Betæ*. *Bouch.*
4 *Urtica* Balear. *Pilulifera*, fol. altè inciſis. *Bouch.*
5 Chrondrilla *Bal.* ſpinoſa, *Cichor.* fol. *fl.* luteo. *Salvad.* qr? *Sonchus* frut. petræus *African.* ſpinoſus, *Park.* 804. f. 7. Ray 224. f.10.
6 *Cichoreum* caulibus *florum* Junceis, Nob.
7 *Conyza* lutea *radice* odorata.
Aſter luteus *rad.* odora, CB 269.3 Ray 264.13
Aſteris ſpecies, an *Baccharis*, Colum.253. f.opt. c.97.
8 *Conyza* minima *Dod.* foliis *criſpis.*
9 *Elichryſum* Balear. *Gnaphaloides* ſaxatile, *flor.* in ſtrictiorem umbellam congeſtis, *Salvad.*
10 Gnaphalium *Roſeum* ſylv. polyanthos. *This is as much* branched *as the* Gnaphal. *Roſeum* Hort. B. pr. 122. f.
11 *Bellis* ſylv. minor *Balear.* ramoſa & villoſa, *Salv.*
12 *Bellis* maritima, mm. ſ. minima *Roris Solis* foliis *Cirnea* Bocc. Muſ. 149. Tab. 107. *Ray* Hiſt. Plant. Vol. 3. p. 228. 38.
13 Calamintha *Balear.* fruteſc. *fol.* minoribus villoſis *Salv.*
14 *Marum* Syriacum *vulgo*, Nobis.
Marum *Cortuſi* I. B. 3. l.28. p.243. fig. *Chabr.*418.f.5.
Marum Matth. B.537. f.1. *Cam.* Epit.493. f.
Our firſt Knowledge of this Noble and Celebrated Cephalick, I find, is owing to that *Judicious* Padua *Botaniſt* Jacobus Antonius *Cortuſus*, who Communicated it to both *Matthiolus* and *John Bauhine*, which they juſtly own. Its *growing wild* ſo near as *Port Mahone* I could ſcarce believe, had I not received Specimens of it from Mr. *Salvadore* and Mr. *James Campbell*, who were both there.
15 Marum *Balear.* marit. fruteſcens, *fl.* albo.
16 Purple *Poly-Mountain* Lecaan, p.74.30.
Polium mont. 5. *purpureo* flore, *Cluſ.* 362. f. Hiſp. 243. f.
Polium candidum tenellum tomentoſum, *fl.* purpureo, I.B 3. l.3. l. 28. p.300. f. *Chabr.*431. f.4 Ray 524. 4.
17 Serpyllum *Balear.* ſaxat. *fol.* rot. non crenato, *Salv.*
18 Sideritis *Hiſpan.* fruteſcens ſeu lignoſior, E. B. 160. *Inſt.* 192.
19 *Teucrium*, CB.247.1 phyt.471.1 Ray 526.1.
Teucrium multis, I.B.3. l.28. p.293. f. *Chabr.*429. f.1.
20 *Cymbalaria* parva hirſuta Nob.
Linaria Hederaceo *folio* villoſo ſ. *Cymbalaria* Alpina, E.B. 134. Inſt. 165.
21 Digitalis *Hiſpan.* purpurea minor. E.B.134. Inſt. 165.
Digitalis *Verbaſci* folio *Boc.* Muſ. *Tab.*85. f. Ray 3. p. 396 1 & 97. 5
Digitalis anguſto *Verbaſci* folio montana *Boc.*Muſ.p 108.
22 *Corruda* altera, *Cluſ.*178. f.1. Hiſp.459. f. Ray 684. 4
Aſparagus *aculeatus* alter 3 vel 4 ſpinis eundem exort. CB. 490. 2
23 *Corruda* 3 Cluſ.178. f.2. *Hiſp.*461. f. Ray 684. 5
Aſparagus *aculeatus.* ſpinis horridus, CB.480.3
24 Corruda *Hiſp.* ſpinis *ſiliquar.* facie, *Nob.*
Aſparagus Hiſp. *aculeis* craſſioribus horridus, E.B.250. Inſt. 300.
25 Anonis *Balear.* perennis glutinoſa villoſa, *folio* minore ſerrato, *flore* luteo *Salv.*
26 Anonis *Uliſſiponenſis* lævis, *calyce* paleaceo, *Nob.*
27 *Melilotus* lutea minor, *floribus* & *ſiliculis* minoribus ſpicatim & denſè diſpoſitis, *Ox.*161. 5 Tab.16. ſer. 2, f.
Melilotus nova *Bevardi* ſeu erecta, *folliculis* rotundis minor, *Ray* Hiſt. Plant. p.951. pl.6.
28 Geniſta *Balearica* ſaxatilis, pallide virens, *flore* luteo, *Salvadore.*
29 *Tragacantha* Bal. *fol.* incanis, *fl.* albo ſtriato, *Salv.*
30 Tragacantha *Balear.* ramoſiſſima, *ſpinis* brevibus, *Nob.*
31 *Anthyllis* Balearica *Serpilli* folio.
32 Alſine *Balear.* longius *radicata*, tenuiſſimo folio, *fl.* purp. *Salv.*
33 Lychnis *Balearica* Saponariæ *folio* molli, *Nob.*
34 Lychnis *Balear.* viſcoſa ſaxat. tereti criſpo *folio*, *Salv.*
35 *Helianthemum* Balear. *Satureiæ* fol. anguſtiori, *flore* luteo, *Salv.*
36 Myrto Ciſtus *Pennei*, Cluſ.68. fig. *Pan.*67. Ger.1098. f.16. *Fonſt.*1279. f.16. *Park.*665. f. *Ray* 1011. 13 Bot. *Hort.* 4. pl.68.
37 *Vinca* latifolia, *fl.* parvo cæruleo, *Salv.*
38 Kali *Craſſulæ* minoris folio, CB. 289. Phyt. 566. 4.
Kali *Floridum* repens *Neapolitanum*, Colum. pt. 2. p. 73. f. opt. c.35. Ray 213. 4.
39 *Limonium* Balear. *Bellidis* min. folio, *fruticoſum*, Salv.
40 *Limonium* minus, *Bellidis* folio, *flagellis* Fœniculaceis, *Bocc.* Muſ.143. Tab.103. *Ray* Vol.3. p.246. pl.6.
41 *Limonium* min. *flagel.* tortuoſis, Boc. M. 143. T.103. R.3. p.246.
42 *Limonium* minimum, *Park.*1234. 5 R. 396. inter. pl.8 & 9.
Limonium *maritimum* minimum, CB.192. 6 pr. 99.2 *Bocc.* 25. f.3. I.B.3.app.861.
43 *Limonium* Luſit. *Auriculi Urſi* fol. E.B.284. Inſt. 342.
44 Limonium *Hiſp.* multifido *folio*, E.B. 285. Inſt. 342.
Limonium Tamariſci *folio* nonnullis, R.3. p.247. *Pluk.* 28. f.4
45 *Alaternus* Balear. *fol.* ſerratis ſubtùs ferrugineis.
46 Maſtick-tree, Lecaan 68.17 fig.Ray 1579. c.4.
Lentiſcus, Dod.871. fig. *Cluſ.*14. fig. opt. *Hiſp* 85. fig.
Lentiſcus vulg.CB.399.1 *Lob.* ic 2. p.96.B.2. p.113. f.*Obs.* 538. f.
47 *Lentiſcus* anguſtif. *Maſſilienſis*, Hort. R. *Paris* Bot. *Monſp.* 153.
48 Lentiſcus *Balear.* fol. obtuſis, maculis candidis.
49 *Sanamunda* Balear. 2 *Cluſii*, tomentoſior.
50 Stonecrop *Sanamund.* Lecaan 75.34.
Sanamunda 3 *Cluſ.*89. f. Hiſp.178. f. *Jonſt.*1596.f.3. Park. 202. fig.7. *Ray* 1589.6.
Seſamoides minus *Dalech.* Lugd.1670. f.1. *Park.*203.8.
Thymelæa tomentoſa, *folio* Sedi minoris, CB. 462.7.
N.B. There are divers others, both *Herbs* and *Trees* in Mr. *Boucher's Collections*, which I here omit, until I receive what the Curious Mr. *Campbell* a Reſident there, has been pleas'd to promiſe me by the firſt, and all Oppertunities, which I ſhall publiſh as they come to Hand.

COM. II. *Luſitaniæ* Frumenta, Gramina, Cyperi, *Juncí*, &c. *Rariores* & Deſideratæ, *Jac. Petiver.*

SECT. 1. Frumenta & Gramina *Spicata.*

51 *Hordeum* Nudum. *Cevada Santa*, Luſit.
52 Gramen *Hordeaceum* vulgare.
53 Gramen *Hordeaceum* marinum pulchrum, ND.
54 *Gramen* Hordeaceum *Luſitanum*,
55 Gramen *Ægylops* longius *ſpicata* Luſit. ND.
56 Gramen *Ægylops* prælongis *ariſtis* vallata, ND.
57 Alopecuroides *ramoſa*, ND.
58 Gramen *Alopecurus* lanuginoſus.
59 Gramen *Alopecuroides* aquaticum *Tourenenſe*, ND.
60 *Gramen* Alopecuroides *campeſtre* vernum *Luſit.* ND.
61 Gramen *Alopecuroides* hirſutum *paluſtre* Luſit. ND.
62 *Gramen* Alopec. *paluſtre* bulboſum, ND.

63 *Gramen* Alopec. *Segetum* elegans, ND.
64 Gr. *Canarium* pumilum ſupinum *Luſit.* ND.
65 Gr. *Canarium* ſpicâ amplâ *Luſit.* ND.
66 Gr. *Criſtatum* campeſtre *Luſit.* ND.
67 *Gr.* Paniceum *ſpicâ* ſimplici.
68 *Gr.* Panic. *ſpicâ* parvâ leniter hirſuta.
69 Gr. *Paniceum* ſpicâ *aſperâ.*
70 Gr. *Panic.* ſpicâ *ariſtis* longis armata.
71 Gr. *Panic.* plurimis *ſpicis* congeſtâ *paniculâ.*
72 Gr. *Panic.* plurimis *ſpicis* per culmum ſparſis.
73 Gr. *Phalaris* altera *Luſit.* ND.
74 *Gr.* Phalaris *bulboſi* 3 ſpecies, ND.
75 *Gr.* Phænix *vulgare.*
76 Gr. *Phœnix* alata venuſtiſſima, ND.
77 *Gr.* Phœnix apicibus donata, ND.
78 Gr. *Phœnix* calvâ *ſpicâ*, ND.
79 Gr. *Phœnix* calva falcata *ſpicâ* minima, ND.
80 Gr. *Phœnix* multiplicibus *granis* ſpicata, ND.
81 Gr. *Phœnix* rariore *grano* longius *ſpicata*, ND.
82 Gr. *Phœnix* multis tenuibus *granis*, ſpicata elegans, ND.
83 Gr. *Phœnix* pluribus ten. *granis* densè *ſpicata*, ND.
84 *Gr.* Phœnix *ramoſa* maritima, ND.
85 *Gr.* Phœnix *pilosa* ſpicâ, ND.
86 Gr. *Secal.* bulboſ. *ſpic.* longa *multis longiſque ariſtatis* Luſit, ND.
87 Gr. *Spart.* argent. *caudatâ* ſpicâ, *rad.* longa *Luſ.* & *Bætic.* ND.
88 Gr. *Typhinum* longâ caudâ *ſpicata*, ND.
89 Gr. *Tribuloides* majus & minus.
90 Gr. *Dactylon* ſpicis villoſis *Luſit.*
91 *Gr.* duplici *ſeu* medio aperta *ſpica*, ND.

SECT. 2. Frumenta & Gram. *Paniculata.*

92 *Ægilops* barbata, ND.
93 Arundo *Cypria* ſeu *Donax* minor.
94 *Avena* ſterilis. *Balanco* Luſit.
95 *Gr.* Avenaceum *Alopecuroides*, ND.
96 *Gr.* Avenac. *Autumnale*, amplâ *paniculâ*, ND.
97 Gr. *Avenaceum* bulboſum *Luſit.* ND.
98 Gr. *Aven.* capillari tenuiſſimo *folio*, ND.
99 Gr. *Aven.* elegans *Salacienſe*, ND.
100 Gr. *Aven.* longa contractiore *paniculâ.*
101 *Gr.* Avenac. *pratenſe* Luſitanicum.
102 *Gr.* Aven. Tremulum *montanum* elegans, ND.
103 Gr. *Bromoides* paniculatum molle *marinum*, ND.
104 *Gr.* Brom. *panic.* molle, *ariſt.* recurvis obſitum *elegans*, ND.
105 *Gr.* Feſtuca *Avenacea* maxima & major, ND.
106 *Gr.* Feſtuca *Avenacea* minor & minima, ND.
107 Gr. *Xerampelinum* latif. minus, *ſparſa* paniculâ.
108 *Gr.* Xerampel. *latif.* brevi *panic.* longius *radicatum.*
109 Gr. *Xeramp.* tenui breviſſimo *folio*, panic. contractiore.
110 *Gr.* Amabile *tremul.* max. *paniculâ* alba & ſpadicea.
111 *Gr.* Amab. *trem.* maj. *panic.* copioſis *elegantiſſimis.*
112 *Gr.* Amab. *trem.* minus *ſpecioſum.*
113 *Gr.* Amab. *trem.* minimum elegans. *Bollebolle* Luſit.
114 Gr. *marinum* Paniculoſum.
115 Gr. *Miliaceum* ſeget. *Luſitanicum.*
116 *Gr.* Miliaceum *æſtivum* veſtibus infeſtum. *Milhana* Luſit,
117 Gr. *Miliac.* pumilum *elegantiſſimum*, ND.
118 Gr. *paluſtre* Paniculatum.
119 *Gr.* Plumoſum *parietinum* pulcherrimum, ND.
120 Gr. *Pratenſe* brevi fol. *rad.* nodoſa *Vernum.*
121 *Gr.* Segetum *paniculâ* ſericea contracta, ND.
122 *Gr.* Segetum *paniculâ* ſericea *ſparſa*, ND.
123 *Gr.* Sorghi *paniculâ* erecta.
124 *Gr.* Sorghi *paniculâ* alterum.
125 *Gr.* Sparteum *Avenaceâ* panic. *dumetorum*, ND.
126 Gr. *Sparteum* paniculâ *comoſa.*
127 Gr. Sparteum *panic.* brevi, *foliculo* incluſa.

SECT. 3. Gr. *Miſcellanea* & incognita.

128 Gr. *Cuſpidatum* odoratum *pratenſe*, ND.
129 Gr. *Geranites* intractabile, ND.
130 Gr. *Toroſum* aquaticum, ND.
131 Gr. *Toroſum* campeſtre. ND.
132 Gr. *Triviale* ruder. & muror. *Miliacea* pendula *paniculâ.*

SECT. 4 Cyperi, *Cyperoides* & Juncea.

133 *Cyperus* radice *longa* odorata. *Albafor* Luſit.
134 *Cyperus* radice *rotundâ* odorata minor *Luſit.* ND.
135 *Cyperus* radice eſculenta *ſeu* Traſi. *Junzas* Luſit.
136 *Cyperus* radice *rotunda* inodora *Luſit.* ND.
137 *Cyperus* radice *rotunda* inodora *marina*, ND.
138 Gr. *Cyperoides* caudatis *ſpicis.*
139 Gr. *Cyperoides* caudatis *ſpicis* intortis.
140 Gr. *Cyp.* Vetonicæ Caryophylli *fol.* ſpicâ *ſimplici.*
141 Gr. *Cyp.* Vetonicæ Caryoph. *fol.* triplici & quadruplici *ſpicâ.*
142 Gr. *Cyperoides* echinatum.
143 *Gr.* Cyp. *Cyperi* veri *umbellis*, venuſtiſſimum puſillum annuum *Autumnale.*
144 Gr. *Cyp.* pumilum *Autumnale* elegans, ND.
145 Gr. *Cyp.* pumilum *Autumnale*, globoſis *capitulis*, ND.
146 *Gr.* Hirſutum *nemoroſum* aliud *Luſit.* ND.
147 Gr. *Holoſteum* monoſpermon *Luſit.* ND.
148 Gr. *Holoſteum* polyſpermon *Luſit*
149 *Gr.* Holoſteum *Matth.* plur. granis, *capitulo* congeſtis, ND.
150 *Gr.* Holoſteum *idem* apice *ornatum* ND.
151 Gr. *Junceum* capitatum, ND.
152 Gr. *Junceum* conatum, ND.
153 Gr. *Junceum* conatum, *apice* domatum, ND.
154 Gr. *Junceum* plur. *capitulis* in unum congeſtis.
155 Gr. *Juncoides*, contractiore *paniculâ*, ND.
156 *Gr.* Juncoides *ſparsi* panicula *Luſit.* 4 ſpecies.
557 Gr. *Spicatum* majus & minus *marinum.*
158 *Juncus* ſeu *ſcirpus* medius.
159 *Juncus* lævis *panicula* plur. *glob.* mediò *culmo* prodiens, ND.
160 *Juncus* exiguus *paluſtris.*

COM. III. Foſſila *Varia* à Clar. *D. Georg. Anton.* Volckman *Lignicii* Sileſiæ.

161 *Granati* prope *Freywalde* in Bohæmia.
162 *Granati* ex monte *Granatorum* prope oppidum *Schmeideberg.*
163 *Amethyſtus* in radicibus montis *Riphæi* ad pagum *Krummem-hubel.*
164 Jaſpis *ruber* ex monte *Boſchelberg* dicto, propè *Urbem* Landeſhudt.
165 *Smaragdus* ex m. *Riphæo* ſeu *Giganteo.*
166 *Topazius* candidus monte *Riphæo* ad lacum majorem.
167 *Minera* ☉ri in *granis* rariſſima *Germ.* Goldbohnen ex ☉ fodina ad rivulum *rubrum* propè pagum *Schreibers-han.* Lavantur etiam in ipſo jam dicto rivulo.
168 Æs *rude* Plumbei, purpurei & aurei coloris ex *Metalli-fodinis* Kupfferbergi.
169 Marmor *Maſſelenſe* ex Ducatu *Olſnenſi*, cum *Turbinulis*, *Rotulis* & aliis *marinis.*
170 Terra *Medica* alba *cruda* Lignicenſis.
171 Terra *Sigilata* alba *Lignicenſis.*
172 Terra *Sigilata* lutea (potiùs cinerea) *Lignicenſis.*
173 *Jolithos* ſeu *Lapis Violaceus*, in petroſis inditorum ſuperciliis ut in cacumine monte *Giganteis*. Calefactus odorem ſpirat *Violæ Martiæ*, & reponitur ad *Veſtimenta* ut iis odorem conſiliet & *Tineis* præſervet.
174 Lapilli *Ophthalmici* è Thermis *Lignicenſibus* in villâ *Grunthal.* Oculi *expurgant* ſi quid in eos inſiderit.
175 *Lapis* cum *Coralliis* punctulatis, *Entrochis* ſeu *Rotulis*, *Pectunculis*, & aliis *marinis* refertus, ex monte *arenoſo* prope *Cuntzendorff* in Ducatu *Schwidnicenſi.*
176 Silices *circulares* monte Giganteo.
177 Dendrite ex *Plumbi* & *Argenti* fodinâ. *Wags mitt Gott* dicta, ad opidulum *Gotts-berg* in Ducatu *Janrauienſi.*
178 *Dendrite* in *Sabuletis* propè pagum *Schonborn* & *Camerau* ad Schwidnicium.
179 *Pteri-lithos* cum *Filice* minore, è *Carbonariis* ad pagum *Hermmsdorff* propè *Gotts-berg.*
180 *Pteri-lithos* cum *Adiantho* albo *Filicis* folio CB. è *Carbonariis* ad pagum *Alt-waſſer* propè *Schwidnicium.*
181 *Lithoxilum* denſe ſtriatum & articulatum è *Lapidicinis* Lanſhudtenſi *juxta* Templum.
182 *Semina* varia è *Carpolithis* exciſa.
183 *Volithus* aliàs *Hammites*, vulgò *Piſa Carolina*, ex *Thermis* Carolinis in Bohæmia.

COM. IV. *Trees* and *Shrubs* growing in *Carolina*, *Virginia* and *New England*, with their *Vertue*, *Uſe*, &c.

SECT. 1. *Timber-trees* and *Shrubs* with dry *Fruit*, as *Acorns*, *Cones*, *Burrs*, *Catkins*, *Nuts*, &c.

184 *Aſh-tree.* Is tough like our *Engliſh*, but *differs* ſomething in the *Leaf*, but more in the *Bark*, and bears no *Keys.*
185 *Water-Aſh.* Is brittle, the *Bark* is Food for the *Bevers.*
186 *Aſpen-tree.* It grows in *Rapahannock* River.
187 *Beech.* It grows very large; 'tis not a durable *Timber*, and therefore little uſed, except for *Fire-wood.*
188 *Buck-beech.* Another ſort found in *Carolina*, &c.
189 *Birch.* *Grows* on the Banks of *Rivers*; its *Buds* in *April* are much eaten by the *Paraketoes.*

190 *Bald* Cypreſs. Becauſe it loſes its *Leaves*. Its *Nuts* yeilds a moſt fragrant *Balſam*, which cures all green Wounds and Cuts; its *Body* they ſcoop into *Canoes* and *Pereaugers*, ſome ſo large as to carry 30 Barrells, of one entire Piece of *Timber*.

191 *Cheſtnut*. Is a large and durable Wood fit for *Palliſadoes*, *Houſe frames*, *Threſholds*, &c. its *Nuts* ſmaller than ours, but ſweeter.

192 *Chinkapin*. A ſort of *Cheſtnut* with a ſmall round *Nut*, and the *Kernel* much ſweeter: It is uſed to Timber *Boats*, &c.

193 Highland *Elm*. The *Indians* uſe its *Bark* for green *Wounds*.

194 Low ground *Elm*. Of this *Bark* they make *Ropes*.

195 *Sweet-gum*. Becauſe in the *Spring* it yeilds a fragrant *Gum*, upon cutting its *Bark* or *Wood*, of great uſe in *Tetters*, *Scurfs*, *Inflammations*, &c. it bears a round prickly *Bur*. The *Wood* has a fine *Grain*, fit for *Drawers*, *Scrutores*, *Tables*, &c.

196 *Horn-beam*. It grows plentifully in ſome Parts.

197 *Maple*. There are two ſorts, uſed to make *Trenchers*, *Spinning-wheels*, &c.

198 *Black-Oak*. A durable *Wood* under Water, and bears a good *Maſt* for *Hogs*.

199 *Cheſtnut-Oak*. From the largeneſs and ſweetneſs of its *Acorns*: A very *lofty Tree*, chiefly growing in *low* Land.

200 *Live Oak*. An Evergreen, its *Acorns* as pleaſant as *Cheſtnuts*, and yeilds an *Oil*, as ſweet as the *Olive*.

201 *Red Oak*. Is a porous *Wood*, and uſed to ſplit in *Rails* for *Fences*, it alſo makes good *Clap-boards*.

202 *Ring-Oak* or *White-iron*. From the durable Quality of its *Wood*, and is eſteemed the beſt for *Ship-uſe*, its *Planks* being longer than the *Live* Oak.

203 Scaly *White Oak*. From its ſcaly broken white *Bark*; it is uſed in building *Ships* and *Sloops*: it bears a large *Acorn*, but never grows to the Bulk or Height of the *Cheſtnut* Oak.

204 *Spaniſh Oak*. Splits very well into *Clap-boards* and *Ladders*.

205 Baſtard *Spaniſh Oak*. Bears good *Acorns*, and its chief Uſe is for *Fencing* and *Clap-boards*.

206 *Turkey Oak*. From a ſmall *Acorn* it bears which the *Wild Turkeys* feed on.

207 *Water Oak*. Is an *Evergreen*, growing in *Swamps*, Freſh-water Ponds, and by River Sides.

208 *Willow-Oak*. From the Likeneſs of its *Leaf*, grows in *Ponds*, and is uſeful in many Things.

209 *Pitch-pine*. A large Tree with *ſhort Leaves*; it yeilds *Roſin* and *Turpentine*, by the Heat of the Sun, and *Pitch* and *Tar* by that of Fire.

210 *White-pine* with long *Leaves*.

211 *Yellow-pine*. Of this and the laſt they make *Maſts*, *Yards*, and other *Neceſſaries*.

* 211 *Almond-pine*. From the Sweetneſs of its *Kernels*, which are Food for *Hogs*. It ſerves alſo for *Maſts*.

212 *Dwarf-pine*. An *Evergreen* as the reſt are.

213 *Spruce* or *Hemlock-tree*. The *Fiſhermen* in *New England* tan their *Nets* and *Sails* of a tawney Dye, with the *Bark* of this *Tree*.

214 The *Sycamore* grows in *Swamps* and by *River* Sides, its *Bark* finely mottled with *Blue*, *White*, &c. bears a *Bur* like the *Sweet-gum*.

215 *Tulip*-tree or *Poplar*. From its Grain and Bulk, ſome being ſeven Yards about; they ſaw it into *Planks* for *Houſe-ſhingles* and other *Uſes*, it makes alſo, a very pretty *Wainſcot*.

216 *Tulip-tree* with a *white* Flower.

217 Black *Walnut*. A very big Tree, its *Wood* firm and durable, and ſome ſay, never *Worm-eaten*; they make *Tables* and *Cheſts* of *Drawers* of it.

* 217 White *Hiccory*. Is a ſort of *Walnut*, its *Wood* will not bear the *Weather* long; with theſe *Nuts*, the *Savages* make divers *Diſhes* and *Banquets*.

218 Red *Hiccory*, the Heart being very *red*, firm and durable; they make *Mortars*, *Peſtles*, and other *Turnery Ware* of it.

219 Flying-bark'd *Hiccory*. From its brittle and ſcaly *Bark*, the *Shell* ſoft, *Kernel* bitter and Leaf fragrant; of its *Wood* they make *Coggs* for *Mills*, &c.

220 *Willow*. Grows on freſh *Water* Banks, but differs from ours in *Bark* and *Leaf*.

SECT. 2. *Timber*-Trees and *Shrubs* with *Berries*, &c.

221 *Arrow-wood*. Uſed by the *Indians* for *Arrows* and *Gun-ſticks*, it grows as ſtrait as if plained, and is of all *Sizes*.

222 *Prickly Aſh*. Of this both *Engliſh* and *Natives* make *Poles*, it growing up like them; it's very thorny and light, bearing *Cluſters* of purple *Berries*; the *Root* purges and *vomits*, uſed in *Cachexies*.

223 Red *Cedar*. An *Evergreen*, its *Wood* ſweet, very durable, and much uſed for *Tables*, *Wainſcot*, *Coffins*, &c.

224 White *Cedar*. Like the laſt, but a *taller Tree*, and grows ſtrait as an *Arrow*; its *Wood* very light, free to ſplit, and makes the beſt *Shingles*.

225 *Dogwood*. Bears a white Flower, and blooms the firſt in the Woods, has a fine Grain; of Uſe within Doors, but not laſting. The Bark of its Root is held an infallible *Remedy* for the *Worms*.

226 Black *Gum*. Bears a black *Berry*, which the *Indians* mix with their *Pulſe* and *Soops*, it giving a prettey *Flavour* and *Scarlet* Colour.

227 Bitter *Black-gum*. Its *Berries* like the laſt, but *bitter*; the *Wood* of both theſe are uſed for *Cart Naves*.

228 White *Gum*. Bears a long Bunch of *Flowers*, its *Wood* much curled and knotted, yet might be of uſe.

229 *Holly* two ſorts, one with a large, the other with a ſmall *Leaf*, many are 2 Foot diameter; they make good *Trenchers* and other *Turnery* Ware.

230 *Honey-tree*. Like the next but more prickly; it bears a *Cod*; one Side contains the Seed, the other Honey, of which they make very good *Metheglin*.

231 White and yellow *Locuſt*. Are pretty tall Trees; the *Indians* make *Bows* of them, being tough and flexible.

232 *Saſſafras*. Bears a white *Flower* and black *Berry*, the *Bark* of the *Root* is a *Specifick* in the *Gripes* and *Heart-burn*; it's alſo of other *Sovereign Uſe*: Of its *Wood* they make *Bowls*, &c.

SECT. 3. *Dying*, Medicinal, *Ornamental* and other *Trees* and *Shrubs*.

233 *Laurel tree* as tall as *Oaks*, the *Leaves* and *Berries* dye *Yellow*.

234 *Gall-berries*. A pretty *Evergreen Tree*, in Swamps and Ponds; it bears a *black Berry*, with which the *Women* dye their *Cloaths* and *Yarn* black.

235 *Indico*. It grows plentifully in *Carolina*, &c.

236 *Poyſon vine*. Its *Leaf* like *Hemlock*, the *Juice* ſtains *Linnen*, never to waſh out, it *marks* a *blackiſh Blue* Colour, by breaking a Bit of the *Vine* and writing with it.

237 Candle *Bay*. Its *Berries* yeild a fragrant *Wax*, which beſides its Uſe in *Surgery*, they make *Candles* of.

238 Candle *Myrtle*. Of the Berries of this, they alſo make *Candles* which will ſtand the hotteſt Weather and burn very ſweet.

239 Sand-bank or Sea *Caſſina* or *Yaupon*. Becauſe this Kind particularly grows there only; in ſome Places 12 Foot high, in others but 3 or 4: It grows like *Box*, whoſe *Leaves* it reſembles, but thicker and dented; bears a ſmall red Berry, but in *December* when ripe, is brown.

240 *Swamp Caſſina*. In rich low Ground and Swamps, its Leaves greener and larger.

241 Dwarf *Caſſina*, never grows a Foot high. *Sheep* and *Deer* delight much in this Plant. This is their *Indian* Tea, uſed and approved of by all the *Savages* on the Coaſt of *Carolina*, and ſold at a good Price to the *Weſtward Indians*, it grows plentifully on the Coaſt of *Florida*, and is held in great Eſteem by the *Spaniards* in New Spain.

242 *Pellitory-tree*. From the Hotneſs of its Bark, which chewed in the Mouth, cures the *Tooth-ach*. It grows on *Sand banks* on the Sea Shore.

243 Small *Bamboo*. It grows in low Land, a ſort of *Clymer*, its *Reeds* rarely thicker than ones Finger, and very tough; the *Indians* boyl and eat the *Root* which is a round Ball, and when dry, ſo hard that they make *Cane-heads* of them, which are *carved* into pretty *Figures*.

244 Oak *Vine*. It bears a ſort of Bur, and runs about Trees; it is ſo porous that they ſuck *Liquors* through a Length of 2 Foot.

245 Dwarf *Palmetto*, grows in *Carolina*, &c.

246 *Sugar-tree*, grows at the Heads of *Rivers*, and near *Mountains*; this by tapping yeilds a *Juice* which they boyl into a *Sugar*.

247 *Sorrel* or *Sowre-tree*. Becauſe its *Leaves* have that Taſte; ſome are a Foot diameter.

248 *Red bud*. Bears a purple Bloſſom, ripe in *April* and *May*, it's *Flower* an excellent *Sallad*.

249 White *Honey-ſuckle.* Grows branched and always in low moiſt ground: This and the following *flower* in April and May.

250 Jagged *Honey-ſuckle.* Becauſe its *Flowers* are deeper cut, This grows in clear dry Ground.

251 Swamp *Honey-ſuckle.* Grows in ſwampy *Woods* and *River* Sides about 2 or 3 Foot high and bears a great Bunch of fine white *Flowers.*

252 Wood *Honey-ſuckle.* About a Foot high; its *Flowers* on ſmall Foottalks, ſeveral together from the main Stock which is not thicker than a *Wheat*-ſtraw.

253 *Woodbind.* Is here *ever green* and long in *Flower.*

254 Jaſmin *Clymer.* From the Shape of its Leaf, but larger; it grows round Trees, and makes a fine Shade and a quick grower; 'tis an *Ornamental* Plant with a *black* Berry.

255 Scarlet *Trumpet-Vine.* Makes a fine *Arbour*, bears a large red *Bell-Flower* and a long *Cod.*

256 *Maycock.* A Summer *Clymer*, with a glorious *Flower*, it bears an *Apple*, of an agreeable Sweet mixt with Sowre.

257 *Larks-heel-tree.* From the reſemblance of its *Flowers.*

258 Yellow Jaſmin. Of a pleaſant Smell, growing in *Woods.*

SECT. 4. *Fruit-Trees*, Shrubs and Buſhes, *viz.*

259 Red-*Cherry.* A large Tree in the *Woods*, not much unlike the *Cornel berry.*

260 *Cluſter* cherry. *Grows* high and in Bunches like *Currans*, they have a bitteriſh ſweet *Reliſh*, and yield a *crimſon* Juice.

261 Black *and* white *American* Damſons. Theſe grow on all the *Sand banks* along the *Coaſt.*

262 Box *Plum.* From the *Yellowneſs* of its *Wood*, which is ſomewhat porous: The *Fruit* has a *Phyſical* Taſte.

263 *Early* Indian *Plum.* This makes a fine Shew when in *Flower.*

264 Late *Indian* Plum. *Its Bloſſoms* white, ſmall, and very ſweet, the *Fruit* red and palatable.

265 Wild *Fig.* Grows *up the* Mountains in Virginia.

266 *Common* red Mulberry. *Is* very *ſweet* and one of our earlieſt *Fruit*, next the *Strawberry.*

267 White *Mulberry.* Very common and fit for *Silk-worms.*

268 *Black* Mulberry. *Bears* a ſmall *Fruit*, but very *ſweet.*

269 Papau. *Bears* an *Apple* of the Size of a *Hen's Egg*, yellow, ſoft, and very ſweet; of theſe they make rare *Puddings*, its *Leaves* very broad and *Stones* large,

270 Summer *Perſimon.* Agrees with all Soils.

271 Winter *Perſimon.* Becauſe the *Fruit* ripens not till the *Froſt* appears.

272 Black *Grape.* With a pale *Fleſh-coloured* Juice.

273 Black *Bunch* grape. *Yeilds* a crimſon *Juice*, grows common and bears plentifully; they are of a good *Reliſh* but *ſmall*, yet have a large *Stone* and thick *Skin.*

274 Black *Summer* Fox grape. *Ripens* with the next in *July*, frequent in *Swamps* and low moiſt Ground.

275 *White* Summer *Fox-grape.* This and the laſt grow not in Cluſters, having but 5 or 6 in a Bunch and ripen in the Shade; they are about the *Size* of a *Damſon.*

276 Black *Winter* Fox-grape. *Ripens* in *September* in all Soils, but moſt plentifully on the *Sandy* Sea Coaſts.

277 *White* Winter *Fox-grape.* The *Fruit* clear and tranſparent, with ſmaller Grains: This and the foregoing are pleaſant, but all glutinous.

278 Red *Haw.* Of an agreeable Taſte, and four times as big as ours in *Europe.*

279 Black *Haw.* A ſlender Tree: Theſe are *eaten* both by *Men* and *Birds.*

280 Black-*berries.* Are *bitteriſh*, and not ſo palatable as in *England.*

281 Blue *Bilberry.* Not unlike our common *Engliſh.*

282 *Great* Biberry. *Grows* in *Savana's*, *Meads*, and *Woods*: This has both a *larger* Fruit and Seed.

283 Small *Bilberry.* As pleaſant as the *blue*, but *larger*; grows 3 or 4 Foot high, in low good Ground, and *River-banks.*

284 *Tree* Bilberry. *Grows* 10 or 12 Foot *high*, and as *thick* as a *Man's Arm*, in low Grounds; the *Fruit* is pleaſant and bears much.

285 April *Currans.* A very beautiful Tree, on the *Banks* of *Rivers*, in Clayey *Ground*; its a pretty red *Fruit*, but gone quickly.

286 Bermudas *Currans* A Buſh, *grows* in the *Woods*, like our *Engliſh*, and much eaten by ſome.

287 Winter *Currans.* A pretty buſhy Tree, about 7 or 8 Foot *high*, very ſpreading; are ripe in *October*: They make *Tarts* of them, and dry them inſtead of *Currans.*

COM. V. Some *American Plants*, with their *Specifick Vertues* and Wonderful *Effects*, lately ſent me by the *Reverend* and Learned Dr. *Cotton Mather*, at *Boſton* in *New England*, and Fellow of the *Royal Society*, London.

288 *Ophiopbuga*, Cottonis Mather.

Hieracium Novæ Angliæ *Succiſæ* folio, *Flor.* parvis ramoſis, *Nob.*

A *Poultiſs* of this bruiſed and laid to the Part bitten by the *Rattle-Snake*, it immediately fetches out the *Deadly Poyſon*; it's alſo remarkable, that if put into the *Shoes*, no *Serpent* will dare to come near them. A *Tea* of it is a good *Ophthalmick*, C. M.

N. B. I have already 4 or 5 different Sorts of theſe *Rattle-Snake Plants* from *Carolina*, *Virginia* and *Maryland*, and this, another, altogether new to me.

289 *Caltha* Sylvatica *or* Wood Marygold, C. M.

Flos Solis *N. Angliæ*, fol. ſeſſilibis ſcabris, *caule* rubente, *Nob.* This is, perhaps, the *greateſt Vulnerary* in the World; a *Balſam* of the green *Leaves*, with *Oil Olive*, cures the moſt grievous *Punctures* of the *Nerves*, and Cuts of all Sorts, with an admirable Efficacy and Quickneſs, ordinary Wounds in 4 or 5 Hours, to the great Aſtoniſhment of the Patient, and extraordinary Cuts in a very few Days at fartheſt. The *Indians* will fight like *Milton's Devils*, if this *Traumatick* be near them, *C. M.*

This ſort of *Americk* Chryſanthemum, Dr. *Moriſon* calls *Voſaçan*, and now grows in our Phyſick *Garden* at *Chelſey.*

290 Great *Bur* Comfry. A *ſort* of *Caryophyllata* Avens, or Herb Bennet.

291 Small *Bur* Comfry. It does Wonders in internal Wounds, relieves *Oppreſſions* in the *Stomach*, from clotted Blood, not to be parallel'd, *C. M.* This ſeems another ſort of *Avens*, but being without Flower or Seed, I cannot determine it, *J. P.*

292 *Formoſa*, C. M. by the *Indians* Satanſchoo. Two *Spoonfuls* of the *Water* in which this Herb is boiled, cures the *Malady* which we call the *Stomach-ach*, as alſo Inflammations of the *Eyes*, being waſhed with it, *C. M.* This with us is called the *Cardinal-flower*, from its beautiful ſcarlet Colour. Vid. *Ray* Hiſt. *Plant.* 746. 1.

293 *Taututtipoag*, ſo called by the *Indians.*

The whole Plant with the Root boiled and applied to the *Face*, cures what we call the *Ague* there, and alſo any *Tumour*; it alſo does Wonders in *Cancers* and other *Ulcers* by bathing. A *Tea* of this inwardly, and a Pultiſs to the Part grieved, is the grand Medicine here for the foul Diſeaſe, *C. M.* This is a ſort of *Geranium* Batrachoides, *longiùs* radicatum, *Ray* 31. p. 1061.

294 *Fagiana* or *Cancer* Rape, *C. M. Orobanche* ramoſa *N. Angliæ*, ſub *Fagis* naſcens, *Nob.* A Pultiſs of this Plant laid to the Part, and a *Tea* of it inwardly, does Wonders in *Cancerous* and *Scrophulous* Caſes, as alſo in *Malignant Fevers*; it ſtrengthens and invigorates after *Fatigues* and Wearineſs. *Grows* only under *Beech Trees* in *ſhady Places*, from *Midſummer* till *Autumn.*

COM. VI. Divers *Miſcellany Curioſities* ſent me from *Bombay* and *Callecut*, by Mr. *Alex. Chriſtie*, *Surgeon*, reſiding in thoſe Parts.

295 *Papilio* major è nigro & pallidè cæruleſcente, *alis inferioribus* finuoſis maculiſque atris ornatis, è *Callecut.*

296 *Libella* major, *apicibus* alarum *lanceatis*, *alis inferioribus* amplis *maculis* è *Callecut.*

The following *Shells* from *Bombay.*

297 *Cochlea* auriculata, *faſciis* caſtaneis, pulchrè obliquis *Gazophyl.* Natur. Tab. 101. Fig. 9.

298 *Cochlea* umbilico magno ſinuoſo, maculis caſtaneis. *Gaz.* Nat. *Tab.* 101. Fig. 10.

299 *Buccinum* oblongum minus, *coſtis* obtuſis parcè elatis. *Gaz.* Nat. *Tab.* 101. Fig. 14.

300 *Buccinum* breve minus, *coſtis* denſè poſitis. G. N. T. 101. fig. 15.

301 *Murex* breve minus, *faſciis* ſpinoſis. G. N. 101. 18.

302 *Veneroides* exilis alba, *faſciis* duobus rubeſcentibus. G. N. 102. f. 13.

303 *Buccinum* dentatum album, *coſtis* obliquis. G. N. 101. f. xi.

304 *Rhombus* faſciis capillaribus fuſcis, *cingulo* medio *albo.* G. N. 101. 17.

305 *Operculum* album, intus auritum. G. N. 102. f. 21.

306 *Rubeola* erecta, *ſpicâ* Typhoides *cæruleâ.* Found in ſwampy Grounds, the latter End of the *Rains.*

LONDON, *Printed* for the *Author* in *Alderſgate-ſtreet.* MDCCXVII.

PETIVERIANA seu NATURÆ COLLECTANEA; Domi Forisque *Auctori* Communicata.

A JACOBO PETIVER, *Regiæ Societatis Socio*, &c. LONDINI.

COMMUNIC. I. DIvers *Shells*, *Fossils*, *Minerals*, *Marbles* and *Plants* found about *Lisbon*, and *Communicated* to me from thence, by the most Curious and Learned *Don Pedro d'Almeyda*, Son of the Noble *Count d'Azumar*.

1. Pecten *Lusit.* minor, *striis* plurimis.
2. P. L. min. compressus, medio extùs cavus.
3. Chama *Medit* max. pererassa *Nob.* Bon. 106. fig. 59. *List.* Hist. Conchyl. *Tab.* 414. f. 258.
4. Chama minor tenuis ferè rubescens.
5. *Eadem* alba, medio rubro.
6. Chama *Lusit.* minima, ferè *Castanea.*
7. C. L. *alba*, rotunda, perexigua.
8. *Purpura* rugosa, *ore* crispo.
9. Aporrhais *Edinburg.* minor, nodosa *Gaz.* Nat. Tab. 79. f. 6.
10. *Buccinum* tessellatum, *costis* pulvinatis.
11. *Rhombus* minor fuscus, *fasciâ* albâ.
12. Rhombus *Gibraltar.* albus perexiguus.
13. *Cochleola* alba, compressa, parva, *ventre* pulvinato.
14. • • perexigua ex *Anja*, 4 mill. à *Lisbon.*
15. *Balanus* compressa & squammata *Grew* 149. Tab. 12. fig. Sect. 2. *Fossilia* Lusitanica. Or *Iortugal* Fossils.
16. Chama *fossilis*, compressior, *de* Alcantara.
17. Chama *fossilis* ventricosior, *de* Alcantara.
18. *Rhombus* fossilis, *claviculâ* latâ altè incisâ.
19. *Unicornu* foss. *Lusit.* orbibus perineisis.
20. • • *Barcin.* orbibus elatis peracutis.
21. Stalactites *Osteocollæ* facie *de* Ervedal.
22. Stalagmites *Botryoites* è Grotto *d'Alcaneda.*
23. *Chrystallus* alba, è *Poco* di *Lanca*, in *Alenteio.*
24. *Chrystallus* pallidè lutescens, *id.*
25. *Chrystallus* anthracinus columnaris, *id.*
26. Selenites *Rhomboides* pellucidus, *de* Alcanede. qr? *Lang.* Hist. *Lap.* Helvetii 27. *Tab.* 3. *Scheutz.* p. 49. f. 71. 2. & 3.
27. *Chyt-Alumen* ruffum *de* Alcanede.
28. *Marmor* albescens è *Monte* Cintra.
29. *Marmor* cinereum, *micis* aspersis, *id.*
30. *Marmor* flavescens, lentiginosum, *id.*
31. *Marmor* nigrum, *Capillis* raris albis, *id.*
32. Marmor *Alabastrites* è Mont. *Clares* inter Villam *Vicosam*, & *Estremos*, Provincia de *Alenteio.*
32 * M. cinereo albedine mixtum. *Priore.*
33. *Marmor* carneum, *lituris* albidis, *Lapidicinis* de Loures, 3 mill. à *Lisbon* Copiosè.
34. *Marmor* perelegans, *lituris maculisque* variis. E *Monte* de *Arrabida*, 4 mill. à *Lisbon.*

Sect. 3. *Plantæ* Rariores *Monte Cintra* nascentes, &c.

35. *Plantago* augustifolia, capit. *Lagopi* CB. Ray. H. Pl. 878. 8.
36. *Chamæmelum* fl. nudo.
37. *Abrotanum* fœm. fol. teretibus, CB. 136. *Ray* 359. 1.
38. *Cnicus* cæruleus asperior CB. Ray 302. Resta Bovis *Cintris.*
39. *Centaurium* majus *Lusit.* fol integro *Nob.* Ray 330. 4.
40. *Eryngium* pumilum, *capitulo* cæruleo.
41. *Eryngium* marit. *Lusit.* ampliore fol. R. 3. p. 240. pl. 12.
42. Oenanthe *Millefolii* fol. *Nob.* R. 459. 6. *Lugd.* 718. f.
43. *Coralium* flavescens, striatum, nodosum *Gazophyl.* Natur. Tab. 76. fig. 7. de *Ericera*, 4 mill. à *Lisbon.*

Sect. 4. *African* Shells and Drugs *from* Pernambuc, &c.

44. Chama *Pernamb.* maj. trequetra, *costâ* alatâ *Coch.* Pern. f. 35.
45. • • tenuis minor pellucida, ferè rubescens.
46. *Turbis marina* vulg. facie, è *Marzagan* Africæ.
47. *Nautilus* prætenuis, *dorso* bidentato *Nob.* List. T. 556. f. 7. opt. qr? *Bon.* 91. f. 13.
48. Neritulæ *Pern.* variæ *varietates* vid. *Gaz.* Nat. *Tab.* 67. & 8.

Sect. 5. *Drugs* from St. *Jago* one of the *Cape Verd* Iles, &c.

49. *Indigo* Officinarum seu *Anil Ray.* 926. c. 4. *Jam.* Cat. 141.
50. *Anacardium* Occidentale *Offic.* R. 1649 c. 15. *Jam.* Cat. 148.
51. Cassia fistula *Offic.* Ray 1746. c. 8. *Jam.* Cat. Plant. 145.
52. Cassia fistula *Brasiliana* CB. 403. 2. R 1747. 2. *Jam.* C. 146.
53. *Cola amargosa* Lusit. *Arbor* permagna, *cortice* valde amaro, Seminibus *Olei* plenis.
54. *Spinho Beto* Lusit. *Acacia* filiq. falcatis cinereis, velutinis.
55. Mammee. *Arbor* Indica *Mammei* dicta C B 417. *Ray* 1665. c. 14. *Pluk.* Tab. 268. f. 4. *Jam.* Cat 179.
56. *Ouri* ou *Avila.* Incolis. *Bonduc* cinerea *Nob.* R. 1743. c. 3.
57. Semente de Purga *Lusit.* Ricinus *Amer.* major, sem. nigro CB. 432. *Ray* 166. 2. *Jam.* Cat. 41.
58. *Tavarom* Incolis. *Coral* filiq. articulatis, sem. coccineis.
59. Tamarindus *Offic.* Ray 1748. c. 9. *Jam.* Cat. Plant. 147.
60. *Tortollo* Incolis. *Arbor* venenata lactifera, *sem.* cathartici.
61. Jacapucaya *Maregr.* 128. fig *Zabucayo* Pis. 66. f. edit. 2. fl. 155. fig. opt. *Ray* Hist. Plant. 1677. c. 7.
62. *Pareira* brava *Pomet.* l. 2. p. 68. fig. Wild *Vine*, Hist. of *Drugs* 37. Tab. 15. f. 14. A Specifick in *Stone.* H. *Acad.* R. 1710. 8vo. p. 73.

COM. II. *Shells*, *Fossils* and *Corals*, sent me from the Reverend F. *Philip Bonann*, S. I. at *Rome.*

63. Pecten *Mediter.* maj. costis altè striatis *Nob.* Bon. 98. f. 3. & 4. *List.* H. C. Tab. 165. f. 2. *Cappa Veneta* Italis.
64. Spondylus *Medit.* externè ruber mucricatus, *Nob.* Bon. 100. f. 20. & 1. *Scataponzolo* Tarentinis.
65. *Pectunculus* max. crassus lævis ferè radiatus, *Mus. nost.* 833. A. Camadie *Tarentinis*, Bon. 107. f. 64. 5.
66. Pectunculus *Neap.* minor crassus, maculis rufis, G. N. 52. 9.
67. P. N. striatus, ex uno latere serratus, ex altero verruculatus.
68. Lunata *Neapolitana* minor tessellata.
69. *Ead.* fusca radiata.
70. Lunata *Neap.* lucens crassa, parum cuneata.
71. *Auris* rugosa è *Sicilia.*
72. Cochlea *Sicula* umbilico aurito, *mucrone* compresso.
73. Trochus *Tarent.* catenis rubris quadratis.
74. T. *Tar.* spiralis, *caten.* eleganter marmor. & maculatus.
75. Neritula *Pernambuc.* maculata f. liturata *varia.*
76. • • Mac. f. liturata fasciata *varia.*
77. • • *Undulata* varia.
78. Buccinulum *Medit.* gibbosum, *ventre* albo calloso fessili, *List.* 971. f. 26. qr? Bon. 134. f. 175. f. 167. f. 383.
79. • • cancellatum, *lingulâ* cæruleâ G. N. 52. f. 13. ex *Ancona.*
80. B. *Corsicum* exiguum, rubescens, marmor. lucidum.
81. *Unicornu* minus, *costis* eleganter elatis *Mus. nost.* 705.
82. Unicornu *Ancone* perexile, *tessulis* rugosum.
83. Concha *Vener.* maj. maculata, *ventre* albo è *Mozambique.*
84. C. V. *Media*, Castanea, è *Pantalera*, G. N. 52. 10. C. 151.
85. C. V. affinis, alba, parva, ex *Alexandria* Ægypti. *Tourcellanes* en *Coquilage* Pomet. pt. 2. p. 104. c. 49. fig. 97. H. *Drugs*, 302. T. 86. fig. 49.
86. *Eadem* minor.
87. Murex *Medit.* aculeis rigidis brevibus, G. N. 68. 13.
88. Purpura *Medit.* rugosa, *fasciis* Castan. & alb. translucidis, List. 952. f. 1. qr? *Bon.* 150. f. 23.
89. Fusa *Medit.* fasciis eleganter nodosis.
90. *Unicornu* fossilis, *fasciis* regular. nodosis. E Monte *Pelia* prope *Urbem* veterem *Romæ.*
91. *Unicornu* fossilis, *fasciis* regular. verrucosis. *Priore*, vid. *Buccin* List. H. *Conchyl.* Tab. 1019, f. 82.
92. Corallium *Album* oculatum, ramosissimum.
93. *Corallium* albescens, ramosum. *id.* Pet. 153.
94. Epi-Corallum *Ericoides* album.
95. Retepora. Escara marina Imper. 625. & 30. f. 2. R. 65. c. 3. 1.

COM. III. Crustaceous & Testaceous *Animals*, sent me from the Curious Mr. *John Salvadore* Apothecary *at* Barcelona.

96. Cancer *Crista Galli* dicta *Nob.* Cancer *Ursus* dict. *Rondel*, 564. fig. Migrane *ou* Ours *edit.* Gallicè, 404. f. C. Heracleoticus *Aldr.* Exang. 199. f. ed. *Francof.* 61. f. 15. Gallus marinus *dict.* à similitudine *Chelarum.*
97. Cancellus *chelis* eleganter rugosis, *Bernard* l'Ermite *Rond.* 553. f. Brancha seu Brancha *Lig.* Bicus cambus *Bovinæ.*
98. *Squilla* lata *Rond.* 545. f. Gall. ed. 392. f. *Gesn.* aq. p. 215. Ursus Marinus *Romæ* Ejusd. 216. *Icone* Sitrardi.

99. Echinus *Catalonicus* aculeis longiſſimis *Nob.* Carduus Maris ſ. *Calyæ* Echinatus & *Auantia* maris *Bonan.* 92. f. 17. This Elegant *Sea-Urchin*, the Curious *Salvadore* ſays, is very Frequent on their *Coaſts*; ſome of its *Needles* are near 4 Inches long, very taper, and not thicker than a *Common* Ruſh.
100. Idem *nudus*, orbiculis *majoribus Nob. Bon.* 92. f. 18. It's the large Orbicular *Veſtigiæ* of this *Shell*, that we meet with *Foſſill* both *here* and in *Switzerland.*
101. *Uva* marina. *Salvad.* qr? *Sepiarum* ova *Rond.* 504. f.
102. Pecten *Barcin.* minor, rubeſcens.
103. *Sphondylus* max. ruber, intùs albus. qr? *Rond.* aq. 41. f.
104. Glycymeris *Medit.* maj. percraſſus, leviter ſtriatus.
105. *Glycymeris* zonis ferè faſciatis. The *Girdles* are moſt ſeen in the *largeſt Shells*; for whilſt *ſmall* they are more *Marbled*, and the inner Edges finely notch'd.
106. Mytulus *Medit.* vulg. *Nob.* Concha *Rhomboides* Bon. 103. f. 32. *Rond.* aq. 72. f. *Geſn.* aq. 267. *edit.* Ic. 227. f
107. Pectunculus *Barcin.* medius triquetrus. The *broad Part of this* Cocle, *eſpecialy the In-lid is purpliſh.*
108. Lunata *Medit.* faſciis valdè rugoſis.
109. Purra *Medit.* major, eleganter ſerrata.
110. *Tellina* Medit. *Olivacea*, interdum radiata.
111. Muſculus *Liburn.* oblongus, teres, qr? *Dactylus* Bon. 102. f. 28. *Solea* Venetum *Geſn.* Icon. aq. 242. f.
112. Muſculus *Barcin.* ore hiato.
113. Pinna *Medit.* permaxima muricata *Nob.* qr? *Pinna* aculeata *Aldr.* Exang. p. 533. fig. *ed.* Francof. 176. *Tab.* 16. f. 10. *Bon.* 101. f. 24. *Liſt.* 372. f. 213.
114. Dentale *Anglicum* minus G. N. 65 9. Cat. 82. *Liſt.* H. C. A. Tab. 547. f. 2. *Dentalium* Offic. *Dale* Pharm. 546. 1. *I ſhall be glad to ſee the* Worms *in this* Pipe-Shell.
115. *Cochlea* Hort. *Angl.* ſimilis, ſed compreſſior. *Very like* G. N. 65. f. 4. *but much larger.*
116. Cochlea *terreſt.* Fibularia *Barcinonenſis.* qr? *Trochus* 1. Rond. aq. 92. f. *but its more like the Shell as* Geſner *has copied it in his* Icon. Aquat. 249. f. ult. *being there much rounder and blunter.*
117. Cochea *calata* Bon. 114. f. 11. 2. & 13. *Rond.* aq. 98. f. Scaragol *vel* Cagarolo *di mar* Hiſpanis & Monſpel.
118. Ejus *Operculum* G. N. 65. f. 5. 6. Umbilicus *marinus* Langii H. Lapid. *Helvet.* 116. Tab. 50. fig. Bon. 114. f. 14.
119. *Buccinulum* Barcin. *Pyramid.* nigric. *ore* elato albo.
120. · · pellucidum, *mucrone* obtuſo.
121. · *Medit.* læve, ex albo nigroque variegatum G. N. 45. 14.
122. · *Gibralt.* mac. albis catenatis, *faſciâ* pellucidâ.
123. *Burſa* nodoſa Pet. 89. *Echinophora* Bon. 115. f. 19. *Liſt.* 1003. f. 68. qr? *Aldr.* exang. 399. fig. reverſâ.
124. Burſa *Medit.* major, *faſciis* ſulcatis. *qr?* Bon. 115. f. 20. f. 21. *Rond.* aq. 83. f.
125. Burſoides *Maurit.* nodoſa, ore croceo. *qr?* Bon. 115. f. 18. *Liſt.* 957. f. 9.
126. *Trompeta* utriuſque *Indiæ.* qr? *Buccinum* Rond. aq. 81. f. reverſâ *Id.* Gallice 52. f.
127. *Trompeta* rugoſa minor, *ore* criſpo. *qr?* Turbo *magnus* Rond. aq. 88. f.
128. Unicornu *Medit.* muricatum *Liſt.* 1019. f. 28. qr? *Aldr.* exang. 354. f. 3. edit. *Francof.* 120. Tab. 7. f. 5. N. B. *Almoſt if not all the* Shells *in both the* Latine and French *Editions* of *Rondelet* have reverted *Figures*, viz. their *Mouths* to the *Right*, which ſhould be to the *Left*, as they are copied by *Aldrovand* and *Geſner.*

Barcelona Foſſils.

129. Oſtrea *Barcin.* hinc inde verrucoſa.
130. *Oſtrea* craſſa & prælonga, *cardine* longiſſimo. *This reſembles the* Virginia *Rock-Oyſter*, Liſt. 201. f. 34.
131. Pecten *Medius* Foſſilis, *vid.* G. N. 94. f. 1.
132. *Pecten* minor, *ſtriis* tenuioribus: *vid.* Muſ. noſt. 830.
133. *Echinites* minor, *coſtis* 5. verucoſis. *Theſe are the* Size *of a* Cloak-Button, *round and ſomewhat compreſs like* Plot. z. *Hiſt.* Oxon *Tab.* 5. f. 6. *but doubly bigger.*
134. Vomica *foſſilis* major. *Theſe are ſmooth and convex on both Sides, the* Largeſt *rarely exceed the Dimenſions of a* Shilling, *or the* Thickneſs *of an* Inch.
135. Vomica hæmiſpherica, *circulis* ſubtùs capillaceis. *This ſeems to be the laſt* ſplit, *whoſe inward Superficies are compos'd of circular* Fibres, *like* Scheutz. Lith. *Helvet.* fig. 48.
136. Vomica parva convexa. *Theſe exceed not a ſmall* Lupine *Seed.*
137. Vomica *compreſſa*, tenuis minor. *Very thin, and much flatter than the laſt, but double its Dimenſions.*
138. *Bracteola* parva *pileata* foſſilis. *Not broader than a* common Spangle; *concave on one Side, and convex on the other, riſing in a Point.*
139. *Trompeta* major *foſſilis.* Like 126. *It's a Span* long, *and near a Foot* about.
140. *Veneroides* foſſilis *faſciata.* Like G. N. 97. f. 23. *but this has furrow'd Girdles.*
141. *Rhombus* minor, pyramidalis *vide* Liſt. 729. f. 14.
142. *Rhombus* minor patulus, *clavículâ* cava *vide* L. 1750. f. 44.
143. *Unicornu* foſſilie *Noſt.* 20. *like* Muſ. *Pet.* 738. *A fair and elegant* Foſſill.
144. Unicornu *foſſile* maj. intùs albo vitreatum. *Like* Liſt. 521. f. 59. *it's ſomewhat larger than the laſt, with many ſmall* faſciæ, *if not defaced, the* Orbs *blunt or roundiſh; it ſhines within like* white glazed Ware *or* China.
145. *Idem*, Fluoreſcens, matrice Argillacâ. *Seems the ſame with the laſt, but compoſed of* Spar, *in a hard clayey Bed.*
146. *Marmor* flaveſcens *Barcin.* dendrite. *This has the ſame* Moſs-like Ramifications *as are in our* Oriental *Mochas.*
147. *Ferri* minera *Catal.* rubiginoſa & quaſi exuſta.
148. *Plumbi* minera *Barcin.* albo *Fluore* mixta.
149. Armoniacum *Catalon.* foſſile. *Its upper Bed* ſtriated *like* Talk, the reſt heterogeneous and more glittering.
150. Stalactites *Thuroides.* Like *Franckincenſe*, rugged and yellow without, but within whitiſh.

Corals and other *Mediterranean* Submarines.

151. *Corallum* albidum *Medit.* noduloſum. *Like our* ſmall *Cornwal* Coral, *but this grows in* Cluſters *and much larger.*
152. *Corallum* implexum, *tubulis* intùs & extremitatibus ſtellatis.
153. Corallum *chelis* brevibus obtuſis punctatis.
154. *Epicorallum* Muſcoſum. *An Incruſtation over ſome fine* Sea-Moſs.
155. Reticulum *Tophaceum* marinum *Chabr.* 577. Ic. 5. I. B. 3. l. 30. c. 54. f. *Imper.* 642. f. opt. *Ray.* 65. 3.
156. *Ribes* marina. *From the Nature of their growing in* Cluſters *like* Currans, *perhaps an* Ovary.
157. *Burſa* marina CB. 368. 12. Algæ *Pomum* Monſpel. I. B. 3. l. 39. p. 3. *Pulmo* marinus *Rond.* aq. 131. 28. f. *Geſn.* aq. Icon. 266. f. *Ray* 83. 8. I. B. & *Chabr. have* figured *this on the left Sides of the* Root *of the* Alga *anguſtif* Vitrariorum, *which others have copied without mentioning.*
158. *Pila* marina *Medit.* vulg. G. N. 64. f. 4. *Cat.* 157. *Chabr.* 570. Ic. 1. I. B. 3. l. 39. c. 4. p. 783. *Ray* 83. 9. *It's like a rough* Maw-Ball, *made up of the hairy Fluſe about the* Roots *of the* Graſs-wrack. *&c.*
159. *Manus* marina *Geſn.* aq. 524. fig. edit. Ic. 273. *Chabr.* 572. Ic. 4. I. B. 3. l. 31. c. 31. f. *Ray* 77. 7. *This is like* Geſner's *Figure* which *Cornelius Sittard ſent him.* N. B. *The* Fingers *in our* Specimen *are full of ſmall ſeedy Warts as in our* common *Wrach* or *Quercus* maritima. *This elegant Sea Body Dr.* Salvadore *ſent me growing to the* Pectunculus Echinatus.
160. Sertolaria *Imper.* 653. fig. opt. *Chabr.* 572. Ic. 3. *Opuntia* marina *Park.* 129. 4. f. 12. *Ray* 77. 5. Sea Band-ſtrings.

COM. IV. Barbadoes *Trees*, whoſe Specimens were collected there and brought me by Mr. *Jam. Rheed. Arbores* Coniferæ & Juliferæ. *Trees* bearing *Cones*, Catkins, &c.

161. *Button* Tree Pluk. Tab. 204. fig. 3. *Ray* Dendr. xi. 7. *Dendr.* Amer. 51. 1. *Alni* fructu, Lauri folia, *Arbor* maritima *Jam.* Cat. 135.
162. *Barbadoes* Baſtard *Cedar* Pluk. 159. f. 4. *Dend.* Amer. 51. 3. *Cencramidea* 3. Alm. Bot. 92. *Alni* fructu, Loti Arbor. folio Barbadenſis.
163. Barbadoes *Cypreſs* Pluk. 197. f. 4. *Alm.* Bot. 201. pl. ult. *Juniperus* Barbad. *Cupreſſi* folio, *ramulis* quadratis.
164. Fuſtick *Pluk.* 239. f. 3. *Alm.* Bot. 395. pl. 4. *Dendr.* Amer. 52. R. *Dendr.* 14. 3. Morus *Barbad.* fr. viridi, *ligno* Sulphureo tinctorio, *Jam.* Cat. 128.
165. Manchaneel-Apple *Jam.* Cat. 129. *Pluk.* 142. f. 4. *Dend.* Amer. 52. 6. Mancinella *Barb.* arbor Julifera, lacteſcens, venenata, *Pyri* folio.

Arbores Siliquiferæ. *Trees* with *Pods*, &c.

166. Bean-tree *Jam.* Cat. 142. *Coral* arbor *Cluſ.* 253. f. Ray. 1736. c. 1.
167. Pidgeon-pea *Jam.* Cat. 39. *Pluck.* 213. f. 3. *Ray* 1723. 6. Anagyris *Indiæ* utriuſque, *ſiliquis* catenatis.
168. Indigo *Jam.* Cat. 116. R. 926. c. 4. *Park.* 600. f. 3. *Chabr.* 82. f. 6.
169. *Wild* Indigo *Jam.* Cat. 148. *Pajomirioba* hexaphylla ſubrotundis foliis.

170 Pur-

170. Purging *Caſſia* Jam. *Cat.* 145. R. 1746. c. 8. CB. 403. 1.
171. *Horſe* Caſſia *Jam.* Cat. 146. *Caſſia* fiſtula *Braſiliana* CB. 403. 2. Ray. 1747. 2.
172. Spaniſh *Carnations* or wild Sena *Jam.* Cat. 149. *Barbadoes* Flower Fence *Ray* 281. 10. & Vol. 3. p. 482. 1. Poinciana *Indiæ* utriuſque *Nob.* H. Mal. Vol 6. T. 23. p. 1.
173. Tamarinds *Ray* 1748. c. 9. H. Mal. V. 1. T. 23. p. 39.
174. *Aſh* Nickars *Jam.* Cat. 144. *Bonduc* ſem. caſio Ray 1743. c. 3.
175. *Yellow* Nickers *Jam.* Cat. 144. *Bonduc* ſem. flavo.
176. Arnotto *Jam.* Cat. 150. *Maucaw*, or *Roucou*-tree *Ray* 1771. c. 21. CB. 419. 8. *Cluſ.* Exot. 74. f. *Hern.* 74. f. opt.
177. Barbadoes *Spaniſh* Briar *Ray* 977. 2. Jam. *Cat.* 152. pl. 1. *Park.* 1547. f. 2. opt. Acacia *Amer.* ſiliquis tumidis.
178. *Spaniſh* Aſh *Pluk.* 140. f. 3. Ceratia 1. *Ray* 3. p. 113. Caroba *Barbad.* fol. Fraxini.
179. Spaniſh *Oak* Pluk. 141. f. 2.
Caroba *Barbad* tetraphylla, fl. ſtam. ſpicatis.
180. Barbadoes *Rot-bean* Almag. Bot. 96. pl. 1. qr? *Ray* 1760. Jetaiba *Barbad.* lobis minoribus.
181. *Moabite*-tree *Pluk.* Tab. 1. fig. 6. *Jam.* Cat. 162. *Ray* 1754. c. 8. & Y. 3. p. 478. pl. 34. id. *Dendr.* 113. Intſia *Barbad.* tetraphylla, ſiliq. intortis, *ſem. nigri lucidis.*
182. Dogs-prick *Pluk.* 172. f. 4. Alm. Bot. 126. pl. ult. *Jam.* Cat. 153. pl. 5. *Ray* D. 102. 3. Dendr. *Amer.* 52. 9. Caroba *Barbad.* Laurifolia, *ſiliq.* mucoſâ miniatâ.
183. Black *Sallow* Pluk 221. f. 2 & Alm. Bot. 328. Breynia *Barbadenſ.* tetraphylla.
184. *White* Willow Pluck. 221. 1. *Jam.* Cat. 153. pl. ult. *Ray* D. 100. 5. *Breynia* Barbad. *Oleaſtri* folio.
185. Barbadoes *Jeſſemy*-tree *Pluk.* 207. 2. A. B. 109. pl. 3. *Jam.* Cat. 154. 3. *Ray* D. 114. 4. Dendr. *Am.* 52. 9. Nerium *Barbad.* arbor. fl. incarnato.
186. White-wood *Pluk.* 204. 3. & A. B. 215. Jam. *Cat.* 154. pl. ult. *Ray* D. 114. 2. Dendr. A. 52. 12. Nerium *Barbad.* Album, folia *Laurinis* palmatis.
187. Cabinet *or* Prince-wood *Pluk.* 239. 2. & A. B. 395. *Spaniſh-Elm*, or *Prince-wood* Jam. *Cat.* 155. Ray *Dendr.* 115. 6. Dendr. *Am.* 53. 15. *Nerio* affinis, *Lauri* folio, fl. luteo amplo.
188. Swamp *Mangrove* or *Oyſter-tree* Pluk. 204. f. & A. B. 241. *Jam.* Cat. 152. 2. R. 1772. 1. Mangle *Barb.* fol. *Pyri* rigido.
189. White *Mangrove* Pluk. 204. 4. & A. B. 241. Mangle *Barbad.* fol. *Carobæ* adverſis.
190. Silk-Cotton *Pluk.* 188. f. 4. & A. B. 172. H. Mal. 3. T. 49. p. 59. *Ray* 1064. 2. & 1899. pl. 5. & 6. Goſſipium *Indiæ utriuſque*, fol. digitatis planis.
191. Barbadoes *Cotton-buſh* Pluk. 188. f. 1. & A. B. 172. Goſſipium *Barb.* fol. trifido.
192. Musk *Mallow* Pluk. 127. 1. *Jam.* Cat. 98. *Ray* 1067. Bamia *Barbad.* hirſuta, ſem. Moſchato.
193. Ocra *Jam.* Cat. 98. pl. 4. *Alm.* Bot. 16. pl. 5. *Bamia* fructu *eſculento*, brevi decogeno.
194. Long *Ocra* Jam. *Cat.* 98. pl. 3. Alm. *Bot.* 16. pl. 6. & Mant. 7. *Bamia* fructu *eſculento*, longo, recurvo.
195. *Dogwood*-tree *Jam.* Cat. 143. *Mant.* 150. pl. 2. *Ray* D. 108. 9. Bagua *fructu* membranulis alato, *Laſerpitii* more.
Arbores *fructu* maximo. *Trees* with large Fruit.
196. *Coco*-tree *Jam.* Cat. 132. *Park.* 1596. f. Dendr. *Amer.* 2. p. 50. Palma *Indica* Nucifera *Coccus* dicta *Ray* 1356. 4. Hort. *Malab.* Vol. 1. Tab. 1. &c. p. 1. *Chabr.* 27. f. 4. & 28. f. 1. CB. 508. 1.
197. Caſhew *Jam.* Cat. 187. *Park.* 1568. f. *Anacardium* Occidentale *Nob.* Ray 1649. c. 15. H. *Malab.* V. 3. T. 54. p. 65. *Chabr.* 24. f. 6. CB. 510.
198. Banana *Jam.* Cat. 192. *Dend.* Amer. 14. p. 51. *Banana* fructu maj. recto *Nob.* Ray. 1375. 2. *Piſo* 76. *ed.* 154. f. 2. CB. 508. 1.
199. *Plantain*-tree *Jam.* Cat. 189. *Ray* 1374. *Park.* 1496. fig. *Muſa* fructu adunco anguloſo *Nob.* Piſo 75. f. *ed.* 154. f. 1. H. *Mal.* 1 T. 6. p. 17. *Chabr.* 9. f. 5 & 6. p. 10. f. 1. CB. 507. XI.
200. Red *Guayava* Jam. *Cat.* 198. *Park.* 1671. Guayava *fructu* rubro majore *Nob.* H. Mal. 3. T. 35. p. 33. CB. 347. *Ray* 1455.
201. *Papaw*-tree *Jam.* Cat. 202. *Ray* 1370. c 1. & 2. *Park.* 1649. f. 5 *Papaya* major *mas & femina* Nob. H. *Mal.* 3. T. 15. p. 21. &c. CB. 431. 2. & 434. 12. & 457. 4.
202. *Cuſtard*-Apple *Jam.* Cat. 204. *Pluk.* 134. 4. *Anona* anguſtifolia, *fructu* majore luteo *Nob.* H. Mal. 3. T. 30. & 1. p. 2. R. Dendr. 77. 2.
203. Sower-*ſop* or *Prickly* Apples *Jam.* Cat. 203. *Anona* fructu ſpinulis aſpero *Nol.* Rav 1651. 5. & Dendr. 77. 5. *Pluk.* 135. f. 2. qr? id. 134. f. 2.
204. Sweet-*ſop* Jam. *Cat.* 205. 1. Ray 1650. 1. Dendr. 77. 1. *Pluk* 134. f. 3. H. *Mal.* 3. T. 29. p. 21. *Anonis* fructu ſquamoſo dulci *Nob.*
205. Water *ſop* or *River*-Apple *Jam.* Cat. 205. 2. *Pluk.* 240. f. 6. R. Dendr. 78. 1. *Anona* aq. fol. Laurinis, *fructu* minore luteo.
206. Garlick-*Pear* Jam. Cat. 205. Ray 1644. c. 3. Dend. 79. 7. *Tapia* arborea triphylla *Plum.* E. B. 22. T. 21. *Pet* 4. f. 22. Piſo 69. *f ed.* 140. f H. *Mal.* 3. T. 42. p. 4.
207. *Arbor* Cucurbitifera *Barbad* fol tenuibus apiculatis *Nob.* Cujete *Plum* E. B. 23 T. 16 *Pet.* 2. f 14. *Pluk.* 137. 7
208 Arbor *Cucurbitifera*, fol craſſis confertis.
209. Citron *Jam* Cat. 208. *Ray.* 1654. c. 1. *Citrus* vulg. *Nob.* Park. 1506. f.
210 Lemmon *Jam.* Cat. 209. *Ray* 1656. c. 2. *Limo* vulg. *Nob* Park 1507 f
211. Lime *Jam.* Cat. 211. *Limo* ſylv. fructu parvo ſubacido *Nob.*
212. Orrange *Jam.* Cat. 210. *Aurantia* vulg. *Ray* 1658 c. 3. P. 1508. f.
213. China Orange *Jam.* Cat. 211.
214. Shaddocks *Jam.* Cat. 212 *Pompelmo's* Alm. Bot. 39. *Ray* Dend. 80. 1. *Aurantium* fructu maximo palleſcente.
Arbores *fructu* medio. *Trees* with *midling* Fruit.
215. *Cabbage*-tree *Jam.* Cat. 176. *Ray* 1361. 12. Dend. *Amer.* 1. p. 50. Alm. Bot. 275 pl. ult. *Palma* Regia *Barbadenſis.*
216. Palmetto *Jam.* Cat 177. *Ray* Dendr. pl 2. 3. D. Amer. 7. p 50 Palma *Barbad.* non ſpinoſa, *fol* plicatili *ſeu* Flabelliformi, *fructu* officulo nigro *Alm* Bot. 277 pl. 8.
217. *Balſam*-tree *Jam.* Cat. 167. *Ray* D. 51. 4. Dendr. *Amer.* 35 p. 74 Barbadoes *Balſam*-Apple *Pluk* 157. f. 2. Alm. Bot. 92 pl. 4 Cencramidea *Barbad.* Balſamifera, fol. rotundo craſſo.
218. Barbadoes *All-ſpice* or *Mango* Pluk. 170. f. 4. Alm. Bot. 124. *pl.* ult. Lycium *Cucurbitiferum* Barbadenſe *aromaticum.*
219. Barbadoes *Dartwood* or *Ink*-berry *Pluk.* 97. f. 5. 6. Alm. Bot. 234. pl. 6. & ult. *qr?* Ink-wood *or* Berry *Pl* 205. f. 2. *Alm.* B. 246. 1. *Lycium* Barbadenſe, fol. lucido ſubrotundo.
220. Barbadoes *Cedar* Pl 157. 1. A. B. 92. 1. Ligon H. *Barb* 14. 41. & 73 Cedrus *Barbad* fol. *Fraxini*, fr. ficco pentafori *Nob.* Jam. *Cat.* 182. pl. ult. R. Dendr. 41. 8. *This is known by its peculiar* Fruit *and Sweet red* Wood.
221. Maſtick-*Tree* Pl 217. f 5. A B 307 1. *Jam* Cat. 180 *id.* Hiſt 40. *Ligon* 14. & 73 R. Dendr. 21 p 42 *Prunus* Barbad. *Lauri* folio, *Maſticifera.*
222. *Soap*-berry *Jam.* C. 184 Pluk. 217 f. 7 CB. 511. 1. *Cluſ.* Exot. 42. f *Lugd* 1877. c 121. Stapel 363 f. *Quiti* Braſil *Marcgr.* 113. f. *Piſ. ed.* 162. f. Arbor *Saponaria* Americana *Ray* 1548. 2.
223. Barbadoes *Olive* Pl. 209. f. 3. A. B 269. pl. 6. R D. 47. 6. *Olea* Barbadenſis.
224 White *Plum*, qr? *Pl* 216 f. 8 *Prunus* alba *Barbad* fol. leviter ſerrato.
125 Barbadoes *Plum.* Pl. 218 f. 3. A. B. 306. 3. qr? *Jam.* Cat. 181. Prunus *Barbad.* fol. venoſo rigido.
226 Barbadoes *Damozen Pl.* 17. f. 6. A. B. 306. pl. ult. Prunus *Barbad.* fol. tenuiore.
227. Barbadoes *Black*-bud and *Black*-wood Pl. 205. f. 3. A. B. 246. 2. *Jam.* Cat. 135. Hiſt. 38. D. A. 23. p 54. qr? *Ray* 1687. c. 17 *Arbor* Barbad. *Laurocerafi* folio.
228 Jack in a Box *Pl* 208. f. 1. A B. 266. 5. Hernandia *Plum.* E. B. Amer. 6. T. 40. *Pet.* T. 3. f. 22. Hernandia *fol.* cordato amplo umbilicato, *fl.* hexapetalo.
229 Barbadoes *Sweet*-wood Pl 176. f. 1 A B 139 8 *Jam.* Hiſt. 38. *Evedexylon* Barbad. fol. lato, *Beretini* fructu.
230 Baſtard *Sweet*-wood Pl. 176. f 2. A. B 139 pl. ult. qr? *Ray* Dendr. 23. p. 86. Evedexylum *Lauri* folio, *fl.* hexapetalo.
231 Fire-*Sprig* Pl. 175. f. 6. A. B. 138. pl. 7. *Ray* D. 127. *pl.* ult. *Eſcaroxylum* Barbad. *fol.* Cacao.
232. Pidgeon-*Fig* Pl. 178. f. 4. *Jam.* C. 189 Ray D. 16. 5. *Ficus* ſtolonifera, *Pyri* folio, *fr.* Ceraſi. *The* Pidgeons *much covet this* Fig.
233 Clammy *Cherries* Pl. 158. 1. A. B. 94. pl. 15 *Jam.* C. 169. 2. R. D. 45. 14. *Ceraſo* affinis, *fr.* coccineo viſcoſo, ſem. rugoſo.

234. Bar-

234. Barbadoes *Cherry* Pl. 157. f. 4. A. B. 94. pl. 18. *Jam.* C. 172. R. D. 74. 1. Simmeraka *fr.* rufro acido ſulcato, polyſpermos. *Common* in *Gardens*, &c.

235. Chequer-*Grape*. Uvifera *arbor* Americana, *fr.* aromatico punctato *Pl.* 237. f. 4. A. B. 394. pl. 7.

236. Mangrove-*Grape* Pl. 237. f. 5. A. B. 394. pl. 8. Uvifera *arbor* Barbad. *Cacao* fol. *ſtolonibus* proliferis.

237. Jamaica *Mangrove*-Grape *Jam.* C. 183. Ray 1795. 1. & *Dendr.* 40 5. Pl. 236. f. 7. A. B. 394. *pl.* ult. *Guajabara* Caribea *fol.* rotundis rigidis.

Sir *Hans Sloan*, ſays, the *Spaniards* with an *Iron* Pin *write*, or rather *file* on theſe *Leaves*, when *Paper* and *Ink* are ſcarce.

238. Loblolly *Pluk.* A B. 38. *pl.* ult. *Guajabara* Barbad. fol. rot. venoſis mollibus. *This bears its* Fruit *on a long* Spike *like the laſt.*

239. Leathercoat *Pl.* 222. f. 8. A. B 38. pl. 18. *Guajabara* Barbad. *fol.* ſubrotundis venoſis ferrugineis.
Arbores *fructu* minore. *Trees* with ſmall *Fruit.*

240. Birch-*tree* Pl. 151. 1. A. B. 67. *Jam.* C. 167. R. D. 50. 2. D. A. 33. p. 73. *Betula* Amer. *baccâ* triquetrâ odore *Terebinthini.*

241. *Box* Pl. 139. 6. A. B. 74. 7. *Jam.* C. 167. 1. R. D 65. *pl.* ult. *Buxus* Barbad. *fructu* croceo dipyreno.

242. Great yellow *Hercules* Pl. 239. f. 6. A. B. 8. p. 396. *Fagara* Barbad. *Citri* folio.

243. Prickley *Yellow wood* Pl. 239. f. 4. A. B. 396. pl. 5. qr? Jam. C. 138. R. D. 70. 15. *Fagara* Barbad. *Arboris* Futtick *fol.* rotundioribus crenis.

244. Wild-*Honey-tree* Pl. 142. f. 3. A. B. 43. pl. ult. Jam. C. 137. pl. 2. R. D. 75. 4. *Baccifera* argutè ſerrata, *fr.* mimmo croceo. In *Woods*, &c.

245. Baſtard *Locuſt tree.* qr? *Jam.* C. 165. R D. 49. 1. *qr?* Pl. 200 f. 6. Baccifera *Amer.* fol. *Lauri*, *f.* calyculato monopyreno. *Grows* in *Meadows.*

246. Barbadoes *Sweet-Bay* or *Pimenta* Pl. 155. f. 2. A. B. 88 6. Barbad. *Lauri* folio *baccâ* ovali.

247. Round *Barbadoes* Pimenta Pl. 155. f. 3. A. B. 88. 7. *Pimenta* Barbad. *fol.* & *fr.* rotundis.

248. Black-*Sage* Pl 221. f. 3. A. B. 329. *Jam.* C. 163. 2. *Hiſt.* 39. R. D. 31. 18. Camara *Barbad.* Spicata *fol.* Salviæ.

249. White-*Sage* Jam. C. 4. p. 164. *Hiſt.* 39. R. D. 17. 31. *qr?* Pl. 114. f. 5. *Camara* Barbad. fol. & flor. rotundis.

250. *Bitter-wood* Pl. 238. f. 4. A. B. 395. pl. ult. *Xylopicron* Barbad. *fr.* oblongo calyculato.

251. *Fiddle wood* Pl. 162. f. 1. A. B. 108. 3 *qr?* Jam. C. 170. 5. R. D. 61. 1. *Citharexylon* Barbad. *Lauri* foliis.

252. Timber *Fiddle-wood* Pl. 162. f. 2. A. B. 108. 5. *Citharexylon* Barbad. *Lauri* foliis. 2 ferè minoribus.

253. *Fiddle wood* with dented Leaves Pl. 161 f. 5. Citharexylon Barbad. *fol.* dentatis.

254. Lightwood *Lignum Rhodium* or *Rorum* Pl. 201. f. 3. A. B. 228. 2. *Jam.* C. 137. 2. R. D. 88. 30. D. A. 55. pl. 34. Baccifera *Barbad.* fol. *Betulæ* planis & perforatis.

255. *Milk-wood*, Pl. 185. 1. A. B. 164 *Jam.* C. 136. *Hiſt.* 39. R. D. 87. 27. D. A. 54. 31. *Galactoxylum* Barbad. *Laurocerafi* folio majore. *This yields* a Poyſonous Milk *from all its Parts, and boils into* Birdlime.

256. *Poyſon-wood* Pl. 230. f 8. A. B. 369. pl. 10. *Jam* C. 136. pl. *ult.* Hiſt. 39. R. D. 87. 28. D. A. 54. 32. *Ligon* 68. Tithymalus *Arbor* Barbad. *Citri* fol. leviter crenatis. *Common in Meadows.*

257. *Red-wood* Pl. 175. f. 5. Alm. Bot. 138. pl. 6. *Erithroxylum* Barbad. *Hydrolapathi* foliis.

258. *Rod wood* Pluk. 139. fig. 6. Alm. Bot. 46. pl. 6. Myrtus *Barbadenſis* viminalibus virgis.

259. *Spirit-wood* Pluk. Tab. 215. f. 5. Alm. Bot. 300. pl. 3. *Pneumatoxylum* Barbad. *bacæ* calyculatâ tetraſperm.
Arb. *Barbad.* flor. f. fruct. ferè ignotis.

Barbadoes *Trees*, whoſe *Flowers* or *Fruit* are little known.

260. Barbadoes *Dogwood* Mantis. *Almag.* Botan 150. pl. 2 *Piſcicula* arbor *Barbad.* fol. rotundis.

261. Black *Dogwood* Pluk. 172. f. 6. Alm. Bot. 127. pl. 2. Cynoxylum *Barbad.* nigrum, *Laurocerafi* folio.

262. Barbadoes *Iron-wood* Pl. 224. f. 2. Alm. Bot. 346. pl. 12. *Sideroxylon* Babrad. *fol.* apiculatis.

263. *Whip wood* Pluk. Tab. 298 fig. 2, Alm. Bot. 395. pl. 8. *Xylomaſtix* ſeu *Flagellifera* arbor *Barbadenſis*

264. Rat bane. *A poyſonous* Tree *Flowers* like *Honey ſuckle.* Arbor *Barbad.* Fagi *foliis* pulchrè venoſis.

265. *Ruſty-bough* Pluk. Tab. 144. fig. 4. *Arbuſcula* Barbad. *fol.* ferrugineis digitatis.

266. Barbadoes *Fingrigo* or *Savin* Pl. 107. f. 4. A. B. 319. 2. Fingrigo *Barbad.* ſpinoſa, parvis *fol.* & *coſtis* alatis.

267. *Black-wyth* Pluk. Tab. 145. 4. Alm. Bot. 48. 3. Volubilis *Barbad.* triphylla, pediculo alato.

268. Broad-leaf *Clymer.* Pluk. 146. f. 1. *Caſtaneæ* folio *Barbad.* ſcandens.

269 *Weeping-Bower* Pluk. 145 f. 3. Volubilis *Barbad.* aculeis 2. ex alis fol. apiculat.

N. B. Divers *Trees* in *Barbadoes*, *Antego*, *Jamaica*, &c. *Sprigs* of whoſe *Flowers* and *Fruit*, will be very acceptable. *Trees* with *Catkins*, viz. * *Baſtard* Cedars * *Fuſtick.* Manchineel *Trees* with *Pods*, viz. *Bean trees*, Purging and Horſe *Caſſia.* Spaniſh *Aſh*, *Elm*, * *Oak*, *Sinacod* and *Moabite Trees*, *Dogs-prick*, Black and white *Willow*, * *Cabinet* or *Prince wood.* White and other *Mangroves*, * *Dog-wood*, Common and Mountain *Ebony*, Indian *Savin*, * Wild *Tamarinds. Trees* with large *Fruit*, viz. *Banana's* and *Plantains.* All *Sop* Apples and *Gourd* trees, * *Prickley*-Pole, * *Thatch* and *Dragon* tree, *Anchovy* Pear, *Mamee*, * M. Sapota, * *Santa Maria*, * *Avocado*-Pear, * *Sapotillas*, Wild *Pippaws*, &c. *Trees* with *midling* Fruit, viz, Cabbage, * *Palm* Oil and *Palmetto* trees, * Great and ſmall *Macaw*, * *Balſom* and *Mango* trees * *Cedar*, *Maſtick*, *Soap*-berries and *Olives.* All *Plums*, Jack in a Box, * *Fire* and *Five*-Sprig, *Black* and *Sweet* woods, *Black*, Sower, *Coubauge* and other *Cherries.* All *Grapes*, Leather-coat, Loblolly, *&c. Trees* with *Berries* and other ſmall *Fruit*, viz. *Birch*, *Box*, *Hercules* and yellow *Woods*, *All Spice* and ſweet *Bays*, *Honey*-tree, Baſtard-*Locus*, Hog Doctor and *Boar*-tree, * *Cloven* and *Poyſon* berries, *Bichy* tree, * *Olive bark* and wild *Jaſmins. All* Sorts of *Sage. Bitter*-woods, *Fiddle*-woods, *Iron* and *Light*-woods, *Milk* and *Poyſon*-woods, *Red* and *Rod* woods, * *Spirit* wood, * *Silver* wood, *&c. N. B.* Thoſe with this * *Mark*, will be doubly acceptable to *J. Petiver.*

COM. V. *Trees* and *Herbs*, ſent me from the *Iſle* of *Providence*, by that Curious Gentleman Capt. *William Walker*, Chief of the *Bahama* or *Lucay* Iſles.

270. Braſiletto *Dying-wood.*
Braſiletto arbor ſpinoſa, *foliis* Buxeis.

271. White *Cinamon* Pl. 160. f. 7. *Jam.* 165. ult.
Winteranus Offic. *cortice* albicante.

272. Wild-*Grape*. Bears a ſmall red *Fruit*, which makes good *Wine.* Walker. *Vitis* Provident. *fol.* altè dentatis.

273. Lignum *Vitæ.* Jam. *Cat.* 186. *Ray* 1685. R. D. 85. Pl. 33. f. 3. 4. A. B. 180. CB. 448. 1. 2. *Cluſ.* exot. 312. f. *Guaicum* Amer. *Buxi* foliis.

274. Madera *Timber.* Jetaiba *Petiv.* Nat. Collect. 180.

275. Moho-tree *Pl.* 178. f. 3. quoad *Fol.* A. B. 144. 8. Mant. 175. *Jam.* C 95. R. D. 319. 16. *Ketmia* utriuſque *India*, Tiliæ *folio* ſubtùs albicante.

276 * *Sweet Bark.* A Tree W. qr. Pl. 220. *f.* 5. *Elutheria* Provid. *fol.* cordato ſubtùs argenteo.

276. *Saffron*-tree. *Celtis* Amer. fol. *Citri* ſubtùs aureo, *fructu* rubro *Inſtit.* Rej. Herb. 612.

277. A ſmall *Tree* unknown *Walker.* Lilac *Provid.* Myrti *fol.* flore *tubuloſo* ſtamineo.

278. Sea ſide-*weed.* Bears a red *Berry*, which will make *Ink* or dye a *Purple*, Walk. *Solanum* racemoſum *Americ.* minus *Jam.* C. 85. Pl. 112. f. 2. A. B. 353. pl. 3. *Ray* V. 3. p. 349. pl. 1.

279. A *Plant* made uſe of for *Burns* and Scalds W. Chryſanthemi *fortè* ſpecies.

COM. VI. My Hearty Friend, Mr. *John Partridge Apothecary*, preſented me with the following *rare Corals* gather'd near the *North* Pole.

280. Coralloides *Americ.* lignoſa, perelegantèr verrucoſa.

281. Corallia *marina* ſquamea, *ſquamis* deorſum ſpectantibus *Lang.* H. Lapid Helvet. p. 57. T. 17. f. 2. *Planta* marina *Refedæ* facie *Clus.* Exot. 123. f. *Chabr.* 576. Ic. 5. Park 1302. f. 4. *Refeda* lapidea CB 100. 5. & 365. 18. *Ray* 68, c. 6.

COM. VII. The Three following *Animals* from *Buen Ayres*, were preſented me by my Neighbour Mr. William Smith, *Junior.*

282. *Armadilla* valdè piloſa, *fronte* magno ſcutato. An accurate *Account* and *Figure* of this *rare Creature* we hope ſuddenly to ſee from that *expert Anatomiſt* Dr. Jt. Douglaſs, F. R. S. &c.

283. *Columba* marina palmipes, Call'd there *Pintado.* This Captain *George Jeſſon* caught with a *baited* Hook.

284. The *Spur-wing'd* Lapwing. *Vanellus* humeris calcari armatis. Mr. *John Staploe* ſhot this 50 Leagues up the *Rio Plata*, on the *South* Shore.

LONDON, Printed for *James Petiver* in *Alderſgate-ſtreet.* MDCCXVI.

GRAMINUM, *Muſcorum, Fungorum, Submarinorum*, &c. *BRITANNICORUM*

CONCORDIA:

A Methodical Concordance of BRITISH *Graſſes, Moſſes*, &c. in *Order* to their being more *eaſily* known and *better* Figur'd.

A JACOBO PETIVER, *Regiæ Societatis Socio*, &c. LONDINI.

CAP. I. *FRumenta* & Gram. *Spicata*. Spiked *Corn* and Graſſes.

Sect. 1. De *Triticis* & Gram. *Triticeis*. Wheat *and its* Graſſes.

1. Naked *Red* Wheat. *Bobart.* Hiſt. Pl. *Oxon.* p. 175. 1. Triticum *nudum*, ſpica & granis *rubentibus*, Ray H. *Plant.* 1237. 1. *Synopſ.* 177. Pl. 1. edit. 2. p. 244. 1.

2. Naked *red ſtraw'd* Wheat. *Bob.* H. Ox. 175. 2. Triticum *nudum*, culmo & granis *rubris*.

3. White *Lammas* Wheat. R. *Ox.* 175. 4. Tab. 1. fig. 1. opt. *Triticum* nudum, *ſpicâ & granis* albis, *Ray* 1237. 2. Syn. 172. 2. ed. 244. 2. C. B. 21. pl. 1. Phyt. 46. 1. Theatr. 352. fig. *Matth.* 317. f. 2. Lugd. 378. f. Tabern. 258. Ic. 2. Hiſt. 735. f. 1. Ger. 58. fig. *Dod.* 489. f. *Lob.* 25. Ic. Belg. 27. 1. Obſ. 14. 1. Adv. 5. *Jonſt.* 65. f. *Park.* 1120. 1. *Chabr.* 173. 1.

4. Mixt *Lammas* Wheat, *Bob.* Ox. 175. 3. *Triticum* nudum, *ſpicâ* albicante *granis* ruſeſcentibus, ſeu *mixtum*. N. B. Moſt of theſe have ſometimes ſhort, but irregular *Beards* and *Flower* about *Midſummer*.

5. Cone-*Wheat*, Bob. *Oxon.* 176. pl. 13. T. 1. ſ. 2. f. opt. *Triticum* ariſtatum, *ſpicâ* villosâ quadrata longiore.

It's a tall *Corn*, compoſed of four Rows of *Grain*, ſet in grey hairy *Glumes* or *Husks* in a large *Spike* near 6 Inches *long*, with very rough and long *Beards*.

6. Grey *Wheat* or *Duckbill*, Grey *Pollard*, Ray 1238. 8. Syn. 178. 3. ed. 245. 3. *Triticum* ariſtatum, *ſpicâ* villosâ breviore & turgidiore, *B. Ox.* 176. 14. T. 1. ſer. 2. f. opt. Its *Spikes* groſſer, ſhorter and whiter, and riſes not ſo high.

7. *Naked* Duckbill. *Triticum* nudum *ſpicâ* villosâ quadratâ breviore. *Differs* from the *laſt* in being *beardleſs*.

8. Red-ear'd *bearded* Wheat. *Triticum* ariſtatum, *granis & ſpicâ* rubentibus, *glumis* lævibus & ſplendentibus, *Ray* 1238. 6. S. 177 2. ed. 244. 2. *B.* Ox. 175. 2. T. 1. f. opt. CB 21. 8. pt. 47. 6. Th. 371. f. Tab. 259. 2. H. 735. 3. G. 59. 4. Lob. 27. 2. B. 28. 3. Jonſt. 67. f. Park. 1120. 3. *Lugd.* 377. 1. Tabernemont's *Figures* and *Lobels* ſeem ſomewhat to differ, but not much. *This* holds its *Beards*, tho' ripe.

9. Many-ear'd *Wheat*, R. 1238. 4. S. 177. 3. d. 245. 5. *Triticum* ariſtatum *ſpicâ* multiplici, *Bob*, 175. 7. T. 1. f. bonâ. C.B. 21. 6. pt. 48. 8. Th. 371. f. Tab. 260. 1. H. 736. 1. G. 59. 3. Matth. 318. f. *Chabr.* 173. f. 2. opt. *Lob.* 26. 2. B. 28. 1. *Jonſt.* 66. 4. P. 1120. 4.

This is ſometimes ſow'd about *London*.

10. Polonian *Wheat*, *Ray Vol.* 3. p. 597. 3. S. 236. ed. 245. 4.

Triticum *Polonicum* majus, *glumâ* foliaceâ, Pluk. Tab. 231. f. 6. opt. B. Ox. 175. 8. Tab. 1. ſer. 2. f. bona. Sown in Worceſterſhire.

11. Barly *Wheat*, Ray 1908. S. 236. ed. 245. 6. Triticum *ariſt.* ſpic. *Hordei* polyſtichi, B. Ox. 176. 11. T. 1. ſ. 2. f. opt. CB. 22. 4. Th. 423. f. Tab. 262. 1. H. 752. f. Ger. 66. f. 1. *Chabr.* 175. f. 5. J. B. 430. *Lob.* 30. f. 2 B. 37. 2. Ob. 18. 2. J. 72. f. P. 1123. Its Spike like *ſquare Barley* of ſix Rows, bearded, but the *Grain* of *Wheat*. Sown *about* Iſlip *and other Places in* Oxfordſhire.

Gramina *Triticea*. Wheat-*Graſſes*.

12. Common *Dogs-graſs*. R. 1255. 1. S. 179. 1. d. 247. 1. B Ox 178 8 T. 1. ſ 3 f. opt. Gr. *Caninum* offic. *vulgare* CB. 1. pl 1. pt. 3. 1. Th. 7. f. *Tab.* 201. 2. H. 637. 2. G. 22. 1. *Lob.* 20. 2. B. 21. 2. Ox. xi. 2. Ad. 2. P. 1173. 1. *Dod.* 558. f. mala. 23. 1. No good *Figure* as yet of this *Common Graſs*, except Mr. *Robart's* Spike *of it*. Too frequent in *Gardens* and ſome *Fields* in *June*, &c.

13. Bearded *Dogs graſs*. Gr. *Caninum* ariſtatum vulgare, R. 1255. 1. *Var.* S. 179. 1 R 247. 1. *Differs* from the *Common* in being *bearded*.

14. Bearded *Wood* Dogs-graſs. R. 3. p. 598. 1. S. 235. d. 247. 2. Gramen *Canin.* ſylvaticum *ariſtatum* elatius, *Bob.* Ox. 177. 2. T. 1. ſ. 2. f. opt. In *Stocken-Church* Woods *plentifully*.

15. Sea-*Dogs graſs*. R. 1255. 6. 5. S. 179. 2. d. 247. 3. Bob. 178. xi. T. 2. f. Gramen *Caninum* marit. vulg. CB. 1. 8. pt. 3. 3. Th. 14. f. *Tab.* 203. 2. H. 637. 4. G. 23. 1. *Lob.* 21. 2. B. 22. 1. I. 25. 1. Chabr. 186. 6. *Common* in *Salt* Ditches and *Sand* Banks in *June*, *July*, &c.

16. *Bearded* Sea-*Dogs-graſs*. Gramen *Caninum* marit. *ariſtatum*. A Variety of the laſt, and found with it, but more rare.

17. Buddles *Sea-Dogs-graſs*. Gramen *Caninum* maritimum *ſpicis* rarioribus craſſis *Inſtit.* Rei Herb. 516. Firſt *Diſcovered* by that accurate *Botaniſt* the late Reverend Mr. *Adam Buddle*, on the *Suffolk* Coaſt towards *Yarmouth* in *July*.

18. Swaddle-headed *Sea-Dogs graſs*. R. 1256. 3. S. 179. 3. d. 247. 4. Gr. *Caninum* marit. *ſpicâ* foliaceâ. CB. 2. 9. pt. 3. 4. Th. 15. f. opt. *Tab.* 203. 1. H. 638. 1. G. 23. 2. *Lob.* 22. f. B. 22. 2. P. 1277. 3. B Ox. 178. 12. T. 2. f. *Found* by the Curious *Mr. Sam. Dale* in *Merſey-Iſle*, near *Colcheſter*. It *Heads* in *June* and *July*.

SECT. II. *De* Loliis & Loliaceis. *Darnel* and its *Graſs*.

19. Corn *Darnel*. R. 1262. c. 7. pl. 1. S. 181. 1. d. 249. 1. B. Ox. 181. T. 2. f. 2. f. *Lolium* ſegetale CB. 9. 1. pt. 23. pl. 102. Th. 121. f. Matth. 331. f. *Tab.* 239. 2. H. 675. f. G. 71. 1. *Lob.* 35. 1. B. 44. 1. O. 21. 2. Ad. 10. Dod. 538. P. 1145. 1. J. 78. 1. *Lugd.* 417. f. *Found* too often amongſt *Wheat* in *July*, &c.

20. Bearded *Darnel*. Lolium *ſegetale* ariſtatum. B. Ox. T. 2. ſ. 2. f. opt. *Grows* with the *laſt*, but more rare.

21. Tall *Brize* Darnel. R. 1257. c. 2. pl. 1. Syn. ed. 248. *Gramen* Spica *Brizæ* majus *CB.* 9. 1 pr. 18. pl. 56. fig. Th. 133. P. 1144. f. 5. *B.* Ox. 205. 4. T. 6. f. 3. f. Pretty common about *Oxford* in Copſes and Hedges.

22. *Common* Way *Darnel*. R. 1263. 3. S. 181. 2. d. 249. 2. *B.* Ox. 182. 2. T. 2. ſ. 2. f. opt. Gramen *Loliaceum* vulg. CB. 9. 3. pt. 22. 101. Th. 128. f. *Lob.* 34 2. O. 21. 1. Ad. 10. Dod. 540. f. J 78. 2. P. 1145. 2. *Lugd.* 1416. f. Frequent by *Path-ways* and in *Graſſy Paſtures*.

23. *Bearded* Way *Darnel*. Gramen *Loliaceum* vulg. ariſtatum.

24. Thin *Darnel graſs*. Gramen *Loliaceum*, ſpicis rarius diſpoſitis. *B.* Ox. 182. T. 2. ſ. 2. f. opt. qr? P. 1145. 4. f.

25. Broad *Flat* Darnel-graſs. *Gramen* Loliaceum *ſpicis* brevioribus compreſſis. *B.* Ox. 182. T. 2. ſ. 2. f. opt. qr? P. 1145 5. f. 0.

26. Branched *Darnel-graſs*. Gr. *Loliac.* multiplici ſpicata panicula. R. Syn. 235. *B.* Ox. 182. T. 2. ſ. 2. f. opt. P. 1146. f. opt. Theſe 3 laſt grow in *Meadows*, &c.

27. *Sea* Darnel-graſs. *Gramen* pumilum *Loliaceo* ſimile. *Ray* S. 182. 4. d. 250. 4. *Pluk.* Tab. 32. f. 7. opt. qr? Ray 1287. 18 f. 190. 15. d. 259. 16. qr? *B.* Ox. 182. 6. T. 2. ſ. 2. f. qr? P. 1165. f. & 1278. 6. Found in the *Iſle* of *Sheppy* by *Mr. James Sherrard* and my ſelf. It *ſpikes* in *July*, &c.

28. *Ruſh* Darnel-graſs. *Phœnix* marit. *ſpicâ* aculeatâ. R. 1263. 5. S. 182. 3. d. 250. 3. Ger. l. 1. c. 22. pl. 8. *Park* 1146. f. 6 opt. *B.* Ox. 182. 8. T. 2. ſ. 2. f. opt. Frequent in *Salt* Marſhes in *July*, &c.

29. Small *Heath* Mattweed. R. 1260. 8. S. 180. 2. ed. 248. 2. *Spartum* minimum *Anglicum*. Park. 1199. f. 7. opt. qr? *B.* Ox. 217. 8. T. 7. ſ. 3. f. qr? *CB.* Th. 70. f. On *Putney-Heath* plentifully, *Flowring* from the End of *April*, and holds its *Spike* till *Winter*.

SECT.

Sect. III. De *Secali* & Gram. *Secalinis*. Rye *and its* Graſs.

30. *Rye*. R. 1241. 1. S. 178. d. 245. B. Ox. 179. 1. T. 2. f. 1 f. opt.
Secale *Hybernum* vel majus, CB. 23. 2. pt. 50. 2. Th. 425. f. Matth. 325. 1. *Tab*. 258. 1. H. 720. 1. G. 61. f. *Lob*. 28. 1. B. 31. 1. O. 15. 1. Ad. 6. Dod. 499. fig. J. 68. f. P. 1128. 1. *Lugd*. 396. f. 1. *Sown* in *Autumn* in light ſandy *Soil*. It's in *Spike* a Month before *Wheat*.

30. * Burnt *Rie*. Secales *Uſtilago*. *CB*. 24. 1. pt. 52. 1. *Lob*. 35. 2. *B*. 45. 1. O. 22. 1. Ad. 11. Jonſt. 77. 3. P. 1128. f. 2. *Found* amongſt *Rie*.

31. *Small* Rie *Secale* Vernum vel minus, CB. 23. 3. pt. 50. 2. P. 1129. 2. B. Ox. 179. 3. *Lugd*. 396. f. 2. It's a ſmaller *Corn*, with fewer Stalks and a ſlender *Spike*. It's *ſown* in the *Spring*.

32. Wild *Rie*, or *Wall* Barley, R. 1258. 1. S. 180. 1. d. 248. 1.
Secale Viarum, *Nob*. CB. 9. 2. pt. 24 109. Th. 134. fig. *Tab*. 235. 1. Hiſt. 670. 1. G. 66. 2. *Lob*. 30. 1. *B*. 37. 1. O. 18. 1. Ad. 7. P. 1147. f. *B*. Ox. 179. 4. T. 6. 53. f. Very common on *Walls*, Waſte Grounds and *Path-ways*, from *May* till *Autumn*.

33. Great *Wild* Rie. *Secale* ſpontaneum majus. qr? Park. 1147. 2. *CB*. 9. 1. pt. 24. 110 *Thal*. 51. Mr. *Buddle* obſerved this amongſt *Corn* about *Barns* in *Surrey*.

34. Meadow *Rie*, R. 1258. 2. S. 180. 2. d. 248. 2. *B*. Ox. 179. 6. T. 2. ſ. 1. f.
Secale Pratenſe, *Jonſt*. c. 22. pl. 4. qr? majus. *Park*. 1144 fig. Frequent in *Meadows* from *May* till mowed.

35. Wood *Rie*, R. Vol. 3. p. 599. 11. S. 235. d. 248. 4 Gr. *Secalinum* majus ſylvaticum. *Bobart*. H. Ox. 180. 12 qr? Park. 1144 7. fig. In *Stocken-Church* Woods plentifully in *June*, &c.

36. Short *Sea* Rie, R. 1258. 3. Syn. 180. 3. d. 248. 3. *Pluk*. 33. f. 2 opt.
Secale *maritimum* minus, *Nob*. B. Oxon 179 5. T. 6. ſ. 3. Its *Heads* ſhort, with ſpread Briſtles. In *Salt Marſhes* from *June* till *Autumn*

37. Engliſh *Matweed* or *Helm*, Jonſt. 42 f. 3. R. 1259. 3 S. 180 1. d. 248 1.
Spartum *Anglicanum*, ſpicâ Secalinâ, *Nob*. CB. 5. 3. pt. 25. 113. Th. 67 f. *Cluſ* 121. f. 1. *Tab*. 239. 1 Hiſt. 674. f. G. 38. 3. P. 1198. 3. *Chabr*. 192. 2. *Lob*. 89. 1. B. 122. 1. O. 45. 3. *N. B* The *ſingle Spike* in *Bob*. Ox. T. 4. under *fig*. 16. very well repreſents this *Graſs*, which I have obſerved on our own *Coaſts* in divers Places, viz. the *Iſle* of *Sheppy*, *Deal*, &c. on the *ſandy Shores*, from *July* to *Autumn*.

38. Buddle's *Sea* Matweed. *Spartum* Eſſexianum, *ſpicâ* gemina clauſa, *Hort*. noſt. *ſicc*. Ray 3. *App*. 248 The Reverend Mr *Adam Buddle* firſt diſcovered this *Graſs*, A. D. 1703. in the Marſhes on the River *Wallfleet* near *Fambridge* Ferry *in* Dengey Hundred *in* Eſſex: ſince which that diligent Botaniſt Mr. *James Sherard* found it plentifully in the *Swail* near the Mouth of *Feverſham* Creek about *Auguſt* and *September*.

SECT. IV. De *Hordeis*. Of *Barley*.

39. Common *Barley*, R. 1243. c. 5. 1. S. 178. d. 246. 1. B. Ox. 206. T. 6. ſer. 3. f. opt.
Hordeum diſtichum, CB. 23. 3. pt. 50. 3. Th. 430. f. Tab. 474. 2. H. 764. 2. G. 64. 2. *Lob*. 29. 2. B. 33. f. ult. Dod. 501. 2. J. 70. 1. P. 1130. 1. *Lugd*. 398. f. *Sown* in the *Spring*, and ripe in *Auguſt*.

40. Battledoor, or *Spras-Barley*, R. 1243. 2. Syn. 178. 2. d. 246.
Hordeum *diſtichum*, ſpica brevi lata, B. Ox. 206. 2. T. 6. ſ. 3. f. opt. Zeocrithon ſ. Oryza *Germanica*, CB. 22. 5. pt. 48. 3. Th. 422. c. 15. *Chabr*. 175. f. 4. J. *B*. 2. 1. 18. c. 15. p. 430. f Grows lower than the *Common*, with ſhort flat *Spikes* and thick *Grain*. Sown *in the* Spring.

41. Winter, Square *or* Bear *Barley*, R. 1244. 3. Syn. 178. 2. d. 246. 3.
Hordeum *Polyſtichum* hybernum, CB. 22. 1. pt. 49. 1. Th. 438. f. *Tab*. 274 1. H. 764 1. *Lob*. 28. 2. B. 32. 1. O. 15. 2. Ad. 2. *Dod*. 501. 1. Jonſt. 70. 2. P. 1130. 2 *Lugd*. 399. f. B. Ox. 206. 3. T. 6. ſ. 3. f. Its *Spikes* are commonly 4 rowed. *Sown* in the *Autumn*, and therefore more frequent in the *North*, where they call it *Big*.

42. Burnt *Barley* Hordei *Uſtilago*, CB. 24. 2. pt. 52. 2. *Lob*. 29. f. B. 33. f. J. 70. f. P. 1130. f. It's a ſmutty *Blite*, found amongſt other *Barley*.

Sect. V. *De* Paniceis. *Panick* and its *Graſſes*.

43. Naked *Logs Panick*, R. 1261. 2. S. 181. 2. d. 249. 2. B. Ox. 189 15. T. 4. f. opt.
Gramen *Paniceum* ſpica diviſa, CB. 8 1. pt 20 92. Th 136. f. Tab 279 2. H. 814 2 G. 79 5. *Lob*. 42 2 B 53 3. O 25 2 Ad 15 Dod 559 2 Jonſt 85 5 P 1154 1. I have met with this about *Fulham*

44. Single, ſmooth *Panick* Gramen *Paniceum* ſpica ſimplici lævi, R 1261 1 S 180 1 d 249 1 B Ox 189 10. T 4 f qr? CB 8 3 pt 20 94 Th 138 f *Tab* 228 1. H 653 1 G 20 8 f qr? *Lob* 13 2 It's ſometimes found in *Stubble* Fields.

45. Rough *Panick*, R. 1262. 3 Syn. 181. 3. d. 249. 3. B. Ox. 189. 11. T. 4. f. opt.
Gr. *Paniceum* ſpica aſpera, CB. 8. 4. pt. 21. 95. Th. 139. f. *Tab* 200. 2. H. 636. 1. G. 14 1. J. 15 1. P. 1172. 2. *Chabr*. 184. 3 *Found* about the *Neat-houſes*, *Putney* and *Rowhampton*. It *ſpikes* in *July* and *Auguſt*.

46. Rough *Jerſey* Panick, R. 1265. 7. S. 239 d. 251. 5.
Gr. *Alopecuroides* ſpica aſpera, CB. 4. 6. pr. 10. f. 2. Th. 59. f. pt. 13. 51. P. 1168. 6. *Chabr*. 185. f. 6. *Lob*. 45. 2. B. 57. 2. *Lugd*. 432. f. 2. In all the ſandy Grounds in *Jerſey*. Dr. *Sherard*.

47. Cone *Panick*, R. 1288. 25 S. 190. 19. d. 259. 20. B. Ox. 189. 12. T. 4. f. opt.
Panicum *ſerotinum* ſpica pyramidata, Inſtit. 515. B. Ox. 189. 12. *Pluk*. 33. f. 6. Found amongſt *Corn* in *July*.

48 Soft *Sea*-Panick, R. 1266 9. S. 183. 5. d. 251. 4. CB. 44
Panicum maritimum villoſum *Nob*. Bob. Ox. 191. 3. T. 4. f. 2. f. opt. Adv. 469 deſcr. 1. B. 2. J. 18. p. 474. Park. 1166. 3. f. & qr? P. 68. 3. f. *Jonſt*. 87. 2. f. 0. In *Salt Marſhes* in *July* &c.

VI. De *Alopecuris* & *Typhinis*. Fox and Cats-tail *Graſſes*.

49. Common *Meadow* Fox-tail, R. 1264. 1. S. 182. 1. d. 250. 1.
Gr. *Alopecuroides* prat. vulgare, Nob CB. 4. 1 pt. 11. 43. Th. 55. f. *Tab*. 210. 2. H. 642. f. G. 9. 1. P. 1167. 2. & qr? 64. f. 1. & 3. *Lob*. 8. 1. B. 10. 1 Chabr. 199. 3. Jonſt. 10. 1. B. Ox. 191. 8. Very common in *Meadows* in *April*, &c.

50. Slender *Corn* Fox-tail. Gr. *Alopec*. ſegetale, *Nob*. R. 1261. 4. S. 182. 3. d. 251. 1. CB. 4. 5. pt. 12. 49. Th. 53. f. *Tab*. 209. 1. H. 641. 1. G. 9. 4. P. 1169. f. *Lob*. 9. 2. B. 11. 2. Jonſt. 11. 4. H. Ox. 192. 12. T. 4. f. 2. f. opt. qr? *Chabr*. 185. 5. Frequent in *Corn*, &c. from *May* to *Auguſt*.

51. Dales *Fox tail* with crooked *Beards*. Gr. *Myoſuroides* ſpica breviore, ariſtis recurvis, R. 1269. 8. S. 184. 1. d. 251. 2. B. Ox. 192. 17. In moiſt Places and Path-ways. It *ſpikes* in *Autumn*.

52. Water *Fox-tail*. Gramen *Alopec*. aq. geniculatum, *Nob*. R. 1264. 2. S. 182. 2. d. 250 2. CB. 3. 2. pt. 8. 24 Th. 42. f. *Tab*. 217 1. H. 654. 2. G. 13. 2. P. 1275. 8. f. *Lob*. 13. 1. B. 14. Jonſt. 14. 2. Bob. Ox. 192. 15. T. 4. f. 2. f. opt. Very *common* in ſhallow and dry *Ponds* in *May* and *June*.

53. Long *Cats tail* Graſs. Gramen *Typhinum* maximum, CB. 4. 1. prodr. 10. 25. f. pt. 11. 44. Th. 49. f. Park. 1170. 1. f. H. Ox. 193. 1. T. 4. f. 3. f. qr? *Chabr*. 185. 3 I ſometimes meet with a Graſs in *Meadows* which theſe *Figures* reſemble.

54. Common *Cats tail* Graſs. Gramen *Typhinum* vulgare, R. 1267. 2. S. 183. 1. d. 251. 1. CB. 4. 1. Th. 51. f. *Tab*. 217. 2. H. 655. 1. Ch. 185. 1. G. 10. 1. B. Ox. 194. 2. In *Path-ways* by *Hedges* and *Paſtures*.

55. Bulb *Cats-tail Graſs*. Gramen *Typhinum* bulboſum, R. 1267. 3. S. 183. 2. d. 251. 2. CB. 4. 4. pt. 46. & 7. Th. 52. f. Chabr. 185. 2. & 4. *Tab*. 218. 1. H. 655. 2. G. 10. 2. *Lob*. 10. 1. B. 11. 3. O. 10. 1. Dod. 562. 1. J. 12. 1. *Lugd*. 433. 2. *Park*. 1170. f. 2. & 3. Bob. Ox. 194. 3. T. 4. ſ. 3. f. It's leſs, and found with the *Common* in *June*, *July*, &c.

56. Sea *Cats-tail Graſs*. Gramen *Typhinum* maritimum minus, R. 1267. 4. S. 183. 3. d. 252. 3. qr? *Park*. 1170. f. 4 I have found this on the *ſandy Shores* both here and in *Holland*. It *Heads* in *June*, &c.

SECT. VII. *Gramina* Criſtata, &c. *Creſted* and other *Graſſes*.

57. Smooth *Creſted Graſs*. Gramen Criſtatum vulgare, R. 1269. 3. S. 184. d. 252. 2. CB. prodr. p. 8. pl. 18. varietas. Adv. 467. f. opt. *Park*. 1160. f. 3. Theſe two *Figures* very accurately repreſent this *Graſs*, ſo common in our *Meadows*.

58. Square *Creſted Graſs*. Gramen *Criſtatum* quadratum, R. 3 p. 603. 2. Syn. ed. 252. 1. A luxuriant *Variety* of the *Common*.

59 Looſe *Creſted Graſs*. Gramen *Criſtatum* ſpica laxa, CB. 3. 1. pt. 5. 12. pr. 8. 18. f. Th. 43. f. P. 1160. 1. f. *Chabr*. 184 2. I have met with this *looſe ſpiked Graſs* in

in *Greenwich-Park* and elſewhere, but *not* common.

59* Hairy *Creſted Graſs*. Gramen ſpicâ *criſtatâ* ſubhirſutum, CB. 3. 2 pr. 8. 19 Th. 43. 2. *Park.* 1160. f 2 B. Ox. 192. 18 & 194. 7 T. 2 ſ 3. f opt. *Ray* 1269. 3 Var. & 65. 5. S. 182. 4 d 250. 3 *Pluk* 33. f 7. Vide *Plura* Botan. Hort. *III.* pl. 7. On Hilly *Downs*. I have found it on *Black-Heath*.

60 Blue *Creſted Graſs*. R. 1270. 13 Syn. ed. 253. 262 & 324

Gramen *glumis* variis, CB. 10. 8 pr. 21. 73 f Th. 158. f Park. 1152. f 6. B. Ox. 192. 16 Its *Spikes* are firſt *blue*, then pale and white. *Found* in *Weſtmorland*.

61 Mr *Ray*'s Small *Spring-Graſs*. Gramen parvum præcox, ſpicâ laxâ caneſcente, *Ray* Syn. 191. 21 d 260. 22 *Pluk*. 33. f 9. B. Ox. 192. 24 qr? *Ray* 1271. 17 S 184. d 253. In ſandy barren Soil, from the midſt of *April* till after *Midſummer*.

SECT. VIII. Gramina *Miſcellanea*. Miſcellany *Graſſes*.

62 Rough *Graſs*, R. 1287. 19 S. 190. 16 d 259. 17. B. Ox. 202. 38 T 6. f opt.

Gramen ſpicatum aſpero folio, CB 3. 5 pt. 5. 11 pr. 9. f 1. opt. Th. 45 f *Chabr.* 183. f 4. *Lugd.* 427. f 2. *Park.* 1160 f 7. Very common in *Paſtures* and by *Hedges*, from *May* till *Auguſt*.

63 Doody's *Rough Graſs*. Gramen *aſpero* ſimile, ſed lævius. qr? B Ox. 203 pl 40. R 3. p 612. 4 Mr. *Doody* obſerved this pretty common about *London*.

64 Cocksfoot *Graſs*, R 1272. 6 S 184 2 d 253. 2.

Gramen *Dactylon* latiore folio, CB 8. 4 pt. 19. 87 Th. 114 f *Tab.* 222. 1 H 658. f 1. G 25. 2 *Lob.* 24 1 B 24. 2 O 13. 1 Ad. 4. *Jonſt.* 27. 2 P 1178. 1 B Ox. 184. 2 T 3. f opt. Found *plentifully* in the *plough'd Fields* about *Elden* in *Suffolk*, &c.

65 Small *Sea* Cocksfoot. *Dactylon* marit. minus, R. S. 184 1 d 253. 1 qr? *Lugd.* 421 f 2. CB 8 col. 1. 3 Th. 113. f B Ox. 184. 4 T 3. f. 2 f opt. *Grows* plentifully on the *Sandy Shores* between *Penzance* and *Marketjeu* in *Cornwall*.

66 Floating *Cocksfoot*, or *Flote-Graſs*, R. 1281. 7 S 255. 4 d 186. 4.

Gramen *aquaticum* fluitans, multiplici ſpica, CB 3. 1 c 2. pt. 2 23 Th. 41. f *Tab.* 216. 2. H 654. 1. G 13. 1. P 1275. 8 f *Lob.* 12 2 B 14 1 Ch. 187. 5 Jonſt. 14. 1 B Ox. 183. 16 T 3. f *Common* in *Ponds* and ſlow *Waters* from *May* till *Sept.*

67 Common *Rheed*, R 1275. 1 S 185. 1 d 254. 1 B Ox. 198. 1 T 8. f

Arundo vulgaris, CB 17. 1 pt. 39. 2 Th. 269. f *Tab.* 254. 1 f 703. 2 G 32. 1 *Lob* 51. 1 B 70. 1 O 28. 1 Ad. 27. Dod 602. 1 Ch. 193. 1 Jonſt. 36. 1 P 1209. f 1. Well known on *River* ſides, &c. from *May* till *Autumn*.

68 Wood *Rheed*, R 1282. 12 ſ 185. 2 d 254. 2

Gramen *Arundinaceum* panicula molli ſpadicea majus, CB 7. 3 pr. 8. 30 Th. 95. f *Tab.* 211. 2 H 648. 2 G 7. 2 *Lob.* 6. 2 B 8. 2 Chabr. 186. 3 J 9. 1 *Park* 1181. f 3 opt. & 4. B Ox. 198. 2 T 8 f opt. In brambly *Woods*, as in that againſt the *Barded River* plentifully from *June* till *Autumn*.

69 Small *Rheed Graſs*. Calamogroſtis *minor* glumis ruffis viridibus. qr? Gramen *Arund.* panicula molli ſpadicea minus, CB 7. 4 Its *Panicles* ſome green, others brown and yellowiſh, are ſmaller and more looſe than the *Wood Rheed*. The firſt diſcovery of this Graſs is owing to Mr. *John Scampton* a Curious Botaniſt, who ſent it me from *Leiceſterſhire*.

70 Chaffy *Rheed*, R 1280. 3 & 4 Var. Syn. 186. 3 d 255. 3.

Gramen *Arundin.* aceroſa gluma *noſtras*, Park. 1373. f 2. opt. B Ox. 203. 41 & 2 T 6. ſ 2. f opt. Gramen *Arundinaceum* latum (ex ſent. *D. Vaillant*) CB 6. 2 pt. 8. 20 Th. 94. f 2. 212. 1 H 648 3 G 21. 12 f P 1181. 1 f 2. On the Banks of the *Thames*, and other *Rivers*, from Mid-*May* to Autumn.

71 *Jerſey* Chaffey *Rheed*. Gramen *Arund.* aceroſa gluma Pleianum, R S 239. d 255. Dr. *William Sherard* found this in the *Iſle* of *Jerſey*, on the Sea Coaſt over againſt *Normandy*.

CAP. II. *Frumenta* & Gramina *Paniculata*.
Paniculated *Corn* and *Graſſes*.

SECT. IX. De *Avenis* & Gr. *Avenaceis* Oats *and its* Graſs.

72 White *Oats*, R 1253. 1 S 178. 1 d 246. 1

Avena vulg. S. alba CB 23. 1 pt. 51. 1 Th. 469. Matth. 326. 1. Tab. 275. 2 H 791. 1 G 68. 1 *Lob.* 31. 2 B 40 2 O 19. 2 Ad. 9. Dod. 511. 1 J 75. 1 P 1134. 1 *Lugd.* 403. f *Chabr.* 176. 4 B Ox. 209. 1 T 7. f. It's ſown towards the End of *February* and Beginning of *March*, and ripe in *Auguſt*.

73 Black *Oats*, R 1253. 2 ſ 179. 2 d 246 2 B Ox. 209. 3

Avena nigra, CB 23. 2 pt. 51. 2 Th. 472. 2

74 Brown *Oats*. Avena *fuſca* ſ. *rubra* B Ox. 209.

This is a fuller *Oat* and commonly ſown in *Staffordſhire*.

75 Naked *Oat*. *In* Cornwal, *Pillis* and *Pill-corn*, R 1254. 3 S 179. 2 d 246. 3 *Avena* nuda CB 23. 3 pt. 51. 3 Th. 471. f. Tab. 276. 1 H. 791. 2 G 68 2 *Lob.* 32. 1 B 41. 1 Dod. 511. 2 J 75. 2 P 1134 2 *Chabr.* 176. 5 B Ox. 209. 4 T. 7. f. opt. It's ſmaller than the *White*, with a cloſer and more upright *Tuft*, and ſhorter *Pedicles*; it eaſily caſts its *Huſks*.

76 Hairy *Oats* or *Haver*, R 1254. 4 S 179. 4 d 276. 4

Feſtuca utriculis lanugine flaveſcentibus, CB 10. 13 pl. 24. 106 Th. 149. f opt. *Lob.* 33. 2 B 42. 2 O 20 3 Ad. 21. *Chab.* 176. 6 P 1148. 4 Lugd 406. f It's *taller* than *Oats*, with crooked *Beards* and hairy yellowiſh *Huſks*. Grows amongſt *Barly* and other *Corn*, and ripens earlier.

77 *Burnt* Oats. *Avena* Uſtilago, CB 24. 3 pt. 52. 3 Th. 476. f *Tab.* 70 3 H. 684. f G 70. 3 *Lob.* 36. 2 B 45. f 3. Jonſt. 77. 2 *Found* too often with the other *Oats*.

78 *Dale*'s Silver *Oat*. Gramen *Avenaceum* Mont. ſpica ſimplici ariſtis recurvis, *Ray* 1290. 11 S 184. 2 d 252. 2 B Ox. 213. 21 T 7. ſ 2 f opt. Its ſhining *Spike* 2 or 3 Inches long, with few alternate unbranched Glumes. *Grows* on hilly Ground in *Eſſex*, *Kent*, &c.

79 *Doody*'s Silver *Oat*. Gramen *Aven.* hirſutum, *panicula* purpurea-argenteo ſplendente, *Ray* 1909. S 192. 7 d 252. 3 & 262. 10 B Ox. 213. 22 *Differs* from the laſt in growing *taller* and *panicle* branched. *Found* in the *Paſtures* about the *Earl* of *Cardigan*'s Houſe at *Twittenham* in *Middleſex*.

80 Bob-rooted *Oat*, R 128. 4 c 8. 1 S 191. 1 d 260. 1 B Ox. 214 38 T 7. f opt.

Gramen nodoſum *Avenacea* panicula CB 2. 1 pt. 21. 97 pr. 3. f 2. Th. 18. f opt. *Lob.* 23. 2 *B* 23. 2 Ad. 2. G 22. 2 J 23. 2 f Chabr. 180. 4 *Lugd* 429. f 1. *Park.* 1176. f 2 Grows *in* Corn *and* Hedges.

81 Merret's *Dog-Oat*. Gramen Canin. *Avenaceî* paniculâ non nodoſum *Mer.* Pin. *B* Ox. 214. 37 T 7. ſ 2 f opt. *Differs* from the laſt in having a threddy *Root* and a longer *Tuft*, *Common* in *Hedges* and *Paſtures*.

82 *Bobart*'s Fine *Oat*. Gramen *Avenac.* ſparſa panicula ſpecioſa, locuſtis minimis, *B* Ox. 215. 41 R 3. p 611. 4 *Grows* a Foot and half high, with a handſome Tuft a Span long, in *graſſy* Places.

83 *Ray*'s Golden *Oat*. Gramen *Aven.* prat. elatius, *paniculâ* flaveſcente, *locuſtis* parvis, R 1284. 1 *S* 187. 2 d 256. 2 *B* Ox. 215. 42 T 7. ſ 3. f opt. Frequent in *Meadows* about *Midſummer*.

84 *Doody*'s great ſandy *Oat graſs*. Gramen paniculatum, *locuſtis* parvis purpuro-argenteis majus & perenne *Doody*, R. S. ed. 258. 12

Gramen nemoroſum *panic. albis* capillaceo folio CB 7. 1 pr. 14. 45 Th. 97. 1 *B* Ox. 200. 9 T 7. ſ 3. f ult. In *ſandy Woods* and *Heaths*, from *June* till *Autumn*.

85 *Ray*'s ſmall ſandy *Oat graſs*. Gramen paniculatum *locuſtis* parvis purpuro-argenteis annuum, R 1286. 14 S 189. 11 d 258. 11 Gaz. *Nat.* Tab. 66. f 5. *B* Ox. 200. 11 *T* 5. ſ 3. f opt. In *ſandy* barren *Places*, from *Mid Ma* till *Auguſt*.

86 *Doody*'s great Water *Oat*. Gramen *Arund.* aquat. paniculâ *Avenacea*, R 1909. S 186. 2 d 254. pl. ult. *B* Ox. 215. 46 Firſt found by Mr. *Doody* on the Banks of the *Thames*, between *London* and *Chelſey*.

87 *Ray*'s naked *Meadow-Oat*. Gramen *paniculatum* elatius, *ſpicis* longis *muticis* ſquamoſis, R 1286. 10 S 188. 9 d 258. 9 *B* Ox. 183. 15 *T* 2 ſ 3. f qr? *Park.* 1146. 3 f *Frequent* in moiſt *Meadows* from *May* till *Mowing*.

88 *Naked* Wood *Oat*, R 1289. 4 S 192. 9 d 262. 12

Gramen *Avenac.* locuſtis rarioribus CB 19. 3 P 1151. f 3. *Chab.* 177. f 6 *B* Ox. 215. 49 *T* 7. ſ 2. f opt. In ſhady *Woods* and *Hedges*.

89 *Naked* Mountain *Oat*, R 1289. 3 Syn. ed. 262 13.

Gramen Mont. *Avenac.* locuſtis rubris, *CB* 10. 2 pt. 10. 41 pr. 20. 1 f 1 *Th.* 155. f *Ch.* 177 f 5. *P* 1151. f 5 *B Ox.* 215. 48 *T* 7. ſ 2. f. Mr. *Fitz Roberts* firſt obſerved this, about *Kendale* in *Weſtmoreland*.

90 *Ray*'s Naked *Oat*. Gramen *Avenac.* parvum procumbens, *paniculis* non ariſtatis, R 1288. 1 *S* 192. 8 d 262. 11 *Pluk.* 34. f 1. *B Ox.* 177 6 *T* 1. ſ 3. f opt. On *Putney Heath*, and in divers *Paſtures*.

91 Common *Drank*, R 1289. 5 S 191 2 d 260. 2

Feſtuca *Avenacea* ſterilis elatior, *CB* 9. 7 pt. 23. 104 *Th.* 146. f Tab 234. 1 H 666. f 1 *G* 69. 1 Chab. 177. 1 *Lob.* 32. 2 *B* 41. 2 O 20. J 76. 1 P 1148. 1 H Ox. 212. 11 *T* 7. ſ 2. f opt. Frequent in *Hedges* and Field-ſides, from *May* till *Auguſt*.

92 Small *Drank*, Ray 1289. 6 *Var.*

Feſtuca *avenacea* ſterilis humilior, *CB* 10. 8 pt. 23. 105 Th. 148. 8 Found in dry Places in *May*, about a Span high.

93 *Bobart*'s upright *Drank*. Feſtuca *avenacea* ſterilis, ſpicis erectis, R 3. p 611. 3 S 237. d 261. 3 *Pluk.* 234. f qr?

Ger.

Ger. 69. f. 2. Its lower Leaves very hairy. In the *Hedges* beyond *Botley* near *Oxford*.

94 *Jersey* upright *Drank*. Festuca *Avenacea* sterilis, *paniculis* confertis erectionibus, aristis brevioribus, R. S. ed. 261. 4. B. Ox. 212. 13. T. 7. S. 2. f. opt. On sandy *Sea shores*, as about *Sand-down Castle*, where Mr. *James Sherard* also found it. *Spikes* in *June*.

95 *Doody*'s fine awned *Drank*. Gramen *Avenaceum* glabrum, *paniculâ* è spicis raris strigosis composita, *aristis* tenuissimis, R. 1909. Syn. 192. 6. d. 262. 9 B. Ox. 214. 13. By *Rivulets* and *Ditches* in divers Places.

96 Darnel *Hedge-Drank*. Gramen *Avenaceum* dumetorum spicatum, R. 1262. c. 6. 1. S. 181. d. 249. B. Ox. 214. 33. It *spikes* after *Midsummer*, in *Wood-Hedges*, and *Thickets*.

97 *Ray*'s Hedge *Drank*. Gramen *Avenac.* dumet. *paniculâ* sparsâ, R. 1289. 8 S. 192. 5. d. 261. 8. B. Ox. 213. 26. It tufts in *June* and *July*, &c. in *Thickets* and *Wood sides*.

98 *Bobart*'s hairy Hedge *Drank*. Gramen *Avenacea* dumetorum *paniculatum* majus hirsutum, B. Ox. 213. 27. T. 7. S. 2 f. opt. *Found* with the last, but is more hairy and longer Pedicles.

99. Capons-tail *Grass*, Ray 1286. 15. S. 189. 12. d. 258. 13.
Gramen *Murorum* spicâ longissimâ, *Jonst.* c. 22. p. 29. f. 2. P. 1162. f. 8. B. Ox. 215. 43. T. 7. S. 3. f. opt. *Lob.* illust. 7. On *Walls* and dry barren Places from *May* to *August*.

100 Ray's *Cocks tail*. Gramen paniculatum *Bromoides* minus, *paniculis* aristatis unam partem spectantibus, Ray 1287. 16. S. 189. 13. d. 258. 14. *Pluk.* 33. f. 10. B. Ox. 215. 44. In *Stubble* and *dry* Ground.

101. *Mersey* Drank. *Festuca* sterilis, humilima *spicâ* unam partem spectante. Its *Spikes* short and broad with larger *Husks*. Found by Mr. *Dale* in *Mersey-Isle* near *Colchester*.

102. *Common* hoary *Gross-Oat*. Festuca *Avenacea* hirsuta, *paniculis* minus sparsis, Ray 1289. 6. S. 191. 3. d. 261 5. B. Ox. 213. 18. T 7. On *Walls*, *Field-sides*, *Meadows*, &c. nothing more common from the End of *April* till *August*.

103. *Smooth* Meadow *Gross Oat*. Gr. *Avenac.* pratense, *glumâ* tenuiore glabra, B. Ox. 213. 19. T. 7. f. opt. In Meadows with the last, but more rare.

104. *Dale*'s smooth *Grass-Oat*. Festuca *Avenacea*, spicis strigosioribus, glumis glabris compactis, R. 1909. S. 191. pl. ult. d. 261. B. Ox. 215. 47. Its Leaves hoary and *Spikes* mostly purplish.

105. *Smooth* German *Gross-Oat*. Festuca *Avenacea*, spicis habitioribus, *glumis* glabris, R. 1289. 7. S. 192. 4. d. 261. 5. B. Ox. 212. 16. T. 7. f. Chabr. 177. f. 2. Grows in *Corn*.

106. *Hoary* German *Gross-Oat*. Festuca *spicis* habitioribus, *glumis* incanis. qr? CB. 9. 1. pt. 23. 103. Th. 143. f. opt. *Grows* with the last, but more rare.

107. *Sherard*'s tall *Gross Oat*. *Festuca* elatior, *paniculis* minus sparsis, *locustis* oblongis, strigosis, aristatis, purpureis splendentibus, *Doody*, Ray *Syn.* ed. 261. Dr. *Sherard* found this amongst the *Corn* near *Southampton*. *Spikes* in *June*, &c.

SECT. X. De *Tremulis*, Miliaceis, &c. *Quaking Grass*, Millet's, &c.

108. *Cow-quakes*, *Quaking-Grass*. *Ladies-hair*, R. 1274. 3. S. 185. d. 253. ult.
Gramen *Tremulum* majus, CB. 2. 2. pt. 9. 37. Th. 22. f. opt. Tab. 231. 1. H. 665. 2. G. 80. 2. J. 86. 2. B. Ox. 203. 45. T. 9. f. 2. f. opt. P. 1165. f. 2. var. Chabr. 184. 4. f. 1. qr? Clus 218. f. 2. Well known in *Meadows* from *May* till *Michaelmas*.

109. Jersey *Quaking-grass*. Gramen *Tremulum* minus, paniculâ amplâ, locustis parvis triangulis, *Ray* Syn. ed. 254. 2. B. Ox. 203. 47. T. 6. f. 2. f. opt. Pluk. Amalth. 110. pl. 7. qr? *Trag.* 670. f. Dr. *Sherard* first found this in *Jersey*.

110. *Sweet* Water-*Millet*. Gramen *Miliaceum* aquaticum, R. 1281. 8. S. 187. d. 255. 1. & 325. Merretr. pin. B. Ox. 202. 29. CB. 1. 6. pr. 2. p. 1. Th. 6. p. 13. *Lob.* illustr. 10. qr? C.B. pr. 15. p. 7. B. Ox. 201. 27. Frequent about *London* in slow or standing Waters from *May* to *August*.

111. Wood-*Millet*, R. 1282. 1. S 187. d. 256. 2.
Gramen *sylvaticum* panicula *Miliaceâ* sparsâ, CB. 8. 1. pt. 7. 21. Th. 141. f. *Tab.* 205. 2. H. 639. 2. G. 6. 1. P. 1153. 1. *Lob.* 3. 2. B. 6. 1. *Dod* 561. f. 2. J. 6. 1. B. Ox. 197. 10. T. 5. S. 2. f. opt. In *Woods* from Mid *May* till *Autumn*.

112. *Irish* Millet. Gramen Montanum *Miliaceum* minus, *radice* repente, Ray Syn. ed. 256. B. Ox. 197. 12. descr. Dr. *Sherard* gathered this on the *Mountains* of *Mourn* in *Ireland*.

113. *Great* Water *Millet*, R. 1280. 1. S. 186. 1. d. 254. 1. *Milium* aquat. majus, *Nob.* Gramen *aquat.* latisol. CB. 3. col. 1. pl. 4. pt. 1. 22. Ic. 7. Th. 40. f. *Ger* 6. f. 2. Tab. 216. Ic. 1. H. 653. f. 2. *Lob.* 4. Ic. 1. B. 6. f. 2. Jonst. 6. f. 2. 1274. f. 2. B. Ox. 201. 25. T. 6. f. 1. f. Very common by River Sides in *June*, *July*, &c.

114. Bent *Millet*, R. 1283. c. 7. S. 187. 1. d. 256. 1.
Gramen *Miliaceum* segetale majus *Nob.* Gramen *segetum* altis paniculâ sparsâ, CB. 3. pt. 18. p. 7. Th. 34. f. 3. G. 5. f. Tab. 203. Ic. 2. H. 638. f. 2. P. 1158. f. 3. B. OX. 199. T. 5. f. 2. f. opt. Lob. 2. Ic. 2. B. 5. f. 2 G. 5. f. 1. *Chabr.* 181. fig. mal. 5. I. B. 464. f. d. The *Country-People* call the *Bents*, and adorn their *Chimneys* with it. Its *Glumes* are shining and without *Beards*. It *tufts* in *May* and *June*, in wet Rushy Pastures and amongst *Corn*.

115 Small red *Bent*-Millet, R. Syn. 187. 1. d. 256. 1. Var. Gramen *Miliac.* minus, pulchrè rubens.
Found in divers *Forests* in *Westmorland*.

116. Narrow *Millet*-Grass. Gramen. *Miliac.* fol. angustissimo. Its *Leaves* long and very narrow, the *Glumes* plain and not thick set. *Tufts* in *June* and *July* in shady *Thickets*, &c.

117. Narrow Fine *Millet* Grass. Gramen *Miliac.* angusti fol. glumis perexiguis. Its Leaves shorter than the last, but narrow, the *Panicles* much spread with very small *Glumes*. Tufts in *July* in the *Grove* at the upper End of *Greenwich* Park.

118. Great brown *Meadow Millet*-Grass.
Gramen *Miliac.* majus *paniculâ* spadiceâ. qr? B. pr. 12. p. 6. Its *Tufts* large and brown, composed of fine forked or gaping beardless *Glumes*. In dry hilly Pastures in *June* and *July*.

119. Great green *Meadow Millet*-Grass. Gramen *Miliac.* maj. panic. viridi. In *Meadows* by River-sides in *June* and *July*.

120. Small red *Meadow Millet*-Grass, R. 1286. 13. S. 189. 10. d. 258. 10.
Gramen *Miliac.* minus, *paniculâ* rubente. qr? B. Ox. 199. 4. Common in *Meadows* in *May* and *June*.

121. *Euddle*'s Wood *Millet*-Grass. Gramen *Miliac.* sylvestre *glumis* oblongis. First discovered by him in *Bishops-Wood*, Hampsted.

122. Great brown *Bearded Millet*-Grass. Gramen *Miliac.* majus, *glumis* aristatis spadiceis. *Nob.* R. 1284. c. 9. pl. 2. S. 187. 3. d. 256. 3. B. Ox. 200. 17. T. 5. S. 3. f. CB. 3. 4. p. 19. p. 7. Th. 35. f. G. 5. f. 2. Tab. 212. f. 2. H. 648. f. 4. *Chabr.* 181. f. 4. 1. I. B. 461. f. *Lob.* 3. Ic. 1. B. 5. f. 3. *Jonst.* 5. 2. P. 1158. f. 3. Divers *Authors* have transposed the *Synonyms* of this *Grass* to the *Bent-Millet*; but *Lobell*'s Figure gives its fine *Beards*, by which it is easily distinguished from *Gr.* C. 114.

123. Great pale *bearded* Millet-Grass. Gramen *Miliac.* majus, *glumis* aristatis pallidis. *Grows* with the last in moist Meadows, and amongst *Corn*.

124 Soft *Meadow* Millet-Grass, R. 1285. 7. S. 188. 6. d. 257. 6.
Gramen *Miliac.* prat. molle, *Nob.* B. Ox. 202. 34. T. 6. S. 1. f. CB. 2. 1. pt. 17. p. 6. pr. 5. f. opt. 2. Th. 27. f. d. *Chabr.* 183. 3. J. B. 466. f. d. 3. *Lugd.* 425. f. 1. *Jonst.* 1. 1. c. 22. pl. 6. it *tufts* in *June*, &c. in *Meadows* very common.

125. Soft bearded *Corn*-*Millet*, Ray 1285. 8. S. 188. 7. d. 257. 7.
Gramen *Miliac.* aristatum molle *Nob.* B. Ox. 202. 35. qr. Lob. pt. alt. 467. f. 2. *Chabr.* 180. f. 3. J. B. 457. f. *Differs* from *Gr.* C. 124. in having a long creeping *Root* and short *Beards*. In *Clayey* and *Corn*-Fields. *Tufts* in *June*, &c.

126. Small, soft, *Sea* Millet-Grass, *Ray* H. pl. 1273. pl. 8.
Gramen *Miliaceum* marit. molle, *Nob.* CB. 5. p. 5. Th. 5. p. 74. f. *Lob.* pt. alt. 466. f. opt. *Chabr.* 182. f. 1. J. B. 460. f. 2. B. Ox. 202. 30. *Lob.* illust. 8. pl. 1. *Lobel* first discovered this on the Coast of *Kent*, and Mr. *Buddle* since him in *Suffolk*.

SECT. XI. Gramina *Paniculata* Pratorum, &c.

127. Great *Meadow Grass*, R. 1285. 4. descr. opt. S. 185. d. 275. 5.
Gramen *Prat.* panicul. majus, latiore folio, CB. 2. pt. 7. p. Th. 28. f. 2. Ger. 2. f. 1. *Tab.* 200. f. 1. H. 636. f. 2. *Lob.* 1. f. 1. B. 4. f. 1. O. 9. f. 1 Jonst. 2. f. 1. P. 1156. f. Very common in *Meadows*, *Pastures*, &c.

128. Great, narrow *Meadow-Grass*, R. 1285. 5.
Gramen *prat.* panic. majus, angustiore folio, CB. 2. pr. 10. 5. Th. 3. p. 29. B. Ox. 201. 19. T. 5. f. 3. f. opt. Its *Panicles* slender, with small *Glumes*. In *Thickets*, *Pastures*, &c.

129, Middling *Meadow*-Grass, R. 1285. 6. S. d. 257. 1. B. Ox. 201. 20.
Gramen *Prat.* paniculatum medium, CB. 2 pt. 8. p. 4. Th. p. 30. f. G. 2. f. 2. Tab. 231. Ic. 1. H. 637. f. 1. *Lob.* Ic. 2. B. 4. f. 2. J. 2. f. 2. P. 1156. f. 2. *Lob.* illustr.

Its Leaves and upper *Stalks* ſmoother than 127. with *Tufts* leſs ſpread. In *Paſtures* and *Hedges*.

130. Flat-ſtraw'd *Meadow-Graſs*. Gr. *Prat.* medium, culmo compreſſo. Mr. *Buddle*, that accurate *Graminiſt*, obſerved this on the Walls of *Malden* in *Eſſex*, and amongſt the *Corn* in *Suffolk* It differs from the *laſt* in having flat *Stalks* with fairer *Glumes*, and Flowers *later*.

131 *Common* ſmall *Meadow-Graſs*.
Gramen *Prat.* minus, ſeu vulgatiſſimum, R. 1284. 3. *deſcr.* opt. S. 187. 4. d. 256. 4. P. Ox. 201. 21. T. 5. ſ. 3. f. opt. CB. 6. c 2. p.2. pt. 14. p.6. Th. 31. f. *Chabr.* 182. f. 3. I. B. 465. f. 1. G. 3. f. 1. & 2. J. 3. f. 2. P. 1156. f. 3 & 4. *Tab.* 207. f. 1. & 2. H. 639. S. 4. & 40. f. 1. Well known and very *common* in *Paths*, *Paſtures* and *moiſt Places*, from *Spring* till *Autumn*.

132. Common *Panicled* Sea-Graſs. *Gr.* paniculatum *maritimum* vulgatiſſimum, R. 1286. 12. S. 190. 17. d. 259. 18. Common in *Salt Marſhes*, tufts in *June*, &c.

133. Great *panicled* Sea Graſs. *Gr.* panic. *marit.* majus, R. 1286. 12. var. S. 190. 17. var. d. 259. 18. var. Its *Stalks* much *thicker* and *taller* than the laſt.

134. Lavander *Graſs*, R. 1288. 26. S. 190. 2. d. 260 21. *Gr.* pratenſe ſpicâ *Lavandulæ* Merret. B. Ox. 201. 22. T. 5. ſ. 3. opt. CB. 7. p. 7. Th. 98. 7. Trag. 684. 2. *Spikes* in *July* in moiſt *Meadows*, Woods, &c.

135 Sea *Haver-graſs*, R. 1286. xi. S. 190. 18. d. 259. 19. *Feſtuca* marit. *locuſtis* latis. *Found* plentifully on the Sandy Shores at *Yarmouth* in *June*.

136 *Ray*'s great Meadow *Haver*, R. 1285. 9 S. 188. 8. d. 257. 8.
Feſtuca pratenſis major *Nob.* Gr. fol. *junceis* brevibus majus *rad.* nigra, CB. 5. pr, 34. p xi. Th. 2, p. 73. B. Ox. 183. 14. *Common* in Meadows. *Tufts* in *May* and *June*.

137 *Ray*'s ſmall Meadow *Haver*, R. 1288. 23. S. ed. 260. 23.
Feſtuca prat. minor *Nob.* Gr. foliolis *junceis* brevibus minus, CB. 5, pt.35. p.9. Th.73. f.3, Bob. Ox.182.13. T.3. ſ.1. f. opt. *Pluk.* 34. f.2. *Lob.* 7. Ic.1. B.9. f.1. O. 9.2. Jonſt. 4. f. 3. P.1183 f. 4. G.4. f. 3. Tab. 208. Ic.1. H.640. f.3. I. B 2. l.18.p.463. c.68. ſec. *deſcr.* *Tufts* in *May*, &c. in dry ſandy high Ground.

138 Hard *Wall*-Graſs, R. 1287. 17. S. 189. 14. d.259. 15. *Gr.* panicula multiplicis, CB.7. p. 3. pr.xi. p.6. f. Th.32. f.7. P.1157. f.5. B.Ox. 182 9. T.2. ſ. 3. f. *Barrel.* 1212. Ic. 49. Very common on *Brick Walls* and dry Ground in *June*, &c.

139 Yellow *Spring* Graſs, R. 1268. c. xi. pl. 1. S. 183 d. 252.
Gr. prat. *ſpicâ* flaveſcente, CB. 3. col.3. p. 3. pt. 9. p. 4. Th. 44. f.3. *Chabr.* 183. Ic.1. I.B. 466. f.1. *Barrel.* 1181. Ic. 124. f.1. B. Ox. 192. 25. T.4. ſ 2. & T. 7. ſ. 3. Appears amongſt the firſt in the *Spring* in moſt *Meadows*.

140 Great *Childing*-Graſs. Gr. *Proliferum* majus fol. latiore, *Nob.* B.Ox. 200. 12. T.5. ſ 3. f.ult. On *Carnedg Llhwellyn* and other *Welch* Mountains.

141 Small *Childing*-Graſs. Gr. *Proliferum* minus, capillaceo folio *Nob.* B. Ox.200.13. R. 1270.10. S.184. d. 252. On the Tops of *Snowdon*, *Caderidis*, &c. plentifully.

CAP. III. *Cyperi*, Cyperoidea, & *Gram.* Cyperoides.
Cyperus's, Cyperoides, and *Cyper-Graſſes*.

SECT. *I.* Cyperi. *Cyperus*'s, Ray H. Plant. 1299.

142 Long ſweet *Cyperus*, Ray 1299. 1. S. 199. 1. d. 270.1. Cyperus *odorotus* rad. longâ, *ſive* Cyperus *offic.* CB. 14.1. phyt. 36. p.5. Th.216. f.1. *Dod.* 338. f.2. Ger.28. f.1. *Tab.*656.f.1. Hiſt. 341. f.1 *Lob.* Ic. 75 2. Ad.37. Belg. 107. f.2. obſ. 40. f. 1. *Fonſt.*30. c.24. f.1. Park. 146. f.3. & 4. *Chabr.*149. f.2. I. B. 2. l.18. p.501. f.1. Ox. B. 237.13. T. 10. ſ. 2. f. *Found* in *Purbeck Iſle* near a Chapel on the Side that looks towards *Portland*-Iſland. *Flouriſhes* about *September*.

143 Long *Marſh* Cyperus, R. 1296. 1. S.197.1. d.270.2. *Gr. Cyperoides* paniculâ *ſparsâ* majus, CB. 6.7. phyt. 65. p.15. Th. 86. fig. bonâ. *Lob.* Ic.20. I. B. 21.f.1. Chabr.189.f.3. I. B.2. l.18. p.495. f. *Fonſt.* 30. c.24. f.2. Park.1266. f. 6. Ox. B.238 25, T.xi. ſ.2. f. *Inſt.*527. Theſe *Panicles* ſpread more than the next, and ſtand 3, 4, or 5 on a Pedicle. *Flouriſhes* in *July* and *Auguſt* in moſt Fens, and in the *Thames* plentifully.

144 *Round* Marſh *Cyperus*, R.1300.6. S.200.2. d.270.3. Cyperus *rotundus* inodorus *Germanicus*, CB. 14. 3 Prodr. 24. fig. Th. 215 f. 3 *Park.* 1264 f. 4 Its *Panicles* are cloſer ſet; but its *knobby Roots* peculiarly diſtinguiſh it from the laſt. Very common in *Auguſt* and *September* in moſt *Salt* Marſhes.

145 Ruſh *Cyperus*, Ray 1300. 7. Syn. 200. 3. ed. 271. 5. Cyperus *longus* inodorus *Germanicus*, CB. 14. 4. phyt. 36. p. 7. Theat. 221. *f.* 3. Lob. *Ic.* 76. 1. *B.* 109. *f* 1. Jonſt. 29. *f.* 3. *c.*21. *Park.*1294. *f.*1. Chabr.195. *f.*2. I. B. 2. l. 18 p. 564 *f.*1. Ox. B.237.24 T. xi. *ſ.*3. *f.*24. & prox. *Boc.*72. *f.* opt. Inſt. 528. This partaking both of the *Ruſh* and *Cyperus*; it's eaſily known from all others. *Flouriſhes* in *May* and *June* by the *Sea* Side in *Cornwal*, and on *Hinton Moor* plentifully.

146 Millet *Cyperus*, Ray 1301.10. Syn.200.4.d.271.5. *Gramen* Cyperoides *Miliaceum*, CB 6.13. phyt.64. p.15. *Th.*90. *f.* 12. opt. *Lugd.*988. *f.* & 993. *f.*1 Chabr.195.3.1. *B.*2. l.18.p. 504. *f.*2. *Park.*1171. *f.*2 Adv.38. *f.Lob.*Ic.79 *f.*1. *B.*109.1. Jonſt. 30. *f.*5. *c.*21. Ox.B.237.15. *T.*xi.ſ.2. *f.* opt.15. This is a *ſpecious Cyperus*, and eaſily known by its Figures. *Grows* in ſome watry Places as about *Hampſtead* and elſewhere, in *June*, &c.

147 *Fonſtons*'s ſmall *white* Cyperus, *Pluk.* Tab. 34. *f.* xi. *Gramen* Cyperoid. *paluſtre* leucanthemum, *R.* 1295. 13. S. 196. xi. d. 266. 15. Gramen *Cyp.* albis glumis, *Merret.* 51. Gramen *Junceum* leucanthemum, *Fonſt.* l. 1. c.22 pl.7.p. deſcr. This is a kind of Gramen *Luzulæ* Chabr. 188. *f.* 3. *Grows* plentifully in a large low Bog between *Wickam* and *Croydon*. Flouriſhing in *Auguſt*.

148 *Bobart*'s ſmall *brown* Cyperus.
Cyperus *minor anguſtifol.* paluſtris, *capitulis* fuſcis *paleaceis*, Bob. Ox. 239. 49. *T.*xi. ſer. 3. *f.* ult. A *Variety* of the *laſt*; I *found* this plentifully in a *Bog* between *Southampton* and *Limington* in *Auguſt*.

SECT. *II.* Cyperoides *Juliferæ*, Ray.
Cyper-jules, *or* Cyperoides *bearing* Jules.

149 *Cyperoid* with ſhott pendulous *Spikes*, Ray 1294. 8. Syn. 195.7. ed.265.10
Cramen Cyperoides, *ſpicâ* pendulâ *breviore*, CB.6.5. phyt.63. p. 14. *Theatr.*85. *f.*5. *Dod.*339. *f Lob.Ic.*76.2. *B.*109. *f.*2. *Jonſt.*29. *f.* 2. *c.*21. *P.*1266. *f* 4. *Chabr.*189.1. *f.*6. *I.B.*3 l.18. p.496. *f.*3. *Ox. B.*242.5. *T.*12. S.1 *f.* E.B. 421. *Inſt.*529. pl 4. *Differs* from the next in having ſhort comoſe *Spikes*, with one *Jule*, amongſt four or five *Spikes*. *Found* in ſlow running *Ditches*, in *June*, &c.

150 Cyperoid *with* long *hanging* Spikes, *R.*1294.6 Syn.195. 8. ed.265. xi. *Gram.* Cyp. *ſpicâ* pendula longiore & anguſtiore CB.6.6. prodr. 42. p.13 *Th.*85 6 *Park.*1267.5. Barell. 1255. *Ic.* 45. Ox. *B.* 242. 4. *T.*12. *S.*1. *f.* 4. opt. E.B. 421. *Inſt.* 529. pl.5. This is a very tall Graſs, with generally 5 long *Spikes* hanging at Diſtances. *Found* in wet *Ditches*, in *June* and *July*.

151 *Ray*'s Cyperoid *with* upright *Spikes*.
Gramen Cyp. *polyſtachion majus*, ſpicis *teretibus erectis*, Ray 1294.6. *S.*195.6. d.265.8. Ox.*B.*242.8 *T.*12. ſer.2. *f.* opt. Its *Stalks* bluntly ſquare with 3 or 4 *upright Spikes*, terminating generally with 3 *Jules*. Grows *in* ſhallow *Pools*.

152 *Bobart*'s Cyperoid *with* yellowiiſh *Wheat ears*.
Gramen *Cyp.* majus præcox, *ſpicis* turgidis teretibus flaveſcentibus, *Bob.* Ox.242.6. *T.*12 *S.*1. *f.*6. opt. Theſe *Spikes* are thicker than the laſt, reſembling a *naked* Wheat-ear. By *Rivers* in *April*.

153 *Ray*'s Hoary *Cyperoid*, Pluk. Tab.34 f.6. opt.
Gr. *Cyperoides* polyſtachion lanuginoſum. Ray. 1294. 4. *S.* 194. 4. d. 265. 6. Ox. B. 243. 10. Its lower *Spikes* much diſtant from the upper, the whole Plant ſomewhat *hoary*. It *Flouriſhes* in *May* and *June* in moiſt *Meadows*.

154 Dr. Liſter's *Cyperoid*, Ox. B. 243. 18 T. 12. *S.* 1. f. *Gr.* Cyp. *ſpicis* parvis longiſſimè diſtantibus, *Ray* 1295. 10. S. 195 9. d. 266, 12. A tall ſlender *Graſs* compoſed of 3 or 4 ſhort *Spikes*, the loweſt much diſtant from the reſt and attended with a longer Leaf. *Flouriſhes* about *June* in a Bog between *Wickham* and *Croyden*, near the *Viola* paluſtris.

155 Dale's *long-ſpiked* Cyperoid,
Gr. *Cyp.* polyſtachion majuſculum latifol. *ſpicis* multis longis ſtrigoſis, *Ray* Syn. ed. 265, 9. This is of kind with the next, but very much bigger. Firſt *diſcovered* by *Mr. Sam. Dale*, in a Lane at Black-Notley in the Road to *London*. It flouriſhes in *June*.

156 *Parkinſon's* ſlender-ear'd *Cyperoid*.
Gr. *Cyp.* ſylvarum tenuiùs ſpicatum, *Park.* 1171 f.3 Lob. *illuſtr.* 60. Ray 1295. xi. S. 196. 10, &. 266. 14. Ox. B. 243. 9. T. 12. ſ. 2. f. opt. Very *Common* in moſt *Woods*, where it may be eaſily diſtinguiſh'd by its ſlender Spikes, which appear in *June*.

157 *Great* broad-leaved *Spring* Cyperoid *R.* 1293. 1. S. 194. 1. d. 264. 1. Gr. *Cyp.* latifol. *ſpica* ruſſa, *ſive* caule *triangulo*, CB. 6 1. phytop. 1258 p. 13 Th. 83 f. 1. *Park.* 1266. f. 1. Jonſt. 12. f. 1. Lob. Ic. xi. f. 1. B. 13. f. 1, *Tab.* 218. Ic. 2. Hiſt. 655. f. 3. *Ger.* 29. f. 4. Chabr. 189. f. 1. I. B. 2. l. 18. p. 494. f. 3. *Ox.* B. 242. 1. T. 12. ſ. 1. f. *Inſt.* 529. pl. 1. *Baſil.* Cat. 7. *Pet.* 2. 363. We have a *graſs* reſembling theſe *Figures*, very common by *Brooks* and *River* ſides, *Flouriſhing* in *May*.

158

158 *Great*, narrow-leav'd *Spring* Cyperoid. *Ray* 12. 932 S. 194 2 d. 264 2 Gr. *Cyp.* anguſtifol. *ſpicis* longis erectis, CB. 6 4 *phyt* 58 p. 14 Th. 84 f. 4 Lob. Ic. xi f. 2 B. 13 f. 2 Chabr. 189 t. 1 *var.* I B. 2 l. 18 p. 494 f. 2 *Ox.* B. 242 3 T. 12 ſ. 1 f *Inſt.* 529 pl. 10 The *Graſs* reſembling theſe *Figures* is ſmaller then the laſt tho' near as tall, with narrow Leaves. *Flouriſhes* by Water-Sides, in *May* or ſooner.

159 *Parkinſon*'s leſſer narrow-leav'd *Cyperoid*.
Gramen *Cyp.* minus *anguſtifolium*, Park. 1266 f. 3.
Mr. *Ja. Sherard*, firſt obſerv'd this in a Pond near *Eltham* in *Kent*, about the End of *May*; and Mr. *Rand*, in the Ditches at the *King's Arms* againſt *White-hall*.

160 *Small* upright *Clove-leaved* Cyperoid.
Gramen Cyp. *fol.* Caryophylleis, *ſpicis* erectis *ſeſſilibus*, è *ſeminibus* confertis compoſitis, *Ray* ſyn. ed. 2 p. 264 4.
Its *Spikes* on ſhort or no *Footſtalks*. Very *common* in *May* and *June* in *moiſt* Meadows.

161 *Bobart*'s ſmall *Cyperoid* with *ſhort* Heads.
Gramen *Caryophylleum*, anguſtiſſimis *foliis*, ſpicis *ſeſſilibus* brevioribus *erectis* non compactis *Ox.* B. 243 12. This has commonly but two ſhort ſeſſil *Heads* with one *Jule* at top. *Grows* by *Wood-ſides* and moiſt *Meadows*.

162 *Small* pendulous *Clove leaved* Cyperoid.
Gramen Cyp *fol.* Caryophylleis, *ſpicis* oblongis è *pediculis longioribus pendulis*, Ray Syn. *ed* 2 p. 264 5. *Differs* from the laſt in having its *Stalks* more triangular, its *Spikes* on long Footſtalks, and pendulous when ripe. It *Flouriſhes* in *May* and *June* in wet *Meadows*.

163 Ray's *Round-grained* Bog-Cyperoid.
Gramen Cyp. *fol.* Caryophylleis, *ſpicis* è rarioribus & tumidioribus *granis* confertis, *R.* Syn. 194, 3 *Var.* ed. 264 3 *Pluk.* 91 f. 3 Ox. B. 243 13. On *Chiſtlehurſt* and other *Bogs*, in *July*. Its ſwelled *Grains* and Place, *differ* it from the *foregoing*.

164 Ray's *Vernal* Cyperoid.
Gramen Cyperoides *vernum minimum*, Ray 1294 7 S. 169 12 ed. 266 16 *qr?* CB. 3 6 phyt. 52 *p.* 13 *Lob.* Ic. 10 f. 2 & 3. This *ſpikes* early in the *Spring*, viz. about the Middle of *April*.

165 *Doody*'s ſoft-leaved *Hampſtead* Cyperoid.
Gramen Cyp. *ſpicis* brevibus congeſtis, *fol* mollibus, *Ray* 1910 Syn. 196 14 d. 267 18 *Pluk.* 91 *f.* 8 Ox. B. 245 33. It has 2, 3, or 4 ſmall cloſe roundiſh *Heads*, with one *Jule*. Found on *Hampſtead Heath*, about *June*.

166 *Vernon*'s ſmall Headed *Cyperoid*, on long Stalks.
Gramen Cyp. *ſpicis* habitioribus, *pediculis* longiuſculis, *R* Syn. ed. p. 267 18 var. *Differs* from the *laſt*, chiefly in having *Pedicles* to its *Heads*.

167 *Doody*'s Croydon-bog *Cyperoid*.
Gramen *Cyp.* una alterave *ſpica* rotunda præter caſſam, *R.* Syn. *ed.* 345 Its Leaves ſhort and ſoft, the *Heads* cloſe, round and ſwelled; each attended with a Leaf. *Grows* about a *Foot* high in *Croyden-Bogs*, with the *Viola* paluſtris *in* July.

168 *Ray*'s yellowiſh *Short-headed* Cyperoid.
Gramen *Cyp.* polyſtachion flavicans, *ſpicis* brevibus propè ſummitatem caulis, *R.* 1294 5 Syn. 195 5 ed. 265 7. This has commonly but 2, rarely 3 *Heads*, on ſhort *Footſtalks* near its *Jule*; its *Grains* are not ſo pointed as the next; *Heads* about *June*.

169 Tall *Hedgehog* Cyperoid. *Cyperoides* echinatum majus. This has rarely more than 2 ſeſſil or cloſe ſharp-grained *Heads*, near the Top, the lower bearded, with a long Leaf. *Grows* plentifully in a Meadow with the *Cirſium Anglicum* near *Cambridge*, where I got it in company with Mr. *Ja. Sherard*, about the *middle* of *June*, 1715.

170 *Vernon*'s diſtant-headed *Hedgehog* Cyperoid.
Cyperoides *echinata*, capite longè diſtante, *Nob.* Ray *Syn.* ed. 267 pl. 21. Its *Heads* very like the laſt, but the lower one ſtands on a Pedicle 6 Inches below the other.

171 *Small* Marſh *Hedgehog* Cyperoid, *R.* 1296 15 S. 196 13 ed. 267 17 Ox. B. 243 19 T. 12 ſ. 2 f. Gramen *paluſtre* echinatum, *Lob.* Ic. 15 1 *B.* 16. 1. *Jonſt.* 17 *f.* 1. Our *Graſs* very well agrees with theſe *Figures*, being in all its Parts leſs than the 2 laſt. Very *common* in *July*, in *Bogs* and moiſt *Meadows*.

172 *Flea* Cyperoid. *Cyperoides* pulicare, *Nob.*
Ray 1298 12 Syn. 199 12 ed. 269 12 Ox. *B.* 2 44 21. T. 12 ſer. 3 f. opt. *Pluk.* 34 f. 10. *Its* Flea-like *Grains* hanging downward differ it from all others. *Found* in *Moorish* and *Boggy* Places from *Mid-may* to *July* End.

173 Bobart's *Jule* Cyperoid *Ox. B.* 244 22 *T.* 12 ſ. 3 f. opt.
Gramen Cyperoides *ſpicâ* ſimplici *caſſâ*, Ray Syn. *ed.* 267 20 Its *Leafe* very narrow and ſhort, with a ſlender half inch brownish *chaffey Spike*, like the *Club-rush*. *It* grows about half a Foot high in *moorish* ſpongy Soil, about *Hockley* near *Oxford*.

SECT. *III. Gramen* Cyperoides *ſpicis* tantum *Seminiferis*.
Cypergraſſes *without* Jules.

174 *Panick* Cypergraſs *with* divided *Spikes*.
Gramen *Cyp.* paluſtre elatius, *ſpicâ* longiore *laxâ*, Ray 1296, 2. Syn. 197 2 d. 267 1 Ox. *B.* 244 23 *T.* 12 ſer. 2 *f.* opt. A very tall Graſs, with divided Spikes; very like when ripe, that of *Gramen* Paniceum *ſpicâ* diviſâ, *CB.* without awns. *Grows* in rotten *Bogs* and watry Places in *June*.

175 *Panick* Cypergraſs *with* looſe *ſlender* Spikes.
Gramen *Cyp.* paluſtre minus, *ſpicis* gracilioribus, *R.* 1296 2, var. Syn. 197. 2. var. ed. 268. *Leſſer* than the *laſt*, and grows not in ſo thick Tuffs, its *Spikes* ſlenderer and thinner ſet. *Found* with the other.

176 Cluſter-headed *Meadow* Cypergraſs.
Gramen *Cyp.* ex monte *Ballon* ſimile, *ſpica* totali è p'uribus ſpicis compoſita, *R.* 1297 5 Syn. 198 5 ed. 368 4. Ox. *B.* 245 34. This has 3 or 4 cloſe rough *Heads*, ending in a longish *Spike*, the lower Part of which is chaffey like a *Jule*. Found in *June* in Marſhy *Meadows*.

177 Cluſter-headed *Sea* Cypergraſs.
Gramen *Cyp.* ex monte *Ballon* ſimile humilius, in maritimis & arenoſis naſcens, *R.* 1297 6 Syn. 198 6 ed. 268 5 Ox. *B.* 244 30. Its *ſpike* large for the ſmalneſs of the Graſs. *Growing* ſhort, and low on the ſandy *Sea* Shores in *June*.

178 Round *Cluſter headed* Cypergraſs.
Gramen Cyp. *ſpica* è pluribus ſpicis brevibus mollibus compoſita, *R.* 1296 3 Syn. 197 3 ed. 268 2 qr? *Gramen* Cyp. paluſtre majus, *ſpicâ* diviſa, *CB* 6 10 phyt. 60 p. 14 Th. 87 *f.* 10 *Lob. Ic.* 19 *f.* 2 *B.* 20 fig. 2 *Chabr.* 190 *f.* 1 Ox. *B.* 244 29 *T.* 12 t. 3 *f.* opt. Theſe *Figures* (except the laſt) would better reſemble our *Graſs*, had they omitted its bearded Leaf which this never has. *Grows* pretty common in *wet* Paſtures.

179 *Plucknet*'s flat *Cluſter-headed* Cypergraſs.
Gramen Cyp. *ſpica* ſimplici compreſſa diſticha, *Ray* 1910 *pl.* 2 Vol. 3 *p.* 625 20 Syn. 199 13 ed. 269 13 *Pluk.* Tab 34 *f.* 4 Ox. B. 245 35. *Like* the *laſt*, but not ſo tall, and *flatter* ſpiked. *Found* on *Chiſtlehurſt* and other *Bogs* in *June* and *July*.

180 *Ray*'s rough *Cluſter-headed* Cypergraſs.
Gramen *Cyp.* paluſtre elegans, *ſpicâ* compoſita aſperiore *Ray* 1297 7 Syn. 198 7 ed. 268 6 *Pluk* 34 4 Ox. B. 245 31. *Its* Leaf very narrow, with a naked *Stalk* a Foot high, the *Spike* compos'd of 5 or 6 ſhort pale *Heads*, without any Leaf or Beard. *It* grows *in moiſt* graſſy *Places*.

181 Greater *Prickly-headed* Cypergraſs, *R.* 1297 8 S. 198 8 ed. 268. 7
Gramen *Cyp.* paluſtre majus, *ſpicâ* compactâ, CB. 6 8 phyt 59 *p.* 14 *Th.* 87 *f.* 8 *Tab.* 210 *Ic.* 1 Hiſt. 656 *f.* 3 *Ger.* 19 *f.* 5 Jonſt. 21 *f.* 5 *Park.* 1266 *f.* 7 Lob. Ic. 19 *f.* 1 B. 20 *f.* 1 *Chabr.* 190 *f.* 4 I B. 2 *l.* 18 *p.* 497 *f* 1 Ox. B. 244 24 *T.* 12 ſ. 3 f. opt. *Mr. Bobart*'s ſingle *Spike* at the Bottom of his *Icon*, very well repreſents this *Graſs*, which other *Authors* have made too *ſhort* and ſingle. *It* ſpikes *in* May *and* June *near* Rivers *and* watry Ditches.

182 Leſſer *Prickly ſpiked Cypergraſs*.
Gramen Cyperoides *ſpicatum minus*, Ray 1279 9 Syn. 198 9 ed. 269 9 *qr?* Gramen *Cyp* ſpicis minioribus minuſq; compactis, CB. 9 *pr.* 6 43 *p.* 13 *Th.* 89 9 *Park.* 1268 9 Ox. B. 244 25. The *Spikes* of this are bearded at each Diviſion with a fine Thread, but ſmaller and ſlenderer than the laſt. *It grows* in moiſt *Meadows* and *Paſtures* in *May* and *June*.

183 Small *Prickly-ſpiked* Cypergraſs.
Gramen *Cyp.* ſpicatum minimum, *ſpica* divulſa aculata, *R* 1297 xi Syn. 199 xi ed. 269 xi *qr?* CB. 7 4 phyt 83 *p.* 18 *Th.* 100 f. 4 *Chabr.* 191 f. 4 I B. 2 *p.* 510 f. 1 *Tab.* 227 *Ic.* 1 Hiſt. 662 f. 1 *Ger.* 20 f. 9 Ox. B. 244 26 *T.* 12 ſ. 3 f. The *Tops* of this *Graſs* are compoſed of 2 or 3 ſmall *prickly Heads* ſet pretty near together, as all the *Figures* repreſent. It *ſpikes* in *June*, in rotten *Bogs* and ſhady *Woods*.

184 Ray's *Prickly-ſpiked* Cypergraſs *with a* ſlender *Ear*.
Gramen *Cyp.* ſpicatum minus, *ſpica* longa divulſa *ſeu* interrupta, Ray 1297 10 Syn. 199 10 ed. 269 10 *Ox. B.* 244 28. The three loweſt of theſe *Heads* ſtand at ſome Diſtance, but the reſt next the Top cloſer. *It grows* in moiſt *Paſtures*.

185 Soft, brown *Wood* graſs.
Gramen *nemoroſum*, ſpicis *rufeſcente* molli, CB. 7 2 phyt. 82 *p.* 18 *Th.* 99 *f.* 3 *Park.* 1183 *f.* 2 *Tab.* 226 *Ic.* 1 Hiſt. 661 *f.* 1 *Ger.* 8 *f.* 2 *Chabr.* 191 *f.* 3 I B. 2 *p.* 509 *f.* 2 *Pet.* 2 133 & 380 *Ox. B.* 244 27 *T* 12 *ſ.* 3 *f.* Its *Spikes* are ſoft and reddiſh. Mr. *Bobart* has obſerved this in *moiſt*, ſhady, *ſandy* Woods.

186 Ray's *narrow* Cypergraſs *with* ſhort *ſeſſil* Spikes.
Gramen *Cyp.* anguſtifol *ſpicis* parvis ſeſſilibus in foliorum alis, Ray 1295 14 Syn. 195 15 ed. 267 19 *Pluk.* 34 *f.* 3 Ox. B. 243 17 T. 12 ſ. 2 f. opt. Each ſhort *Spike* is thinly ſet in the Boſom

of

of a long bearded Leaf. *Spikes* in *May* and *June*, in *moist* and shady *Ditches*.

187 Buddle's *large* Cypergrass *with* short *sessil* Spikes.
Gramen *Cyp.* angustif. majus, *spicis* sessilibus foliorum alis. This is *larger* than the last in all its Parts. Observ'd by Mr. *Buddle* in *Suffolk*.

188 *Pluknet*'s Cypergrass *with* double *Bur-heads*.
Gramen *Cyp.* minimum, *Ranunculi* capitulis binis terniſve, Ox. B. 245 37 *Pluk.* 91 *f.* 8 Ray 3 *p*, 626 22. This much resembles the next, but instead of one, has two or three Heads.

189 *Bobart*'s Cypergrass *with a* round *Bur-head*.
Gramen *Cyp.* minimum, *Ranunculi* capitulo rotundo, *Ray* 3 *p.* 626 21 Syn. 235 ed. 270 14 *Ox.* B. 245 36 *T.* 12 *f.* 3 *f.* opt. *Gramen* Cyp. *spicâ* echinatâ simplici, *Mer.* pin. 52 *Found* frequently in the *Spring*, in the *Bogs* on the *West* Side of *Oxford*.

190 Dr. *Sherard*'s Cypergrass *with a* long *Bur-head*.
Gramen *Cyp.* minus, *Ranunculi* capitulo *longiore*, Ray 3 *p.* 626 23 Syn. ed 270 15. This is a *larger Variety* of the *last*, with *Spikes* or longer *Heads*. Found by Dr. *Sherard* in the *spungy Bogs*, in the County of *Down*, in *Ireland*.

CAP. IV. Junci & *Gr.* Juncea. *Rushes* and its *Grasses*.

SECT. I. Junci *acuti* & *læves*. Sharp and soft *Rushes*.

191 *Large* Pricking *Sea* Rush, *Ray* 1302 c. 3 pl. 1 Syn. 200 1. ed. 272 1.
Juncus acutus, *capitulis* Sorghi CB. xi 1 prodr. 21 f. opt. Th. 173 f. 1 *Park.* 1193 f. 4. Chabr. 196 f. 4 IB. 2 p. 520 f. 3 *Ox.* B. 232 15 T. 10 ser. 2 f. This is a *tall* thick *Rush* with large *Seed-Vessels*, its Point very pungent. On *sandy* Sea *Shores* in *June*.

192 Parkinson's *Sea* Rush, *Ray* 1303 2 Syn. 201 2 ed. 272 2.
Juncus acutus marit. *Anglicus*, Park. 1193 f. 7 opt. Ox. B. 232 14 T. 10 ſ. 1 f. opt. A *tall* hard *Rush* with *childing* Panicles. *Common* in *Sea-Marshes* about *Midsummer* till *Autumn*.

193 Common *Hard* Rush, *Ray* 1303 5 Syn. 201 5 ed. 272 5.
Juncus acutus *paniculâ sparsâ*, CB. xi 4 phyt. 28 1 Th. 176 4 *Dod.* 605 f. 3 Lob. Ic. 85 1 B. 119 3 *Tab.* 249 Ic. 2 Hiſt. 695 f. 2 Ger. 31 f. 4 *Jonſt.* 35 f. 4 Park. 1193 f. 1 *Chabr.* 196 f. 5 I. B. 2 p. 521 f. 1 Ox. B. 232 13 T. 10 ſ. 1. f. opt. A *tall* ſlender *Rush* with little Pith and a looſe Panicle 6 Inches below the Tip. *Common* in *Paths* and moiſt *Paſtures* in *June* and *July* &c.

194 Small *Weſtmorland* Hard *Rush*, Pluk. 40 f. 8.
Juncus parvus, *calamo* ſupra paniculam compactam longiùs producto, *Ray* 1305 17 Syn. 202 xi ed. 273 xi. It's a ſlender *Rush*, not 6 Inches high. Mr. *Newton* diſcovered this near *Ambleſide* in *Weſtmoreland*.

195 Sea *Rush* with *round* Heads, *Ray* 1303 2 Syn. 201 2 ed. 272 2.
Juncus acutus *marit.* capitulis *rotundis*, CB. xi 2 Th. 174 *f.* 2 *Park* 1194 *f.* 5 *Lugd.* 987 *f.* 1 *Pluk.* 40 *f.* 4 *Ox. B.* 232 17 *T.* 10 *f.* 2 *f.* opt. The Reverend Mr. *Stephens* firſt found this in *Devonſhire*; it alſo grows in *Somerſet* and *Hantſhire*.

196 Pluknet's *Childing-Rush* with *round* Heads.
Juncus minor acutus *marit.* prolifer *ſeu* ex uno pediculo multa, *Pluk.* 40 *f.* 5 Ray 3 *p.* 629 3. A childing *Variety* of the laſt.

197 Common *Bull rush*, Ray 1304 7 Syn. 201 7 ed. 273 7.
Juncus maximus ſ. *Scirpus* major, CB. 12 2 phyt. 29 5 Th. 178 *f.* 2 *Tab.* 249 *Ic.* 1 Hiſt. 696 *f.* 1 Ger. 30 *f.* 2 *Lob* Ic. 85 *f.* 2 B. 120 *f.* 1 Adv. 44 *Jonſt.* 35 *f.* 3 Park. 1191 *f.* 1 *Chabr.* 197 *f.* 2 I B. 2 *p.* 522 *f.* 2 *Ox. B.* 231 1 *T.* 10 *f.* 1 *f.* opt. Its Uſe in matting *Chairs*, *Baſkets*, &c. makes it well known, It *heads* in *July* and *Auguſt*, in moſt *Rivers* plentifully.

198 Leſſer *Bull-rush* Ray 1304 Syn. ed. 273.
Juncus aq. medius, CB. 12 3 phyt. 29 6 Th. 181 *f.* 3 *Tab.* 250 *Ic.* 1 *Hiſt.* 696 *f.* 1 Ger 31 *f.* 3 I B. 2 *l.* 18 *c.* 240 *p.* 524 *f.* 0. *Ox. B.* 231 2 *T.* 10 *f.* 1 *f.* Somewhat *leſſer* than the laſt. Mr. *Dale* has obſerved it in the Sea-diches at *Brickleſey* and *Merſey* Iſlands. It's alſo ſaid to grow in *Woods*.

199 Doody's *furrowed* Bull-rush.
Juncus *aq.* major *carinatus*. *Differs* from the two laſt, in having a *Sulca* or *Furrow* on its *Stalk*. This Mr. *Doody* has obſerved about *Limehouſe*; I have alſo found it in his Company near the *Thames*, on this Side *Batterſey* Meadows.

200 Triangular *Thames* Bull-rush.
Juncus acutus marit. *caule* triquetro maximo molli procerior *noſtras*, Pluk. 40 *f.* 2 *Ox. B.* 232 21 Ray *Syn.* 201 3 ed. 272 3. This is much larger and thicker than the next, with *proliferous* Heads. Very *common* in the *Thames* about *Weſtminſter*, in *July* and *Auguſt*.

201 Triangular *Jerſey* Bull-rush, *Ray* 1303 3
Juncus acutus marit. *caule* triangulo, *CB.* xi 3 *pr.* 22 *f.* 1 opt. *Th.* 75 *f.* 3 *Park.* 1194 6 *Ox. B.* 232 20 T. 10 *f.* 2 *f.*

202 Pluknet's *Triangular* Cluſter-headed *Bull rush*.
Juncus acutus marit. *caule* triquetro molli, *ſpicâ* glomerata in ſtylo ſeſſili, *Pluk.* 40 *f.* 3 *Ox. B.* 232 22. This has 6 or 7 cloſe *Heads* at the Top, without any Stalk above.

203 *Common* tufted, ſoft or *Candle-rush*.
Juncus lævis vulg. *paniculâ* ſparſâ *noſtras*, Ray 1304 8 Syn. 202 8 ed. 273. 8 qr? *Juncus* lævis *paniculâ* ſparsâ major. *CB.* 12 4 phyt. 28. 1 Th. 282 *f.* 4 *Ox. B* 231 4 T. 10 *f.* 1 *f.* opt. They make *Candles* of the *Pith* of this, whoſe *Tufts* are *ſpread* more than N°. 205. It *grows* in *Ponds*, and by Water-ſides, in *Auguſt* and *Sept.*

204 Leſſer *Candle-rush*, Ray 1304.
Juncus lævis alter, *CB.* 12 5 Th. 182 5 Ox. B. 231 5. This is *t hicker* and *ſhorter* than the laſt, and of the ſame *Uſe*.

205 *Cloſe-headed* ſoft Rush.
Juncus lævis vulg. *paniculâ* compactiore, *Ray* 1304 9 Syn. 202 9 ed. 273 9 qr? *Juncus* lævis, *panicula* non ſparſa, CB. 12 7 phyt. 28. 2 Th 182 7 *Chabr.* 196 *f.* 3 I B. 2 *p.* 520 *f.* 2 *Ox.* B. 231 7 T. 10 *J.* 1 *f.* opt. *It grows* in *Woods* and moiſt *Paſtures*, in *July* and *Auguſt*.

206 Black-headed *Bog-rush*.
Jnncus *lævis* minor, *paniculâ* glomeratâ nigricante, *C. Cant.* Ray 1305 16 Syn. 202 10 ed. 273 10 *Ox. B.* 233 24 *T.* 10 *f.* 3 *f.* opt. *I* have gathered this in the *Bogs*, both about *Oxford* and *Cambridge* in *June* and *July*.

207 Dwarf *Ruſh*, Ray 1305 14 Syn. 203 16 ed. 274 16
Juncellus, Adv. 44 pl. *ult.* inutilis, CB. 12 9 *ſive* Chamæſchœnos *prodr.* 22 3 phyt. 30 xi Th. 183 9 *Park.* 1192 7 *Ox. B.* 232 23 T. 10 ſ. 2 f. opt. *It grows* in moiſt gravelly *Heaths*, &c. in *June* and *July*.

SECT. *II.* Junci Clavati. *Club-ruſhes*.

208 Great, tall, *Thames* Club-rush.
Juncus *Clavatus* major & altior. This I have *obſerved* about *Peterborough-Houſe* and the ſeven *Elms*, on the other ſide of the *Thames*.

209 Common *Club*-Rush, *Ray* 1305 18 Syn. 202 12 ed. 273 12.
Juncus capitulis *Equiſeti* major, CB. 12 1 phyt. 29 7 Th. 186 f. 1 *Lob Ic.* 86 1 B. 120 2 Obs 44 1 *Lugd.* 986 f. Park. 1196 f. 1 *Chabr.* 197 f. 6 I B. 2 *p.* 523 f 3. Very *common* by *River*, and *Pond* Sides, in *May*, &c.

210 Small *Heath* Club-rush, *Pluk.* 40 f. 6.
Juncus parvus paluſtris, cum parvis capitulis *Equiſeti*, Ray 1306 22 Syn. 203 15 ed. 274 15 qr? *Juncus* mont. parvus, cum parvis capitulis luteis, *Chabr.* 197 f. 5 I B. 2 l. 18 *p.* 523 f. 2 *Ox.* B. 233 35 T. 10 ſer 3 f. On *Putney* and other moiſt *Heaths* in *May*.

211 *Lhwyd*'s Mountain *Club-ruſh*.
Juncello accedens *Graminifolia*, plantula capitulis *Armeriæ* proliferæ, *Ray* Syn. ed. 275 pl. 1 *Bob. Ox.* 245 40 T. 12 ſ. 1 f. opt. *Its* Leaf two inches *long* and very ſlender, with a roundish *ſcaly* Head. *Found* on the *Welſh* Mountains and in rotten *Bogs*.

212 *Plot*'s leaſt *Club-ruſh*, Pluk. 40 f. 7.
Juncellus omnium minimus *capitulis* Equiſeti, *Plot.* H. Ox. 145 5 Tab. 9 f. 3 Ray 1306 20 Syn. 202 14 ed. 274 14 *Ox. B.* 234 37 T. 10 ſ. 3 f. In moiſt Ditches on *Binſey* Common, *Oxfordſhire*, and elſe where,

213 Floting *Club-ruſh*, Ray 1305 19 and 1310 19 Syn. 202 14 and 205 7 ed. 274 13 and 276 7 *Pluk.* 35 f. 1 *Ox. B.* 233 36 T. 10 ſer 2 f. opt. *Juncus* capitulis *Equiſeti* minor & fluitans, CB. 12 2 *prodr.* 23 6 Th. 87 2 *Park.* 1196 3. In Ponds on *Wandſworth Common*, near *Putney*, and elſewhere in *July*.

SECT. *III.* Gramina *Juncea*. Rush graſſes.

214 Moſs-ruſh *or* Gooſe-corn.
Juncus montanus *paluſtris*, Ray 1303 6 S. 201 6 ed. 272 6 Gr. *Juncum* foliis & ſpica *Junci*, CB. 5 10 phyt. 70 *p.* 16 Th. 78 *f.* 10 *Tab.* 224 *Ic.* 1 Hiſt. 64 6 *f.* 3 Ger. 18 *f.* 4 *Lob.* 18 *f.* 1 B. 19 *f.* 1 *Jonſt.* 21 *f.* 4 Park. 1193 fig. 2. This well reſembles theſe *Figures*. Frequent on *Putney Heath* and ſuch like Places. *It flouriſhes* from *Midſummer* till *Winter*.

215 Round-headed *Ruſh-graſs*.
Gramen *Junceum* maritimum vel paluſtre cum *pericarpiis* rotundis, *Ray* 1307 6 Syn. 204 5 ed. 276 5. *Juncus* parvus cum pericarpiis rotundis, I B. 2 l. 18 c. 232 p. 552 fig.* & deſc. *Chabr.* 191 *Ic.* 5 *ſecund.* Fig. *qr?* Gramen *Juceum* polyſtachion, *CB.* 5 7 phyt. 74 *p.* 16 *Th.* 75 *f.* 7 *Tab.* 223 *Ic.* 2 Hiſt. 659 *f.* 2 Ger. xi *f.* 2 qr? *Park.* 1190 *f.* 7 * *N.B.* The *Synonyms* in Mr. Ray's *Hiſtory*, are mixt with the *laſt*. The *Ruſh* here meant, grows with us, both in *Sea Marſhes* and moiſt *Meadows*..

216 Long leaved *Ruſh-graſs* with a white *Root*.
Gramen foliolis *junceis* oblongis, rad. alba CB. 5 1 phyt. 34 *p.* 9 *Th.* 73 *f.* 1 * Gramen Junceum Dalech. *Lugd.* 425 *f.* 2 Park. 1189 *f.* 3 Ray 1309 14 Syn. ed. 277 xi. Mr. *Bobart* has obſerv'd this at the Head of the *Bogs* at *Wooton Heath* three Miles from *Oxford*.

217 *Toadgraſs*,Ray 1309 13 Syn 204 6 ed.276 6.
Gramen nemoroſum *calyculis* paleaceis,*CB*.7 5 phyt.14 *p*.18 *Th*. 100 *f*.5 *Tab*.225 *Ic*.2 Hiſt.660 *f*.2 Ger.4 *f*.4 Park.1190 *f*. 8 *Lob*. *Ic*.18 *f*. 2 B. 19 *f*.2 Jonſt. 4 *f*. 4 Ox.B. 228 14 *T*.9 *f*.2*f*. Very *common* in wet and muddy *Places in* May, June, &c.

218 Ray's *long-threaded* Toadgraſs, *Fluk* 35 f.2.
Gramen *Funceum* ſive*Holoſteum* minimum paluſtre, *capitulis* quatuor longiſſimis, *ſtaminibus* donatis,Ray 1319 18Syn. 105 8 ed.276 8 *Ox*.*B*.230 30 *T*. 9 ſ. 3 f. ult. opt. The *Figures* of this *Graſs* exceed any Deſcription. *I have* found *it in* Flower *on* Hownſlow Heath *about the* Middle *of* July.

SECT. *IV*. *Gramen* Juncea, *fol*. articulatis. *Knot-ruſhes*.

219 *Tall* Wood *Knot-ruſh*, Ray 1307 4 Syn.204 4 ed. 275 4. qr? Gramen *Funceum* fol.articulato ſylvaticum,*CB*.5 8 phyt.73 *p*.16 *Th*.76 *f*. 8 *Tab*. 223 *Icon* 1 Hiſt.659 *f*.1 Ger.20 *f*.10 *Lob*. *Icon* 12 *f*.1 B. 13 *f*.3 Jonſt.22 *f* 9 opt. *Park*. 1270 *f*. 5 1 *Ox*. *B*. 227 1 *T*.9 ſ.1 *f*. This is much leſſer than the next,its *Panicles* more *ſpread*, yet ſmaller *Seed Veſſels*. It's often found in *moiſt* Woods; *flouriſhing* from *Midſummer* till *Autumn*.

220 Common *Knot ruſh*,Ray 1307 2 Syn.204 2 ed.275 2.
Gramen *Funceum* folio articulato aquaticum,CB.5 9 phyt.66 *p*. 15 *Th*.76 *f*.9 *prodr*.12 *f*.1 opt.*Lob*.*Ic*.12 *f*.1 B.13 3 *Tab*.214 *Ic*. 2 *Hiſt*.252 *f*.1 Ger.12 f.1 *Ox*.*B*.227 2 *T*.9 *ſ*.1 *f*. *Leſs* than the *laſt* both in *Height* and *Panicles*. In wet marſhy *Places* from *Midſummer* till *Autumn*.

221 Common *Knot-ruſh* with *Utricles*.
Gramen *Funceum* fol.*articulato* aq. cum *utriculis*,CB 7 5 *prodr*. 12 2 f. opt. *Th* 77 *f* 9 *Park*.1270 5 *f*.2 *Ox*.*B* 227 2 *T*.9 *ſ*.1 *f*. ad Rad. A *Variety* of the laſt in having *red* leafy *Heads*, which appear in *Autumn* in marſhy Ground.

222 Small *Knot-ruſh*.
Gramen Junceum capitulis triangulis minimum,Ray1307 3Syn. 204 3 ed 275 3 qr? Gramen Junceum,Ger.4 *f*.4 *Tab*.225 *Ic*.*Hiſt*. 660 *f*.2 *Ox*.*B*.227 3 *T* 9 *ſ*.2 *f*.*opt*.*qr*? Park.1270 *f*.xi. *Its* much *leſs* than the laſt: *Common* in moiſt and boggy Places at *Hampſted*, &c. *flouriſhes* about *Midſummer*.

223 Dale's *Childing* Knot-ruſh, R. 1307 5 S. 204 3 var. ed. 275 3 var. *Gramen* Junceum *minimum* paniculis *foliaceis* Bob. Ox.227 4 *T*.9 *ſ*.2 *f*.*opt*. Pluk.32 *f*. 3. *Differs* from the *laſt* in having ſmall *Leaves* coming out of the Panicles; *Time* and *Place* the ſame.

SECT. V. Gramen *Juncea* hirſuta. *Hairy* Ruſh-graſſes.

224 *Small* hairy *Ruſh-graſs*, Ray 1291 1 S. 193 1 ed. 262 1 Gramen *hirſutum capitulis* Pſyllii, CB. 7 3 phyt. 81 *p*. 18 prodr.15 f.2 * opt.*Th*.103 f.3 Lob.Ic.15 12 *Belg*.16 f.2 Jonſt.17 f.3 *Park*.1185 f.6 Chabr.188 f.6 I B. 2 p.494 f.1 *Tab*. 219 Ic. 2. Hiſt.656 f.2 Ger.16 f.2. Ox. B.225 4 T.9 ſ.1 f. It's the leaſt of all the following, *Flowers* in *April* and *May* in *Meadows* and *Paſtures* frequently.

225 Cloſe-headed *hairy* Ruſh-graſs.
Gramen *hirſutum* elatius, *panicula* juncea *compacta*. Ray 1291 2 S.193 2 ed.263 2 Ox B.225 1 T.9 ſ.1 f. Gr.*nemoroſum* hirſutum *majus* anguſtifolium, *Park*. 1165 f. 4 ad *marg*.opt. Its L. much *longer* and *taller* then the laſt with *longer*, and cloſer Heads *Flouriſhes* in *May* in *Cain Wood* plentifully.

226 *Common* hairy *Wood* Ruſh-graſs.
Gr.*nemoroſum* hirſutum *vulgare*, Ray 1292 3 S. 193 3 ed.263 3 qr ? Gr. *hirſutum* latifol. majus, CB. 7 1 Th. 101 f.1 *Tab*.227 Ic. 2 Hiſt. 662 f. 2 Ger. 17 f. 1 Park. 1184 f.1 *Jonſt*. 19 f.1. Theſe *Figures* eaſily diſtinguiſh this from others. *It grows* frequently in *hilly* Woods, *Flowering*, in the *Spring*.

227 *Great* hairy *Wood* Ruſh-graſs.
Gr. nemoroſum *hirſutum* latifol. *maximum*,Ray 1292 5 Syn.193 4 ed. 263 4 *Chabr*.188 f.4 Th: 102 f.2 *Park*. 1185 f.3 Ox. B. 225 T.9 5 1 t. IB. 2 493 f.2 *qr*. CB.prodr. 15 f. 1. Its large ſpread panicles, and broad hairy L.diſtinguiſh it from the reſt. *Grows* with the three foregoing in *Cain-wood* at *Hampſted* plentifully in *April* and *May*.

SECT. VI. Gr. *Juncea* tomentoſa.Cotton-Ruſhes.

228 Cotton-Ruſh,*Ray* 1306 1 Syn.203 1 ed.275 1.
Gr.*prat*.tomentoſum, *panicula* ſparſa CB.4 2 phyt.122 *p*.26 *Th*. 61 f.2 *Tab*.230 *Ic*.2 Hiſt.665 f.1 Ger. 27 f.1 *Chabr*.195 f.6 I B. 2 p. 514 f. 1 Trag. 683. Lob. *Ic*. 87 f. 2 B. 122 f.1 Adv. 44 *Jonſt*.29 f.1Park.1271. f.1 Ox.B.224 1 T.9 ſ.3 f.opt. Its many Heads of fine *Cotton* when ripe,eaſily diſtinguiſh it from the reſt. It *Cottons* in *June* and *July* in boggy Mooriſh grounds as at *Hampſtead* &c.

229 Hares-tail, *or* ſingle- headed *Cotton-ruſh*, R. 1306 21 & 1308 xi. Syn.203 17 ed.274 17 *Juncus* Alpinus *capitulo* lanuginoſo, ſeu Schœnoglaurus,CB.12 1 prodr.7 p.23 f. * opt.Th.188 f.1 phyt 30 pl.10 *Park*.127 2 f.6 Chabr.199 f.1 *IB*.2 p. 514 f.2 Ox. B.244 6 T. 9 ſ. 3 f. *Lob*. illuſtr. 62. *Grows* in the *Moors* of *Shropſhire* and *Lancaſhire*, &c,

SECT, VII. Gr.*Juncea* Miſcellanea : *Miſcellany* Ruſhes.

230 Arrow-headed *Ruſh*, Ray 1308 7 Syn.249 9 ed.276 9 Gramen *Junceum* ſpicatum *ſeu* Triglochin,*CB*. 6 16 phyt.67 *p*. 15 Th.81 f.6 *Tab*.224 Ic.2 Hiſt.65 f.4 Ger.18 f.1 *Park*.1187 f. 6 Lugd.431 f.2 Ox.228 18 T.2 fig.Lob.*Ic*.17 f.1 B.18 f.1Jonſt. 20 f.1 Chabr. 190 f.3 I B.2 *p*.508 f.2 It *flouriſhes* in *May*,&c. in boggy *Grounds*.

231 Sea *Spiked Ruſh*,Ray 1308 9 *Syn*.249 10 ed.276 10 Gramen *Junceum* & ſpicatum alterum *CB*. 6 17 phyt. 68 *p*. 15 Th.82 f.17 *Tab*.215 *Ic*.1Hiſt.652 f.2 Ger.12 f.2 Lob.*Ic*.162 B. 17 2 Jonſt.13 f.2 Park.1278 f. 9 *Chabr*. 190 f.2 I B.2 *p*. 508 f.1 Ox.228 19 T.2 *fig*. Very *common* in Salt *Marſhes*; ſpiking *in* May *and* June.

CAP. V. *Equiſeta*. Horſetails, &c.

232 *Great* Marſh *Horſetail*,Ray 128 1 S.20 1 ed.42 1 Equiſetum *paluſtre* longioribus *ſetis*,CB.15 2 phyt. 31 1 Matt. 725 f. 1 *Theatr*. 241 f.2 *Tab*. 251 f.2 Hiſt.698 f.2 Ger.955 f.1 Cam.770 f.Dod.73 f.1 Lob.*Ic*.793 f.B.568 f.obſ.461 f.1 *Jonſt*. 1113 f. 1 Park. 1200 f. 1 *Chabr*. 551 f. 1 Ox. B.621 1 This grows *upright* and is much the largeſt with us: Its *Jules* diſtinct from its *leavy* Stalks. Found *in* boggy Rills *and* marſhy Grounds.

233 *Leſſer* Marſh *Horſetail*, Ray 129 4 Syn.21 4 ed.42 4 Equiſetum *paluſtre*,brevioribus *ſetis*,CB.15 3 phyt.32 3 *Th*.242 3 Lob.*Ic*.795 f.1 B.970 f.1 Jonſt.1114 f.4 Park.1200 f.3 Ox.B. 621 3 Theſe *Jules* grow at the *Top* of its *Leaves* when they firſt ſpring up. Found *in* ſpongy rotten *Bogs*.

234 Corn *Horſetail*, Ray 128 2 Syn.20 2 ed. 42 2 Equiſetum *arvenſe* longioribus *ſetis*,CB.16 9 phyt.325 *Th*.247 f.9 opt. Park. 1202 12 Dod.73 f.2 *Lob*. 795 f.2 B.970 f. 2 *T*.252 Ic.1 Hiſt.698 f. 3 Ger. 956 f.3 Ox.B.621 2 qr? *Trag*. 694 f. Its ſeparate *Jules* ſpring in *April*, in *moiſt* Stubble and *Corn* Fields. *It* grows *ſupine* and ſometimes with *ſecundary* Briſtles.

235 *Fine* Wood *Horſetail*, Ray 128 3 Syn.20 3 ed.42 3 *Equiſetum* ſylvaticum, *tenuiſſimis* ſetis,CB.16 7 Th 245 f.7 *Tab*. 253 Ic.1 *Hiſt*, 699 f. *Chabr*. 551 f.5 *Ger*.957 f. 5 Park.1201 f.5 The *Fineneſs* of its *Briſtles* differs it from others. It *Jules* at the Top, whilſt the Leaves are young; in *Cain-Wood* or low wet Grounds.

236 *Naked* rough *Horſetail* or *Shavegraſs*,Ray 129 7 S.21 6 ed.437
Equiſetum foliis *nuduni* non ramoſnm *ſeu* Junceum, *CB*. 16 10 phyt.32 6 Th, 248 f. 10 * Chabr. 550 f.6 *Trag*.692 f.1 This rises generally with but *ſingle* Rushes and is known by its *peculiar* Roughneſs. *Found* in *Warwickſhire* and *Wiltſhire*.

237 Doody's *naked* ſmooth *Horſetail*.
Equiſetum *nudum* lævius *noſtras*, Ray 3 p. 103 *Syn*. ed. 426 *Differs* from the *laſt* in being *ſmooth*. Heads *in* May *in moiſt* boggy Ponds *and* Ditches.

238 Buddles *naked* ſmooth *Horſetail*,
Equiſetum *læve* penè nudum *Nob*. qr? *Equiſetum* nudum, *Tab*. 251 Ic.1 Hiſt.698 f.1 *Ger*.955 f.2 Jonſt. 1113 f.2 Park.1201 7 *f*. Theſe *Figures* pretty well reſemble this Plant. *Found* by the Reverend Mr. *Buddle* on a new dug Bog on *Hounſlow*-Heath.

239 Branched *naked* Horſetail,Ray Syn.ed 43 8
qr? *Equiſetum* foliis nudum ramoſum,*CB*.16 *xi* phyt.32 7 Th. 250 f.*xi* Dod.73 f.3 * Lob. Ic. 794 f.1 Jonſt. 1114 f. 3 quoad *Icon* Park.1201 f. *Ox*.*B*.621 13 Found plentifully in *Bocking River* in *Eſſex* by Mr. *Dale*.

240 Mares-tail *Ray* 129 5 Syn.21 5 ed.42 5
Equiſetum *paluſtre*, brevioribus *foliis* polyſpermon, *CB*. 15 6 phyt.31 2 Th.243 f.4 *Tab*.835 Ic.2 Hiſt.2 505 f.1 Ger. 957 f. 6 Chabr.553 f.2 *Lob*.*Ic*.792 4 *B*.967 f.4 *Jonſt*.1114 f. 6 Park. 1201 3 *Ox*.*B*.621 6 Theſe Leaves are *ſhort* and *plain* with *Seeds* at each *Joynt*. In *Ponds* and ſlow *Waters*.

241 Long leav'd *Mares-tail*. Equiſetum *paluſtre* majus, foliis *longioribus*. I have *obſerved* this in ſome *Rivers*.

242 *Stinking* Water *Mares-tail*, Ray 130 1 Syn.21 7 ed. 43 9
Equiſetum *fœtidum* ſub aqua repens, *CB*. 16 13 prodr. 25 f. 5 opt. * phyt.35 8 Th.251 f.13 *Jonſt*.1115 f. Park. 1201 f. 10 *Chabr*. 551 f. 6 1 The *Figures* will give you an *Idea* of the Plant, it's commonly *green* under Water, but *gray* and *brittle* when *dry*. It *grows* in muddy Waters and has that ſtinking ſcent.

243 *Warty* Water *Mares-tail*, Ray 191 2 Syn.35 pl. ult. ed. 280 5
Equiſetum *paluſtre* ramoſum, aquis immerſum f. *Millefolium* aquaticum *Equiſetifolium*, Ray *Cat*. Cantab. 49 *deſcr*. opt. I have found this with its *warty Heads* in *Batterſey* Rivulets *plentifully*.

244. Coralline *Horſetail.* Ray *Hiſt.* Plant. 130. xi. *Synopſ.* 21. 8. edit. 2. p. 43. 12. *Equiſetum* ſeu *Hippuris* Coralloides, *Jonſt.* 1115. 7. Pluk. *Tab.* 29. f. 4. In the Ditch about *Chiſtlehurſt* Bogg.

245. Cluſter headed *Coralline* Horſetail.
Equiſetum *Coralloide*, ſeminibus in ſummitate conglobatis & foliis abſconditis, *Buddle*. 'Tis larger than the laſt. *Obſerved* by Mr. *Ad. Buddle*, in the *Ponds* about *Henly* near *Ipſwich* in *Suffolk*.

246. *Iriſh* water *Moſs-Horſetail.* Ray 3. 104. pl. 15. Syn. ed. 43. xi.
Hippuris muſcoſus ex *Hibernia*, Pluk. 193. f. 6. Ox. B. 621. 10. Firſt found by *Dr. Sherard* in Turf bogs in *Ireland*, and ſince by *Mr. Dandridge* in *England*.

CAP. VI. Filices *Britannicæ*. Britiſh *Ferns*.

SECT. I. Filices *foliis* ferè *integris*. Ferns *with moſtly* whole Leaves *or* Wings.

247. Common *Harts-tongue*, Ray 134. 1 Syn. 22. ed 44. *Lingua Cervina* Officin. C. B. 353. 1. *Cam.* 579. f. Chabr. 557. I.B. 748. f. 1. *Clus.* 213. f. 2. Dod 467. f. 1. Lob. Ic. 2. p. 265. f. 2. Belg. 299. f. Obſ. 486. Lugd. 219. f. 2 Jonſt. 1138. f. 2. *Park.* 1046. f. Ox. B. 556. 1. Tab. 1. f. *Ger.* 976. f. Trag. 549. f. Its whole *Leaves* and ſtant *ſeed liſts*, differs it from all other *Britiſh* Ferns. *Grows* in ſtony ſhady Roads and moiſt Rocky places.

248. Fingered *Harts-tongue*, Ray 134, S. 22. d. 44. Ox. 557. 2. T. 1.
Lingua Cervina multifido folio C. B. 253. 2. *Matth.* 606. f. Chabr. 557. f. 3. I.B. 749. f. 2. *Cluſ.* 213. f. 3. Dod. 267. f. 2. *Lob.* 805. Ic. 2. & 2. p. 226. 2. B. 981. & 300. f. Jonſt. 1138. f. 2. *Park.* 1047. f. 2. Lugd. 1219. f. 2. *Tab.* 481. f. Icon. 801 1. *Ger.* 976. f. Varies from the Common in being *Finger-tipt* and found with it, but more rare.

249. Tree *Polypody* Ray 137. 1. S. 22. 1. ed. 45. 1.
Polypodium vulgare CB. 359. 1. *Matth.* 887. f. 1. Cam. 993. f. Chabr. 558. f 3. *Dod* 464. f. 1. Lob. 814. 2. B 992. f O. 475. f. *Lugd.* 1229. f. Tab. 478. f. Ic. 799. 1. *Ger.* 972. f. Jonſt. 1132. f. 1. *Trag.* 540. f. opt. Ox. B. 562. 1. T. 2. f. Very well known and common in Woods at the roots of old Oaks and other *Trees*.

250. *Wall* Polypody. *Polypodium* murale, *pinnulis* ſerratis *Nobis* Botan. Hort. Numb. 1. pl. 1. The *wings* of this are ſomewhat *narrower* than the laſt, and lightly ſerrated. I gathered this Plant *May* 24. 1709. on the *Walls* of *Windſor-Caſtle* in the Apartments of the Revd. *Dr. Manningham* then *Dean* of that place, whoſe *Son* a very *Nice Botaniſt*, firſt obſerved it and ſhewed it me there.

251. Jagged *Welſh Polypody*, Ray 136. 2. S. 22. 2 ed. 45. 2. *Polypodium* Walliæ, *pinnis* altè laceratis *Nobis* Pluk. 30. f. 1. *Differs* from the *Common* in having *wings* deeply *jagged* Diſcovered AD. 1668, by *Richard Kayſe*, of *Briſtol*, on a Rock in a Wood near *Dennis-Powis-Caſtel* by *Caerdiff* in *Glamorganſhire*.

252. Common *Ceterach* Ray 139. c. 3. Syn. 23. ed 45. *Ceterach* Offic. CB. 354. *Matth.* 646. f. 1. Cam. 640. f. opt. *Chabr.* 556. f. 6. IB. 741. f. *Dod.* 648. f. Lob. 807. 1. B. 983. O. 470. *Jonſt.* 140. f. 1. Park. 10. c. 46. f. *Ox. B.* 561. 1. T. 2. f. *Ger.* 978. f. 1, *Trag.* 551. f. A ſmall Fern and being wholly ruſty below, differs it from others. *Grows* on old *Churches*, *Caſtles*, and *Stone Walls*, particularly about *Briſtol*, where I have ſeen it in plenty.

253. *Lhwyds* jagged *Spleenwort*. Filicula *Alpina* Pedicularis rubræ *foliis*. ſuf tus villoſis, *Ray* 3. p. 63. S. 27. ed. 46. Pluk. 89. f. 5. *Ox. B.* 573. 28. defer. *Mr. Lhwyd* firſt found this in the Clefts of moiſt Rocks on one of the higheſt Mountains in *Wales*, it grows alſo on *Snowden*, but rare.

254. Sea *Penny Fern*, Ray 140. c. 4. S. 23. ed. 46. 2. Trichomanes *maritima* major *Nob.* CB. 358. Lob. Ic. 814. 1. B. 992. f. O. 474. f. *Lugd.* 1226. f. 2. Jonſt. 1143. f. 4. *Park.* 10. f. 7. Grows on *Sea-rocks*, and being much larger than the three following, is eaſily diſtinguiſht.

255. Shop *Maiden-hair* or *Penny-Fern* Ray 140. c. 5. S. 23. ed. 46. *Trichomanes* five *Polytrichum* offic. CB. 356. *Matth.* 853. f. 3. Cam. 925. f. opt. *Dod.* 471. f. 1. Jonſt. 1146. f. 1. *Park.* 1051. f. Lugd. 1211. f. *Tab.* 477. f. 1. Ic. 801. 2. Trag. 530. f. 1. Its an *Officinal* and uſed in *Pectoral* Decoctions &c. *Grows* on old *Walls*, *Churches*, and ſhady Rocks.

256. Branched *Penny-Fern*, Ray 140. & Vol. 3. p. 61. S. 27. ed. 46. 2. Ox. B. 591. xi. T. 3. f. *Trichomanes* dentata *Nobis* Chabr. 556. f. 1. IB. 741. f. 1. *Ger.* 985. f. 2. Tab. 477. f. 3. Ic. 802. Dr. *Richard Richardſon*, a Curious *Botaniſt*, has found this frequently on the high and moiſt Rocks of *Wales* as alſo on *Inglebrough*, but could rarely obſerve it branched; *Differs* from the *Common* in being *more* ſerrated.

257. *Jagged* Penny-Fern. *Trichomanes* fol. eleganter inciſis *Petiver* Ray 3. p. 63. *Pluk.* Tab. 73. f. 6. qr? *Ox. B.* 591. 12. & 13. T. 3. f. opt. *Ray* 3. p 61. This is much *deeper cut* than the Laſt, eſpecially its *lower* wings.

258. Matthioles *Lancet Fern* Ray 138. 1. S. 27. ed. 45. 2. *Lonchitis* aſpera C. B. 359. 1. *Matth.* 661. f. 1. Cam. 664. f. *Chabr.* 556. 3. I. B. 736. fig. Lugd. 1220. f. 1. Ox. 566. 1. T. 2. f. *Jonſt.* 1140. f. 3. Park. 1042 f. 1. *Ger.* 979. f. 1. Tab. 480. f 1. Ic. 799. 2. That moſt accurate *Northern Botaniſt* and my Worthy Friend *Dr. Richard Richardſon* ſent me this which he gathered on the *Rocks* of *Phainon vellon* in *Wales*. He tells me, its alſo pretty common on the high *Rocks* of *Snowden*.

259. Lhwyds *Lancet-Fern*, Ray 3. 84. Syn. ed. 48. 4.
Filix aculeata *Lonchitidi* emula *noſtras* Pluk. 180. f. 3. Ox. B. 567. 7. *var.* I am oblig'd to *Mr. Jacob Bobart*, Botanick *Profeſſor* of the *Phyſick Garden* at *Oxon* for a Specimen of this, which *differs* from the laſt, its *wings* being much *jagged* and more prickly, *Grows* on the *Welch* Mountains.

260. Pluknets *Welſh* Lancet Fern, *Filix* parva *Cambrobrit.* pinnulis latis auriculatis brevibus aculeata *Pluk.* Tab. 89. f. 6.

261. Hyſvae *Fern*. Filicula *Alpina* tenerior, *alis* latiuſculis brevioribus integris profundè dentatis *Ox. B.* 576. 23. defer. *Pluk.* 179. f. 4. ſecund. *Ray* S. ed. 48. 4. On the tops of *Snowden* and *Hyſvae rocks* near *Penrice* Church in *Caernarvonſhire*.

262. *Great* Prickly Fern. *Ray* Syn. ed. 48. 3 Ox. B. 580 16. *Lonchitis* aculeata major *Nob.* Each ſtem has 15 or 16 *wings*, and each wing between 30 and 40 *Feathers* or pair of leaves, *Grows* in ſhady ditches.

263. *Common* Prickly Fern, *Lonchitis* aculeata vulg. *Ray* 143. 3. Syn. 24. 2. ed. 48. 2. *Pluk.* 179. f. 6. Ox. B. 580. 15. T. 3. S. 3. *Jonſt.* 1130. 4. In moiſt and ſhady ditches.

264. *Earleſs* Prickly-Fern. *Lonchitis* aculeata ſine auriculis, *Ray*. Syn. 24. 2. ed. 48. 2. var. A *Variety* of the laſt.

265. Pluknets *ruſty* Prickly-Fern. *Lonchitis* aculeata, lanugine ferruginea. *Pluk.* 180. f. 1. Ray 3. p. 86. Leſs and paler than the laſt, with ruſty ſtems. *Grows* in rotten *bogs*.

SECT. II. *Filices* non ramoſæ. *Unbranched Ferns.*

266. *Great dented* Male Fern. *Filix* non ramoſa latifolia dentata *Inſt.* Rei Herbar. 536. 7 *Hiſt.* Plant. *Paris* 443. Schol. Bot. 2. Theſe *wings* are much *larger* than the *next*, as is the whole *Fern*. The *Figure* in *Camerarius* on *Matthiolus* p. 994. does not ill repreſent this plant.

267. *Common* Male-Fern. *Filix* mas *Dod.* 462. f. 1. Cam. 991. f. *Trag* 546 f. Chabr. 553. f. 1. IB. 737 f. 1. *Park.* 1036 f. Lugd 1222. f. 1. *Filix* non ramoſa dentata CB. 358. 3. *Matth.* 886. f. 1. Jonſt. 1129. 2. *defer.* Tab. 2. p. 471. f. 1. Ic. 791. 2. *Ger.* 968. f. 1. Ray 143. 1. Syn. 24. 1. ed. 47. 1.

268 *Marſh* Fern. *Filix* paluſtris *ſeu* aquatica. *Ray* 145. c. 41. Syn. 24 4. ed. 48. 6. Its *Feathers* plain and ſeed edged, by which and its lower wings gradually leſſening, its known from the laſt. *Grows* in *Bogs* and Mooriſh *places*.

269 *Rugby* Fern. *Filix* paluſtris *major* Nobis *Ray* Syn. ed. 341. pl. 2. Seems to be a larger kind of the laſt. *Found* on *Dunſmoor-heath* in the *Ditches* which parts *Rugby* from *Dunchurch* in *Warwick-ſhire*.

270. *Male* Stone Fern. *Filix* ſaxatilis non ramoſa, nigris maculis punctata CB. 358. 3. *Cluſ.* 212. f. 1. Pan. 706 f. *Park.* 1044. f. 1 Pluk. 179. f. 5. Ox. 581. 28. *Ray* 146. 2. Syn. 24. 5. ed. 48. 7. *Differs* from the *Marſh Fern*, in its *foil* and being *leſs*. Found plentifully on the high *rocks* in *Darby-ſhire*, Yorkſhire and *Weſtmoreland*.

271. *Forked* Stone Fern. *Filix* minor *Britan.* pedic. pallidiore, *alis* inferioribus deorſum ſpectantibus *Ox.* Bob. 571. 17. *defer.* qr? *Pluk.* 284. 2, Its lower wings bend downwards. *Grows* about the *Peak* in *Darbyſhire*.

272. *Goodyers* criſp Fern, *Ray* 144. 4. Syn. 24. 3. ed. 48. 5. *Filix* mas non ramoſa, *pinnulis* anguſtis raris profundè dentatis *Jonſt.* 1033. defer. *Pluk.* 180. f. 4. Ox. B. 579. 8. T. 3. Its *Pinnæ* or *Feathers* are deep notcht not unlike curl'd *Tanſy*. Grows in wet Shady places.

273. Fingertipt *criſp* Fern. *Filix* minor non ramoſa, alis foliorum alternatim poſitis bifidis & multifidis, *Ray* 3. p. 78. Syn. ed. 46. 6. var. *Pluk.* 284. f. 3 Ox. B. 580. 21. defer. *Differs* from the laſt in being fingertipt. *or. Tho. Willoughby* obſerved this on *Litchfield* Miniter.

SECT. III. *Filices* ramoſæ. *Branch-wing'd* Ferns *or* Brakes.

274. *Common* Female Fern *or* Brake. *Filix* fœm. *vulg.* Offic.

Offic. *Ray* 150. c.2 Syn.25 1 Ed.49.1. CB.357.1. *Matth.* 886. f.2. Lugd. 1222. f.2. *Cam.*992. fig. IB.3. l.37. 727. *Dod.* 462. f.2. Jonst. 1128. f.2. *Park.*1037.f. Ox.B. 583 3. *Tab.*2 471. f.2. Ic.793. f.1. Ger. 969. f 2. So well known, and very common on *Heaths*, it needs no Deſcription.

275. *Wall*-Brake. *Filix* ramoſa, *ſive* Fœmina *minor* noſtras, *Ox.B.*584.18. deſcr. *Ray* 151. c.6. Syn.25,4. ed.50.5. I have formerly obſerved this on ſeveral *Walls* in *London*; it's alſo found on the *Sea-Rocks* in the *Weſt* of *England*.

276. Small *Brake*. Filix *ramoſa* minor *nobis*, Chabr. 555. f.2. IB.733. f.1. *Ray* 151. c.7. Syn.25.5. ed. 50. 6. *Cluſ.* 212. f.1. Pan 704. f. *Lugd.*1225. f. 3. opt. Jonſt. 1135. f. 3. *Park.* 1044. f. 2. Trag. 538. f. qr? *Tab.* Ic. 794. 1. H. 472. f. 3. In ſhady Places on the Sides of Mountains in *Weſtmorland* and *Wales*.

277. Common *dented* Brake. *Filix* fœm. *pinnulis* dentatis *Nobis*. Ray 150. c 2. deſcr. Syn.25.2. ed. 49.2. Ox.B. 579. xi. deſcr. T.3. f. Grows in ſhady moiſt ſtony Places, and often at the *Roots* of *rotten* Oaks.

278. *Cicely* Brake. *Filix* Alpina *Myrrhidis* facie *Cambrobritannica*, Pluk. 89. f.4. *Ray* 3. *p* 94. Syn. ed. 49.3. Ox. B. 584. xi. The lower Wings next the Stalk are much the longeſt. Mr. *Lhwyd* firſt diſcovered this on the Top of Mount *Glyder*.

279. Hemlock *Brake*. Filicula *Cambrobritannica* pinnulis *Cicutariæ* diviſura, Bob.Ox. 581.31. *Ray* 3. p.84. Syn. ed.50.8. It's compoſed of about 8 pair of Wings with deep cut Leaves. *Grows* on the Top of *Snowdon*.

280. Small *brittle* Brake. *Filix* ſaxatilis, *caule* tenui fragili, *Ray* 152.1. Syn. 26.6. ed. 50.7. Ox. 581. 29 qr? *Chabr.* 555.4 IB. 734. f.2. On *Old* Stone *Walls* and Rocks in *Derbyſhire*, *Yorkſhire*, and *Weſtmorland*.

281. Round *brittle* Fern.. *Filix* ſaxatilis, *caule* tenui fragili humilior, *pinnulis* rotundioribus R. *Richardſon*. Under this Title I received it from Dr. *Richardſon*, who diſcovered it on *Snowdon*, and plainly differs from the laſt in having *rounder* Leaves.

282. Common *black Maidenhair*, or *Fern*. Adiantum *nigrum* vulgare *Nobis*. Ray 151.2. *Syn.* 26.7. ed. 50. 9. CB. 355. 2 IB. 3. l.37. p. 734. f. Dod 466. f. Lob. 810 Ic. 2. B. 988. f. *Adv.* 361. Jonſt. 1137. f. *Park.* 1049. f. 2 Ger. 975. f. 1. Tab. Ic. 796.2. H 474. f.2. Ox.B. 588. 16. T. 4. f. *Grows* at the *Roots* of *Trees* and *Shrubs*, in Shady *Woods* and on *Old* Walls.

283. Great *black* Fern. *Adiantum* nigrum *fol.* duplo majoribus ſaturatæ magis viriditatis, *cauliculis* quoque longioribus & nigrioribus, *Sibbald.* Prodr.7. Tab.4. f.1. *Found* in *Lochcoat-Hills* in *Linlithgow*,

284. Narrow *black* Brake. *Adiantum* nigrum *ſegmentis* anguſtioribus, *Ray* Syn. ed. 51. 9. *var.* qr? *Pluk.* 124. f.4 Ox. B. 588.17. It's narrower and deeper cut than the *Common*.

285. Preſton's *Fifeneſs* black Brake. *Adiantum* nigrum *fol.* Lunariæ minoris, *Ray* 3. p.61. Its *Leaves* broad and ſomewhat dented, the *Seed* liſted like *Hartſtongue*. Dr. *Preſton* firſt diſcovered this on the *Sea-Coaſts* at *Fifeneſs* in *Scotland*.

286. Round *Jerſey* black Brake. *Filix* elegans, *Adianto nigro* accedens, *ſegmentis* rotundioribus, *Ray* 3. p. 86. Syn. ed. 55.xi. Ox.581.25. deſcr. Dr. *Sherard* firſt diſcovered this on the *Rocks* in *Jerſey*; and Mr. *Jac. Bobart* has ſince obſerved it on *Adderbury Church* in *Oxfordſhire*.

287. *Fine* Iriſh *Fern*, or *Mourn* Brake.
Filix minor longifolia, *tarſis* raris, *pinnulis* longis tenuiſſimis & oblongis laciniis fimbriatis, *Ray* 3. p.79. Syn. ed. 51.12. Its *Leaves* reſemble Dr. *Pluknet*'s Tab. 89. fig.3. but its *Tarſi*, or *Branches* ſtand more diſtant. Dr. *Sherard* found this on the Mountains of *Mourn* in the County of *Down* in *Ireland*.

288. Shop *Venushair*, Ray 147.1. Ox.B.587.6. T.5. f. *Adiantum* folio *Coriandri*, CB.355.1. Matth.832. f.1. *Cam* 924. f. Chabr.555. f.3. IB. 3. 744 fig. *Dod.*469. f.2. Lob.Ic.809.2.B. 986. f. *Adv.*362. Tab.Ic.795.1. H.473. f.1. *Ger.*982. f.1. Lugd. 1208. f. *Trag*,530. f.1. Found in *Wales* by Mr. *Lhwyd*.

289. *Adianto vero* affine, *Adiantum* noſtras *majus*, Coriandri *folio* in apice nonnihil rotundo, *pediculo* pallide rubente *Sibbald* prodr.7. Ox. 587.7. *Dr. Irvin* found this in the *Grots* or *Vaults* about *Weyms*, Scotland.

290. *Adianto vero* affine *noſtras* minus, *fol.* obtuſo, ſaturatè viridi altiùs inciſo, cum *pediculo* viridi minore *Sibbald.* pr.8. *Found* in the Gap of a Rock on *Lochcoat lake* near *Limnuck*, Scotland.

SECT. IV. Filiculæ. *Dwarf* Ferns.

291. White *Maidenhair*. Filicula *alba* vulgaris.
Ruta muraria, CB. 356.R146. c.5. pl.1. *Syn.*24 ed.48. Ox.585. 22.T. 5. f. *Cam.* 785. f. Chabr.555. f. 6. IB. 745. f. *Lob.* Ic. 812. 1. B. 988. *f.* Obſ. 472. f Lod. 470. f. *Jonſt.* 1144. f. 3. Park.1050. f.4. *Tab.* Ic.796.1. H 474.f.1 *Ger.*983. f. *Trag.*530 f.2. On *old* Stone-*Bridges*, *Walls*, and Clefts in *Rocks*.

292 Forked *Maidenhair*, Ray 141.c. 7.Syn. 24. ed 47. Ox.B. 585. 23. T.5 f.
Filix ſaxat. *ſive* corniculata CB. 358.5. *Jonſt.*1045.f. 8. Lugd. 1226. f 1. *Trag.*437. f. *Grows* on the *Rocks* in *Edinburg-Park* and on ſome Mountains in *Wales*.

293 Dare's *Fern* Darea *Tunbrigenſis* minor *Muſ.* noſt. 76 *Ray* 1583. deſcr. *Bocc. Muſ.* 24. T. 2. *Iluk.* 3. f. 59. I have obſerved this in plenty on the *Rocks* near *Tunbridge-wells*.

294 Newton's *Dare*-Fern. *Adiantum* petræum perpuſillum *Anglicum*, fol. biſidis vel triſidis *Newtoni*, Ray 141. c. 6. Syn. 23.ed. 47. *Pluk.* 3. f. 6. Found near *Wrenoſe* in *Weſtmoreland* among Moſs, Mr. *Lhwyd* has obſerved this in *Ireland* half a ſpan high.

SECT. V. Filices *Floridæ*. Flowring *Ferns*.

295 *Oſmund Royall*. Oſmunda Regalis *Offic.* Ray 151. c. 5. Syn. 25.3 ed.50.4. Ox.593.1 T.4. fig CB. 357.3. *Chabr.*554 f.4 IB.728. f Dod. 463. f *Lob.* 813. IB. 992 f Obſ 474.Lugd.1225. f 1. p.9. *Ger.* 971. f. *Jonſt.* 1131. f *Park.* 1038.f. Trag. 543. f. opt. Flowers in *July* and *Aug.* on rotten *Bogs* and moiſt *Woods*.

296 *Flowring* Spleenwort. *Lonchitis* Florida *vulg.* nobis. *Lonchitis* minor, CB. 359.2. Matth.661.f.2. *Ray* 138 2. Syn. 23 ed.45 1 *Cam.*665.f.Chabr. 556.f.4. & 5 IB 737.f.1&2.*Cluſ.* 213. f. 1. Lob Ic. 815. 2. B. 994. f. O. 475. f. *Lugd.* 1216 f. opt. & 521.f 2. *Jonſt.* 1140 f.2. *Park.*1042.f.2. Tab.Ic.800.1.H. 480. f. 2. *Ger.* 978. f. 1. Trag. 550. f. opt. *Its* ſeed bearing *Leaves* are much *narrower* than the other, and grow *upright* in moiſt *Heaths* and *Woods*, and ſhady Ditches. *Seeds* in *July*.

297 Orton *Flowring* Fern. *Oſmunda* Weſtmorlandica *foliis* tenuiſſimè diſſectis *Muſ.* noſt. 792. Ray 153. 3. Syn. 26. 8. ed. 51.10. Ox.B. 593.4. T.4 f. *Pluk* 3. f.2. opt. *Grows* on *Snowden-hill* in *North Wales*, and ſeveral places in *Weſtmorland*, particularly at *Orton*.

298 Moonwort. *Lunaria* racemoſa minor & vulg. CB. 354 1. *Matth.*647 f.2. Ray 127.1. *Syn.*22 ed 44 Ox.B.594.1. T.5 Cam. 643 f. *Chabr.*544 f 6.IB.710.f.Dod.139.f.2.*Lob.*Ic.807.2.B.983 f Obſ. 470. Jonſt.405.2. *Park.*507. f Tab.Ic.137.1. H. 513.f.2. *Ger.*328.f.2. Trag.914.f. *Flowers* in *May*, &c. in cold paſtures, hilly ground and old *Gravel-pits*.

299 *Jagged* Moonwort. *Lunaria* minor, *fol.* diſſectis *Ray* 3. p.101. Its larger than the common, and *Flowers* more branched. *Found* with the *laſt*.

300 Adderſtongue, *Ophioglosſum* vulgatum, CB.354.1. *Matth.* 447.f.5.Ray 126.c.10.*Syn.*21.ed.44.Ox.B 595.T.5 f. *Cam.*364.f. Chabr.541.f.4. IB.708.f *Dod.*139.f.1. Jonſt.424. f. *Lob.* Ic 808. 2.B 985.f. O.471.f. *Lugd.*1047 f. Park. 506. *Tab.* Ic. 849.1. H. 519. f.2. Ger. 327. *Trag.* 323. f. It *tongues* in *May* in moiſt *Meadows* and *Paſtures*.

CAP. VII. De *Muſcis*. Of *Earth*, *Tree* and *Water* Moſs.

SECT. I. Lycopodii. *Wolfs-claws* or *Club-moſs*.

301 Common *Wolfs-claw*, Ray 120.1 Syn.16.1. ed.25.1. *Muſcus* terreſtris *clavatus*, CB360.x.Chabr.559. f.4.IB.3.l.37.p. 758. f. *Cord.*111. f.1. Dod.472. f. 2. *Lob.* Ic.2. p.244. f.2. *Belg.* 281. f. Obſ.645. f.1. *Lugd.*1324. f 1. Jonſt.1562. f. xi. *Park.* 1307. f.4. Ger.137. f. xi. *Tab.*814. Ic.2. Hiſt.814. f.3. Ox. B. 645.1.

A Creeping *Moſs* with 1, 2, or 3, *Claws* ſtanding on long footſtalks, *Heads* in *July* and *Auguſt*, in Heaths and Mountains.

302 Creeping ſmall *Club-moſs* with *Upright* heads.
Lycopodium repens minus, *clavis* erectis *Nob.* Ray 121.c.3.Syn. 17. 3. ed. 27. 1 *Pluk.*205. f.5. fig. malâ Ox.624 xi Tab.5. ſer. 1.f. xi. Its many fibroſe roots keep it cloſe to the ground, it's hardly known till in *head*, theſe grow upright and about two Inches high in *boggy Heaths*, about *July* and *Auguſt*.

303 Juniper *Wolfs claw* Ray 120. *var.* Syn.16.2. & 18.10. ed.26.2.
Muſcus terreſtris *fol.* retro reflexis, IB. 3. l 37.p.759. Ox.B.624. Tab.5. ſer.1. f.3. opt. *Differs* from the *Common* in having *ſtiff* and *reflex Leaves* and its *claws* without ſtalks, *Found* on the *Welſh* Mountains.

304 Upright *Firr* Club-moſs, *Ray* 121. c.4 *deſcr.* opt. Syn. 17.4. ed. 27.2.
Lycopodium erectum *Abietiformis* majus *Nobis*. Ox. B. 624.9. Tab.5. ſer.2. fig.9. opt. where its very well expreſt. It's upright and moſtly forked, with *Leaves* very green and cloſe to the ſtalks, which are much thicker than any of the foregoing; it *ſeeds* in *May* and *June*, they are ſmall and round. This has no *diſtinct claws* as moſt *Authors* has *Figured it*. *Grows* on the high Mountains in *Wales*, as alſo on *Ingleborough* in Yorkſhire and the *Peak* in Darbyſhire.

305 *Rays* ſmall upright, *Firr* Club-moſs *Ray* 122. c.5. Syn. 17. 5. ed. 27. 3. *Lycopodium* erectum *Abietiformis* minus *Nob.*

Pluk.

Fluk.47. f.7. Ox. B.624.10 T.5. f 2. f. 14. Much *leſs* than the *laſt* and lower, its *Leaves* not ſo cloſe, but more ſtarting off, under which lie its ſeed along the moſt part of the ſtalk. *Found* in the Rills and moiſt places on *Snowden*, *Ingleborough* &c

306 Cypreſs *Club-moſs*, Ray 12. 2. Syn.17 2. ed. 26.3. Ox. B.624. 5. Where its well deſcribed but no where truly *Figured*, its *twigs* rarely branched and moſtly *ſingle claw'd* without footſtalks. On the *Mountains* of *Wales* and *Ingleborough* and *Anderkin* in *Scotland* plentifully.

307 Bobart's *Cypreſs* Club-moſs, H. *Ox.* B.624 5. *var.* Lycopodium *Cupreſſi* foliis 4 *julis*, nudis pediculis *Nob* Its naked footſtalk a Hand long, ending with 4 claws on each ſtalk. *This* ſhould rather reſemble the *Figures* which *Authors* give of the *laſt*.

308 *Cluſius* his *Portugal* Moſs *Ray* 112. 3. Syn.13.2. ed.21. 2. Lycopodium repens ſquamoſus *Nob.* Muſcus *denticulatus* minor CB. 360.8. *Cluſ.*249. f. 2. Lob.2. p.244. f.1. O. 644. *Lugd.* 1326. f.1. Dod.473. f.1 *Jonſt* 1162. f. 10. Ger.1373. f 9. Tab. 484.f. 2. 806. Ic. 1. H.

Lobel *ſays* he found this at the *Lead mines* in *Somerſetſhire*, where I have ſearcht for it; but neither there, nor any other part of *England* have I yet met with it, but from ſeveral places *abroad* I have had it ſent me.

309 *Bobart's* Tree *Club moſs*, Ox.B.624 8. T 5. f.2 f.8 opt. *Ray* Syn. ed.338. pl 5. qr. Ray 3. p 47. Syn. ed.2. p. 39. 16. The tips of this Moſs for the moſt part of Winter are full of Powder; it *grows* on the bodies of *Aſh-trees* &c. frequently.

SECT. II. *Muſci* terreſt. *majores*. Greater *Earth Moſſes*.

310 Fern Moſs, *Ray* 112.1. Syn.13.1. ed.21.1. Muſcus *Filicinus* major CB.360.4. *Park.* 1310. f.3. Jonſt. 1561. f.7. *Chabr.*759. f.5 IB 757. f.1. *Ger.* 1372, f.7. Tab. Ic.807.1. Hiſt.483. f.4. Ox B.625 20 T.5. Ic 3. f.20. Common in *ſhady Woods*, it *heads* in *Dec.* and *Jan.* but rarely.

311 Small *Fern Moſs*. Muſcus *Filicinus* minor CB.360.2. prodr.151.2. ex *Sent.* Bob. Ox.625.21. T.5. f.4. f.21. Fine leaved *like* the *laſt*, but *leſs*.

312 *Vernon's* Tamariſk-Moſs. *Muſcus* ramoſus repens ſpicatus CB. 361.4. pr. 151.2. Ox. B. 625.6. T.5 f 3. t. 6. Its *heads* crooked, longiſh and end pointed. *Found* at the *roots* of *Trees*.

313 Braynes *creſted-Moſs*. Ray 3. p.47. Syn ed 38.13. *Muſcus* criſtam caſtrenſem *repreſentans* flaveſcens *&c. Muſ noſt.* 84 Ox. B. 625.8. T.5. f.3. f.8. *Flor.* Pruſ. 166. f. In *moiſt* Woods and Bogs.

314 Bonavert's *criſp Moſs*. Muſcus *ſquamoſus* ſuperficie *criſpus* Nob. *Ray* 3. p.44. Syn. ed. 337. pl.3. Ox. B 625. 10. T.5. f.3. f.10. It bears its *heads* on ſhort ſtalks, near the top of its Leaves. I have gathered this on the *Chalk Banks* by the *Thames* ſide, between *Purfleet* and Graveſend.

315 Common *Wood Moſs*. Muſcus *terreſtris* latioribus foliis major, ſeu vulgaris, *Ray* 122.1. & Vol.3. p.43. pl 8. 624.1. H. Ox.B. Syn.17.6. ed.36.1. But the Synonyms there to CB. IB. &c. belong to N° 329. This Moſs is very common in ſhady Woods and Hedges. It *Heads* in *Dec.* and *Jan.*

316 *Sherard's* common *Iriſh Moſs*. Muſcus *erectus* major, *foliis* anguſtioribus acutis, *Ray* 3 p 44 pl.1 Syn. ed.237. Like the laſt, but with ſharper and thinner Leaves. Common in *Ireland*.

317 Doody's *hook-leaved* Moſs. *Muſcus* erectus *foliis* reflexis, *Ray* 3. p 44. Syn. ed.337. pl. 4 Ox. B.624.2. T.5. f.2. f. 2. Its crooked Leaves and being ſomewhat leſs, differ it from N°. 315. *Grows* in wet *Graſſ* Grounds.

318 Doody's *hook leav'd* Bog-Moſs. Muſcus *paluſtris* ſcorpoides *ramoſus* erectus. Its Leaves and Tips are both reflex. *Found* on the *Bogs* behind *Charlton*.

319 *Ray's* long pointed *Bog Moſs*. Muſcus *paluſtris* valde ramoſus, *furculis* erectioribus, *foliolis* in tenues & longos mucrones productis, *Ray* 3. p47 Syn ed 39. 14.

320 *Vernon's*, Hinton-Moor Moſs. Muſcus *paluſt.* major, *fol.* membranaceis acutis, *Ray* 3 p 47. Syn ed 39.19. Its *Stalks* long and golden, with a *crooked* Cap and Head, *growing* from the Bottom of the Leaf, in *May* and *June*, in moſt *Bogs* and *Moors*.

321 Our common *Cypreſs-Moſs*. Muſcus *terreſt.* vulg. *Cupreſſi* foliis, *Muſ. noſt.* 81 *Ray* 3 p 45 & 47. pl 6. Syn ed 39. 20. Muſcus *Cupreſſiformis* ramoſus, CB 361. 9. pr 152 9. ex ſent. Inſt. R. H. 554 pl 7. Ox B 626.27. T 5. f 4 f 27. Common in *Woods* and ſome *Paſtures*. Heads *in* December.

322 Buddle's *ſlender* Cypreſs Moſs. *Muſcus* Cupreſſiformis, *flagellis* tenuioribus & *fol.* acutis.

323 Buddle's *thick* Cypreſs-Moſs. *Muſcus* Cupreſſiformis, *viticulis* brevioribus & craſſioribus ferè rotundis, & ſupinis.

324 Doody's *upright* Flat-Moſs. *Muſcus* erectus *fol.* anguſtis caulibus appreſſis, *Ray* 3. p.44. pl.1. Syn. *ed.* 337. pl. ult. *Muſcus* ramoſus *erectus* major CB.361 6. *prodr.* 151 5. ex. ſent. *Inſtit.* 553. pl 3. *Common* in *barren* Woods.

325 *Buddle's* Suffolk *Houſe-Moſs* Muſcus *domeſticus* noſtras, *furculis* erectis rigidis, *capitulis* in pediculis perbrevib. *Buddle*. Firſt found by him and only in *Suffolk* on Barns or *Thatcht Houſes*.

326 *Pluknet's* ſlender *Mountain-Moſs*. Muſcus *Cupreſſinus*, Bocc. Muſ. p.161. Tab.108. *Muſcus* terreſt. *Arborum* ſtipitibus adnaſcens major & erectior, *Ray* 3. p 47. Syn ed 39.15 & R 3. p 33 & 38, pl 42. Ox B 624.7. T 5. f 1. f 5. *Fluk* 47 f 4. Inſt. 555. pl 2. Its *Heads* long and upright on fine *Stalks*, but rarely ſeen. I have obſerved it *plentifully* in ſome *deep, ſhady*, chalky Lanes.

327 Hairy *Welch Moſs*. Muſcus *terreſt.* vulg. *lanuginoſus* Alpinus, *Ray* 3. p 45. pl 3. Syn 18.xi. ed 37.5. *Fluk* 47. fig 5. Ox B 625.7. T 5. 82. f ult. qr. CB 360 9, Ger 1370 f 1. Its *Stalks* and *Heads* ſhort, very *common* on the *Mountains* of *Wales*.

328 *Our* Hairy *Mountain-Moſs*. Muſcus *trichoides* lanuginoſus *Alpinus*, Muſ. noſt. 83. It's much ſmaller than the laſt. This I found in the *Sweedland* Hills in *Leiceſterſhire*.

329 Common *White* Bog-Moſs, *Ray* 122, Syn 18.9 ed 37,4. Ox B 625,4

Muſcus *paluſtris* in *Ericetis* naſcens *floridus*, Pluk 101. f 1. *Muſcus* terreſtris *vulgatiſſimus*, CB 360,1. Dod 472, f 1. *Jonſt* 1559 f 1, Park 1306 f 1. L 6 Ic 2. p 242, 2. *B* 279. f laſt 554. pl 17. Very *common* in *Watry Bogs*, where it's green, but white when dry. It *bears* round black ſtalkleſs *Heads* in *June*.

330 Red *Bog-Moſs*. Muſcus *paluſtris* rubedine tinctus, *Norwegicus*, Nob. Ox *B* 625,4. Var. Its a Variety of the laſt turning red when dry.

331 *Brotherton's fine white* Water-Moſs. *Muſcus erectus* paluſtris *albus*, foliis capillaceis, *Ray* 3 p 45. pl 1. Syn ed 338 pl 1 Found by this *Curious Gentleman* in *Lancaſhire*.

332 Ray's *Tree like* Moſs. Muſcus *Dendroides* ſylvarum, erectis ramulis *Kali* æmulis, rad. repente, *Ray* 3. p 36. pl 23. Syn ed 32.22. Ox B 626,30. Tab 5, f 4. f opt *Inſt* 554 pl 5. This has a long naked ſcaly *Stalk* ſpreading above like a Tree. *Heads* in *March* at the Roots of Feld Trees in *moiſt* Woods.

333 *Vernon's* Tree like *Moſs*. Muſcus *Dendroides* elatior, *ramulis* crebris minus furculoſis, *capitulis* brevibus, *pediculis* inſidentibus, *Ray* 3. p 36. pl 23. Syn ed 32,23. Ox B 626,31 T 5. f 4. f opt. *Inſt* 554. pl 6. Like the *laſt*, but *taller*, and with cloſer and fewer Sprigs. Obſerved by Mr. *Vernon* at *Gamlingay*, and by Mr. *Buddle* in barren Fields near *Ipſwich*.

SECT. III. Muſci *terreſtres* minores. *Small* Earth Moſſes.

334 Velvet *Moſs*. Muſcus *terreſtris* vulgaris minor, *Adianti aurei* capitulis. *Ray* 122. Syn 18,8. ed 36, 2. R 3. p 43. Pl *Paris* 502. pl 2. Inſt 553. pl xi. *Heads* in *December* &c. from the Sides of its Branches in barren Paſtures, and in *Woods* at the Bottom of *Trees* and *Shrubs*.

335 Ray's *ſmaller* Earth Moſs. *Muſcus* terreſtr. *repens*, *Adianti* ſpeciei ſimilis, ſed multo minor, *Ray* 3. p 44. pl 4. Syn ed 38,8 B Ox 625,5 T 5. f 2. f Inſt 533 pl 5. The Leaves in this are paler and ſmaller than the laſt, with which it is alſo found.

336 Turnfort's *crookheaded* Moſs. *Muſcus* ſquamoſus ramoſus craſſior *capitulis* incurvis, *Inſt* 553. pl 12. Differs from 334, in being thicker. *Heads* in *December* and *January*, at the Roots of *Trees* and *Shrubs*.

337 Ray's *ſmall* ſhort headed *Moſs*. Muſcus *terreſtris* parvus, *capitulis* brevibus tumidis nonnihil incurvis & rotundis, *Ray* 3. p 45. Syn. ed 38, 10. Its *Heads* ſhort, ſwelled and ſomewhat bending, coming out of the Sides, on a half-inch Stalk on a bulbous Baſe. *Found* with the *laſt* in *December* or ſooner.

338 Our *creeping Moſs* with ſhining Leaves, *Muſ.* noſt. 83. Muſcus *terreſtris* luteo viridis ſericeus repens, *Ray* 3. 45. Syn ed 38, 12. Ox B 626 5. T 5. f 4. f. Common on *Brick Walls* near *London*; it's eaſily known by its creeping and Silky Gloſs. *Heads* in *Winter*.

339 *Doody's* ſhining *Tree* Moſs. *Muſcus* repens ſerici modo lucens, *viticulis* longioribus erectis, *Ray* 3. p 44. pl ult Syn ed 338, 5. Ox B 626, 26. T 5. f 4. f Shines like the laſt, with upright thicker Sprigs. *Grows* on *Trees*, &c.

340 *Bobart's* curled *Godſtow* Moſs. *Muſcus* terreſtris *repens* rubeſcens, *foliolis* criſpis minoribus ramuliſque denſius confert. is, Ox 625, 12. T 5. f 3. f Its *ſprigs* ſoft, yellowiſh, ſilky and curled. *Grows* on the *Walls* of *Godſtow* Church-yard 2 Miles from *Oxford*.

341 *Davies* curled *Bog-Moſs.* Muſcus *ſcorpoides* paluſtris, *fol.* criſpis pyramidalibus, *Ray* 3. p.28 & 35. Syn ed 22. 36. Ox 625.9. A yellow Moſs with curled and coyling Sprigs. *Found* by Mr *Davies* on *Hinton-Moor.*

342 *Bobart's* ſmall *Fir-moſs.* Muſcus *terreſt.* ſurculis filamentoſis tenacibus *Abietinis* ſemel tantum diviſis, *Bob Ox.* 626.22 T 5. ſ 1. f *Inſt.* 554.4. Its Sprigs ſingle brancht, creeps amongſt the *Graſs* on *dry* Hills.

343 *Ray's* ſmall *Fern*-moſs. Muſcus terreſt. parvus ſupinus *Filicis* modo interdum pennatus, *Ray* 3. p 45. Syn ed 38.9. Fl. *Pruſſ.* 167. pl 454.f It's like N°334. but leſs, and ends in longer Sprigs. *Found* in Brambly Places.

344 *Ray's* ſmall *Moſs* with big *Heads.* Muſcus *terreſt.* omnium minimus, *capitulis* majuſculis oblongis erectis, *Ray* 3. p 45. Syn ed 38. xi. Ox 625.14 T 5 ſ 3. f 6. On *Sheds Pales, &c.* Mr *Buddle* has alſo obſerved it at the *Bottom* of *Trees* in moiſt Places in *April.*

345 *Ray's Stonecrop* Moſs. *Muſcus* terr. ſurculis *Kali* aut *Illecebræ* æmulis, *foliolis* ſubrotundis ſquamatim incumbentibus *Ray* 3. p 45 Syn.ed 37.6. Ox 626.28. *Common* in *Woods* at the *Roots* of Trees.

346 *Ray's* ſharp-pointed *midling* Moſs. *Muſcus* terr. medius, ſupinus & repens, *foliolis* crebris in acu os mucrones productis, R 3. p 45 Syn ed 37.7. *Common* on *Thatch* and Tree-*Roots* in *Nov.* and *Decemb.*

347 *Doodyes* ſmall flat faced Moſs. *Muſcus* fol. caulibus appreſſis uno verſu diſpoſitis, viticulis minoribus. *Reſembles* the *laſt*, but *leſs*, and found with it.

348 *Doodyes* common *Flat* Tree Moſs. *Muſcus* vulg. minor, *cauliculis* compreſſis, *Ray* 3. p 47.Syn. 244.pl 3. ed 39.18. Inſt 555. 3. *Heads* in *Dec.* and *Jan.* at the *Roots* of ſmall *Trees.*

349 Dr. Richardſons *Club-faced* Bog-moſs. *Muſcus* terreſt. repens, *Lycopodii* formè facie, *Ray* 3. p 43.6. Syn ed 337. pl 5. Ox 626.24. T 5. ſ 4. f. I have met with this pretty Moſs in ſome moiſt Ditches in *Biſhops Wood* Hampſted. Heads about *Midſummer.*

350 *Buddles* Wood *Feather-moſs.* Muſcus *pennatus* ſylvaticus. qr? Ox. 626. 35. T 6. ſ 1. f. *Grows* on the ſandy Banks of a dry Ditch between *Cain-Wood* and *Mother Huffs.* Heads in *May* and *June.*

351 Scamptons *Peak* Moor-moſs. *Muſcus* aquat. *pileis* acutis *Muſ.* noſt. 74. Fig. Ox 626. 29. T 5. ſ.4. f. Firſt *diſcovered* by this *Gentleman* on the large Stones which lie in the *Rivulets* amongſt the *Peak-moors* in *Derbyſhire.*

352 *Buddles* Feathered *Water-moſs.* Muſcus pennatus aquaticus. *Grows* on *Boughs* that lye in the *Water* in *Ponds*, &c. *Heads* in *Winter.*

353 *Doodyes* Feathered *Water-moſs.* Muſcus *pennatus* aq. *Ray* Syn ed 388. Obſerved by him in the *Thames*, and Dr. *Richardſon* in the *North.*

354 Dr. Sherards *Iriſh* Floating Moſs. *Muſcus* fluitans, *fol.* in flagellis longis tenuibuſque, *Ray* 3. p 45. pl 12. Syn ed 338. *Found* by him in the Pitts of the ſhaking Boggs in *Ireland.* Mr. Buddle *has alſo obſerved it* in *Auguſt* in our *Winter-Ponds*, viz. *ſuch* as are near *dry* in the *Summer.*

SECT. IV. *Muſci* fol *ferè* pellucidis. *Glaſs-moſſes.*

355 *Sherards* Buſhy *Glaſs-moſs.* Muſcus *trichoides* ramoſus, *fol.* longis pellucidis & veluti ramoſis, R. 3. p 43 pl 4. Syn 243.1 ed 36.6. *Pluk* 49. f 1. Ox B 630. T 6. ſ ult. f 1. Muſcus *Polygoni* folio, *Pl Par* 504. Inſt 555. *Flor.* Pruſſ. 168. pl 457. f.46. This *Moſs* branches at Top, out of which comes 3 or 4 Heads together, each on long Stalks, in *March* and *April.* I have found this in *Bellſize Grove* near *Hampſtead*, and others the like Places.

356 *Pluknets* dry curled *Glaſs moſs.* Muſcus *Polytrichoides* pellucidus ferè, *fol.* denticulatis ad margines veluti *criſpis*, Ray *Syn* 240 Pluk 98. f. 8. Ox B 630.2. T 6. f These tranſparent L. curl and quickly fade; at the End of each ſingle Sprig comes one *Stalk*, ending in a long *crooked* Cap and Head. *Found* in divers ſhady Places about *Hampſtead.* Heads *in* November.

257 *Roſe* Glaſs-moſs. *Muſcus* parvus *ſtellaris*, CB 361. xi. *Ray* 113.4. Vol 3. p 39.7. Syn ed 35.7. Ox B 630.9. T 7. ſ 1. f 7. opt. *Jonſt.* 1563. f 14. Park. 1308. f 9. *Lob.* Ic 2, p 243. 1. B 179. f. *Muſcus* erectus *fol.* in orbem ſparſis, *Flor.* Pruſſ. 168. pl 457. f 47. This is known by its *Roſey* Tops, its *Heads* ſomewhat *crooked*, on Inch Stalks. In *moiſt Heaths* and low Woods.

358 Upright *Oval* Glaſs-moſs. *Muſcus* trichoides *fol.* Serpilli rotundis, erectus *major*, R 3. p 43. pl 3. Syn ed 338. pl 6. Ox B 627. 39. T 6. ſ 1. f ult. Its upright and larger than the next. *Grows* in Bogs and Moors, &c. in *Ireland*, *Wales* and elſewhere.

359 *Ray's* Oval *Glaſs-moſs.* Muſcus *fol.* paucis ſubrotundis pellucidis, *Nob* Ox B 627. 40. T 6. ſ 2. f 1. opt. *Pluk.* f 7. Adiantum *aureum* humilius, *fol.* latis ſubrotundis, Cat. Angl. & *Hiſt.* 124.5. Vol. 3. p.40.1. *Syn.* 19. 5. ed 1. Its Leaves oval and thin ſet. *Grows* in ſhady Lanes moiſt low Woods, &c.

360 *Pluknets* round *Glaſs moſs.* Muſcus *trichomanoides* ſupinus noſter elegans, *Pluk.* Algmageſt. Ox. B. 627. 41. T ſ 2. f 2. opt. Its commonly brancht with thin ſet round ternate Leaves. In *moiſt Ditches* and ſhady Places.

361 *Loſels* round *Glaſs-moſs.* Muſcus *Trichomanoides*, ro undioribus pellucidis, ſquamatim conjunctè ſibi incumbebus, B Ox 627.42. Tab 6. ſ 2. f 3. *Loſel.* 167. pl.456. ſ 45. c Theſe *Leaves* are round, cloſe ſet and often branchт. I ha met with this in *moiſt ſhady* Places.

362 *Cornwall* Glaſs-moſs. *Muſcus* aq. *Cornubienſis*, plu mum capillaceus, foliolis exiguis alternis per totam capillor longitudinem adnatis, *Bob* Ox 627 48. Its Leaves very ſm roundiſh, alternately ſet and thin Firſt diſcovered by the *R verend* Mr Stevens in *Dartmore Lake*, Cornwall.

363 *Lhwyds* purple Glaſs-moſs. Muſcus *Trichomanoides* p pureas, *Alpinis rivulis* innaſcens, R.S. ed 41. 1. Ox B 627. *var.* T 6. ſ 3 f ult. Found by Mr *Lhwyd* in the Rivulets the higheſt Mountains in *Wales.*

364 *Bobart's great Feathered* Glaſs-moſs. *Muſcus* penna *capitulis* Adianti, *Bob* Ox 626.36. T 6. ſ 1. f 5. R.S 236. qr? p 35.2. Found in ſhady moiſt Woods, &c. *Heads* in Decem and January.

365 *Rays* ſmall Feathered *Glaſs moſs.* Muſcus *Filicifol* ſ. pennatus minor, pinnulis plurimis ad mediam coſtam lati culis crebris, *Ray* 3. p 40.6. Syn ed 35.3. Ox B 627. 37. Li the laſt, but in all Parts leſs. On the Banks of ſhady Ditch in Woods, &c. Heads in *Dec.* and *Jan.*

366 *Vaillants* Pin-feathered *Glaſs-moſs.* Muſcus *pennat* omnium minimus, *Inſtit.* 556. Muſcus *Polytrichoides* perexig us, capitulis in ſummis ſurculis ſ. foliis ſubrotundis erectis, *R* 3. p 40 7. Syn ed 35.4. Smaller than the Two laſt, and partic larly differs in bearing its Head at the Top of its Leave Heads with the laſt, and grows in the like Places.

SECT. V. *Muſci* Trichoides, *capitulis* ferè *erectis.*

Pike Moſſes.

367 *Bobarts* Hearth-*moſs.* Adiantum *aureum* medium, *fo* tenuiſſimis, *capit.* erectis acutis, *Ray* Syn 237. *Bob* Ox 630. T 7. ſ 1. f xi. opt. *Polytrichum* aureum *medium*, Ray 124. 3. *ſent.* Bobart. *Inſt.* 551.6. Common in *Biſhops Wood*, Hampſte

368 *Doodyes* long-headed *Moſs.* Muſcus *trichoides* minu *capitulis* longiſſimis, *Ray* 3. p 34.4. Syn 243. ed 29. 3. Ox 631.13. T 7. ſ 1. f 13. *Inſt* 551.7. Its very *long Heads* f ſo ſmall a Moſs differs it from others. On the dry ſand Banks, about Mother *Huffs*, &c. Hampſted. *Heads* in Feb and March.

369 Our *Extinguiſher* Moſs. *Muſcus* trichoides *pileis* mag nis acutis, *Muſ.* noſt. 89. fig. *Ray* 3. p 37.24. Syn ed 32.2 Ox B 630.12. T 7. ſ 1. f 12. *Inſt.* 552. Its large long cone Cap *differs* it from others. I firſt obſerved this on the o *Flint Wall* in the Road near St. *Albans.* Heads *in* Decemb

370 Dr. *Richardſons* hook-leaved *Bog-moſs.* Muſcus *tri choides* paluſtris, *capit.* erectis, *fol.* reflexis, *Ray* Syn ed 338 Its alſo found both in *Ireland* and *Wales.*

371 *Common* Wall *Pike-moſs.* Muſcus *trich.* parvus, *fo* Muſci vulg. *capit.* longis acutis, *Doody* Ray Syn 243. pl 5 ed 28.1. *Hiſt.* V.3. p 34. pl 1. Ox B 628.4. T 6. ſ 3. f qr id. 628.1. T 6. f. Its Leaves are mixed with white Hair Very common on all the *Brick Walls* about *London.* Heads i *Dec. Jan.* &c.

372 Bobarts *Wall* Pike-moſs. *Muſcus* tectorum *denſis* ce pitibus, *capit.* oblongis, *fol.* latiuſculis in pilum deſinentibus *Bob* Ox 628. 2. T 6. ſ 3. f. *Leaves* broader and round iſh, with *pointed Heads*, but not ſo crooked as the laſt

373 Mr. Dyers *Devon-moſs.* Muſcus *trichoides* humili ramoſus, *capitulis* oblongis, tumidiuſculis donatus, *Bob* O 628 3. T 6. ſ 3. f This *differs* from the foregoing, in bein *branched.*

374 Bobarts *Roſe* Houſe-moſs. *Muſcus* muralis *minimu* Roſeus, *ſeu* ſtellaris, *capit.* longiuſculis acutis erectis, *Bo* Ox 629.12. T 6. ſ 3. f Each Sprig ends in a *Roſe.* Grow ſcarce half an Inch high, on *Walls* and *Hedge ſides* plentifully.

375 Doody's *Globe-moſs.* Muſcus *trich.* medius, *capitulis* ſphericis *Ray* Syn 243. pl 2. ed 30. xi. Ox B 628. 6. T 6 ſ 3. f opt. Adiantum *aureum* minus, *capitulis* rotundis *Bobarti*, Ray Syn 237. Inſt. 551. An elegant Moſs, and *pretty common* on the ſandy Banks in the Lane from the *Spaniards* at *Park-Gate* towards *Highgate.* Heads in *March.*

ortus Siccus Pharmaceuticus:

SIVE,

Collectio Curioſiſſima Plantarum Officinalium;

n Exoticarum quàm Indigenarum, Alphabetico Ordine diligenter digeſta.

CUM

Synonymis Neceſſariis, Locis Natalibus & Tempore Vigendi.

ceſſerunt etiam illarum Partes ac Preparationes quæ maximè ſunt in Uſu.

Explicatio Nominum Abbreviatorum.

Litera in Margine poſita indicat plantas illas quibus præfigitur, aut Angliæ Indigenas eſſe, aut in Agris paſſim ulias.

Caſpari Baubini Pinax.

Gerardi Hiſtoria emaculata à Tho. Johnſono.

Joannis Baubini Plantarum Hiſtoria Univerſalis.

Exibet Nomina Plantarum, quibus vulgò vocantur in Officinis noſtris.

Joannis Parkinſoni Theatrum Botanicum.

Præp. *Enarrat Præparationes ſeu Medicamenta quæ in Officinis noſtris frequentiſſimè exhibentur:*

Raij Cat. Angl. *Denotat Catalogum Plantarum Angliæ & Inſularum adjacentium.*

Raij H. Pl. *Indicat Hiſtoriam Plantarum Univerſalem ab Eruditiſſimo Viro, & Botanico Peritiſſimo D.* Joanne Raio *nuper Editam.*

Uſu *Explicat Partes iſtius Plantæ quæ in Arte Pharmaceuticâ quotidiè uſurpantur.*

Pſyllium *Offic.* ſeu *Pulicaris Herba. Ger.* Raij *H. Pl.* 881. *Sem.* quod in *Autumno* perficitur. **Flea-wort.**

Plantago Anguſtifolia ſeu **Quinquenervia** *Offic.* ij *Cat. Angl.* & *H. Pl.* 878. Uſu *Fol.* in *Paſcuis* frequen-. **Ribwort** or **Ribwort Plantain.**

Polygonatum & **Sigillum Salomonis** *Offic.* La-ol. vulg. *C. B. Raij Cat. Angl.* & *H. Pl.* 664. Uſu *Rad. Bacc.* In *Sylvis* quibuſdam in *Occidentalibus Angliæ* ciis. **Solomons Seal.**

Polygonum & **Centinodia** *Offic.* & *J. B.* Raij *Cat. gl.* & *H. Pl.* 184. Uſu *Herba.* Præp. *Aq.* in *Arvis* & jux-*Semitas* paſſim. **Knot-graſs.**

Polypodium *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* . Uſu *Rad.* Præp. *Ol. Stil.* In *Muris* antiquis, *Truncis* rum & ad earum radices. **Polypody.**

Populus *Offic.* nigra *Ger.* Raij *Cat. Angl.* & *H. Pl.* 7. Uſu *Gemmæ.* Præp. *Ol.* & *Ung.* ad *Ripas fluviorum* n *Aquoſis.* The **Black Popiar.**

Porrum *Offic.* commune capitatum *C. B.* Raij *H. Pl.* 6. Uſu *Rad.* & *Fol.* Præp. *Aq.* in *Hortis* colitur. ks.

Portulaca *Offic.* Hortenſis Latifolia *J. B.* Raij *H. Pl.* 1039. Uſu *Fol.* & *Sem.* quod inter quatuor *Sem.* frigid. minora locum obtinet. Præp. *Aq. Syr.* & *Loboc.* **Garden Purſlain.**

Paralyſis & *Primula Veris* Offic. odorata fl. luteo ſim-plici. *J. B.* Raij *Cat. Angl.* & *H. Pl.* 1081. Uſu *Fol.* ac *Flor.* Præp. *Aq. Syr.* & *Conſ.* Aprili floret in *Paſcuis* ubique. **Paigles** or **Cowſlips.**

A. **Prunella** *Offic.* Vulgaris *Park.* Raij *Cat. Angl.* & *H. Pl.* 551. Uſu *Fol.* ac *Flor.* Præp. *Aq.* Floret *Junio* in *Paſcuis.* **Self-heal.**

Perſica *Offic.* mas Perſica *J. B.* Raij *H. Pl.* 1515. Uſu *Flor. Nucl.* & *Fruct.* Præp. *Syr. Martio* & *Aprili* floret, *Fructus* Septembri perficitur. *The* **Peach.**

A. **Perſicaria** ſeu **Hydropiper** *Offic.* vulg. acris ſeu minor. *Park.* Raij *Cat. Angl.* & *H. Pl.* 182. Uſu Fol. *Julio* & *Auguſto* floret ad *Rivulos* & *Foſſas.* **Lake-weed** or **Arſmart.**

A. **Petaſites** *Offic.* vulg. rubens rotundiore fol. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 260. Uſu *Rad.* Floret initio *Veris* & in aquoſis ac *Paluſtribus* creſcit. **Peſtilent-wort** or **Butter-Bur.**

Phu ſeu **Valeriana** *Offic.* Valeriana major, odorata radice *J. B.* Raij *H. Pl.* 388. Uſu *Fol.* & *Rad.* in *Hortis* creſcit. **Great Garden Valerian** or **Sett-wall.**

A. **Phyllitis** & **Lingua Cervina** *Offic. C. B.* Raij *Cat. Angl.* & *H. Pl.* 135. Uſu *Fol.* quæ inter quinque *Herbas* Capillares enumerantur. In *Umbroſis, Uliginoſis* & *Saxoſis.* **Harts-Tongue.**

A. **Piloſella, Auricula Muris.** *Offic.* minor vulg. repens *Park.* Raij *Cat. Angl.* & *H. Pl.* 242. Uſu *Fol.* cum *Flor.* Præp. *Aq.* & *Syr. Comp. Junio* & *Julio* interdam etiam *Maio* floret in *Paſcuis arenoſis.* **Mouſe-Ear.**

A. **Plantago Latifolia** *Offic.* Vulgaris, *Park.* Raij *Cat. Angl.* & *H. Pl.* 878. Uſu *Fol. Rad.* & *Sem.* Præp. *Aq.* & *Syr. Julio* ſpicas fert. Ad *vias* ubique **Way-bread** or **Plantain.**

A. **Pimpinella Sanguiſorba** *Offic.* vulg. ſeu mino *Park.* Raij *Cat. Angl.* et *H. Pl.* 401. Uſu *Fol.* et *Rad.* Præ *Aq.* in montoſis pratis et paſcuis. **Swall Burnet.**

Piper Indicum ſive **Capſicum** *Offic.* Raij *H. Pl.* 676. Uſu *Siliquæ*, ſed cautè uſurpandæ. **Guinny Pepper.**

Piſtachia *Offic.* et *Ger.* Raij *H. Pl.* 1682. Uſu *Nuclea* cum *Cort.* ejus. In *Perſia, Syria, Italia,* &c. naſcitur. *The* **Piſtachio** or **Fiſtick Nut-Tree.**

A. **Ptarmica** *Offic.* vulg. fol. longo ſerrato fl. albo. *J. B. Raij Cat. Angl.* & *H. Pl.* 344. Uſu *Rad.* & *Fol.* Junio Floret. In *Pratis* udis & *Paluſtribus.* **Sneezwort** or **Baſtard Pellitory.**

A. **Pulegium Regale** *Offic.* latifolium *C. B.* Raij *Cat. Angl.* & *H. Pl.* 533. Uſu *Fol.* & *Flor.* Præp. *Aq. Spt.* & *Ol. Stil.* Junio & Julio Floret. In Locis Paluſtribus & aquoſis gaudet. **Pudding-Graſs** or **Penny Royal.**

Pulmonaria maculoſa *Offic.* & *Ger.* Raij *H. Pl.* 488. Uſu *Fol.* cum *Flor.* Præp. *Aq.* Aprili *Floret.* **Jeruſalem Cowſlips, Sage** of **Jeruſalem** or **Spotted Lungwort.**

Pyrus *Offic.* Sativus *C. B.* Raij *H. Pl.* 1450. Uſu *Fruct.* Aprili & Maio *Floret*, & per totam ferè æſtatem *Fructus* maturat. *The* **Pear-Tree.**

Salvia Hort. major *Offic.* major vulg. *Park.* Raij *H. Pl.* 509. Uſu *Fol.* & *Flor.* Præp. ex Flor. *Conſ.* ex Fol. *Aq.* & *Syr.* Junio & Julio *floret.* **Common Sage.**

A. **Salvia Sylveſtris** ſeu **Scorodonia** Offic. *Scordotis* ſeu *Scordium* Fol. Salviæ *J. B.* Raij *H. Pl.* 570. & *Cat. Angl.* Uſu *Fol.* In Sylvis & dumetis creſcit. **Wood Sage.**

A. **Sambucus** *Offic.* fructu in umbella nigro *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1609. Uſu *Fol.* & ejus *Gemmæ, Flor. Cort.* & *Baccæ.* Præp. ex *Fol.* Ung. ex *Flor.* Aq. et Ol. ex *Bacc.* Aq. Syr. Symp. & Comp. Vin. Rob. & Trag. Gr. Actes, *Maio* & *Junio* Floret, *Baccæ* Matureſcunt *Autumno.* In ſepibus & locis ruderatis. **Elder.**

A. **Saxifraga Alba** *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* 1084. Uſu *Fol.* cum *Flor.* & *Rad. granuloſis.* circa finem *Aprilis* & Initio *Maij* floret, in *Pratis* & *Paſcuis ſiccioribus* creſcit. **White Saxifrage.**

A. **Scordium** *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* 576. Uſu *Fol.* Præp. *Tinct.* & *Aq. Comp. Junio* ac *Julio* Floret, in *Locis Humidis.* **Water Germander** or **Scordium.**

Scorzonera Hiſpanica *Offic.* ſeu *Viperaria Ger.* Raij *H. Pl.* 248. Uſu *Rad.* in Hortis noſtris *Julio* menſe Floret. **Vipers Graſs** or **Scorzonera.**

A. **Scrophularia** *Offic.* nodoſa fœtida *C. B.* Raij *Cat. Angl.* & *H. Pl.* 764. Uſu *Fol* & *Rad.* Floret *Julio* & *Auguſto* in Dumetis & Sepibus. **Brown-wort** or **Fig-wort.**

A. **Secale** *Offic.* vulgatius *Park.* Raij *Cat. Angl.* & *H. Pl.* 1241. Uſu *Grana. Julio* maturant, & in *Agris* ſeruntur. **Rie.**

A. **Senecio** & **Erygeron** *Offic.* minor vulg. *C. B.* Raij *Cat. Angl.* & *H. Pl* 2900. Uſu *Herba integra.* Vere Florere incipit & per totam æſtatem durat. In Arvis, Hortis, & Areis ubique occurrit. **Groundſell.**

A. **Serpillum Citratum** *Ger.* ſeu foliis Citri odore *C. B.* Raij *Cat. Angl.* & *H. Pl.* 522. Uſu tota *Herba.* Præp. *Aq. Spt.* & *Ol. Stil.* in *montoſis* ſed rariùs. **Lemon Thyme.**

A. **Serpillum** *Offic.* Vulg. minus *Park.* Raij *Cat. Angl.* & *H. Pl.* 521. Uſu *Fol.* cum *Flor.* Præp. *Aq. Maio* et *Junio* Floret. In *Montoſis* et *Paſcuis* Siccioribus. **Mother** of **Thyme.**

A. **Soldanella,** et **Braſſica marina** *Offic.* vulg. ſeu *Volubilis* marina *Park.* Raij *Cat. Angl.* & *H. Pl.* 726. Uſu *Fol.* in *Littoribus Maris Arenoſis.* **Sea Bind-weed, Sea Cole-wort** or **Scottiſh Scurvy-Graſs.**

Abies *Park.* Taxifolijs *Raij* Hiſt. Plant. Pag. 1394. In
ſunt *Folia* & ejus *Reſina* quæ duplex ab hac Arbore
citur. Prima, *Liquida* Officinis *Terebinthinam Venetam*
t *noſtratibus* Argentoratenſem, i. e. *Straſburg*) falſo
cant. Secunda, *Sicca* quæ *Thus* æmulatur. *Lignum* Deal
catur Præp. *Ol. Still.* Hæc non eſt *Abies*, qua vulgo utun-
in noſtris *Officinis*, attamen multo præſtantior eſt. *The*
ew-**Leaved**, or **White Firr-Tree.**

Abies *Officinarum.* Picea *Park.* Raij *Hiſt. Plant.* 1396.
ſu *Folia.* Hæc *Arbor* copioſam *Reſinam* uſtione præbet;
primis, cum tenuioris Conſiſtentiæ ſit; *Pix Liquida* ſeu
arr vocatur; ſed cum decoctione dephlegmatur, craſ-
ſcitque, *Pix Sicca*, vel **Pitch**, nobis dicitur. *The* **Com-**
on Firr, or **Pitch-Tree.**

Abrotanum mas *Officin.* mas anguſtifolium majus,
B. Raij *H. Pl.* 371. Uſu *Fol.* Præp. *Aqua* & *Conſerva.* In
ortis colitur. **Southern-Wood.**

Abrotanum fœmina, *Chamæcypariſſus Offic.* Abrota-
m fœm. vulg. *Park.* Raij *H. Pl.* 359. Uſu *Fol.* & *Sem.*
æp. *Aq.* & *Conſerv.* **Lavender Cotton.**

Abſinthium Vulgare *Offic.* & *Park.* Raij *H. Pl.* 366.
Catal. Angliæ. Uſu *Fol.* ac *Semen.* Præp. *Aq. Spt. Vinum*,
r. Troch. Ol. Stil. & *Sal.* Creſcit in Ruderatis & Incultis
is frequenter. **Common Worm-Wood.**

Abſinthium Romanum vulgare *Offic.* Seriphium ſive
arinum Anglicum *Park.* Raij *H. Pl.* 370. & *Cat. Angl.*
ſu *Fol.* ac ejus *Summitates.* Præp. eædem cum vulgari. In
aritimis **Engliſh Sea Worm-Wood**, and com-
only (but falſly) called **Roman Worm-wood.**

Abſinthium Romanum verum. Tenuifolium Ponti-
m Galeni *Ger.* Raij *H. Pl.* 367. *The True* **Roman**
Worm-Wood.

Acetoſa, *Oxalis Offic.* & *Ger.* Raij *H. Pl.* 178. & *Cat.*
gl. Uſu *Fol. Rad.* & *Sem.* Præp. *Syr.* & *Conſerv.* In pra-
& paſcuis. **Common Sorrel.**

Acetoſa rotundifolia Hortenſis *C. B.* Raij *H. Pl.* 180.
e uſurpatur loco vulgaris, & *Præp.* eædem, cui præ-
; acidiore ſapore prædita. **Roman**, or **French**
orrel.

Acorus Adulterinus *Offic.* Iris paluſtris lutea, *Ger.* Raij
Pl. 1186. & *Cat. Angl.* Uſu *Rad.* Ad Ripas Fluviorum.
llow Water Flag, or **Flower-de-luce.**

Adianthum Album *Offic.* Ruta muraria, ſeu Salvia
r, *Park.* Raij *H. Pl.* 146. & *Cat. Angl.* Uſu *Fol.* quæ
r quinque Herbas Capillares locum occupant. In mu-
ntiquis, & pontibus Lapideis naſcitur. **White Mai-**
-Hair, **Wall-Rue**, or **Tent-Wort.**

Adianthum Aureum *Offic.* Polytricum Aureum majus,
k. Raij *H. Pl.* In Pharmacopeia nominatur, ſed in Uſu
venit. In Sylvis udis ac paludoſis creſcit. **Goldilocks**,
Golden Maiden-Hair.

Agnus Caſtus & **Viter**, *Officin.* Vitex foliis angu-
ibus Cannabis modo diſpoſitis, *I. B.* Raij *H. Pl.* 1696.
Sem. ſeu potius *Fructus*, Præp. *Troch.* *The* **Chaſt-**
ee.

Agrifolium ſeu **Aquifolium**, *Park.* Raij *H. Pl.* 1622.
Cat. Angl. In Uſu raro occurrit, attamen *Fol.* & *Baccæ*
olorem Colicum & tormina inteſtinorum mire con-
unt, & ex *Corticibus* hujus Arboris *Viſcus* paratur. *The*
ly-**Tree.**

Agrimonia Ger. & Eupatorium Græcorum *Offic.* Raij
Pl. 400. & *Cat. Angl.* Uſu *Fol.* Præp. *Aq. Sal* & *Syr.*
ate Floret in Paſcuis & ad ſepes. **Agrimony.**

Alcea Ægyptiaca, *Abel Moſch* ſeu *Moſch* Arabum. *Se-*
mina valde odorata ſunt, & cum *Odorarijs* frequenter in
Uſu. **Muſk-Seed.**

A. **Alchimilla** *Offic.* & *Ger.* Raij *H. Pl.* 209. & *Cat. Angl.*
Uſu *Fol.* In paſcuis & pratis montoſis. **Ladies-Mantle.**

Alkekengi & **Halicacabum**, *Offic.* Solanum Veſica-
rium, *C. B.* Raij *H. Pl.* 681 Uſu *Fruct.* qui Autumno ma-
turant. *Præp.* Troch. **Winter-Cherries.**

A. **Alliaria** *Ger.* Raij *H. Pl.* 792. & *Cat. Angl.* Uſu *Fol.*
Vere floret, in ſepibus & aggeribus foſſarum. **Jack by**
the Hedge, or **Sawce alone.**

Allium *Offic.* & *Ger.* Σκόροδον *Dioſc.* Raij *H. Pl.* 1125.
Uſu *Fol.* & *Rad.* in Hortis colitur. **Garlick.**

A. **Alſine** *Offic.* minor ſeu media. *Ger. Raij H. Pl.* 1030.
& *Cat. Angl.* Uſu *Herba Integra.* **Common Chick-**
Weed.

A. **Althea** *Offic.* vulgaris *Park. Raij H. Pl.* 602. & *Cat.*
Angl. Uſu *Syr. Rad.* & Fol. Ex *Quinque Herb. emolient.*
Præp. *Sem.* & *Ung.* In paluſtribus marinis. **Marſh-**
Mallows.

Ammi vulgare *Offic.* & *Ger. Raij H. Pl.* 455. Uſu *Sem.*
Common Biſhops-Weed.

Amygdalus *Offic.* Dulcis & Amara, *I. B*, *Raij H. Pl.*
1519. Uſu *Nuclea.* Præp. *Ol. per Expreſſionem.* Primo Vere
Floret. *The* **Almond-Tree.**

A. **Anagallis** mas *Offic.* Flore phæniceo. *Park. Raij H.*
Pl. 1023. & *Cat. Angl.* Uſu. *Fol.* & *Flor.* in Areis & Hor-
tis. **Male Pimpernell.**

A. **Anagallis** Aquatica, ſive *Becabunga. Offic. Ger. Raij*
H. Pl. 852. & *Cat. Angl.* Uſu *Fol.* vel *planta integra.* In
rivulis & ad Fluviorum margines exit. **Common**
Brook-lime.

Anethum *Offic.* Hortenſe ſeu vulgare. *I. B. Raij H.*
Pl. 415, Uſu *Fol. Flor.* & *Sem.* Præp. *Ol. Stil.* & per *Infuſ.*
In Hortis nutritur. **Anet**, or **Dill.**

Angelica *Offic.* Sativa. *Ger. Raij H. Pl.* 434. Uſu *Fol.*
Rad. & *Sem.* quod in Julio & Auguſto perficitur. Præp.
Ol. Stil. **Garden Angelica.**

Aniſum *Offic.* & *Ger. Raij H. Pl.* 450. Uſu *Sem.* qui
inter quatuor Calida majora Carminativa locum poſſi-
det. Præp. *Aq. Sp.* & *Ol. Stil.* **Anniſe.**

A. **Argentina** ſeu Potentilla *Offic.* & *I. B. Raij H. Pl.* 617.
& *Cat. Angl.* Uſu *Planta integra.* Circa ſemitas & loca
aquoſa frequens. **Wild-Tanſy**, or **Silver-Weed.**

A. **Anonis** ſeu Reſta Bovis *Ger. Raij H. Pl.* 957. & *Cat.*
Angl. Uſu *Rad.* ac potiſſimum ejus *Cortex.* Præp. *Aq.* In
Paſcuis Sterilioribus frequenter occurrit. **Camock**, or
Reſt-Harrow.

A. **Apium** Paluſtre ſeu *Officinarum C. B. Raij H. Pl.* 447.
& *Cat. Angl.* Uſu *Fol.* & *Sem.* quæ inter 4. *Calida minora*
locum tenet. & *Rad.* quæ ad *Aperientes* refertur Præp.
Aq. & *Ung.* in Paludoſis & Foſſis præſertim maritimis,
Smallage.

A. **Aquilegia** *Offic.* Flore ſimplici. *I. B. Raij H. Pl.* 706.
Uſu *Fol.* & *Sem.* in Sylvis montoſis invenitur. **Colum-**
bines.

Ariſtolochia longa & rotunda, *Offic.* & *Ger.* (nam in
Folijs parum differunt) Uſu *Rad.* **Long** and **Round-**
Rooted Birth-wort.

A. **Arthemiſia** *Offic.* Mater Herbarum. *Ger. Raij H. Pl.*
372. & *Cat. Angl.* Uſu *Herba tota.* Præp. *Aq. Syr.* & *Sal.*
Ad Sepes & agrorum margines. **Mugwort.**

A. **Arum** *Offic.* Vulgare *Ger. Raij H. Pl.* 1208. & *Cat. Angl.*
Uſu *Rad.* & *Fol.* Præp. *Aq. Pulv. comp.* & *Fæcula.* Primo
vere exit in Sepibus & Umbroſis. **Cuckow-Pint**,
Wake Robin, and **Aron.**

Aſarum *Ger.* Vulgare *Offic.* & *Park. Raij H. Pl.* 207.
Uſu *Fol. Doſ.* ad *No.* 9. infuſa & expreſſa. *Rad. Doſ.* ad
3j. **Aſarabacca.**

Aſparagus Sativus *Offic.* & *Ger. Raij H. Pl.* 683.
Uſu *Rad.* que e quinque Rad. Aperient. *Turiones* ſeu *Ger-*
mina in cibis magni æſtimantur verno Tempore. **Spa-**
ragus, or **Sperage**, corruptly **Sparrow-Graſs.**

A. **Aſperula** ſive *Aſpergula* odorata *Offic.* & *Park.* Raij *H.*
Pl. 483. & *Cat. Angl.* Uſu *tota Herba. Majo* menſe *Floret*
in Sylvis & dumetis præſertim montoſis. **Woodroof.**

A. **Aſplenium**, ſive Scolopendra, Ceterach, *Offic. C. B*
Raij *H. Pl.* 139. & *Cat. Angl.* Uſu *Fol.* (quæ inter quinque
Herbas *Capillares* enumerantur) Præp. *Syr.* In Saxorum
crepidinibus inq; venuſtis muris provenit. **Ceterach**,
Spleenwort, or **Miltwaſt.**

Atriplex Sativa. *Offic.* & *Ger.* Raij *H. Pl.* 191. Uſu *Fol.*
& nonnunquam *Sem.* **Garden Orach.**

A. **Atriplex** *Offic.* olida *Ger.* a quibuſdam *Vulvaria* dici-
tur. Raij *H. Pl.* 198. & *Cat. Angl.* Uſu *Fol.* & *Sem.* juxta
parietes & in locis ruderatis creſcit. **Stinking Orach.**

A. **Avena** *Offic.* Vulg. ſive alba. *C. B.* Raij *H. Pl.* 1253. &
Cat. Angl. Uſus *Culinare* potius eſt quam *Officinale.* In
Agris ſeritur. **Oats.**

A. **Aurantia** Malus *Offic.* Raij *H. Pl.* 1658. Uſu *Fol.*
Flor. Sem. Cort. ac *Medulla Fructuum.* Præp. ex Flor. *Aq.*
& *Ung.* e Cort. *Syr. Condit.* & *Ol. Stil. Flores* &
Fructus toto Anno profert. The **Orange-Tree.**

Balauſtium *Offic.* Balauſtium Fl. pleno majus *C. B.*
Raij H. Pl. 1643. Hac Arbor *Flores* (vulgo **Balauſti-**
nes vocantur) ſolum fert, & illi tantum in *Uſu* ſunt. The
greater wild, or **double bloſſomed Pomegranate-**
Tree.

Balſamita Mas *Offic.* & *Ger. Coſtus* hortenſis ſeu
Mentha Corimbiffera *I. B. Raij H. Pl.* 363. Uſu *Herba to-*
ta. Præp. *Aq. odorata.* **Coſtmary.**

A. **Bardana** Major *Offic.* & *Ger. Perſonata*, ſive *Lappa*
major, aut *Bardana. C. B. Raij H. Pl.* 332. & *Cat. Ang.*
Uſu *Rad. Sem.* & *Fol.* In incultis paſſim. **Great Bur-**
dock, or **Clot-burr.**

A. **Bellis** ſylv. minor *C. B. Conſolida* & *Symphitum*
minimum. *Offic.* Raij *H. Pl.* 349. & *Cat. Angl.* Uſu *Tota*
Planta. Vere primo & deinceps per totam æſtatem Flo-
ret. In Pratis & paſcuis paſſim provenit. **Common**
Daſies.

A. **Berberis** *Offic.* & *Park.* Raij *H. Pl.* 1605. & *Cat.*
Angl. Uſu *Cortex interior Ligni*, & *Fruct.* ex quo Præp.
Conſ. Syr. Rob. & *Troch.* In Sepibus ſylvoſis & ripis Fluvio-
rum. *Fructus* in Autumno perficitur. **Barberies** & a qui-
buſdam **Piperidges.**

Beta Alba *Offic.* & *Ger.* Raij *H. Pl.* 204. Uſu *Rad. Fol.*
& *Sem.* Præp. *Succ.* una eſt e quinque Herbæ Emollientes.
The **White Beet.**

Beta Rubra *Offic.* & *Ger.* Raij *H. Pl.* 204. Uſu *Rad.*
Fol. & *Sem.* **Red Beet.**

A. **Betonica** *Ger.* ſylveſtris ſeu vulgaris *Offic.* Raij *H.*
Pl. 550. Uſu *Fol.* & *Flor.* Præp ex Fol. *Aq. Syr. Simp.* &
Comp. Empl. & *Sal.* ex Flor. *Conſ.* In Sylvis & Sepibus Ju-
nio & Julio Floret. **Wood Betony.**

A. **Betonica Pauli** & *Veronica* mas *Offic.* Veronica
pratenſis Serpyllifolia. *C. B.* Raij *Cat. Angl.* & *H. Pl.*
848. Uſu *Fol.* Majo & Junio Floret. In pratis humi-
dis & Sylvis creſcit. *Little ſmooth* **Fluellin**, or **Pauls**
Betony.

A. **Betula** *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* 1410
Uſu *Fol. Cort.* & *Liquor* ab illa extillante. In Sylvis
humidis & Ericetis colligitur. *The* **Birch-Tree.**

A. **Biſtorta** *Offic.* major vulgaris *Park.* Raij *Cat. Angl.* &
H. Pl. 180. Uſu *Rad.* In pratis humidis. **Snake-weed**,
or **Biſtort.**

Bombax *Offic. Xylon* ſeu *Goſſipium* herbaceum. *I. B.*
Raij *H. Pl.* 1064. Uſu *Sem.* & *Lanugo* quæ **Goſſipium**
Officinis vocatur. *The* **Cotton Shrub.**

Borrago *Offic.* Hortenſis *Ger.* Raij *H. Pl.* 493. Uſu
Rad. Fol. & *Flores* (qui inter quatuor Cordiales Famoſos
recenſentur) *Præp.* ex Fol. *Aq.* & *Syr.* ex Flor. *Syr.* &
Conſ. In Junio Julio & Auguſto Floret. **Borrage.**

Botrys & **Ambroſia** *Offic.* Vulg. *Park.* Raij *H. Pl.*
196. Uſu *Fol.* Præp. *Syr.* In hortis colitur. **Oak of**
Jeruſalem.

Branca Urſina *Offic.* Acanthus ſativus. *Ger.* Raij *H.*
Pl. 1326. Uſu *Fol.* **Brank-Urſine**, or **Bears-Breech.**

Braſſica Sativa. *Offic.* capitata alba *Ger.* Raij *H. Pl.*
794. Uſu *Fol.* & *Sem.* **Garden Cabbage.**

A. **Bryonia Alba** *Offic.* aſpera ſeu alba baccis rubris.
C. B. Raij *Cat. Angl.* & *H. Pl.* 659. Uſu *Rad. Doſ.* ad 3j.
Præp. Aq. Comp. & *Fæcul.* In Sepibus creſcit. **White**
Bryony.

A. **Bryonia Nigra** *Offic.* lævis ſeu nigra racemoſa. *C. B.*
Raij *Cat. Angl.* & *H. Pl.* 660. Uſu *Rad.* In Sepibus &
Dumetis naſcitur. **Black Bryony.**

Bugloſſum Hortenſe *Offic.* anguſtifolium majus. B. Raij *H. Pl.* 493. Uſu *Fol. Rad.* & *Flor.* quæ ſunt umero quatuor *Florum Cordialium.* Præp. eædem cum rogine. In hortis noſtris frequenter occurrit. **Bugloſs.**

Bugula ſeu *Conſolida media Offic.* vulgaris Fl. cæru- *Park.* Raij *Cat. Angl.* & *H Pl* 575 Uſu *Herba* inte- Maio menſe Floret. In Sylvis & Pratis humidis. **gle.**

Burſa Paſtoris *Offic.* major vulg. *Park.* Raij *Cat.* l. & *H. Pl.* 838. Uſu *Fol.* paſſim occurrit totaque æſta- iget. **Shepheards Purſe.**

Buphthalmum *Offic.* nam longe diſtat a Buphthalmo . & *Matth.* Bellis major *Ger.* Raij *Cat. Angl.* & *H Pl.* Uſu *Fol.* & *Flor.* In pratis & paſcuis Maio & Junio et. *The* **Great Daiſie, or Ox-Eye.**

Buxus *Offic.* arboreſcens *C. B.* Raij *Cat. Angl.* & *H.* 1693. Uſu *Flor.* & *Ligna* Præp. *Ol. Stil.* In varijs locis liæ. *The* **Box Tree.**

Calamintha *Offic.* altera odore Pulegij folijs maculo- *Park.* Raij *H. Pl.* 569. & *Cat. Angl.* Uſu *Herba tota* p. *Aq. Spec. Diacalaminth. Simp. & Comp.* Seriùs & Autumnum Floret. In aggeribus ſepium & ſolo ſteri- & arenoſo provenit. Hæc pro vulgari in *Officinis* is ſemper uſurpatur & forſan non immeritò. **Field** amint.

Calamintha vulgaris fl. magno *I. B.* Raij *H Pl.* & *Cat. Angl.* viget Æſtate ad aggeres foſſarum & ſe- . **Common Calamint.**

Calamus Aromaticus *Offic.* Acorus verus ſeu Cala- Aromaticus *Offic. C. B.* Raij *Cat. Angl.* & *H. Pl.* 1613. *Rad.* Locis humidis gaudet. Plantam hanc non eſſe *Calamum Aromaticum* ſeu *odoratum Antiquorum* nici eruditiores conſentiunt, ſed *Acorum verum Dioſco-* *The* **Sweet ſmelling Flag, or Calamus.**

Calendula *Offic.* Caltha Vulgaris *C. B.* Raij *H. Pl.* Uſu *Fol.* & *Flor.* Præp. *Aq. Acet.* & *Conſ.* per totam Æſtatem floret in Hortis. **Garden Marygold.**

Cannabis *Offic.* Sativa *C. B.* Raij *H. Pl.* 158. & *Cat.* Uſu. *Sem.* in Agris ſeritur. **Hemp.**

Capillus Veneris & Adianthum Nigrum ſeu *Offic. Trichomanes* mas. *Ger.* Raij *Cat. Angl.* & *H.* 40. Uſu *Fol.* quæ inter quinque *Herbas Capillares* lo- tenet. Præp. *Syr.* Officinis noſtris *Adianthi veri* ſeu *Ca- Veneris* ſuccedaneum eſt. **Engliſh Black Maid-pair.**

Capillus Veneris Verus *Officinis Monſpelij*, unde Sy- quotannis per totam *Galliam* aliaſque nationes præ- ur, & in magni Æſtimatione habetur. *Adianthum* Fol. adri *C. B.* Raij *H. Pl.* 147. *The* **True Maiden-**

Caparis *Offic.* Spinoſa fructu minore fol. rotundo. Raij *H. Pl.* 1629. Uſu *Cort.* præcipuè *Radicum.* Præp. & *Ol. Comp.* In locis arenoſis & ruderatis *Italiæ, Gal-* . luxuriat, & *Gemmæ Florum* Aceto conditæ ab illis obis tranſportantur, & in frequenti uſu ſunt. **Ca-**

Caprifolium *Offic. Periclymenum* non perfoliatum nicum. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1490. Uſu *Fol.* Incipit florere Maio & per totam ferè Æſtatem t. in ſepibus frequenter. **Honey-ſuckle or** bind.

Carduus Benedictus *Offic.* & *Ger.* Raij *H. Pl.* Uſu *Fol.* cum *Capitibus* & *Sem.* Præp. *Aq. Syr.* & Antumnum *Semen* perficit. In Hortis colitur. **leſſed Thiſtle.**

A. Carduus Mariae *Offic.* albis maculis notatus vulg. *Park.* Raij *Cat. Angl.* & *H. Pl.* 312. Uſu *Fol. Sem* & non- nunquam *Rad.* ad Agrorum margines & in aggeribus Foſſarum frequenter occurrit. *The* **Milkie or Ladies Thiſtle.**

Carthamus & Cnicus *Offic.* & *Ger. Raij H. Pl.* 302. Uſu *Flor.* & *Sem. Doſ.* ad 3vi. Præp. *Syr. Elect.* & *Spec.* Floret Julio & Auguſto. Hæ *Flores* à nonnullis venduntur pro *Croco* & ab illis *Crocus Hiſpan.* dicitur, **Baſtard Saffron.**

Caryophyllus & Tunica *Offic.* Hortenſis *Park. Raij H. Pl.* 956. Uſu *Flor.* Præp. *Syr.* & *Conſ.* in Hortis luxuriat ac in *Julio* & poſtea Floret. *The* **Clove-July-Flower.**

A. Carum *Offic.* vulgare *Park.* Raij *Cat. Angl.* & *H. Pl.* 446. Uſu *Sem.* quod unum eſt e quatuor calidis majoribus Carminativis. Præp. *Aq. Spt. Ol. Stil* & *Confect.* In paluſtribus & pratis humidis apud nos invenitur. **Carawaies.**

A. Caryophyllata *Offic.* vulg. fl. parvo luteo *J. B.* Raij *Cat. Angl. & H. Pl.* 606. Uſu *Rad.* & *Fol.* In Maio & Junio floret ad ſepes & in dumetis. **Herb Bennet, or Avens.**

A. Caſtanea *Offic. Ger.* Raij *Cat. Angl.* & *H. Pl.* 1382. Uſu *Fruct.* cum *Cort.* ejus. In montibus & acclivibus. *The* **Cheſt-nut-Tree.**

Cataputia Major vulg. ſeu *Ricinus Offic.* & *Park.* Raij *H. Pl.* 66. Uſu *Nuclei* Fructûs. *The* **Greater Spurge, or Palma Chriſti.**

Cataputia Minor *Offic.* ſeu *Lathyris* major Hortenſis. *Park. Raij H. Pl.* 866. In Hortis frequenter provenit, *Doſ.* Baccar. ad no. 10. *Fol.* ad no. 6. *The* **Garden Spurge.**

Cedrus Conifera Libani. Folijs Laricis *C. B. Raij H. Pl.* 1405. Arborem hanc eſſe *Cedrum Libani* in ſacris Literis tantopere celebratum cujus uſus erat ad *Templum Solomonis* edificandum minimè dubium eſt. *The* **Cedar of Libanus.**

A. Centaurium Minus *Offic.* fl. purpureo *J. B. Raij H. Pl.* 1092. & *Cat. Angl.* Uſu *Fol.* ac *Flor.* Præp. *Aq. Ext.* & *Sal.* Julio menſe floret in paſcuis ſiccioribus frequenter **Small Centaury.**

Dactylus *Offic.* ſeu *Palma Dactylifera* major vulgaris, *Johnſt. Dendrolog.* Raij *Hiſt. Plant.* 1352. Uſu *Fruct.* & *Offic.* Præp. El. Diaphæn. *Fern. The* **Palm, or Date-Tree.**

A. Daucus *Offic.* ſeu *Paſtinaca* ſylv. tenuifolia *Dioſc. C. B.* Raij *H. Pl.* 465. & *Cat. Angl.* Uſu *Sem.* quæ locatur inter quatuor calida minora. In Paſcuis gracili ſolo ubique occurrit. **Wild Carrot.**

A. Dens Leonis & Taraxacum *Offic.* latiore fol. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 244. Uſu tota Herba, per totam æſtatem floret in Paſcuis ubique. **Dandelion.**

Dictamnus Creticus *Offic.* & *C. B.* Raij *H. Pl.* 537. Uſu *Folia.* **Dittany of Crete.**

Dictamnus Albus *Offic.* Fraxinella *Ger. Raij H. Pl.* 698. Uſu *Rad.* **Fraxinell, or Baſtard Dittany.**

A. Digitalis *Offic.* purpurea fol. aſpero *C. B. Raij Catal. Angl.* & *H. Pl.* 767. Uſu *Fol.* & *Flor.* Junio & Julio floret in Arenoſis. **For Gloves.**

Doronicum *Offic.* Rad. Scorpij *C. B. Raij H. Pl.* 274. Uſu *Rad.* In montibus prope *Genevam* copioſe provenit. **Leopards-bane.**

Draco Herba *Ger. Raij H. Pl.* 373. Uſus ejus in acetarijs frequentiſſimum eſt. **Tarragon.**

Dracontium *Offic.* major vulgaris *Park. Raij H. Pl.* 1211. Uſu *Herba* tota cum *Rad.* Præp. *Aq.* **Dragons.**

A. Dulcamara & Solanum Lignoſum *Offic.* Amara Dulcis *Ger. Raij Cat. Angl.* & *H. Pl.* 672. Uſu *Fol.* & *Rad.* Junio & Julio Floret, in ſepibus præſertim juxta aquas. **Bitter ſweet or Woody Night-ſhade.**

A. Ebulus *Officin.* ſeu *Sambucus Humilis Ger.* Χαμαιακτη *Dioſc.* Uſu *totus Frutex.* Floret Junio & Julio ad vias inque Agrorum limitibus & cœmeterijs. **Dane-wort, Wall-wort, or Dwarf-Elder.**

A. Echium *Officin.* vulg. *Ger. Raij Cat. Angl.* & *H. Pl.* 498. Uſu. *Fol.* & *Flor.* Æſtate floret in Arvis ſterilioribus & muris frequenter occurrit. **Vipers Bugloſs.**

A. Elatine *Offic.* ſeu *Veronica* fœm. *Fuchſij. Ger. Raij Cat. Angl.* & *H. Pl.* 759. Uſu *Fol.* Seriùs poſt mediam æſtatem floret in arvis. **Round-leav'd, or Female Fluellin.**

Ceſa *Offic.* vulg. *C. B.* Raij *H. Pl.* 1116. Uſu *Fol.* & *Rad.* In Hortis colitur. Floretque Junio & Julio. **Onyons.**

A. Ceraſus fructu nigro *Offic.* major ac Sylveſtris fructu ſubdulci nigro colore inficiente. *C. B.* Raij *H. Pl.* 1538. & *Cat. Angl.* Uſu *Fruct.* cum *Nucleis* & *Gummj. Præp. Aq. Sp. Vin.* & *Syr.* The **Black Cherry.**

Cherefolium *Offic. Cerefolium* vulgare ſativum. *Ger.* Raij *H. Pl.* 430. Uſu *Fol.* & *Sem.* Præp. *Aq.* Maio Floret. **Sweet Chervil, or Sils.**

Chamedrys & *Triſſago Offic.* Vulg. *Park.* Raij *H. Pl.* 527. Uſu *Fol.* cum *Floribus.* In Hortis Junio & Julio Floret. **Germander.**

A. Chamaemelum vulg. *Offic.* odoratiſſimum repens Fl. ſimpl. *I. B.* Raij *Cat. Angl.* & *H. Pl.* 354. Uſu *Fol.* & *Flor.* Præp. *Aq. Ol. Still.* & *Infuſ. Syr.* & *Sal.* In paſcuis uliginoſis Julio Floret. **Common Chamomill.**

Chamaemelum Romanum Fl. pleno *Offic.* repens odoratiſſimum perenne Fl. multiplici. *I. B.* Raij *H. Pl.* 353. Uſu *Flor.* Præp. eædem cum vulgari. In Hortis Luxuriat. **Double Flowred Chamomill.**

A. Chamaepitys & *Iva Arthritica Offic.* lutea vulg. fol. trifido *C. B.* Raij *Cat. Angl.* & *H. Pl.* 573. Uſu *Herba tota.* Præp. *Pil.* In agris reſtilibus Junio & Julio Floret. **Ground-Pine.**

A. Chelidonium majus *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* 858. Uſu *Fol.* cum *Florib.* & *Rad.* Præp. *Aq.* ab Aprili menſe in multam æſtatem Floret. in ruderatis & Sepibus umbroſis. *The* **Greater Celandine.**

A. Chelidonium minus *Offic. Schrophularia* minor ſeu *Chelidonium* minus vulgò dictum *I. B.* Raij *Cat. Angl.* & *H. Pl.* 579. *Uſu* tota Herba cum Radicibus. Floret Martio & Aprili in Pratis humidis, & ad Sepes. Hoc longè differt (in ſpecie Methodica) a majore. Hoc *Ranunculo* affinis, illud *Papaveri Siliquoſi* congener eſt. *The* **Leſſer Celandine, or Pile-wort.**

Cicer *Offic.* Sativum *Ger.* Raij *H. Pl.* 917. Uſu *Sem.* In *Hiſpania, Italia, Gallia,* &c. paſſim in agris feritur. Floret Junio & Julio menſibus atque ſubinde in ſiliquis *ſemen* producit. **Chich-Peaſe, or Cicers.**

A. Cichorium *Offic.* Sylveſtre ſeu *Officin. C. B.* Raij *Cat. Angl.* & *H. Pl.* 255. Uſu *Fol. Flor. Rad.* & *Sem.* quæ inter 4. frigida minora enumerantur. *Præp.* Conſ. & Syr. ad agrorum margines ſponte provenit. Æſtate & poſt ſolſtitium Floret. **Succory.**

Chermes *Offic.* Ilex aculeata cocciglandifera. *C. B. Raij H. Pl* 1392. *Coccum* fert Maio menſe quod duobus uſibus inſervit, nimirum *Medicinæ* (ex quo celebris *Confectio* **Alkermes** nomen habuit) & *Lanis tingendis. The* **Scarlet Oak.**

A. Cicuta *Offic.* vulgaris major *Park* Raij *Cat. Angl.* & *H. Pl.* 451 Uſu *Fol.* & nonnunquam *Rad.* Junio & Julio Floret in aggeribus terrenis & ad foſſas. **Hemlock.**

Citrus *Offic.* Malus Citria ſeu Medica *Raij H. Pl.* 1654. *Uſu* Fructus *Præp.* ex Cort. *Ol. ſtill. Elect. Syr.* & *Condit.* The **Citron Tree.**

A. Cochlearia Britanica ſeu Marina *Offic.* Fol. ſinuato *C. B.* Raij *Cat. Angl.* & *H. Pl.* 823. Uſu & Præp. eædem cum Hortenſe. In ſalſis maritimis plurimis in Locis. **Sea Scurvy-graſs.**

A. Colocinthis *Offic.* fructu rotundo minor. *C. B.* Raij *H. Pl.* 642. *Uſu* Medulla arida Fructuum. *Doſ.* ad 3j. Præp. *Trocb.* **Coloquintida.**

A. Cochlearia Hortenſis *Offic.* fol. ſubrotundo *C. B.* Raij *H. Pl.* 882. & *Cat. Angl.* Uſu *Herba tota.* Præp. *Aq. Sp. Conſ. Syr.* & *Sal.* Floret Aprili & Maio in Hortis. **Garden Scurvy-Graſs.**

A. Coralllina *Offic.* Muſcus marinus ſeu *Corallina* alba *Offic.* & *Park.* Raij *Cat. Angl.* & *H. Pl.* 65. Uſu *tota Planta* Accreſcit Rupibus aquâ marinâ opertis juxta litus ubique **Coralline.**

Coralium Album *Offic.* Raij *H. Pl.* 62. In Mari re- geritur. **White Coral.**

Coralium Rubrum *Offic.* & *Ger.* Raij *H. Pl.* 60. e[x] Frutex ſub aqua Marina generatus. *Præp. Syr.* & *Sal* **Red Coral.**

Coriandrum *Offic.* vulg. *Park.* Raij *H. Pl.* 470 U[ſu] *Sem.* Hæc Planta dum viget halitum gravem præbet, re- ſiccata autem ſuavem acquirat odorem. **Coriander.**

Corylus *Offic.* ſive *Nux Avellana* ſylveſtris *Park.* Ra *Cat. Angl.* & *H. Pl.* 1379. Uſu *Fruct.* & *Lign.* in Syl & Sepibus. *The* **Hazell Nut.**

Crithmum ſeu *Fæniculum marinum* Offic. minus C Raij *Cat. Angl.* & *H. Pl.* 457. Uſu *Herba tota.* Fo in Muria condita in acetarijs, *&c.* Sæpe uſurpatu in clivis & Rupibus maritimis frequenter occurrit. **Rock Sampire.**

Crocus *Offic.* verus ſativus Autumnalis *Park.* Ra *Cat. Angl.* & *H. Pl.* 1176. *Uſu* ſtamina Florum. *Præp.* Sp. Syr. Ext. Spec. & Empl. Floret *Septembre.* In *Eſſex* & Comitatu *Cantabrigiæ* permultum colitur. **Saffron.**

Cucumis Hortenſis *Offic.* Sativus vulg. *C. B.* Raij *H. Pl.* 645. *Uſu* Fruct. *culinis* & *Sem. Officinis* quæ inter quator frigidiora majora enumerantur. **Garden Cow-cumber.**

Cucumis Sylveſtris ſeu *Aſininus* Offic. & *I. B.* Raij *H. Pl.* 647. *Fæcula* Succi Fructus hujus Plantæ dici- tur **Elaterium.** Fructus fert in Autumno. **Wild Cow-cumber.**

Cupreſſus *Offic.* & *C. B.* Raij *H. Pl.* 1406. *Uſu* Fruct. ſeu Conos. in Hortis creſcit. *The* **Cypreſs-Tree.**

Cuſcuta *Offic.* ſeu *Caſſutha Ger.* major *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1903. *Uſu* Herba tota cum floribus. Herbis adnaſcitur paſſim; *Junio, Julio, & Auguſto* floret. **Dodder.**

Cyclamen ſive **Arthanita** *Offic.* Raij *H. Pl.* 1205. *Uſu* Rad. In Curioſorum Hortis colitur. **Sow-Bread.**

Cydonia ſen *Cotonea* malus *Raij H. Pl.* 1452. *Uſu* Fruct. & Sem. *Præp.* Succ. Syr. Vin. Rob: Miva, *&c.* Fru- ſcat in *Octobri.* The **Quince-Tree.**

Cynogloſſum *Offic.* majus vulg. *Ger.* Raij *Cat. Angl.* & *H. Pl.* 489. *Uſu* Fol. & Rad. *Præp.* Pill. ad vias ubique Junio Floret. **Hounds-Tongue.**

Cynoſbatos & **Cynorhodos** *Offic.* Roſa ſylv. vulg. flore odorato incarnato. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1470. *Uſu* Fruct. & Spong. *Præp.* Conſ. *Autumno* fru- ſcat in Sepibus. *The* **Dog Roſe, Hepp,** or **Wild Brvar.**

Cyperus Longus odoratus *Offic.* & *Park.* Raij *Cat. Angl.* & *H. Pl.* 1294. Uſu *Rad.* In paluſtribus. *The* **Sweet Cyperus,** or **Engliſh Galangal.**

Geranium Robertianum & **Gratia Dei.** *Offic.* vulg. *Park.* Raij *Cat. Angl.* & *H. Pl.* 1058. Uſu *Planta integra.* Ad ſepes ubique. **Herb-Robert.**

Glycyrrhiza ſeu **Liquiritia** *Offic.* vulg. Siliquoſa *Park.* Raij *Cat. Angl.* & *H. Pl.* 910. Uſu *Rad.* cum *Succo* Ejuſdem. Præp. *Syr. Comp.* Floret *Julio* & Semen fert *Septembri,* varijs locis apud nos colitur. **Liquorith.**

Gramen Caninum *Offic.* arvenſe ſeu *Gramen* Dioſc. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1255. Uſu *Rad.* Præp. *Aq.* In agris & Hortis nimis frequens. **Common Dogs Grals, Quick Grals,** or **Couch Grals.**

Groſſularia ſive **Uva Criſpa,** *Offic.* Raij *H. Pl.* 1484 Uſu *Fruct.* Floret *Aprili,* fructum fert *Maio,* quem *Junio* & *Julio* perficit. *The* **Gooſberry.**

Granata vel **Punica** *Offic.* & *Ger.* Raij *H. Pl.* 1462. Uſu *Poma* cum *Cort.* Præp. *Syr.* The **Pomegranate-Tree.**

A. **Hedera** *Offic.* corymboſa nigra. *Park.* Raij *Cat. Angl.* & *H. Pl.* 1505. Uſu *Fol. Bacc. Lig.* & *Gummi.* Floret *Autumno,* Baccas fert hyeme, Arboribus paſſim naſcitur. **Climing** or **Barren Ivy.**

A. **Hedera Terreſtris** *Offic.* vulg. *Park.* Raij *Cat. Ang* & *H. Pl.* 567. Uſu *Herba integra.* Præp. *Aq. Conſ.* & *Sy* Menſe *Aprili* Floret, ad Sepes. **Gill go by the Groun Tun-hoof, Ale-hoof,** and **Ground-Ivy.**

Helleborus Albus *Offic.* & *Ger.* Raij *H. Pl.* 168. U *Rad.* Præp. *Vin.* **White Hellebore.**

Helleborus Niger *Offic.* niger verus *Ger.* Raij *H.* 697. Uſu *Rad.* Præp. *Ext. Syr.* & *Oxymel.* in Hyeme Floret. *The* **True black Helleboze.**

Hominum Sativum *Offic.* vulgare ſeu *Sclar.* *Park.* Raij *H. Pl.* 543. Uſu *Fol.* & *Flor.* Præp. *Aq. Sp.* Junio & Julio Floret. In Hortis ſeritur. **Garde Clary.**

A. **Hominum Sylveſtre** & **Oculus Chriſti** *Off* Sylv. Lavendulæ Flore. *C. B. Raij Cat. Angl.* & *H.* 545. Uſu *Planta integra.* in glareoſis frequens. **Engli Wild Clary.**

A. **Hypericum** *Offic.* vulgaris *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1018. Uſu *Fol.* ac *Flores.* Præp. *Aq. Fruct. Ol. Simp. Comp.* Floret *Julio* in Dumetis & ad Sepes. **St. John Wort.**

Hyſſopus *Offic.* vulg. ſpicatus anguſtifolius *I. B. Ra H. Pl.* 516. Uſu *Fol.* ac *Flor.* Præp. *Aq. Syr.* & *Ol. St* Floret *Julio* & *Auguſto,* Creſcitque in Hortis. **Garde Hyſſop.**

A. **Hepatica** & **Lichen** vulg. *Offic.* & *Park. Raij Ca Angl.* & *H. Pl.* 124. Uſu *Fol.* In uliginoſis & umbroſ ad rivulorum ripas. **Common Liver-wort.**

A. **Jacobea** *Offic.* vulgaris laciniata. *C. B. Raij Cat. Ang* & *H. Pl.* 284. Uſu *Fol.* In Paſcuis & ad vias paſſim pr venit. **Seggrum** or **Ragwort.**

Jaſminum *Offic.* vulgatius fl. albo *C. B. Raij H. I* 1599. Uſu *Flores.* Præp. *Aq. Balſ.* & *Eſſent.* ſeu *Ol.* pe *Infuſ.* per integram ferè ætatem Floret. **White Ja mine** or **Jeſſime.**

Imperatoria *Offic.* ſive *Aſtrantia* vulg. *Park.* Raij *H Pl.* 436. Uſu *Rad.* Præp. *Aq.* in Hortis nutritur. **Ma ſterwort,** and by ſome erroneouſly **Pellitory o Spain.**

Iris Noſtras *Offic.* purpurea ſeu vulg. *Park.* Raij *H. Pl.* 1180. Uſu *Rad.* Præp. *Aq.* & *Succ.* floret *Maio* & *Junio,* in *Hortis* frequenter. *The* **Purple Flower de Luce.**

A. **Juglans** *Offic.* ſive *Regia* vulg. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1376. *Uſu* Nuces virides dum teneræ ſunt & *Cort.* interior Arboris. Præp. *Aq. Simp.* & *Comp.* & *Mel.* Fructum ante initium *Septembris* apud nos non perficit. *The* **Wallnut-Tree.**

A. **Juniperus** *Offic.* vulgaris baccis parvis purpureis. *I. B.* Raij *Cat. Angl.* & *H. Pl.* 1411. Uſu *Bacc. Lign.* & *Gummj* quod **Sandaraca** dicitur. Præp. *Aq. Sp. Conſ.* & *Ol. ſtill. Fructus* matureſcit Anno ſecundo, *Autumno* & tunc cæruleo tingitur colore. In Ericetis creſcit. **Juniper.**

Lactuca *Offic.* ſativa non capitata *J. B.* Raij *H. Pl.* 220. Uſu *Fol.* & *Sem.* quæ annumerantur inter *Semina* quatuor *Frigida* quæ *minora* dicuntur. Præp. *Aq.* **Garden Lettice.**

A. **Lactuca Agnina** *Ger. Valeriana* campeſtris inodora major *I. B.* Raij *Cat. Angl.* & *H. Pl.* 392. *Folia* Verno tempore, cum Aceto Sale & Oleo jucundè commedun- tur cum alijs acetarijs Herbis. Inter ſegetes. **Lambs Lettice** or **Corn Sallet.**

A. **Lens** *Offic.* vulgaris *C. B.* Raij *Cat. Angl.* & *H. Pl.* 904. Uſu *Sem.* Seritur in Agris. **Lentills,** and by ſome **Dills.**

A. **Lamium Album** *Offic.* vulg. album ſeu *Archangelica* flore albo *Park.* Raij *Cat. Angl.* & *H. Pl.* 559. Uſu *Flor.* Præp. *Conſ.* & *Aq.* Menſe Aprili & Maio floret, ad Se- pes. **White Archangel,** or **Dead Nettle.**

Eruca *Offic.* Latifolia alba ſativa *Dioſc. C. B.* Raij *H. Pl.* 806. *Uſu* Sem. **Rockett.**

A. **Lamium Rubrum** *Offic.* vulg. folio ſubrotundo flore rubro, *Park.* Raij *Cat. Angl.* & *H. Pl.* 559. Uſu *Fol.* ac *Flor.* Primo vere & deinceps per totam æſtatem Floret. **Small Dead Nettle,** or **Red Archangel.**

Lavendula *Offic.* major ſeu vulgaris *Park. Raij H. Pl.* 512. Uſu *Fol.* & *Flores.* Præp. *Conſ. Aq.* & *Sp.* Junio ac Julio menſibus floret, in Hortis. **Lavender.**

Laurus *Offic.* vulgaris *C. B.* Raij *H. Pl.* 1668. Uſu *Fol.* & *Bacc.* quæ maturantur ſub finem Autumni. *Præp.* E- lect. Empl. Ung. & Ol. Stil. The **Bay-Tree.**

A. **Lens Paluſtris** *Offic.* ſeu aquatica vulg. *Park.* Raij *Cat. Angl.* & *H. Pl.* 117 Uſu. *tota Herba.* In aquis ſtag- nantibus. **Ducks-meat.**

Leviſticum *Offic.* vulg. *Ger.* Liguſticum vulg. folio Apij *I. B.* Raij *H. Pl.* 437 Uſu *Fol. Rad.* & *Sem.* Præp. *Aq.* & *Ol. Stil.* Æſtate Floret. **Lovage.**

Lilium Album *Offic.* album fl. erecto & vulgare *C. B. Raij H. Pl.* 1109. Uſu *Flor.* & *Rad.* Præp. *Ol.* Floret Junio. **White Lilly.**

A. **Lilium Convallium** *Offic.* fl. albo *Park. Raij Cat. Angl.* & *H. Pl.* 667. Uſu *Fol.* ac *Flor.* Præp. *Aq.* & *Conſ.* Maio menſe floret, in umbroſis. *The* **Lilly** of the **Vally,** or **May-Lilly.**

Limonia mala *Offic.* Raij *H. Pl.* 1656. Uſu *Fruct.* cum *Cort.* & *Sem.* Præp. *Aq. Syr. Conſ.* & *Spt.* Fruct. ex *Hiſpania* & *Italia* ad nos deferuntur. *The* **Lemmon.**

A. **Linum** ſativum *Offic.* & *Ger. Raij Cat. Angl.* & *H. Pl.* 1072. Uſu *Sem.* Præp. *Ol.* per *Expreſs.* in Agris ſeritur. **Flax.**

A. **Lithoſpermum** ſeu **Millium Solis** *Offic.* & *J. B. Raij Cat. Angl.* & *H. Pl.* 503. Uſu *Sem.* In Agrorum mar- ginibus ſiccioribus. Flor. Maio & Junio **Gromill** or **Gromwell.**

A. **Lujula** & **Acetoſella** *Offic.* Trifolium acetoſum vulg. *Park.* Raij *Cat. Angl.* & *H. Pl.* 1098. Uſu *Fol.* Floret A- prili ac principio Maij. Locis gaudet nemoroſis & Opacis. **Wood-Sorrel.**

Lupinus *Offic.* vulg. ſemine & flore albo ſativus *J. B. Raij H. Pl.* 906. Uſu *Sem.* Æſtate floret, & Autumno *Sem.* perficit. **Lupines.**

A. **Lupulus** Salictarius *Offic.* & Raij *Cat. Angl.* & *Hiſt. Plant.* 156. Uſu *Flor.* Auguſto in ſepibus paſſim abundat. **Hops.**

Lentiſcus vulgaris *C. B.* Raij *H. Pl.* 1579. Uſu *Lig- num* & *Gummi* quod è caudicibus hujus Arboris exudat & **Maſtich** vocatur. *The* **Maſtich-Tree.**

Majorana & Sampſucum *Offic.* vulg. æſtiva. *Park.* Raij *H. Pl.* 538. Uſu *Fol.* ac *Flor.* Præp. *Aq. Ol. Stil.* & *Conſ.* Floret *Julio* & *Auguſto.* **Sweet Marjoram.**

Mandragora *Offic.* fructu rotundo *C. B.* Raij *H. Pl.* 668. Uſu *Fol.* & *Rad.* in Hortis Botanicis colitur. *The* **Male Mandrake.**

A. **Pſeudium Album** *Offic.* Marrubium album vulg. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 555. Uſu *Fol.* Præp. *Aq.* & *Syr* Floret *Julio,* ad vias publicas & in locis ruderatis. **White Horehound.**

Marum *Offic. Sampſuchus* ſeu *Marum* Maſtichen redo- lens. *C. B.* Raij *H. Pl.* 520. Uſu *Herba* tota, in *Auguſto* floret. **Herb Maſtich** or **Maſtich Time,** and by ſome **Marum.**

Marum Syriacum vel *Creticum Park.* Raij *H. Pl.* 538. Uſu *Fol.* & *Flor.* gratiſſimo & vegeto ſunt odore, & ſter- nutatoriis frequenter imponitur. **Aſſyrian Maſtich Time.**

A. **Matricaria** & Parthenium *Offic.* Vulg. *Park. Raij Cat. Angl.* & *H. Pl.* 355. Uſu *Herba* cum *Flor.* Præp. *Aq.* Junio & Julio Menſibus flor. ad ſepes & locis ruderatis. **Feaver-few.**

A. **Eryngium** *Offic.* marinum *Matth. C. B.* Raij *Cat. Angl.* & *H. Pl.* 384. Uſu *Rad. ſiccat.* aut *Condit.* In Litto- ribus arenoſis naſcitur. **Sea-Holly,** or **Eryngo.**

phrasia *Offic.* & *C. B.* Raij *H. Pl.* 771. Uſu *Her-*
a Flor. Præp. *Aq.* & *Conſ.* Poſt mediam ferè æſta-
Autumnum uſque Floret. In paſcuis ſterilioribus.
bright.

aba *Offic.* major Hortenſis *Ger.* Raij *Cat. Angl.* & *H.*
09. Uſu *Flor. Sem.* & ejus *Farina.* Præp. *Sal.* & *Aq.*
r. & *Siliq;* In Hortis ſeritur & Agris, *Aprilj* & *Maio*
t, Julio & *Auguſto* fructum fert. **Garden Beans.**

illipendula *Offic.* vulg. *Park* Raij *Cat. Angl.* & *H.*
23. Uſu Rad. *Junio* & *Julio* Floret, in pratis & Paſ-
montoſis. **Dyop-wort.**

elilotus *Offic.* Germaniæ *C.B. Raij H.Pl.* 951. & *Cat.*
. Uſu *Fol. Flor.* & *Sem.* Præp. *Empl S.* & *Comp.* Junio &
floret, ad ſepes & in arvis. **Common Melilot.**

aſturtium Aquaticum *Offic.* aquat. vulg. *Park.* Raij
Angl. & *H. Pl.* 816. Uſu *Her ba* tota. Præp. *Aq.* & *Spt.*
& Auguſto Menſibus floret, in Aquis & ad Rivul s
uens. **Water Creſſes.**

ilix Fœmina *Offic.* ramoſa major pinnulis obtuſis
dentatis. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 149. Uſu
. Ubique nimis frequens. **Female Fern,** or **Com-**
n Brakes.

ragaria *Offic.* vulgaris *C.B.* Raij *Cat. Angl.* & *H.Pl.*
. Uſu *Fol.* & *Fruct.* Præp. *Aq. Syr.* & *Tinct.* In Sylvis
Hortis, *Junio* Fructus fert. **Common Strawberry.**

alega & **Ruta Capraria.** *Offic.* vulgaris *Park.*
H. Pl. 911. Uſu *Herba* cum *Flor.* Præp. *Aq.* &
Junio & Julio in Hortis floret. **Goats Rue.**

allium *Offic.* luteum *C. B. Raij Cat. Angl.* & *H. Pl.*
Uſu *Herba tota.* In Paſcuis ſiccioribus paſſim. **Cheeſe**
ning, or **Yellow Ladies Bed-ſtraw.**

enista *Offic.* vulg. & Scoparia *Park.* Raij *H. Pl.* 1723
at. Angl. Uſu *Fol. Flor.* & *Sem.* Præp. *Aq. Conſ.* &
Floret circa finem *Aprilis* & initio *Maij.* In Paſcuis
noſis frequenter occurrit. **Common Broom.**

eranium Moſchatum *Offic.* Cicutæ fol. Moſcha-
fol. ad Myrrhidem accedente majus *I. B.* Raij *H.*
057. & *Cat. Angl.* Uſu *Fol.* Præp. *Aq. odorata.* In
lia ſed rarò. **Muſcovy,** or **Muſked Cranes-**
ll.

ecimum & **Baſilicum** *Offic.* Vulg. majus *Park.*
H. Pl 541. Uſu *Fol.* ac Sem. *Floret* Junio & Julio,
Hortis Creſcit. **Baſil.**

ephioglossum *Offic.* five *Lingua Serpentina, Park.*
Cat. Angl. & *H. Pl.* 126. *Uſu* Planta integra. In Pra-
humidis Aprili & Maio luxuriat. **Adders-Tongue.**

iganum *Offic.* Anglicum *Ger.* Raij *Cat. Angl.* &
Pl. 539. *Uſu* Fol. cum Flor. *Præp.* Ol. ſtill. *Floret*
io ac Julio in dumetis & ad Sepes. **Wild Mar-**
am.

oeonia mas *Offic.* & *Park.* Raij *H. Pl.* 693. Uſu
d. Flor. & *Sem.* Maio *Floret.* The **Male Peony.**

olium Montanum *Offic.* Raij *H. Pl.* 524. *Uſu*
l. & Flor. In *Italia* & *Gallia* creſcit. **Poley Moun-**
in.

aſturtium Hortenſe *Offic.* & *Ger.* Raij *H. Pl.* 825.
u Fol. (quæ in Acetarijs perſæpe uſurpantur) ac *Sem.*
æp. Aq. Floret *Maio* & *Junio.* **Garden Creſſes.**

aſturtium Indicum *Park.* Raij *H. Pl.* 787. Uſu
es qui grati ſunt ſaporis & a quibuſdam ad *Viola* redu-
atur. Præp. *Conſ.* in *Hortis* nutritur. *The* **Indian Creſs.**

A. **Nummularia** *Offic.* vulg. *Park.* Raij *Cat. Angl.* &
H. Pl. 1099. Uſu *Fol.* Præp. *Aq.* à *Maio* menſe in mul-
tam æſtatem Floret. In Foſſis & Pratis humidis. **Money-**
wort or **Herb-two-pence.**

A. **Nepeta** *Offic.* major vulg. *Park. Mentha Felina* ſeu
Cattaria, Ger. Raij *Cat. Angl.* & *H. Pl.* 548. Uſu *Herba*
tota. Junio & Julio floret, ad ſepes invenitur. **Nepp** or
Catmint.

Nicotiana *Petum* & *Tabacum* Offic. *Hyoſcyamus* luteus
Ger. Tabacco Anglicum *Park.* Raij *H. Pl.* 715. Uſu *Fol.* &
ejus *Succus.* Præp. *Aq. Ung.* & *Ol.* **Engliſh Tobacco,**
and by ſome **Yellow Hen-bane.**

Nigella, *Melanthium* & a quibuſdam *Gith* Offic. *Ni-*
gella fl. minore ſimplici candido C. B. *Raij H. Pl.* 1071.
Uſu *Sem.* quæ valde odorata ſunt. **Nigella** or **Fennell**
Flower.

A. **Nymphaea** & *Nenuphar* Offic. major alba. C. B.
Raij *Cat. Angl.* & *H. Pl.* 1319. **Uſu** *Flor.* & *Rad.* Præp.
Syr. Junio & Julio floret, in Lacubus et Fluviis. *The*
Water-Lilly.

Meliſſa *Offic.* vulg. odore Citri *J. B.* Raij *H. Pl.* 572.
Uſu *Herba tota.* Præp. *Aq.* & *Spt. Syr.* ac *Conſ.* Junio Julio
& Auguſto Floret. **Baum.**

Melo *Offic.* vulg. *C. B.* Raij *H. Pl.* 644. Uſu *Sem.* quæ
quatuor Seminibus frigidis Majoribus referuntur. *The*
Melon.

Mentha *Offic.* anguſtifol. ſpicat. *C. B.* Raij *H. Pl.* 532.
Uſu *Herba* cum *Flor.* Præp. *Aq. Spt. Syr. Conſ.* & Ol.
Inſuſ. & *Stil.* Julio Floret. **Garden** or **Spear Mint.**

A. **Mercurialis,** *Bonus Henricus* & *Tota Bona* Offic. *Bli-*
tum Bonus Henricus dictum Raij *H. Pl.* 195. Uſu *Fol.* Præp.
Syr. & *Mel.* Aprili & Maio Floret, ad vias & in Olera-
ceis. **All good,** or **Engliſh Mercury.**

A. **Meum Athamanticum** *Offic.* fol. Anethi *C. B. Raij H.*
Pl. 432. & *Cat. Angl.* Uſu *Rad.* Maio & Junio Floret.
In *Pratis* & *Paſcuis* nonnunquam occurrit. **Meu** or
Spignell.

A. **Millefolium** *Offic.* terreſtris vulg. *Ger.* Raij *Cat. Angl.*
& *H. Pl.* 345. Uſu *Fol. Junio* Floret in *Paſcuis* ubique.
Yarrow or **Milfoil.**

Morus *Offic.* nigra vulg. *Park.* Raij *H. Pl.* 1429. Uſu
Fruct. qui in *Auguſto* matureſcit, Præp. *Syr.* et *Diamoron.*
The **Black-Mulberry.**

A. **Muſcus Pyxidatus** *Offic.* & *Ger. Raij Cat. Angl.* &
H. Pl. 112. Uſu *Planta tota.* In *Aridis* Locis. **Cup** or
Chalice Moſs.

Oxylapathum *Offic.* Lapathum Fol. acuto plano. *C. B.*
Raij *Cat. Angl.* & *H. Pl.* 172. Uſu *Rad.* & *Sem.* In incultis
paſſim. **Sharp pointed Dock.**

Paeonia Fœmina *Offic.* & *Ger.* Raij *H. Pl.* 644. Uſu
Rad. Flor. & *Sem.* quod *Julio* ad maturitatem pervenit.
Præp. *Aq.* S. & *Comp. Syr. Conſ. The* **Female Peony.**

Papaver album *Offic.* Hort. *ſem.* albo. *C. B. Raij Hiſt.*
Plant. 853. Uſu *Capita* cum *Sem.* Præp. *Syr.* in *Hortis* co-
litur. *The* **White Garden Poppy.**

A. **Papaver Rhoeas** *Ger.* ſeu *Erraticum.* Offic. Raij *Cat.*
Angl. & *H. Pl.* 855. Uſu *Flor.* Præp. *Aq.* S. & *Comp. Syr.* &
Conſ. floret *Junio* inter *Segetes* paſſim. **Red Poppy** or
Corn-Roſe.

A. **Parietaria** *Offic.* & Dioſc. *C. B* Raij *Cat. Angl.* & *H.*
Pl. 789. Uſu *Fol.* quæ locum tenent inter *Herbæ* quinque
Emollientes. Præp. *Aq.* In *Muris* & locis *Ruderatis.* **Pelli-**
tory of the Wall.

A. **Paronychia Vulgaris** *Ger.* Raij *Cat. Angl.* & *H. Pl.*
789. Uſu *Herba tota* Martio *Floret.* In *Muris,* locis *Sicci-*
oribus & *Arenoſis.* **Common Whitlow-Graſs.**

A. **Paronychia Rutaceo** Folio *Ger.* Raij *Cat. Angl.* & *H.*
Pl. Uſu *Herba* integra floret *Aprili* & *Maio* in *Muris Tec-*
tis & *Siccioribus.* **Rue Leav'd Whitlow Graſs.**

A. **Paſtinaca** Hortenſis *Offic.* Latiſol. ſativa *Ger. Raij*
Cat. Angl. & *H. Pl.* 410. Uſu *Rad.* & *Sem.* in Agris & Hor-
tis colitur. **Garden Parſnip.**

Pepo *Offic.* Cucurbita major rotunda flore luteo fol.
aſpero. *C. B.* Raij *H. Pl.* 396. Uſu *Sem.* quæ ſunt e numero qua-
tuor *frigidiorum majorum. The* **Pumpion,** called by the
Vulgar, *The* **Melon.**

A. **Paſtinaca** ſativa tenuifolia *Ger.* Raij *Cat. Angl.* & *H.*
Pl. 465. Uſu *Sem.* & *Rad.* quæ Culinariæ ſunt. In Agris
feritur. *The* **Common Carrot.**

A. **Percepier** Anglorum Lobelij *Ger. Raij Cat. Angl.* & *H.*
Pl. 209. Uſu *Herba* integra. Inter Segetes & in ſolo re-
ſtibili ſteriliore paſſim. **Parſly-piert** or **Parſly break-**
Stone.

A. **Quercus** *Offic.* vulg. *Ger.* Raij *Cat. Angl.* & *H. Pl.* 1405.
Uſu *Fol.* Glandes eorumque Calyces. Præp. *Aq.* In Sylvis
& Sepibus ubique vulgatiſſima. *The* **Oak.**

A. **Quinquefolium** & **Pentaphyllum** *Offic.* vulg. *Ger.*
Raij Cat. Angl. & *H. Pl.* 611. Uſu *Fol.* et *Rad* per totam
æſtatem Floret, ad ſemitas paſſim. **Five-leaved Graſs**
or Cinquefoil.

Raphanus ſort enſis *Offic.* vulg. *Park.* Raij *H. Pl.*
804. Uſu *Rad.* & *Sem. The* **Garden Radiſh.**

A. **Raphanus Sylveſtris** ſeu **Ruſticanus** *Offic.* Syl-
veſt. ſeu *Armoracia* multis. *J. B. Raij H. Pl.* 818. & *Cat.*
Angl. Uſu *Rad.* Præp. *Aq. S.* & *Comp. Spt.* & *Syr. Comp.*
Locis humidis. **Horſe-Radiſh.**

A. **Rapa** *Offic.* ſativa rotunda *C. B.* Raij *Cat. Angl.* & *H*
Pl. 800. Uſu *Rad.* Præp. *Aq.* & *Syr.* In Agris et Hortis
paſſim ſeritur. *The* **Turnep.**

A. **Rhamnus Catharticus** et **Spina Cervina** *Offic.*
ſolutivus ſeu *Spina Infectoria* vulg. *Park. Raij Cat. Angl.* et
H. Pl. 1625. Uſu *Baccæ* quæ colliguntur in fine *Septembris*
aut initio *Octobris.* Præp. *Succ.* et *Syr.* In Sylvis & Sepi-
bus Creſcit. *The* **Common Purging Thorn** or
Buckthorn.

Roſa Alba *Offic.* & *Ger.* Raij *H. Pl.* 1473. Uſu *Flor.*
Præp. *Aq.* Maio & Junio Hortis luxuriat. *The* **White**
Roſe.

Rubia Tinctorum *Offic.* & *Ger.* Raij *H. Pl.* 480. Uſu
Rad. In Hortis colitur. **Madder.**

Rosmarinus *Offic.* Hortenſis anguſtiore Fol. *C. B.* Raij
H. Pl. 515. Uſu *Fol. Sem.* & *Flor.* qui **Anthos** vocantur.
Præp. *Aq.* Spt. *Conſ.* et *Mel. Aprili* et *Maio* ac deinceps Flo-
ret. **Roſemary.**

A. **Ros Solis** *Offic.* fol. rotundo *Ger. Raij Cat. Angl.* et
H. Pl. 1100. Uſu *Herba* tota. Præp. *Aq.* In paluſtribus.
Ros Solis or **Sun-dew.**

Ribes *Offic.* vulg. fructu rubro *Ger.* Raij *H. Pl.* 1485.
Uſu *Fruct.* Præp. *Rob* et *Syr.* Aprili menſe aut ſerius pro
veris Conſtitutione floret. *Junio* & *Julio* Fruct. maturantur.
Red Currans.

A. **Rubus** vulg. *Offic.* major fructu nigro *J. B.* Raij *Cat.*
Angl. & *H. Pl.* 1639. Uſu *Fol.* & *Fruct.* quod in Autumno
perficitur. Præp. *Syr.* & *Diamoron.* In Sepibus & Dumetis
frequenter occurrit. *The* **Bramble** or **Black-berry**
Buſh.

A. **Rubus Idæus** *Offic.* ſpinoſus fructu rubro. *C. B.* Raij
Cat. Angl. & *H. Pl.* 1640. Uſu *Fruct.* Præp. *Aq.* & *Syr.* In
Montibus Walliæ & Septentrionalibus Angliæ Creſcit.
The **Hindberry, Framboiſe** or **Rasberry.**

A. **Ruſcus** & **Bruſcus** *Offic.* & *Ger.* Raij *Cat. Angl.* &
H. Pl. 664. Uſu *Rad.* quæ inter quinque Aperientes locum
tenet. In Sepibus & Dumetis **Knee-Holm** or **Butchers-**
broom.

Ruta Hortenſis, ſeu vulg *Offic.* hort. latiſol. *C. B.* Raij
H. Pl. 874. Uſu *Fol.* & *Sem.* Præp. *Aq. Conſ. Ol. Stil.* & *In-*
fuſ. Ung. In Hortis *Junio* floret. *The* **Herb of Grace** or
Rue.

Salvia Hort. minor *Offic.* minor Auriculata *J. B.*
Raij *H. Pl.* 510. Uſu *Fol.* **Pigg Sage,** or **Sage** of
Vertue.

A. **Saponaria** *Offic.* vulg. *Park.* Raij *Cat. Angl.* & *H. Pl.*
999. Uſu *Fol.* Floret *Junio, Julio* &c. in Arenoſis & ad
Ripas fluviorum provenit. **Sope-wort.**

A. **Piſum** *Offic.* Raij *H. Pl.* 893 & *Cat. Angl.* Uſu *Sem.*
in *Agris* feritur. **Peaſe.**

olanum *Offic.* Hortenſe ſeu Vulgare *J. B.* Raij *Cat. & H. Pl.* 672. Uſu *Fol.* Præp. *Aq.* & *Ung. Auguſto ptembri* menſibus floret, in fimetis & locis ruderatis. ht-ſhade.

onchus Laevis *Offic.* vulg. *Park.* Raij *Cat. Angl. H. Pl.* 222. Uſu *Fol.* in hortis, vineis & ſepibus. ooth Sow-Thiſtle or Hares Lettice.

taechas Arabica *Offic.* vulgaris *Park.* Raij *H. Pl.* Uſu *Spica Florum.* Præp. *Syr.* Maio & Aprili floret. icadove or French Lavender.

tyrax Liquida *Offic.* Aceris folio Raij *H. Pl.* 1681. Arbor fundit Liquorem pinguem inſtar Balſami ſſum, graveolens & vocatur Liquid Storax.

uber *Offic.* Latifolium perpetuò virens *C. B.* Raij *Pl.* 1393. Uſu *Cortex* quæ variis uſibus inſervit In *Hiia, Luſitania* &c. creſcit. *The* Cork-Tree.

anacetum *Offic.* vulg. luteum *C. B.* Raij *Cat. Angl. H. Pl.* 365. Uſu *Herba* cum *Flor.* & *Sem.* Præp. *Aq.* & Floret *Junio* ac *Julio*; In montibus Borealibus Angliæ. nſy.

amariſcus *Offic.* Narbonenſis *Ger. Raij H. Pl.* 1704. *Fol.* et *Cort.* è Radice detracta. Præp. *Aq.* Maio & io floret. Tamariſk.

ilia *Offic.* fæm. fol. majore C. B. Raij *Cat. Angl.* & *Pl.* 1694. Uſu *Flor.* qui *Maio* & *Junio* producuntur. ep. *Aq.* In Areis et Compitis. *The* Lime, Line or nden Tree.

aparine *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* 484. u *Fol.* vel *Planta integra.* Præp. *Aq.* ad Sepes & inter getes. Cleavers or Goose-Grass.

ageratum & Eupatorium Mesues *Offic.* Balſamita mina ſeu Ageratum *Ger.* Raij *H. Pl.* 264. Uſu *Fol.* & r. Præp. *Syr. Pil.* & *Troch.* Maudlin or Maudlinſanſy.

arix folio deciduo Conifera J. B. Agaricus ſeu Agaum *Offic.* Raij *H. Pl.* 167. Fungus eſt albicans truncis jus Arboris adnaſcens. Præp. *Extract. Troch.* & *Pil. The* arch-Tree Muſhrome or Agarick.

naphalium minus ſeu *Herba Impia Park.* Raij *Cat. ngl.* & *Hiſt. Plant.* 293. Uſu *Planta integra.* Præp. *Aq.* oc ſæpe uſurpatur pro vero illo Officinarum, (quod naphalium montanum ſeu Pes Cati *Park.* eſt) In ſiccibus, ſterilioribus & ad vias paſſim. Herb Impious or udweed.

ordeum *Offic.* diſtichum *Park.* Raij *Cat. Angl.* & *H. Pl.* 3. Uſu *Grana* & ejus *Farina*, in Agris ſeritur. Comon Barley.

yoſcyamus niger *Offic.* & *Ger. Raij Cat. Angl.* & *H.* 711. Uſu *Fol. Rad.* & *Sem.* quod uſurpatur loco *Albi.* Fimetis et Locis ruderatis, Junio Floret. Henbane.

Illecebra *minor* ſeu *Vermicularis Offic.* Sedum parvum re fl. luteo. *J. B.* Raij *Cat. Angl.* & *H. Pl.* 1041. Uſu *l.* cum *Flor.* In muris, tectis et ſiccioribus, Junio Flo. Wall-Pepper or Stone-crop.

Laureola *Offic.* Semper-virens fl. luteolo *J. B. Raij . Angl.* & *H. Pl.* 1587. Uſu *Fol.* et *Bacc.* In Sylvis et Sebus, Februario et Martii initio Floret, *Fructus* Æſtatis e et adventante Autumno maturitatem conſequuntur nigri ſunt. Dwarfe or Spurge Lawrel.

Lichen Arborum ſeu Muſcus Pulmonarius *Offic. Park.* Raij *Cat. Angl.* & *H. Pl.* 119. Arboribus præſern *Quercui* adnaſcitur. Tree Lungwort or Dakungs.

Lotus Urbana et Trifolium Odoratum *Offic.* Lotus Hortenſis odora *C. B.* Raij *H. Pl.* 950. Uſu *Herba* cum Flor. *Junio* et *Julio* Hortis Floret. Sweet Trefoil.

A. Malva *Offic.* vulg. fl. majore fol. finuato *J. B.* Raij *Cat. Angl.* & *H. Pl.* 599. Uſu *Fol. Flor. Sem.* Præp. *Aq. Conſ. Syr. Junio* ac *Julio* Floret. In locis ruderatis & ad ſepes. Common Mallows.

Foenum Graecum *Offic.* Sativum, *Park.* Raij *H. Pl.* 954. Uſu *Sem.* quod in Autumno perficitur. Foenugreek.

A. Malus Sylveſtris *Offic.* ſeu Agreſtis *J. B.* Raij *Cat. Angl.* & *H. Pl.* 1444. Uſu *Fruct.* è ſucco ejus Verjuce extrahitur. *Floret Aprili* et *Octobri* Fructus maturos profert. In Sylvis et Sepibus. *The* Wilding or Crab-Tree.

Majorana Latifolia ſeu major Anglica *Park.* Raij *H. Pl.* 539. Uſu *Fol.* Pro Olere uſurpatur, unde à Noſtratibus dicitur Pot Marjoram.

Myrtus *Offic.* Communis Italica C. B. *Raij H. Pl.* 1502. Uſu *Fol.* et *Bacc.* Præp. *Syr.* & *Ol.* In Regionibus calidis creſcit. *The* Myrtle.

Nicotiana major Latifolia C. B. Raij *H. Pl.* 713. Fumi Nicotianæ in Tubo accenſæ ore attracti et redditi per totam *Europam* Uſus eſt creberrimus. Ex *Virginia*, in magna Copia nobis Tranſportatur. Virginia Tobacco.

Pinus *Offic.* Sativa *C. B.* Raij *H. Pl.* 1398. Uſu *Nuces Cort.* & *Fol.* In *Italia, Gallia* &c. provenit. The Pine Tree.

A. Scabioſa *Offic.* major vulg. *Ger.* Raij *Cat. Angl.* & *H. Pl.* 374. Uſu *Fol.* Præp. *Valent. Scab. Aq. Syr. Simp.* et *Comp.* Junio & Julio floret in Paſcuis, nec minus inter ſegetes frequens eſt. Scabious.

Tamarindus *Offic.* & *Ger. Raij H P.* 1748. Uſu *Pulpa acida nigra* quæ in ſiliqua conditur. In Arabia & utraque Indiâ creſcit. *The* Tamarind Tree.

A. Verbaſcum & Tapſus Barbatus *Offic.* mas Latifolium luteum *C. B.* Raij *Cat. Angl.* & *H Pl.* 1094. Uſu *Fol.* & *Flor.* Præp. *Tapſimel.* & *Tapſivalentia.* Cows-Lungwort, High-taper or Mullein.

A. Tithymalus *Offic.* Sylvaticus toto anno folia retinens. *J. B. Raij Cat. Angl.* & *H. Pl.* 863. Uſu *Fol.* In Sylvis & Dumetis creſcit. Wood Spurge.

A. Thlaſpi *Offic.* Vaccariæ folio *Park.* Raij *Cat. Angl.* & *H. Pl.* 831. Uſu *Sem.* inter Segetes reperitur. Mithridate Muſtard.

A. Tormentilla *Offic.* & *Ger.* Raij *Cat. Angl.* & *H. Pl.* 617. Uſu *Fol.* & *Rad.* Præp. *Aq.* In Paſcuis montoſis, & ſiccioribus. Septfoil or Tormentil.

Tragacantha *Offic.* vera. *Park.* Raij *H. Pl.* 933. Uſu *Gummi* quod *Tragacantha* dicitur, & exudat radice inciſa vel (ut alij volunt) ſponte ſua. In *Sicilia* &c. provenit. *The True* Goats-Thorn.

Sabina *Offic.* vulg. *Park.* Raij *H. Pl.* 1415. Uſu *Fol.* Præp. *Aq. Ol. Stil.* & *Inſuſ.* Hæc nec *ſterilis* neque *Baccifera* eſt (ut Antiqui Authores volunt) ſed verè *Conifera.* ut primum obſervavit, & mihi oſtendit D. *Sam. Dale* Vir in Cognitione ſtirpium apprimè gnarus. Savin.

Salvia Abſinthites *Ger.* Raij *H. Pl.* 511. Uſu *Fol.* quæ cum aqua cocta & parum ſacchari edulcorata & epota inſtar *Thee* apud Ditiores magni æſtimantur; & etiam à nonnullis dicitur viribus, *Theè* præſtare. Wormwood Sage.

Malabathrum et Folium Indum *Offic.* & *J. B. Raij H. Pl.* 1563. Uſu *Fol.* quæ in *noſtris Officinis* nunc uſurpantur ſunt *Cinamomi Sylveſtris* ſpecies. *Malabathrum Antiquorum* quid ſit inter Botanicos nondum convenit. Tamalapatra or the Indian Leaf.

Sorbus *Offic.* ſativa C. B. Raij *H. Pl.* 1456. Uſu *Fruct.* qui *Septembri* perficitur. In *Italia* & *Germania* frequens eſt. The Sorb or True Service Tree.

A. Spatula foetida & Xyris *Offic.* Xyris ſeu ſpatula fœtida. *C. B. Raij Cat. Angl.* & *H. Pl.* 1190. Uſu *Rad.* In ſepibus & Dumetis. Stinking Gladdon or Gladwyn.

Spinachia *Offic.* Lapathum Hortenſe ſeu Spinachia ſemine ſpinoſo. *C. B.* Raij *H. Pl.* 162. Uſu *Fol.* quæ inter *Plantas Culinarias* celebrantur. Colitur in *Hortis.* Spinache.

Hypociſtis *Offic.* Ciſtus mas vulg. *Park.* Raij *H. Pl.* 1007. è radicibus hujus Fruticis *Hypociſtis* excreſcit eodem modo ut *Orobanche* (cujus ſpecies eſt) è radicibus *Geniſtæ* & aliarum Plantarum frequenter adnaſcitur. Ex Succo ejus in Sole exiccato *Hypociſtis* præparatur, quod noſtris *Antidotis* ſæpe ingreditur. Hypociſtis.

A. Verbena *Offic.* communis cæruleo flore *C. B.* Raij *Cat. Angl.* & *H. Pl.* 535. Uſu *Herba integra.* Præp. *Aq.* & *Ol. Infuſ.* Æſtate *floret.* in Areis & compitis. Vervain.

Labdanum *Offic.* Ciſtus Ledon folijs Laurinis *C. B.* Raij *H. Pl.* 1009. E Foliis cujus exudat Liquor quidam *Labdanum* ſeu *Ladanum* dictus. Modus colligendi tradit *Dioſcorides.* Labdanum.

A. Veronica *Offic.* mas vulgaris ſupina. *Park.* Raij *Cat. Angl.* & *H. Pl.* 851. Uſu *Fol.* cum *Flor.* Præp. *Aq.* Æſtate floret. In Arenoſis & Sabuloſis delectatur. Male Speedwel or Fluellin.

A. Virga Aurea *Offic.* vulg. Latifolia *J. B.* Raij *Cat. Angl.* & *H. Pl.* 278. Uſu *Fol.* cum *Flor.* Præp. *Aq.* Auguſto *Floret.* In montoſis Sylvis & Ericetis. Golden Rod.

A. Viſcum *Ger.* vulg. Baccis albis *C. B. Raij Cat. Angl.* & *H. Pl.* 1533. Uſu *Fol.* initio veris floret & Baccæ per totam Hyemen durant. Semper virens eſt & Frutex peculiaris variis Arboribus innaſcens. Miſſe-toe.

Vitis Vinifera *C. B.* Raij *H. Pl.* 1613. Uſu *Fol.* ac etiam *Lachrymæ* ex amputatis palmitibus extillantes; ſic et *Vinum, Tartarus, Uvæ Paſſæ, Agreſtæ.* &c. ex quibus variæ *Præparationes* fiunt. In Vineis & Hortis diligenter coluntur. In *Autumno Fructus* maturatur. *The* Grape or Vine.

A. Triticum *Offic.* Spica mutica *Ger.* Raij *Cat. Angl.* & *H. Pl.* 1236. Uſu *Frumenta.* Seritur in Agris. Wheat.

A. Trifolium paludoſum *Ger.* Fibrinum *Tabernamontani* & *Germanorum.* Uſu *Fol.* Maio & Junio Floret, In paluſtribus & aquoſis. Buck-beans or Marſh-Trefoil.

A. Tuſſilago & Farfara *Offic.* vulg. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 259. Uſu *Fol. Flor.* & *Rad.* Præp. *Aq.* & *Syr.* Martio *floret*, antequam emittit *Folia*, ideoque a nonnullis *Filius ante Patrem* dicitur. Circa Scaturigines aquarum & loca rigua provenire amat. Foals-Foot or Colts Foot.

A. Valeriana Graeca *Ger.* & *Park.* Raij *Cat. Angl.* & *H. Pl.* 1102. Hæc Planta frequenter à *Mulierculis noſtris Botanopolis* falsò venditur, loco aliarum Specierum Officinalium *Valerianarum.* *The* Greek Valerian, and by ſome Jacob's Ladder.

Olea *Offic.* ſativa *C. B.* Raij *H. Pl.* 1541. Uſu *Fruct.* in Muria conditi antequam plane maturuerint, à variis eſtantur & Æſtimantur, ac etiam præbent *Oleum* duorum generum. 1. Quod exprimitur a *Fructibus maturis* eſt *Ol. Olivarum commune.* Oyl Olive, or Sallet Oyl. 2. Quod ex *Olivis immaturis* deducitur *Ol. Omphacinum* dicitur. *The* Olive Tree.

Petroſelinum *Offic.* Apium Hortenſe ſeu Petroſelinum vulgò. *C. B.* Raij *H. Pl.* 488. Uſu *Sem. Fol.* & *Rad.* quæ & inter *duas* ac etiam inter *quinque* Radices Aperientes locum obtinet. Præp. *Aq.* Floret *Junio* ac *Julio.* Garden Parſly.

A. Conſolida major, ſeu Symphytum *Offic.* Symphytum majus vulgare. *Park.* Raij *Cat. Angl.* & *H. Pl.* 505. Uſu *Fol. Flor. Rad.* Præp. *Aq. Syr. Conſ. Extr.* Floret *Maio* ac *Junio.* In Aquoſis, ad Rivos & Foſſas. Great Comfry.

A. Enula Campana, ſive Helenium *Offic.* & *Park.* Raij *Cat. Angl.* & *H. Pl.* 272. Uſu *Rad.* Præp. *Condit. Aq Ol.* & *Ung.* In Pratis & Paſcuis humidioribus, *Junio* & *Julio* floret. Elecampane.

A. Equiſetum & Cauda Equina *Offic.* arvenſe Longioribus ſetis. C. *B.* Raij *Cat. Angl.* & *H. Pl.* 128. Uſu *Fol.* In Arvis. Horſe-tail.

A. Eryſimum *Offic.* vulgare *C. B.* Raij *Cat. Angl.* & *H. Pl.* 810. Uſu *Herba tota.* Præp. *Syr.* Ad Sepes & muros *Junio* & *Julio* floret. Hedge Muſtard.

Ficus & Carica *Offic.* vulgaris *Park.* Raij *H. Pl.* 1431. Uſu *Fruct.* qui poſt biennium maturantur. In Hortis noſtris ſæpe nutritur. *The* Figg-Tree.

A. Filix mas *Offic.* mas non ramoſa pinnulis latis denſis minutim dentatis. *Ger.* Raij *Cat. Angl.* & *H. Pl.* 143. Uſu *Rad.* In aggeribus ſepium præſertim umbroſis. Male Fern.

Hortus Siccus Chirurgicus.

In quo Continetur

Collectio Plantarum quæ maximè à Chirurgis uſurpantur in Componendis Balſamis, Oleis, Unguentis, Emplaſtris, &c.

CUM

Synonymis Neceſſariis, Locis Natalibus & Tempore Vigendi.

Acceſſerunt etiam illarum Partes ac Præparationes quæ maximè ſunt in Uſu.

Explicatio Nominum Abbreviatorum.

Litera in Margine poſita indicat plantas illas quibus præfigitur, aut Angliæ Indigenas eſſe, aut in Agris paſſim cultas.

B. *Caſpari Bauhini Pinax.*

Gerardi Hiſtoria emaculata à Tho. Johnſono.

Joannis Bauhini *Plantarum Hiſtoria Univerſalis.*

C. *Exhibet Nomina Plantarum, quibus vulgò vocantur in Officinis noſtris.*

K. Joannis Parkinſoni *Theatrum Botanicum.*

Præp. *Enarrat Præparationes ſeu Medicamenta quæ in Officinis noſtris frequentiſſimè exhibentur.*

Raij Cat. Angl. *Denotat Catalogum Plantarum Angliæ & Inſularum adjacentium.*

Raij H. Pl. *Indicat Hiſtoriam Plantarum Univerſalem ab Eruditiſſimo Viro, & Botanico Peritiſſimo D.* Joanne Raio *nuper Editam.*

Uſu *Explicat Partes iſtius Plantæ quæ in Arte Pharmaceuticâ quotidiè uſurpantur.*

Saxifraga pratenſis *Offic. Seſeli* pratenſe noſtras K. Raij *Cat. Angl.* & *H. Pl.* 453. Uſu *Tota Planta.* Præp. quæ ad flatus Infantium præſtat. Hæc & altera ſpecies e promiſcuè uſurpatur. **Meadow Saxifrage.**

Fraxinus *Offic.* vulgaris *Park.* Raij *Cat. Angl.* & *H. Pl.* 02. Uſu *Fol. Lign. Cort.* & *Sem. Lingua Avis* dictum. æp. *Aq. Sal.* In *Autumno* Semen perficitur. E ſpecie us Arboris *Manna* colligitur. *The* **Aſh-Tree.**

Frangula ſeu **Alnus nigra** *Offic.* Alnus nigra bacci- a *C. B.* Raij *Cat. Angl.* & *H. Pl* 1604. Uſu *Cort.* inte- r potiſſimùm *radicis.* In Sylvis. *The* **Black Alder.**

Fumaria *Offic.* purpurea *Ger.* Raij *Cat. Angl.* & *H. Pl.* 5. Uſu *tota Herba.* Præp. *Aq. Conſ. Syr. Simp.* & *Comp.* & *Sal* In ſatis & aggeribus terrenis frequens eſt. **umitory.**

Fungus Sambucinus ſeu **Auricula Judæ** *Offic.* & r. Raij *Cat. Angl.* & *H. Pl.* 106. In *Sambuci* caudice equenter naſcitur. **Jews-Ear.**

Geranium Columbinum & Pes Columbinus *Offic.* lgare *Park.* Raij *Cat. Angl.* & *H. Pl.* 1059. Uſu *Fol.* ad es & vias. **Doves-Foot** or **Doves Foot Cranes-ill.**

Nymphæa Ranae *Offic.* Nymphea alba minima *C. B.* ij *Cat. Angl.* & *H. Pl.* 1320. Uſu *Fol.* Hæc rariſſimè ſcribuntur inter Medicos, ſed aliquando ſubſtituuntur o *Umbilico Veneris.* In Aquis cœnoſis creſcit. *The* **Leaſt hite Water Lilly** or **Frog-Bit.**

Linum Catharticum *Offic.* pratenſe floſculis exiguis B. Raij *Cat. Angl.* & *H. Pl.* 1076. Uſu *Planta integra.* oret *Junio* ac *Julio.* In Paſcuis Siccioribus præſertim ontoſis. **Hill-Mountain** or **Purging Dwarf-ld-Flax.**

A. **Valeriana** ſeu **Phu minor** *Offic.* Sylv. magna aquatica. *J. B.* Raij *Cat. Angl.* & *H. Pl.* 288. Uſu *Fol.* & *Rad.* In Sylvis & aquoſis locis. **Great Wild Valerian.**

Cyanus major *Offic.* maj. vulgaris. *Park.* Raij *H. Pl.* 322. Uſu *Fol.* & *Flor.* qui ſæpe à nonnullis uſurpantur loco *minoris.* **Great Blew-Bottle.**

A. **Sophia Chirurgorum** *Offic.* & *Ger.* Naſturtium Sylveſtre tenuiſſimè diviſum. *C. B.* Raij *Cat. Angl.* & *H. Pl.* 812. Uſu *Fol.* & *Sem.* In ruderatis & incultis locis. **Flixweed.**

A. **Liguſtrum** *Offic.* vulgare. *Park.* Raij *Cat. Angl.* & *H. Pl.* 1603. Uſu *Fol.* Floret tota ferè æſtate. In Sylvis & Sepibus. **Primprint** or **Privet.**

A. **Sedum majus** ſeu **Sempervivum** *Offic.* majus vulgare *C. B.* Raij *Cat. Angl.* & *H. Pl.* 687. Uſu *Fol.* In Muris & Tectis provenit. **Common Houſleek.**

Rhabarbarum *Offic.* Rha verum Antiquorum *Ger.* Raij *H. Pl.* 170. Uſu *Rad.* Præp. *Syr. Troch. Pil.* & *Extr.* **Rhubarb.**

Lapathum Patientia *Offic.* hortenſe fol. oblongo ſive ſecundum *Dioſcoridis C. B.* Raij *H Pl.* 171. Uſu *Rad.* In Hortis nutritur. **Garden Patience** or **Monks-Rhubarb.**

A. **Viola Martia** *Offic.* purpurea fl. ſimplici odoro *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1049. Uſu *Sem. Fol.* quæ ſunt è numero *Herbarum quinque Emollientium,* & *Flor.* qui inter *quatuor Cordiales* locum obtinent. *Martio* & *Aprili* floret. in aggeribus Sepium. *The* **Violet.**

Armeniaca Mala *Offic.* Malus Armeniaca major *Park.* Raij *H. Pl.* 1514. Uſu *Fruct.* & *Nuclea.* Præp. Ol. per expreſs. *Chryſomelinum* dictum. *The* **Apricock-Tree.**

A. **Marrubium Nigrum** *Offic.* nigrum fœtidum, *Ballote Dioſcoridis C. B.* Raij *Cat. Angl.* & *H. Pl.* 571. Uſu *Fol.* in ruderatis & ad ſepes. **Stinking Horehound.**

A. **Vinca pervinca** *Offic.* Clematis Daphnoides minor *C. B.* Raij *Cat. Angl.* & *H. Pl.* 1091. Uſu *Fol.* Ad ſepes & in aggeribus foſſarum. **Periwinckle.**

Anthora ſeu **Antithora** *Offic.* Antithora flore luteo Aconiti *J. B. Raij H. Pl.* 705. Uſu *Rad.* In *Alpibus Helveticis,* in *Sabaudia* &c. creſcit. *The* **Wholeſome Helmet Flower.**

A. **Gnaphalium** longifolium humile ramoſum capitulis nigris Raij *H. Pl.* 295. & *Cat. Angl.* Uſu *Herba tota.* loco *Pedis Cati* ſeu *Gnaphalij* Offic. uſurpatur. In Scrobibus ſiccis & locis depreſſioribus reperitur. **Blackheaded Cudweed.**

Myrrhis *Offic.* magno ſemine longo ſulcato. *J. B.* Raij *H. Pl.* 431. Uſu *Fol.* & *Sem.* Præp. *Aq. Maio* floret. **Great ſweet Garden Chervil** or **ſweet Cicely.**

A. **Perfoliata** *Offic.* vulgaris *Ger.* Raij *Cat. Angl.* & *H. Pl.* 471. Uſu *tota Planta.* Inter Segetes. **Thorow-Wax.**

Stramonium *Offic.* Solanum fœtidum pomo ſpinoſo oblongo *C. B.* Raij *H. Pl.* 745. Uſu *Fol.* & *Sem.* Præp. *Ung.* In Hortis colitur. *The* **Thorn Apple.**

A. **Faeniculum** *Offic.* vulg. Germanicum *C. B.* Raij *Cat. Angl.* & *H. Pl.* 457. Uſu *Rad.* quæ inter *quinque* ac etiam inter *duas Radices Aperientes* locum obtinet, & *Sem.* quod inter *quatuor calida majora Carminativa* annumeratur. Præp. *Aq. Syr.* & *Ol.* Semen in Autumno perficit. **Common Fennel.**

Aſclepias & Vincetoxicum *Offic.* fl. albo *C. B.* Raij *H. Pl.* 1090. Uſu *Rad.* In Hortis Curioſorum nutritur. **Swallow-wort.**

Aſphodelus Luteus & Haſta Regia *Offic.* luteo & flore & radice *C. B.* Raij *H. Pl.* 1192. Uſu *Rad.* In Hortis Botanicis nonnunquam reperitur. **Yellow Aſphodel** or **Kings-Spear.**

A. **Buglоſſum Sylveſtre** *Offic.* ſylv. minus *C. B.* Raij *Cat. Angl.* & *H. Pl.* 494. Uſu *Rad.* Inter ſegetes & in Arvis requietis paſſim occurrit. **Small Wild Bugloſs.**

A. **Britannica** Antiquorum **Vera** *Muntingij;* in Tractatu de verâ Antiquorum Herbâ Britannicâ. Lapathum maximum aquaticum five Hydrolapathum *J. B.* Raij *Cat. Angl.* & *H. Pl.* 171. Uſu *tota Planta* ſed præcipue *Radices.* In paluſtribus ac ſtagnantibus locis. The **True Britannica** of the **Ancients.**

A. **Cyanus Minor** *Offic.* vulgaris *Park.* Raij *Cat. Angl.* & *H. Pl.* 321. Uſu *Flor.* inter ſegetes *Maio* & *Junio* Floret. *The* **Corn-Flower** or **Blew-Bottle.**

A. **Cardiaca** *Offic.* & *Park.* Raij *Cat. Angl.* & *H. Pl.* 571. Uſu *Fol.* In incultis & ruderatis locis, *Julio* Floret. **Motherwort.**

A. **Cruciata** *Offic.* hirſuta *C. B.* Raij *Cat. Angl.* & *H. Pl.* 479. Uſu *Fol.* Ad ſepes & in Dumetis. **Mugweed** or **Croſs-wort.**

Epithymum *Offic.* ſive *Cuſcuta* minor *C. B.* Raij *H. Pl.* 1094. Uſu *Integra Planta.* Præp. *Syr.* Variis Herbis adnaſcitur. **Epithymum** or **Dodder** of **Time.**

A. **Erica** *Offic.* vulg. humilis ſempervirens fl. purpureo & albo *J. B.* Raij *Cat. Angl.* & *H. Pl.* 1713. Uſu *Fol.* & *Flor.* In Ericetis. **Common Heath.**

A. **Ulmus** *Offic.* vulgatiſſimus fol. lato ſcabro *Ger.* Raij *Cat. Angl.* & *H. Pl.* 1427. Uſu *Rad. Fol. Cort.* In Sepibus & Sylvis creſcit. *The* **Elm.**

A. **Ulmaria & Regina Prati** *Offic.* Barba Capri floribus Compactis *C. B.* Raij *Cat. Angl.* & *H. Pl.* 623. Uſu *Fol.* Præp. *Aq. Junio* & *Julio* floret, in Pratis Humidis frequenter occurrit. **Meadow-Sweet.**

A. **Urtica** *Offic.* urens maxima *C. B.* Raij *Cat. Angl.* & *H. Pl.* 160. Uſu *Herba tota.* Præp. *Aq.* Æſtate floret, ad ſepes & in locis ruderatis. **Common Nettle.**

Cinara & Scolymus *Offic.* Sativus Spinoſus & non Spinoſus *J. B.* Raij *H. Pl.* 299. Uſu *Fol. Caules* & *Capitum Squammæ,* ſed frequentiùs in *Culinis* quam in *Officinis* uſurpatur. **Artichoke.**

Roſa Damaſcena *Ger.* & pallida *Offic.* Raij *H. Pl.* 1468. Uſu *Flor.* Præp. *Aq. Spt. Conſ. Mel. Syr.* &c. *The* **Damask Roſe.**

Roſa Rubra *Offic.* & *Ger.* Raij *H. Pl.* 1468. Uſu *Flor.* (qui inter quatuor *Cordiales Flores* recenſentur) & *Anthera.* Præp. *Aq. Conſ. Syr. Mel. Ol. Ung.* &c. *The* **Red Roſe.**

Sumach & Rhois Obſoniorum *Offic.* Rhus folio Ulmi *C. B.* Raij *H. Pl.* 1590. Uſu *Fol.* & *Sem.* In *Hiſpania* & *Gallia* creſcit. **Common Sumach.**

Terebinthus Vulgaris *Offic.* & *C. B.* Raij *H. Pl.* 1577. *N. B.* Terebinthinam veram, Officinis eſſe ignotam; Officinalemque eſſe vel reſinam *Lariceam,* vel *Abiegnam.* The **Turpentine-Tree.**

Botanicum Anglicum,

OR,

The Engliſh Herball :

Wherein is contained a curious Collection of *Real Plants*, being the true Patterns of ſuch *Trees*, *Shrubs*, and *Herbs*, as are obſerved to grow *Wild* in *England*.

By which any one may moſt eaſily attain to the Speedy and True Knowledge of them.

With an Account (affixed to each Plant) of their *Names*, *Places* where *Growing*, and *Times* of Flouriſhing: As alſo what *Parts* and *Preparations*, of each **Phyſical Plant**, are moſt in Uſe.

And for the farther Inſtruction and Satisfaction of ſuch, who are Lovers of Plants. The Compoſer of this Collection, choſe to make his chiefeſt References to the *General Hiſtory*, *Catalogue* and *Synopſis* of that Learned Author, and moſt Judicious Botaniſt, Mr. **John Ray**: As alſo, to our Two moſt Eſteemed Engliſh Herballs, *Johnſon* upon *Gerard* and *Parkinſon*; and for your more ſpeedy finding each *PLANT*, he hath quoted the Page, wherein you may obſerve its Name, Figure, or Deſcription.

An *Explication* of the *Words* and *Authors* which are here Abbreviated.

Prodr. & *Pin.* Caſper Bauhine his *Prodromus* & *Pinax*, both Printed at *Baſil.* A. D. 1671. *Quarto.*

Joannis Bauhini Plantarum Hiſtoria Univerſalis *Lugdun.* 1650. 3. Vol. Fol.

Cant. Mr. *Ray*'s Catalogue of *Cambridge-Plants* 1660. *8vo.*

Gerards Herbal, Corrected, and Enlarged by Mr. *Thomas Johnſon* an *Apothecary*, Lond. 1636. *Fol.*

Phyt. Leonardi Plucknetij Phytographia. This moſt Expendious Herbal conſiſts of near 800 new and unpubliſhed of *Trees*, *Shrubs*, and *Herbs*; not only of *Europe* growth, but from both the *Indies*, &c. all which are very curiouſly Engraven on Copper Plates; with Names adapt Names from their Proper Characteriſticks and truly deſcriptive of the things themſelves. Lond. 1691. *Fol.*

Pin. Dr. *Merret*'s Pinax, being a ſuccinct Account of what *Vegetables*, *Animals*, *Foſſills*, &c. hath been obſerved to be Natives of *England*, *Lond.* 1667. *8vo.*

Shews you by what Name that Plant is generally deſcribed by the *Learned Colledge of Phyſicians*, and found in the *Apothecaries Shops.*

Parkinſon's Theatrum Botanicum: or, Theatre of Plants *Lond.* 1640. *Fol.*

Park. Parad. The ſame Authors *Paradiſe*, or *Garden of Flowers. Lond.* 1619. *Fol.*

Phyt. Brit. Phytologia Britannica, being an Alphabetical Catalogue of *Engliſh* Plants, 1650. *8vo.*

Prep. & *Uſu.* Denotes what Parts and Preparations of that Plant are moſt frequently uſed.

Raij. Cat. Angl. Mr. *Ray*'s Catalogue of *Engliſh* Plants. *Lond.* 1677. *8vo.*

Raij. Faſcic. Faſciculus Stirpium Britannicarum, being a Supplement to his *Engliſh* Catalogue. Lond. 1688. *8vo.*

Raij. H. Pl. Hiſtoria Plantarum *Raij*, being an *Univerſal Hiſtory of Plants*, digeſted in a Methodical manner; with the Characteriſtick Notes of each different Genus, and moſt Acurate Deſcriptions of every Plant: As alſo, an ample Account of their Uſe and Vertues. *Lond.* 1686. 2 Vol. *Fol.*

Raij. Synopſ. Synopſis Methodica Stirpium Britannicarum. Wherein is contained an account of what Plants hath hitherto been obſerved to grow *Wild* in *England*, compoſed after the ſame Method with his *General Hiſtory*: A Book very uſeful to ſuch as are deſirous to know Our Native *Engliſh* Plants. *Lond.* 1690. *8vo.*

ANICUM ANGLICUM;

OR,

The Engliſh Herball :

is contained a curious Collection of *Real* being the true Patterns of ſuch *Trees*, *Shrubs*, and as are obſerved to grow *Wild* in *England*.

Account (affixed to each *Plant*,) of their *Places* where *Growing*, and *Times* of Flouriſh- alſo, what *Parts* and *Preparations* of each **Plant** are moſt in Uſe.

Samuel Smith, at the Princes-Arms in St. *Paul*'s *Church-yard. London.*

Hortus Siccus Pharmaceuticus:

OR,

A Phyſick Garden of Medicinal Herbs.

Wherein is contained a curious Collection of *Real Plants*, being the true Patterns of ſuch *Trees*, *Shrubs*, and *Herbs*, both *Native* and *Foreign*, as are moſt frequently Preſcribed by the Learned *Colledge of Phyſitians*, and daily Uſed in the *Apothecaries* Shops.

With an Account (affixed to each *Plant*) of their *Names*, *Places* where *Growing*, and *Times* of Flouriſhing; As alſo, what *Parts* and *Preparations* of each *Plant* are moſt Uſe.

Sold by *Samuel Smith*, at the Princes Arms in St. *Paul*'s *Church-Yard. London.*

torminalis *Ger.* Fig. 1471. torm. vulg. *Park.* Raij *Cat. Angl.* & *H. Pl.* 1457. *Synopſ.* 219. in *March* and *April*, and the *Fruit* is ripe a- *Michaelmaſs*, it grows in Woods and Hedges. *Or wild Serviſe-Tree.*

Trifolium nodiflorum glomerulis mollioribus & rotundioribus ſemine magno *Raij Cat. Angl.* parvum hirſutum floribus parvis dilutè purpureis in glomerulis mollioribus & oblongis ſemine magno *Ejuſd. Synopſ.* 134. & *H. Pl.* 945. It *Flowers* and *Seeds* in *July*, *&c.* in barren Paſtures. *Knotted Trefoil, with ſoft Heads, and large Seeds.*

Alſine parva paluſtris tricoccos Portulacæ aquaticæ ſimilis *Raij Synopſ.* 149. & *H. Pl.* 1035. Alſine formis paludoſa tricarpos floſculis albis inapertis. *L. Pl. Phyt.* Tab. 7. Fig. 5. It *Flowers* and *Seeds* in *March*, *April*, &c. in moiſt places, and ſometimes amongſt Corn. *Blinks.*

Anagallis lutea *Ger.* Fig. 618. Fl. luteo *Park.* Fig. 558. *Raij. Cat. Angl.* & *H. Pl.* 1024. *Synopſ.* 144. It *Flowers* about *Midſummer* in ſhady moiſt Woods. *Yellow Pimpernel.*

Aſcyrum ſupinum villoſum paluſtre *Park.* 574. ſupinum ἑλώδες *Cluſii* ſeu 2. *Ger.* 542. *Raij Cat. Angl.* & *H Pl.* 1020. *Synopſ.* 144. It *Flowreth* about *July* in mooriſh and boggy places. *Hoary St. Peters-wort.*

Burſa Paſtoris minor. *Park.* Fig. 866. minima *Ger.* Fig. 276. & Naſturtium petræum *Ejuſd.* Fig. 251. & *Park.* Fig. 828. *Raij Cat. Angl.* & *H. Pl.* 827. *Synopſ.* 116. It *Flowers* and *Seeds* in *April* and *May* on Rocks, and Sandy Banks. *The leſſer Shepheards-Purſe.*

Cauda Muris *Ger.* Fig. 426. Myoſuros Cauda Muris *Park.* Fig. 500. *Raij Cat. Angl.* & *H. Pl.* 1332. *Synopſ.* 209. It *Spikes* in *April* and *May* near Highways, and amongſt Corn. *Mouſe-tail.*

Gramen parvum præcox ſpicâ laxâ caneſcente *Raij Cat. Angl.* 150. & *Synopſ.* 191. *L. Pl. Phyt.* Tab. 33. Fig. 9. It *Flouriſhes* in the Spring in barren and gravelly grounds. **Mr. Ray's** *ſmall Vernal Graſs with a ſoft looſe Spike.*

Juncus parvus paluſtris cum parvis capitulis Equiſeti *Raij H. Pl.* 1306. & *Synopſ* 203. *L. Pl. Phyt.* Tab. 40. Fig. 6. It *Flowers* in *May*, on Heaths and Boggy Places. *DwarfRuſh with ſmall Aglet-Heads.*

Lichen parvus erectus foliolis profundè laciniatis *L. Pl. Phyt.* Fig. 2. Tab 42. It was firſt obſerved by that moſt Ingenious and Skillful Botaniſt Dr. *Plukenet* in a Boggy rill of Water, near *Dulliage-Wells*, where it grows plentifully. Dr. *Plukenet*'s ſmall upright *Liverwort*, with deep Jagged Leaves.

Lyſimachia galericulata minor *Raij Cat. Angl.* & *H. Pl.* 572. *Synopſ.* 84. Gratiola latifolia *Ger.* Fig. 581. latifolia ſeu noſtras minor *Park.* Fig. 220. It *Flowereth* in *July* and *Auguſt* in Boggy Places. Hooded *Looſe-ſtrife.*

Muſcus marinus denticulatus minor ramulis in creberrima capillamenta ſparſis *L. Pl. Phyt.* Tab. 48. Fig. 3. It's frequently found caſt on the Sea-Shoar. *Buſhey Feathered Sea-Moſs.*

Nummularia flore purpuraſcente *Ger.* Fig. 630. minor fl. purp. *Park.* Fig. 555. *Raij. Cat. Angl.* & *H. Pl.* 1100. *Synopſ.* 161. It *Flowers* in *July* in moiſt Boggy Grounds. *Purple Flowered Money-wort.*

Plantaginella palluſtris *C. B. Pin.* 190. *Raij. Cat. Angl.* & *H. Pl.* 1077. *Synopſ.* 158. Alſine paluſtris repens foliis lanceolatis floribus albis perexiguis *L. Pl. Phyt.* Fig. 4. Tab. 74. It *Flowers* and *Seeds* in *May*, in dry Ponds and muddy Lanes. *Water-Plantain Chickweed.*

Sagitta aquatica omnium minima *Raij. Synopſ. Append.* 242. Obſerved by Dr. *Plukenet* to grow in the *Thames*, by *Lambeth-Bridge*, and *Peterborough-Houſe*, *Flowering* in *June*. The *leaſt Arrow-head.*

Saxifraga graminea puſilla flore parvo tetrapetalo *Raij. H. Pl.* 1026. & *Synopſ.* 145. Anglicana Alſine folia *Ger. Fig.* 567. Anglica Occidentalium Lobelij *Park.* Fig. 437. & Caryophyllus minimus muſcoſus noſtras *Ejuſd.* Fig. 134. It *Flowers* and *Seeds* great part of the Summer in Garden Walks, and moiſt Barren Paſtures. *Chickweed Break-Stone* or *Pearl-Wort.*

Speculum Veneris minus *Ger. Fig.* 439. *Park.* 1331. *Raij Cat. Angl.* & *H. Pl.* 748. *Synopſ.* 104. It *Flowers* in *May*, amongſt Corn. The leſſer *Corn-Violet* or *Venus Looking-Glaſs.*

Tithymalus leptophyllos *Park.* Fig. 193. Eſula exigua Tragi *Ger.* Fig. 503. *Raij. Cat. Angl.* 101. *H. Pl.* 868. *Synopſ.* 125. It *Flowers* and *Seeds* in *June*, &c. amongſt Corn. *Dwarf annual Spurge.*

Ægilops bromoides *Ger.* Fig. 77. bromoides Belgarum *Park.* Fig. 1148. *Raij. Cat. Angl.* 105. & *H. Pl.* 1254. *Synopſ.* 179. It *Flouriſhes* with the common Oats amongſt Corn. *Bearded Wild Oats*, or *Haver.*

Anagallis aquatica rotundifolia *Ger.* Fig. 620. aq. 3. Lob. fol. ſubroundo non crenato *Park.* Fig. 1237. *Raij Cat. Angl.* 105. & *H. Pl.* 1101. *Synopſ.* 162. It *Flowers* and *Seeds* in *June* and *July*, in Boggy Grounds. *Round leav'd Water Pimpernel.*

Anemone nemorum alba *Ger.* Fig. 383. Ranunculus nemoroſus albus ſimplex *Park.* Fig. 325. *Raij Cat. Angl.* & *H. Pl.* 624. *Synopſ.* 93. It *Flowers* in *March* and *April* in moiſt low Woods. *Wood Anemony.*

Aſtragalus ſylvaticus *Ger.* Fig. 1237. Lathyrus ſylveſtris ligniſior *Park.* Fig. 1062. *Raij Cat. Angl.* & *H. Pl.* 916. *Synopſ.* 131. It *Flowers* and *Pods* in *April* and *May*, in ſhady Woods. *Wood Peaſe.*

Cardamine impatiens altera hirſutior *Raij Cat. Angl.* & *H. Pl.* 815. *Synopſ.* 114. It *Flowers* in *April* and *May*, in Ditches and moiſt ſandy Places. *The leſſer hairy Ladies Smock.*

Caryophyllus pratenſis *Ger.* Fig. 594. prat. noſter major *Park.* 1338. *Raij Cat. Angl.* 27. & *H. Pl.* 991. *Synopſ.* 139. It *Flowers* in *June* and *July*. in Sandy and Gravelly Grounds. *Deptford Pink.*

Centaurium luteum perfoliatum *C. B. Pin.* parvum luteum Lob. *Ger.* Fig. 547. minus luteum vulgare *Park.* Fig. 272. *Raij* H. *Pl.* 1093. *Synopſ.* 160. In Chalky and Mountainous Places, *Flowering* in *July* and *Auguſt*. *Yellow Centaury.*

Filix paluſtris ſeu aquatica *Raij Cat. Angl.* & minor paluſtris *Ejuſd. H. Pl.* 146. & *Synopſ.* 24. Dryopteris Penæ & Lob. *Ger.* Fig. 1135. It's found in Boggy and Mooriſh Places. *Marſh Fern.*

Fumaria alba latifolia claviculata *Ger.* Fig. 1088 latifolia alba *Park.* Fig. 288. *Raij Cat. Angl.* & *H. Pl.* 974. *Synopſ.* 137. It *Flowers* and *Pods* in *June*, *July*, *&c.* on Hedges and the Banks of Rivers. *Climbing Fumitory.*

Gramen hirſutum elatius paniculâ junceâ compactâ *Raij Cat. Angl.* 146 & *H. Pl.* 1291. *Synopſ.* 193. an Gr. nemorum hirſutum majus anguſtifolium *Park.* Fig. 1185. It *Flouriſhes* in *May* in moiſt Ditches near Hedges and Woods. *Cloſe headed hairy Graſs.*

Gramen nemoroſum hirſutum latifolium maximum *Raij Cat. Angl.* 156. & *H. Pl.* 1292. *Synopſ.* 133. an Gr. nemorum hirſutum latifolium minus Junceâ paniculâ *Park.* 1185. Whoſe *Figure* very well agrees with this Plant. It *Flouriſhes* in *April* and *May*, in ſhady Woods and on Rocks. *The greateſt broad leav'd hairy Wood-Graſs.*

Helleborine paluſtris noſtras *Raij Cat. Angl.* & *H. Pl.* 1221. *Synopſ.* 175. It *Flowers* in *June* and *July*, in Boggy Places. *Marſh Hellebore.*

Pentaphyllum rectum minus *Park.* 400. Quinquefolium Tormentillæ facie *Ger.* Fig. 988. *Raij Cat. Angl.* & *H. Pl* 613. *Synopſ.* 90. It *Flowers* in Barren Sandy Paſtures. *Tormentil Cinquefoil.*

Peplus ſeu Eſula rotunda *Ger.* Fig. 503, Eſula rotunda ſeu Peplus *Park.* Fig, 194. *Raij Cat. Angl.* & H. *Pl.* 869. *Synopſ.* 125. It *Flouriſhes* from *Midſummer* till *Autumn*, in Gardens amongſt the Weeds. *Petty Spurge.*

Hieracium Dentis Leonis folio hirſutum *Ger.* Fig. 303. foliis floribus Dentis Leonis bulboſi *Park.* Fig. 788. Dens Leonis hirſutus λαπτόκαυλος, Hieracium dictus *Raij Synopſ.* 46. *Cat. Angl.* 160. & *H. Pl.* 245. It Flowers in *May* and *June*, very frequently in Paſtures and Meadows. **Rough Dandelion, commonly called Dandelion Hawkweed.**

Hieracium fruticoſum latifolium hirſutum *Park.* 802. *Raij Cat. Angl.* & *H. Pl.* 238. *Synopſ* 44. abont *High-gate* and *Hamſtead*, and elſewhere in Buſhy Woods: Flowring in *July* and *Auguſt*. **Broad rough leaved Buſhy Hawkweed.**

Hieracium fruticoſum auguſtifolium majus *Park.* Fig. 801. Sybaccum *Ger.* Fig. 298. *Raij Cat. Angl.* & *H. Pl.* 238. *Synopſ.* 44. In ſtony, gravelly, and ſhrubby places: Flowring *July*, &c. **Narrow leaved buſhy Hawkweed.**

Hieracium luteum glabrum, ſeu minus hirſutum *I.B. Tom.* 2. 24. p. 1029. Cichoreum pratenſe luteum levius *Park.* Fig. 7. an potius Hieracium aphacoides *Ger.* Fig. 297? foliis & ſe Chrondrillæ Lobelii *Park.* Fig. 794? *Raij Cat. Angl.* & *H.* 234. *Synopſ.* 43. It *Flowers* from *Midſummer* till *Auguſt*, in ſures, and on Ditch banks. **Smooth Succory Hawkweed.**

Hieracium minus præmorſa radice *Park.* Fig. 794. minus Leporinum *Ger.* Fig. 296. *Raij Cat. Angl.* & *H. Pl.* 230. *Synopſ.* 42. It's very frequent in Meadows and Paſture-lands: Flowring in *July* and *Auguſt*. **Yellow Devils-bit, Hawkweed** with bitter Roots.

Hieracium longius radicatum *Ger.* Fig. 298. *Park.* Fig. 790. *Raij Cat. Angl.* & *H. Pl.* 230. *Synopſ.* 42. It *Flowers* from *Midſummer* till *Autumn*, very common in Meadows and Paſtures. **Long rooted Hawk weed.**

Oenanthe Cicutæ facie Lobelii *Park.* Fig. 894. Filipendula Cicutæ facie *Ger.* Fig. 1059. *Raij Cat. Angl.* & *H. Pl.* 441. *Synopſ.* 66. It *Flowers* between *Midſummer* and *Auguſt* in Ditches and ſmall running Waters, but not very frequent. **Hollock Dropwort.**

Orchis ſive Cynoſorchis purpurea ſpica congeſta pyramidali *Cant. Raij Cat. Angl.* & *H. Pl.* 1215. *Synopſ.* 170. an Cynoſorchis militaris ſpica rubente conglomerato *Park.* 1345? *Theatr.* prodr. 28? It *Flowers* in *July* in dry and chalky Grounds. **The late Flowring Orchis.**

Orchis palmata minor fl. rubro *Park.* Fig. 1358. Serapias nitente flore *Ger.* Fig. 222. *Raij Cat. Angl.* & *H. Pl.* *Synopſ.* 173. It *Flowers* in *June* in wet Paſtures and Meadows. **Red banded Orchis, with long Spurs.**

Orchis palmata fl. luteo viridi *Raij H. Pl.* 1224 *Synopſ.* 173. *Cat. Angl.* 217. an palmata fl. viridi *C. B.* prodr. 30? & 1359? Serapias Batrachites altera *Ger.* Fig. 224? flowers about the end of *May* in dry Grounds. **Banded with a green Flower**, called by ſome the **Frog Orchis.**

Orchis hermaphroditica *Ger.* Fig. 211. Orchis ſerapias bifolia trifolia minor *Park.* Fig. 1350. *Raij Cat. Angl.* & *H.* 1. *Synopſ.* 172. It *Flowers* in *July* in Paſture Grounds and Woods. **Butterfly Satyrion.**

Orithopodium minus *Ger.* Fig. 1241. *Park.* Fig. 1092. *Cat. Angl.* & *H. Pl.* 931. *Synopſ.* 132. It *Flowers* from till *September* in Sandy Heaths and Gravelly Grounds. **Birds-foot.**

Pecten Veneris ſeu Scandix *Ger.* Fig. 1040. Scandix vulg. Pecten Veneris *Park.* Fig. 916. *Raij Cat. Angl.* & *H. Pl.* *Synopſ.* 64. It *Flowers* in *May* amongſt Corn. **Venus Comb or Shepherds Needle.**

Pedicularis *Ger.* Fig. 1071. pratenſis rubra vulgaris *Park.* Fig. 713. *Raij Cat. Angl.* & *H. Pl.* 770. *Synopſ.* 106. It *Flowers* in *May* and *June* in moiſt Meadows and Mooriſh Heaths. **Red-Rattle.**

Perſicaria Salicis folio Potamogiton anguſtifolium dicta *Raij H. Pl.* 184. & *Synopſ.* 32. *Cat. Angl.* 241. Potamogeiton anguſtifolium *Ger.* Fig. 821. Fontalis major longifolia *Park.* Fig. 1254. It *Flowers* in *June* and *July* in Ponds and large Ditches frequently. **Narrow leaved Pondweed or Arſmart.**

Plantago aquatica major *Ger.* Fig. 417. *Park.* Fig. 1245. *Raij Cat. Angl.* & *H. Pl.* 618. *Synopſ.* 92. It *Flowers* from *June* till *Auguſt* in ſmall Rivers and Ponds frequently. **Great Water-Plantane.**

Plantago aquatica humilis *Ger.* Fig. 417. aq. minor *Park.* Fig. 1245. *Raij Cat. Angl.* & *H. Pl.* 618. *Synopſ.* 92. It grows in the ſame places with the greater of this kind, but is not ſo common, The **Leſſer Water-plantane.**

Polygala *Ger.* Fig. 563. minor *Park.* Fig. 1332. *Raij Cat. Angl.* & *H. Pl.* 1335. *Synopſ.* 209. It *Flowers* in *May* and *June* on dry and hilly Paſtures. **Milk-wort.**

Polygonum Germanicum ſive Knawel Germanorum *Park.* Fig. 447. ſelenoides ſive Knawel *Ger.* Fig 566. *Raij Cat. Angl.* & *H. Pl.* 213: *Synopſ.* 40. It Floriſhes about *Midſummer* in Sandy barren places. **Knawel**, or **German Knotgraſs.**

Populus alba *Ger.* Fig. 1486. *Park.* Fig. 1410. *Raij Cat. Angl.* & *H. Pl.* 1418. *Synopſ.* 214. It beareth its Jules or Catkins in *April* and *May* in wet Woods, and by Water-ſides. **White Poplar**, or **Abele-Tree.**

Populus alba foliis minoribus *Ger.* Fig. 1487. *Park.* Fig. 1410? *Raij Cat. Angl.* & *H. Pl.* 1419. *Synopſ.* 215. It is in ſuch places as the greater kind. The **Smaller leaved white Poplar.**

Populus Lybica *Ger.* Fig. 1487. *Park.* Fig. 1411. *Raij Cat. Angl.* & *H. Pl.* 1419. *Synopſ.* 215. Frequently amongſt *Birch*-Trees in moiſt Woods, bearing its Catkins in the Spring. The **Aſp**, or **Trembling-Poplar.**

Potamogeiton latifolium *Ger.* Fig. 821. Fontalis major latifolia vulgaris *Park.* Fig. 1254. *Raij Cat. Angl.* & *H. Pl.* 188. *Synopſ.* 34. It Flowers and Seeds in *June* and *July* in Fiſh-Ponds and ſtanding Waters. **Broad leaved Pondweed.**

Potamogeiton aquis immerſum folio pellucido lato oblongo acuto *Raij H. Pl.* 188. & *Synopſ.* 34. *Cat. Angl.* an longis acutis foliis *Ger.* Fig. 822? It *Flowers* in *June*, in large ſlow running Waters. **Long leaved pellucid pond-weed.**

Potamogeiton perfoliatum *Phyt. Brit.* & *Raij H. Pl.* 188. *Syn.* 34. & *Cat. Angl.* Pot. 3. Dodonei *Ger.* Fig. 822. It *Flowers* at the ſame time with the others in Ponds and ſlow running Rivers. **Perfoliate pond weed.**

Potamogeito affine gramen aquaticum *Cat. Cant. Raij Cat. Angl.* & *H. Pl.* 190. *Synopſ.* 35. In Ponds and ſtanding Waters. *Ray's* **Water-graſs**, with ſmall crooked Pods.

Pſeudomelanthinum *Ger.* Fig. 1087. Lychnoides ſegetum ſive Nigellaſtrum *Park.* Fig. 632. *Raij Cat. Angl.* & *H. Pl.* 998. *Synopſ.* 139. It Flowers in *June* and *July*, too frequently amongſt Corn. **Cockle.**

Pulmonaria Gallica ſive aurea latifolia *Ger.* Fig. 304. *Raij Cat. Angl.* & *H. Pl.* 239. *Synopſ.* 44. It *Flowers* in *June* and *July*, on old Walls, ſhady Banks, and in Woods. **French** or **Golden Lungwort.**

Ranunculus aquatilis omnino tenuifolius *I. B.* Millefolium ſive Maratriphyllon flore & ſemine Ranunculi aquatici Hepaticæ facie *Ger.* Fig. 827. Millefol. aquat. Ranunculi fl. & capitulo *Park.* Fig. 1256. *Raij Cat. Angl.* 200. & *H. Pl.* 586. *Synopſ.* 87. It *Flowers* in *April* and *May* in ſhallow Ponds and Ditches. **Fine leaded Water Crowfoot.**

Ranunculus aquatilis *Ger.* Fig. 829. aq. Hepaticæ facie *Park.* Fig. 1216. *Raij Cat. Angl.* & *H. Pl.* 586. *Synopſ.* 87. It *Flowers* in *April* and *May* frequently in ſtanding muddy Waters. **Water Crowfoot** with differing leaves.

Ranunculus paluſtris rotundifolius *Ger.* Fig. 962. paluſtris Sardonius lævis *Park.* Fig. 1215. *Raij Cat. Angl.* & *H. Pl.* 585. *Synopſ.* 87. It *Flowers* in *May*, *June*, &c. and is very common in all Watry Ditches. **Round leaved Water-Crowfoot.**

Ranunculus flammeus ſerratus *Ger.* Fig. 962. *Park.* Fig. 1215. *Raij Cat. Angl.* & *H. Pl.* 587. *Synopſ.* 88. It *Flowers* in *June* in Watry and Marſhy Meadows. **Indented Spearwort.**

Ranunculus hederaceus rivulorum ſe extendens atrâ maculâ notatus *I. B.* aquatilis varietas altera *Ger.* 830. *Raij Cat. Angl.* & *H. Pl.* 586. *Synopſ.* 87. It *Flowers* from *May* till *Midſummer* in Ditches and ſhallow ſandy Rivulets. **Ivy leaved Water-Crowfoot.**

Ranunculus bulboſus *Ger.* Fig. 953. *Park.* Fig. 329. *Raij Cat. Angl.* & *H. Pl.* 581. *Synopſ.* 86. It's very common in Meadows, flowring all the Summer. **Round-rooted**, or **Bulbous Crowfoot.**

Ranunculus pratenſis repens *Park.* Fig. 328. prat. etiamque hortenſis *Ger.* Fig. 951. *Raij Cat. Angl.* & *H. Pl.* 581. *Synopſ.* 86. It *Flowers* from *May* till *Auguſt* in moiſt Meadows. **Common creeping Crowfoot**, or **Butter-Cups.**

Ranunculus pratenſis erectus acris vulg. *Park.* Fig. 328. ſurrectis cauliculis *Ger.* Fig. 951. *Raij Cat. Angl.* & *H. Pl.* 583. *Synopſ.* 86. It's very common in moiſt Meadows, flowring moſt part of the Summer. **Upright Meadow-Crowfoot.**

Raphanus aquaticus *Ger.* Fig. 240. aq. Lobelii *Park.* Fig. 1228. both theſe Figures are ill expreſſed. *Raij Cat. Angl.* & *H. Pl.* 818. It *Flowers* in *June* and *July* in Watry Ditches, and muddy places. **Water-Radiſh.**

Rapiſtrum arvorum *Ger.* Fig. 233. *Park.* Fig. 862. *Raij Cat. Angl.* & *H. Pl.* 802. *Synopſ.* 111. Amongſt Corn too frequently, flowring moſt part of the Summer. **Yellow-Charlock**, or **Wild-Muſtard.**

Rapiſtrum album articulatum *Park.* Fig. 863. Raphanus ſylv. *Ger.* Fig. 240. *Raij Cat. Angl.* & *H. Pl.* 805. *Synopſ.* 111. It *Flowers* about *Midſummer* plentifully amongſt Corn. **White flowred Charlock**, with joynted Cods.

Rapiſtrum luteum ſiliquâ glabrâ articulatâ *Cat. Cant.* deſc. *Raij Cat. Angl.* & *H. Pl.* 805. *Synopſ.* 112. It *Flowers* at the ſame time with the other kinds amongſt Corn. **Yellow Charlock**, with a ſmooth joynted Cod.

Rubeola arvenſis cærulea repens *C. B. prodr.* 145. Rubia minor pratenſis cærulea *Park.* 276. *Raij Cat. Angl.* & *H. Pl.* 483. *Synopſ.* 74. It *Flowers* in *June*, &c. in Untilled or Fallow Fields. **Little Field Madder.**

Salix *Ger.* Fig. 1389. arborea anguſtifolia vulgaris *Park.* Fig. 1430. *Raij Cat. Angl.* & *H. Pl.* 1419. *Synopſ.* 215. It *Flowers* early, before the Leaves appear. The moſt common **White Willow.**

Salix Caprea rotundifolia *Ger.* Fig. 1390. latifolia rotunda *Park.* Fig. 1432. *Raij Cat. Angl.* & *H. Pl.* 1422. *Synopſ.* 216. It grows in Hedges, flowring in the Spring. **Round leaved Sallow.**

Salix Caprea latifolia *Ger.* Fig. 1390. latifolia oblongior *Park.* Fig. 1432. *Raij Cat. Angl.* & *H. Pl.* 1422. *Synopſ.* 217. In Watry Hedges frequently. **Common Sallow.**

Salix folio longiſſimo *Cat. Cant. Raij Cat. Angl.* & *H. Pl.* 1423. *Synopſ.* 217. In moiſt Grounds, and by River-ſides. The **Oſier.**

Sambucus aquatilis ſive paluſtris *Ger.* Fig. 1424. paluſt. ſive aq. *Park.* Fig. 209. *Raij Cat. Angl.* & *H. Pl.* 1586. *Synopſ.* 225. It *Flowers* in *May*, and the *Berries* are ripe in *Autumn* in moiſt Hedges and wet Woods. **Water-Elder.**

Sorbus ſylveſtris ſive Fraxinus bubula *Ger.* Fig. 1473. Ornus ſive Fraxinus ſylv. *Park.* Fig. 1419. *Raij Cat. Angl.* & *H. Pl.* 1457. *Synopſ.* 219. It *Flowers* in *May*, and the *Fruit* is ripe in *Septemb*, in Marſhy places and Hilly Woods. **Quicken-Tree.**

Spergula *I. B.* Saginæ Spergula *Ger.* Fig. 1125. Saginæ Spergula major *Park.* Fig. 562. *Raij Cat. Angl.* & *H. Pl.* 1034. *Synopſ.* 148. It *Flowers* in *June* and *July* in Corn-Fields. **Spurrey.**

Spergula purpurea *I. B.* Alſineformis ſive 5 *Ger.* 1125. Saginæ Spergula minima *Park.* 561. *Raij Cat. Angl.* & *H. Pl.* 1034. *Synopſ.* 148. It *Flowers* in *May* and *June* in ſandy and gravelly Grounds. **Purple Spurrey.**

Taxus *Ger.* Fig. 1370. *Park.* Fig. 1412. *Raij Cat. Angl.* & *H. Pl.* 1416. *Synopſ.* 214. It *Flowers* in the Spring, and the *Fruit* is ripe from *Autumn* till *Chriſtmas*, in Stoney and Mountainous Woods and Hedges in the *Weſt* and *Southern* parts of this Land plentifully. **The Yew-Tree.**

Thalictrum majus vulgare *Park.* Fig. 264. Thalictrum ſive, Thalictrum majus *Ger.* Fig. 1251. *Raij Cat. Angl.* & *H. Pl.* 403. *Synopſ.* 62. It *Flowers* in *July* and *Auguſt* near Rivers, and in moiſt Meadows. **Meadow-Rue.**

Tithymalus Helioſcopius *Ger.* Fig. 498. *Park.* Fig. 189. *Raij Cat. Angl.* & *H. Pl.* 869. *Synopſ.* 125. It *Flowers* and *Seeds* about *Midſummer* in Kitchin-Gardens and waſt Grounds. **Sun-Spurge**, or **Wart-wort.**

Tragopogon luteum *Ger.* Fig. 735. *Park. parad.* 514. *Raij Cat. Angl.* & *H. Pl.* 252. *Synopſ.* 46. It *Flowers* in *June* and *July* in Meadows and Fertile Paſtures frequently. **Yellow Goats-beard**, or **Go to Bed at Noon.**

Tribulus aquaticus minor Muſcatellæ floribus *Ger.* Fig. 824. aq. minor alter *Park.* Fig. 1248. *Raij Cat. Angl.* & *H. Pl.* 189. *Synopſ.* 34. It *Flowers* in *June* and *July* in Rivers and and Ditches of clear Water. **Small Frogs-Lettice.**

Tribulus aq. minor Quercûs floribus *Ger.* Fig. 824. aq. minor prior, *Park.* Fig. 1248. *Raij Cat. Angl.* & *H. Pl.* 189. *Synopſ.* 34. It *Flowers* in *June* and *July* in muddy Waters, as Ponds, and ſlow running Rivers. **Curled Frogs-Lettice.**

Trifolium Fragiferum *Ger.* Fig. 1208. Frag. Friſicum *Park.* Fig. 1109. *Raij Cat. Angl.* & *H. Pl.* 946. *Synopſ.* 135. It *Flowers* in *July* and *Auguſt* in Clay Paſtures, where the Water hath ſtood all the Winter. **Strawberry Trefoil.**

Trifolium luteum Lupinum *Ger.* Fig. 1186. *Raij Cat. Angl.* & *H. Pl.* 949. *Synopſ.* 135. It *Flowers* and *Seeds* in *June* and *July* in Corn-Fields and Sandy-Grounds. **Hop-Trefoil.**

Trifolium Lupulinum alterum minus *Raij Cat. Angl.* & *H. Pl.* 949. *Synopſ.* 135. It *Flowers* about *Midſummer* in Meadows amongſt the Graſs. **The Leſſer Hop-Trefoil.**

Trifolium luteum minimum *Ger.* Fig. 1186. *Park.* Fig. 1111. *Raij Cat. Angl.* & *H. Pl.* 952. *Synopſ.* 135. It *Flowers* in *June* and *July* in Barren Paſtures. **Small Yellow** or **Melilot Trefoil.**

Trifolium cordatum *Ger.* Fig. 1190. Medica Arabica Camerarii ſive Trifol. cordatum *Park.* Fig. 1115. *Raij Cat. Angl.* & *H. Pl.* 963. *Synopſ.* 137. It *Flowers* and *Seeds* in *May* and *June* in dry and ſandy Paſtures. **Claber**, or **Heart-Trefoil.**

Trifolium ſiliquoſum minus *Ger.* Fig. 1190. *Raij Cat. Angl.* & *H. Pl.* 967. *Synopſ.* 137. It *Flowers* in *July* and *Auguſt*, frequent in moſt Paſtures. **Smooth creeping codded Trefoil.**

Trifolium corniculatum 3. *Dod.* Trifolii ſiliquoſi varietas major *Ger.* 1190. *Raij Cat. Angl.* & *H. Pl.* 968. *Synopſ.* 137. It *Flowers* from *June* till *Auguſt* in moiſt Meadows and near Hedges. **Hoary birds-foot Trefoil.**

Vaccinia nigra *Ger.* Fig. 1415. nigra vulg. *Park.* Fig. 1456. *Raij Cat. Angl.* & *H. Pl.* 1488. *Synopſ.* 222. It *Flowers* in *May*, and the Fruit is ripe in *Auguſt*, in Boggy Heaths and moiſt Woods. **Black Whorts, Whortle-berries**, or **Bil-berries.**

cus ſive Alga marina latifolia vulgatiſſima *Raij Sy-* 2. *H. Pl.* 70 & *Cat. Angl.* Quercus marina *Ger.* 1567. *Park.* Fig. 1293. It grows to Stones Rocks on the Sea-Coaſts plentifully. The **Moſt mon broad-leaved Sea-Wrack.**

cus ſive Alga latifolia major dentata *Raij Cat. Angl* & 71 *Synopſ.* 2. It grows in deep Seas. **Broad-leav-Sea-Wrack.**

cus anguſtifolius veſiculis longis Siliquarum æmulis *H. Pl.* 73 *Faſc.* 6 & *Syn.* 4. It's found on the Sea- in many Places. Mr. *Ray's* **Narrow-leaved ack, with Pod-like Bladders.**

ga *Ger. fig.* 1569. Fucus marina ſeu Alga marina inea *Park.* Fig. 1292. *Raij H. Pl.* 75. *Faſc.* 75. & *Syn.* Very common on the Sea-ſhoar. **Gyals-Wrack.**

ga marina platiceros poroſa. *I. B.* Fucus tela lineam ámve textura ſua æmulans *Raij Syn.* 4. *H. Pl.* 71. & *Angl.* 11. It's often caſt on the Sea-Shoar. **Silken-ack.**

chen marinus *Ger.* Fig. 1566. Fucus marinus *Lactuca* a dictus *Park.* Fig. 1293. *Raij Cat. Angl.* & *H. Pl.* 77. 6. It grows to Rocks and Stones in the Sea. **er-Green.**

orallina Muſcoſa ſeu Muſcus marinus tenui capillo mophoros *L. Pl. Phyt. Tab.* 168. *Fig.* 3. I firſt obſer-this (*A. D.* 1691.) on the Sea-ſhoar in *Eſſex.* **Fine d Coralline Moſs.**

onferva geniculata minima noſtras *L. Pl. Phyt. Tab.* *Fig.* 9. Obſerved by Mr. *Doody*, in the Ponds and hes, about the Fort at *Sheerneſs* plentifully. **Geniculd Conferva, or Crow-Silk.**

uſcus arboreus ſupinus marginibus piloſis *Raij Cat.* & *H. Pl.* 116. *Syn.* 14. It's found on many Trees, eſpecially the *Aſh*, flouriſhing in *May*, Mr. *Ray's* **ck Spangle headed Grey Moſs, with fine ed Leaves.**

uſcus cruſtaceus bracteolatus flavus. cruſtæ aut Lichemodo Arboribus Petriſve adnaſcens flavus *Raij Cat.* & *H. Pl.* 116. *Syn.* 14. On old Trees and Stone-Walls ently. **Yellow Spangled cruſtaceous Moſs.**

uſcus terreſtri vulgari ſimilis lanuginoſus *Raij Syn.* Alpinus ramoſior erectus flagellis brevioribus lanugi- *L. Pl. Phyt. Tab.* 47. *Fig.* 5. It's very common on the ntains in *Wales.* Mr. *Lloyd's* **Hairy Earth Moſs.**

uſcus montanus gracilis ramoſus viticulis longioribus ris, *L. Pl. Phyt. Tab.* 47. *Fig.* 4. It's found in Mounous ſhady places. Dr. *Plukenet's* **ſlender-branched untain Moſs.**

uſcus paluſtris gracilis ſummo ramoſus, parvus Stel- C. B. & *L. Pl. Phyt. Tab.* 47. *Fig.* 6. In Boggy Places, all upright Bogg-Moſs, with ſtarry Tops.

uſcus Filicinus *Ger.* Fig. 1561. *Park.* Fig. 1310. or *C. B.* pin. 360. *Raij Cat. Angl.* & *H. Pl.* 112. *Syn.* Its very common in ſhady Woods. **Fern-Moſs.**

Muſcus trichodes medius capitulis ſphæricis *Raij* in App. *Syn.* 243. Its found early in the Spring on Dry Ditch Banks in Heathy Ground. Mr. *Doody's* **Goldilocks, with Round heads.**

Muſcus trichoides foliis capillaceis capitulis minoribus *Raij Syn.* in App. 243. In moiſt Heathy Grounds. Mr. *Doody's* **Fine-leaved Goldilocks, with ſmall Heads.**

Muſcus trichoides capitulis oblongis reflexis *Raij Syn.* App. 243. It grows frequently on the Walls about *London.* Mr. *Doody's* **ſmall Goldilocks, with Red Stalks, and Green pendulous Heads.**

Muſcus trichoides parvus foliis Muſci vulgaris capitulis longis acutis *Raij Syn.* 243. Its very common on Walls and old Houſes. Mr. *Doody's* **common Goldlocks, with ſmall crooked Heads.**

Muſcus trichoides hirſutior capitulis longis reflexis, pediculis brevibus inſidentibus *Raii Syn.* 243. On Brick Walls frequently. Mr. *Doody's* **Hairy Goldilocks, withpendulous Heads and very ſhort foot-ſtalks.**

Muſcus trichoides minor capitulis longiſſimis *Raij Syn.* in App. 243. On ſhady Banks. Mr. *Doody's* **ſmall Goldilocks, with very long and ſlender Heads.**

Muſcus trichoides minus foliis ad caulem convolutis, capitulis ſubrotundis reflexis *Raii Syn.* in App. 244. On moiſt ſhady Walls. Mr. *Doody's* **Goldilocks, with Leaves growing like a Bulbous Root.**

Adianthum aureum medium foliis tenuiſſimis, capitulis erectis acutis *Raij Syn.* 237. Its found in Heaths and Boggs. Mr. *Bobart's* **fine leaved Boggy Heath-Moſs.**

Muſcus pennatus capitulis Adianthi *Raij Syn.* 236. In Boggs and moiſt places. Mr. *Bobart's* **Pennated Goldilocks.**

Muſcus Saxatilis Fœniculaceus Anglicus. I firſt obſerved it *A. D.* 1692. on the higheſt Rocks in *Charley-Forreſt*, in *Leiceſter-ſhire.* **Rock-Hair.**

Muſcus trichoides lanuginoſus Alpinus. I found this about *Midſummer*, *A. D.* 1692. on ſome Rocks in *Leiceſter ſhire.* **Small hairy Mountain Goldilocks.**

Muſcus Lichenoides arboreus repens foliis rotundis *D. Doody* Muſci cauliculis compreſſis altera ſpecies *Ejuſd. Raij Syn.* 244. Its frequently found early in the Spring, growing to Trees in ſhady Places. Mr. *Doody's* **creeping black-headed Liverwort Moſs, with Round-Leaves.**

Fungus holoſericus arboreus inferne lamellatus *Raij Syn.* 244. Its found on Trees with the other. Mr. *Doody's* **Small Lamellated velvet Muſhroom.**

PURL ROYAL, Or ELIXIR REGALE.

SYRUP of MANNA, Or the CORDIAL PURGE.

…s aureus capillaris paluſtris interfoliata folliculis …quadripartitis *L. P. Phyt.* Tab. 48. Fig. 1. Gra…perinum *D. Merret* in Pin. 57. Graminifolia re…luſtris vaſculis granorum Piperis æmulis *Raij Cat. H. Pl.* 1325. *Synopſ.* 209. It *Seeds* in *July* and *Au…*wet, Marſhy Grounds. Dr. *Merret's* **Pepper-**

…podium Cambro-Britanicum pinnulis ad margines …s *Raij H. Pl.* 137. *Faſcic.* & *Synopſ.* 22. On a …ar *Caerdiff* in *Glamorganſhire.* **Lacinated Polipody …es.**

…ria aquatica *Ger.* Fig. 830. *Park.* Fig. 1258. *Raij …l.* & *H. Pl.* 1323. *Synopſ.* 208. It's found in moſt …nd watery Ditches. **Water Star-wort.**

…ria aquatica foliis longis tenuiſſimis *Raij Faſcic.* & …08. It's found with the common. **Narrow leav'd …tar-wort.**

…ria puſilla paluſtris repens tetraſpermos. Lenti…atica bifolia Neapolitana *Park.* Fig. 1293. *Raij* …852. The firſt diſcovery of this Plant to be …e of *England* we owe to the Ingenious Phyſician …taniſt, Dr. *Hans Sloan*, who obſerved it in a Bog …y-Heath, June 4. 1691. **Small creeping Parſh…ort.**

…e Plantaginis folio *I. B.* Fig. 1. Lib. 29. p. … Fontana *Ger.* 612? (whoſe Figure pretty well …es this Plant) *Raij Cat. Angl.* & H. *Pl.* 1032. *Sy…*8. It *Flowers* and *Seeds* in *May*, *June*, &c. in moiſt …and Woods. **Plantain leav'd Chickweed.**

…e rotundifolia ſeu Portulaca aquatica *Ger.* Fig. … minor fol. oblongo ſeu Portulaca aq. *Park.* Fig. *Raij* H. *Pl.* 1035. *Cat. Angl.* & *Synopſ.* 149. It … and *Seeds* in *July* and *Auguſt* in ſmall Ponds and …Ditches. **Round leav'd Water Chickweed.**

…is non ſpinoſa purpurea *Ger.* Fig. 1322. non ſpi… purpureo *Park.* 993. *Raij Cat. Angl.* & …957. *Synopſ.* 136. It *Flowers* in *June* and *July* in …Paſtures. **Purple Reſt-harrow without prickles.**

…yllis leguminoſa *Ger.* Fig. 1240. leg. vulg. *Park.* …93. *Raij Cat. Angl.* & *H. Pl.* 922. *Synopſ.* 132. It …in *June* and *July* in dry Chalky and Sandy Pa… **Lady's Finger, or Kidney-Vetch.**

…on *Ger.* Fig. 542. vulgare *Park.* Fig. 575. *Raij …l.* & H. *Pl.* 1019. *Synopſ.* 144. It *Flowers* in … *July* in moiſt Meadows, and near Rivers. **St. …wort.**

…na ſylv. major *Ger.* Fig. 1159. *Raij Cat. Angl.* …l. 288. *Synopſ.* 247. It *Flowers* in *July* and *Auguſt* …ths, and in dry barren Paſtures. **Wild Carline**

…ophyllus marinus minimus *Lobelii Ger.* Fig. 602. …marinum minus *Park.* Fig. 1297. *Raij Cat. Angl.* …l. 1037. *Synopſ.* 149. It *Flowers* from *May* till *Au…*the Sea-Coaſt, and elſewhere. **Thrift.**

…alis tenuifolia floſculis ſubrubentibus *Cat. Cant.* …t. *Angl.* & H. *Pl.* 467. *Synopſ.* 70. It *Flowers* and … *May* and *June* amongſt Corn. **Fine leav'd ba…arley with large rough Seed.**

…podium majus ſive Acinos *Park.* Fig. 22. Acinos …. 675. *Raij Cat Angl.* & *H. Pl.* 558. *Synopſ.* 81. …ers in *July* and *Auguſt* in Hedges and Buſhy Places. **Wild Baſil.**

…podium minus ſeu vulgare *Park.* Fig. 21. Ocy…lveſtre *Ger.* Fig. 675. *Raij* H. *Pl.* & *Synopſ.* 81. …s in *June* on chalky and gravelly Hills. **Small …ſil.**

Elatine folio acuminato *Park.* Fig. 553. altera *Ger.* Fig. 625. Linaria *Elatine* dicta folio acuminato *Raij* H. *Pl.* 759. & *Synopſ.* 105. It *Flowers* in *June* and *July* in Corn Fields. **Sharp pointed Fluellin.**

Flos Adonis fl. rubro *Ger.* Fig. 387. *Park. Parad.* Fig. 293. *Raij Cat. Angl.* & H. *Pl.* 596. *Synopſ.* 88. It's ſometimes found amongſt Corn, *Flowring* in *May*, *June*, &c. **Red Maiths, or Adonis Flower.**

Millegrana minima *Ger.* Fig. 569. ſeu Herniaria minor *Park.* 447. *Raij Cat. Angl.* & H. *Pl.* 1026. *Synopſ.* 146. It *Flowers* and *Seeds* after *Midſummer* on Heaths, and in moiſt Sandy Places. **The leaſt Rupture-wort** or **All-ſeed.**

Mollugo vulgatior *Park.* Fig. 565. an Rubia Sylveſtris *Ger.* 1118? whoſe *Figure* very well agrees with this Plant. *Raij Cat. Angl.* 258. & H. *Pl.* 481. *Synopſ.* 73. It *Flowers* and *Seeds* in *June* and *July* in Woods and Hedges. **Smooth Wild Madder.**

Perſicariâ ſiliquoſa *Ger.* Fig. 450. Mercurialis ſylveſtris, Noli me tangere dicta ſive Perſicaria ſiliquoſa *Park.* Fig. 296. *Raij Cat. Angl.* & H. *Pl.* 1328. *Synopſ.* 209. It *Flowers* and *Pods* in *July* and *Auguſt* in ſhady moiſt Places, but very rarely. **Touch me not,** or **Codded Arſmart.**

Plantago incana *Ger.* Fig. 493. *Raij Cat. Angl.* & H. *Pl.* 877. *Synopſ.* 126. It *ſpikes* in *July* in gravelly Grounds, and near Highways. **Hoary Plantain,** or **Lambs-tongue.**

Rapunculus eſculentus vulgaris *Park.* Fig. 648. Rapuntium parvum *Ger.* Fig. 453. *Raij Cat. Angl.* & H. *Pl.* 739. *Synopſ.* 103. It *Flowers* from *Midſummer* till *Auguſt* on Ditch Banks, and in untill'd Grounds. **Rampions.**

Rapunculus corniculatus montanus *Ger.* Fig. 455. Alopecuroides orbiculatus *Park.* 648. *Raij Cat. Angl.* & H. *Pl.* 744. *Synopſ.* 104. It *Flowers* in July in chalky hilly Grounds. **Horned Rampions.**

Reſeda *Plinij Ger.* Fig. 277. minor ſeu vulgaris *Park.* Fig. 823. *Raij Cat. Angl.* & H. *Pl.* 1053. *Synopſ.* 153. It *Flowers* in *June* and *July* on Walls, and in barren chalky Grounds. **Baſe Rocket.**

Ros Solis fol. oblongo *Ger.* Fig. 1556. *Raij Cat. Angl.* & H. *Pl.* 1100. *Synopſ.* 162. It *Flouriſhes* in *July*, &c. in boggy and mooriſh Places. **Long leav'd Ros Solis,** or **Sun-dew.**

Sagittariâ major *Ger.* Fig. 416. major latifolia *Park.* Fig. 1247. *Raij Cat. Angl.* & H. *Pl.* 619. *Synopſ.* 92. It *Flowers* and *Seeds* in *June and July* in moſt Rivers. **Great broad leav'd Arrowhead.**

Saxifraga graminea tenuifolia erecta. an Sax. Anglica Alſine folia annua. *D. Plot. Hiſt. Nat. Oxon.* p. 146. Fig. Tab. 9. N°. 7? *Raij* H. *Pl.* 1026. *Faſcic.* & *Synopſ.* 145. It *Flowers* and *Seeds* in *May* and *June* on Brick-walls and Sandy Banks. **Upright Chickweed-Saxifrage.**

Senecio hirſutus viſcidus major odoratus *I. B.* Lib. 24. p. 1042. Fætidus *Park.* Fig. 672. Erigeron tomentoſum *Ger.* Fig. 278. *Raij. Cat. Angl.* & H *Pl.* 290. *Synopſ.* 50. It *Flowers* and *Seeds* in *May* and *June* on Sandy Banks, and Gravelly Ditches. **Strong-ſcented Groundſel.**

Serratula purpurea *Ger.* Fig. 713. vulgaris Fl. purpureo *Park.* Fig. 475. *Raij Cat. Angl.* & H. *Pl.* 331. *Synopſ.* 54. It *Flowers* in *July* in ſhady Woods. **Saw-wort.**

Sorbus ſylveſtris *Aria Theophraſti* dicta *Park.* Fig. 1421. ſylv. Anglicus *Ejuſd.* 1420. Ariâ Theophraſti *Ger.* Fig. 1327. *Raij. Cat. Angl.* 27. & H. *Pl.* 1459. *Synopſ.* 219. It *Flowers* about *May*, and the *Fruit* is ripe in *Autumn*, on woody Hills and Rocks. **White Horn-Beam Tree.**

Tithymalus platyphyllos *Fuchſii I. B.* Lib. 34. p. 670. arvenſis latifolius Germanicus *C. B.* 291. *Raij. Cat. Angl.* & H. *Pl.* 870. *Synopſ.* 124. It's ſometimes obſerv'd amongſt Corn. *Flouriſhing* in *May* and *June.* **Broad leav'd Spurge.**

Conferva *Plinij Ger.* Fig. 1570. Alga aquatilis capillacea ſive Conferva *Plinij*, aliis Linum aquaticum *Park.* Fig. 1261. *Raij Cat. Angl.* & *H. Pl.* 118. *Synopſ.* 15. In ſwift running Waters, growing to Wood, Stones, *&c.* **Hairy River-weed,** or **Crow-ſilk.**

Cotyledon paluſtris *Ger.* Fig. 529. paluſt. acris Septentrionalium *Park* Fig. 1214. *Raij Cat. Angl.* & *H. Pl.* 1323. *Synopſ.* 208. It *Flowers* and *Seeds* after *Midſummer* in marſhy and boggy Places. **White-Rot,** or **Marſh Penny-wort.**

Filix mas non ramoſa pinnulis latis auriculatis ſpinoſis *Goodyeri Ger.* 1130. *Raij. Cat. Angl.* & *H. Pl.* 143. *Synopſ.* 24. In moiſt ſhady Ditches, and on Rocks. *Goodyer's* **Prickly auriculate Male-Fern.**

Filix mas non ramoſa pinnulis anguſtis raris profundè dentatis *Goodyeri Ger.* 1130. *Raij. Cat. Angl.* & *H. Pl.* 144. *Synopſ.* 24. In moiſt, ſhady, and boggy Places. *Goodyer's* **Male-Fern, with thin ſet deeply indented Leaves.**

Filix mas ramoſa pinnulis dentatis *Goodyeri Ger.* 1129. *Raij Cat. Augl.* & *H. Pl.* 150. *Synopſ.* 25. In ſtony ſhady Places, and at the Roots of old and rotten Oaks. *Goodier's* **Great branched Fern with indented Leaves.**

Filix ſaxatilis caule tenui fragili *Raij Cat. Angl.* & *H. Pl.* 152. *Synopſ.* 26. On old Stone-Walls and Rocks. **Fine cut ſtone Fern, with ſlender and brittle ſtalks.**

Feſtuca Avenacea ſpicis ſtrigotioribus & glumis glabris compactis *Raij H. Pl.* 1909. & *Synopſ.* 191. An Feſtuca elatior paniculis minus ſparſis, locuſtis ſtrigoſis ariſtatis purpureis ſplendentibus *Ejuſd.* in *App.* 244? It *Flouriſhes* in *July* amongſt Corn. **Smooth ſlender-ear'd Oat-Grass.**

Gramen Avenaceum dumetorum ſpica ſimplici *Raij Cat. Angl.* 138. Aven. dumet. ſpicatum *Ejuſd. H. Pl.* 1262. & *Synopſ.* 181. It ſpikes in *July* and *Auguſt* in buſhy Woods and Hedges. **Single-ſpiked Hedge Oat-Grass.**

Gramen Avenaceum dumetorum paniculâ ſparſâ *Raij Cat. Angl.* 138. & *H. Pl.* 1289 *Synopſ.* 192. It *ſpikes* in *July* in brambly Woods and Hedges. **Bush Oat-grass, with a ſparſed panicle.**

Gramen Avenaceum glabrum panicula & ſpicis raris ſtrigoſis compoſita ariſtis tenuiſſimis *Raij H. Pl.* 1909. *Faſcic.* & *Synopſ.* 192. It *Flowers* in *June* &c. and was firſt obſerved by Mr. *Doody*, near the *Biſhop of London's* Seat at *Fulham.* Mr. *Doody's* **Oat-Grass with long and ſlender Awns.**

Gramen Avenaceum glabrum paniculâ purpuro argenteâ ſplendente *Raij Synopſ.* 192. *Faſcic.* & H. *Pl* 1909. It *Flouriſhes* in *May June*, &c. in Paſture-Grounds. Mr. *Doody's* **Oat-grass, with purplish ſhining,** or **Silver Panicles.**

Gramen Avenaceum parvum procumbens paniculis non ariſtatis *Raij Cat. Angl.* & *H. Pl.* 1288. *Synopſ.* 192. *L. Pl. Phyt.* Tab. 34 Fig. 1. It Flouriſhes in *May* and *June* in Paſture Grounds. Mr. *Ray's* **ſmall Oat-grass without Awns.**

Gramen Avenaceum nemorenſe glumis rarioribus ex fuſco xerampelinis *Raij H. Pl.* 1219. *Synopſ.* 192. It *Flouriſhes* in *May* and *June* in Buſhes and Hedges near Woods. **Wood Oat-grass.**

Gramen Dactylon latiore folio *C. B. pin.* 8. Iſchæmon vulgare *Ger.* Fig. 27. ſylveſtre latiore folio *Park.* Fig. 1178. *Raij Cat. Angl.* & *H. Pl.* 1272. *Synopſ.* 184. It *Spikes* in *Auguſt* in ſome Plowed Fields. **Cocksfoot-Grass.**

Gramen paniceum ſpicâ diviſâ *C. B. pin.* 8. Panicum vulgare *Ger.* Fig. 85. ſylveſtre herbariorum *Park.* Fig. 1154. *Raij Cat. Angl.* & *H. Pl.* 1261. *Synopſ.* 181. It *Spikes* in *July* and *Auguſt* on watery Banks. **Panick-Grass with a divided ſpike.**

Gramen paniceum ſpicâ aſperâ *C. B. pin.* 8. *Raij Cat. Angl.* & *H. Pl.* 1262, *Synopſ.* 181. It *ſpikes* in *July* by River ſides. **Rough ſingle ear'd Panick-Grass.**

Gramen paniceum ſpica ſimplici levi *Raij H. Pl.* 1261. & *Synopſ.* 180. It *ſpikes* in *Auguſt* in Stubble Fields. **Panick-grass with a ſingle ſmooth Ear.**

Gramen paniculatum elatius ſpicis oblongis muticis ſquamoſis *Raij H. Pl.* 1286. *Cat. Angl.* 150. & *Synopſ.* 188. It *ſpikes* in *June* and *July* on *Dunghills*, and in moiſt *Meadows.* Mr. *Ray's* **ſpiked Meadow-grass without awns.**

Gramen pratenſe ſpicâ Lavendulæ *D. Merret. Pin.* 57. prat. ſerotinum paniculâ longâ purpuraſcente. *Raij Cat. Angl.* & *H. Pl.* 1288. *Synopſ.* 190. It *Flowers* in *July* and *Auguſt* in moiſt Meadows and boggy Places. Dr. *Merrit's* **Late flowring Meadow-grass, with a long purpliſh panicle.**

Gramen triglochin *Park.* Fig. 1187. Marinum ſpicatum *Ger.* Fig. 24. *Raij Cat. Angl.* & *H. Pl.* 1308. *Synopſ.* 249. It *Flouriſhes* in *May*, &c. in Boggy Grounds. **Arrow headed Grass.**

Gramen Cyperoides *Ger.* Fig. 12. Cyp. majus latifolium *Park.* Fig 1266. *Raij Cat. Angl.* & *H. Pl.* 1293 *Synopſ.* 194. It *ſpikes* in *May* by River ſides. **Great vernal Cyperus grass.**

Gramen Cyperoides majus auguſtifolium *Park.* 1265. an. Gr. Cyp. anguſt. majus *Ger.* Fig. 29.? *Raij Cat. Angl.* & *H. Pl.* 1293. It *ſpikes* in *April* and *May* by Brooks ſides. **Great narrow-leav'd vernal Cyperus Grass.**

Gramen Cyperoides polyſtachion flavicans ſpicis brevibus propè ſummitatem caulis *Raij Cat. Angl.* & *H. Pl.* 1294. *Synopſ.* 195. *L. Pl. Phyt.* Tab. 34. Fig. 5. It *ſpikes* in *June* in Meadows and Paſtures. Mr. *Ray's* **Cyperus-Grass with ſhort yellowiſh ſpikes.**

Gramen paluſtre echinatum *Ger.* Fig. 17. aculeatum Germanicum *Park.* Fig. 1187. *Raij Cat. Angl.* & *H. Pl.* 1296. *Synopſ.* 196. It *Heads* in *May* and *June* in Boggs and moiſt Meadows. **Marſh Hedgehog Cyperus grass.**

Gramen Cyperoides ſpicatum minimum, ſpicâ divulſâ aculeatâ *Raij H. Pl.* 1298. & *Synopſ.* 199. an. Gr. Cyp. echinatum montanum *Park.* Fig. 1172? It *ſpikes* in *June* in Boggs and ſhady Woods. **Small prickly ſpiked Cyperus-Grass.**

Gramen Cyperoides anguſtifolium ſpicis parvis ſeſſilibus in foliorum alis *Raij Synopſ.* 197. *Cat. Angl.* & *H. Pl.* 1295. *L. Pl. Phyt.* Tab. 34. Fig. 3. It *ſpikes* in *May* and *June* in moiſt and ſhady Ditches. Mr. *Ray's* **Narrow leav'd Cyperus-Grass with ſhort ſeſſile ſpikes.**

Gramen Cyperoides paluſtre paniculâ ſparſâ *Park.* Fig. 1266. aquaticum Cyp. vulgatius *Ger.* Fig. 22. *Raij Cat. Angl.* & *H. Pl.* 1296. *Synopſ.* 197. It *ſpikes* in *July* in the River *Thames* about *London.* **Water Cyperus Grass with a ſparſed panicle.**

Cyperus gramineus Miliaceus *Ger.* Fig. 30. Pſeudo-Cyperus gramineus ſive Miliaceus *Park.* Fig. 1171. *Raij. Cat. Angl.* & *H. Pl.* 1301. *Synopſ.* 200. It *Tufts* in *May* and *June* in ſome Ditches about *Hamſtead* and elſewhere. **Millet Cyperus Grass.**

Juncus acutus maritimus Anglicus *Park.* Fig. 1103. *Raij Cat. Angl.* & *H. Pl.* 1303. *Synopſ.* 201. It *Flouriſhes* after *Midſummer* on our Sea-Coaſts plentifully. *Parkinſon's* **Engliſh ſea hard Rush.**

ra minima *Ger.* Fig. 482. *Raij Cat. Angl.* & *H. Pl.* ynopſ. 48. It *Flowers* in *July* and *Auguſt*, in muddy where the Water hath ſtood all the Winter. Dwarf ll Fleabane.

olvulus major albus *Park.* Fig. 163. Smilax levis ſeu jor *Ger.* Fig. 861. *Raij Cat. Angl.* & *H. Pl.* 725. 702. It *Flowers* in *July* and *Auguſt*, in Hedges, Or- and moiſt places. Great Bindweed.

olvulus minor vulgaris *Park.* Fig. 171. Smilax lenis er. Fig. 861. *Raij Cat. Angl.* & *H. Pl.* 725. *Synopſ.* t *Flowers* from *Midſummer* till *Autumn*, in Gardens, Lands, and by Path-ways. Small Bindweed.

olvulus minor Atriplicis folio *Park.* Fig. 172. Volubi- *Ger.* Fig. 863. *Raij Cat. Angl.* & *H. Pl.* 182. *Synopſ.* *Flowers* and *Seeds* from *July* till *Autumn*: It's a Weed lens, Vineyards, and amongſt Corn. Black Bindweed.

us fæmina *Ger.* Fig. 1467. *Park.* 1521. *Raij Cat. Angl.* 1591. *Synopſ.* 225. In Hedges and Woods, flow- *May* and *June*; the Berries are ripe in *Autumn*. The ry, Gaiter-Tree, or Female Cornel.

opus Ruellii *Ger.* Fig. 427. recta vel repens *Park.* . *Raij Cat. Angl.* & *H. Pl.* 843. *Synopſ.* 112. It and *Seeds* from *May* till *Auguſt* in moiſt places, and h-banks. Swines Creſſes.

la fætida *Ger.* Fig. 757. *Park.* 86. *Raij Cat. Angl.* & 855. *Synopſ.* 57. It begins to *Flower* about *Midſummer*, t Corn and in plowed Fields. Maithes, or Stinking ed.

hoboſcum *Matth.* Paſtinaca latif. ſylveſt. *Ger.* Fig. *Park.* 944. *Raij Cat. Angl.* & *H. Pl.* 409. *Synopſ.* 63. ers and *Seeds* in *July* and *Auguſt*, on the banks and s of Fields, eſpecially in Salt Marſhes. Wild Parſneps.

a vulgaris hirſuta *Ger.* Fig. 1380. vulg. hirſutior *Park.* 80. *Raij Cat. Angl.* & *H. Pl.* 1713. *Synopſ.* 230. It's und with the common, Flowring from *Midſummer* till Common rough leaved Heath.

a tenuifolia *Ger.* Fig. 1382. virgata ſeu 6 Clus. *Park.* 83. *Raij Cat. Angl.* & *H. Pl.* 1718. *Syn.* 231. It *Flowers* art of the Summer, in waſt and Heathy Grounds. eaved Heath.

a aquatica *Ger.* Fig. 248. *Park.* Fig. 1242. *Raij Cat.* & *H. Pl.* 808. *Synopſ.* 112. It *Flowers* in *June* and n Ditches, and Water courſes. Water Rocket.

a ſylveſtris *Ger.* Fig. 246. ſylv. vulgatior *Park.* Fig. aij Cat. Angl. & *H. Pl.* 807. *Synopſ.* 112. It *Flow-* *Seeds* from *Midſummer* till *Autumn*, on Brick, and ne-Walls frequently. Wild Rocket.

imum latifolium Neapolitanum *Park. Fig.* 834. *Raij* ngl. & *H. Pl.* 811. *Synopſ.* 113. It *Flowers* about mer, on Walls, and near Path ways. Smooth broad- Hedge-Muſtard.

torium Cannabinum *Park.* Fig. 495. Cannab. mas. *Ger.* . *Raij Cat. Angl.* & *H. Pl.* 293. *Synopſ.* 51. It *Flow-* uly and *Auguſt*, on the brinks of Rivers, and in run- ters. Dutch or Common Hemp Agrimony.

torium Cannabinum fæmina *Ger.* Fig. 711. aquat. generum *Park.* Fig. 595. *Raij Cat. Angl.* & *H. Pl.* 360. 7. It *Flowers* in *July* and *Auguſt*, in ſtanding Pools t Watry places. Water Hemp-Agrimony, with a Leaf.

torium aquaticum fol. integro *Park.* Fig. 595. Cannab. rietas altera *Ger.* 711. *Raij Cat. Angl.* & *H. Pl.* 361. 7. It *Flowers* in *July* and *Auguſt* in moiſt Watry nd ſtanding Pools. Water Hemp-Agrimony with ided Leaf.

D. 16.

Galeopſis vera *Ger.* Fig. 704. legitima Dioſcoridis *Park.* Fig. 608. *Raij Cat. Angl.* & *H. Pl.* 548. *Synopſ.* 80. It *Flowers* about *Midſummer*, in Hedges and Buſhy places. Hedge-Nettle.

Gallium album *Ger.* Fig. 1126. Mollugo vulgatior minor fl. albo *Park.* 565. *Raij Cat. Angl.* & *H. Pl.* 481. *Synopſ.* 73. It *Flowers* in *June* in moiſt Watry places. White Ladies Ped-ſtraw.

Geniſta ſpinoſa vulg. *Ger.* Fig. 1319. *Park.* Fig. 1004. *Raij Cat. Angl.* & *H. Pl.* 1729. *Syn.* 232. It *Flowers* from *May* till *Autumn*, in Heathy and Barren places abundantly. Common Furze, Whins or Gorſe.

Geniſta ſpinoſa minor *Park.* Fig. 1004. aculeata minor ſive Nepa Theophraſti *Ger.* Fig. 1321. *Raij Cat. Angl.* & *H. Pl.* 1729. *Synopſ.* 232. It *Flowreth* a little before *Autumn*, and is to be found with the common. The Leſſer Furze Buſh.

Geniſta aculeata *Ger.* Fig. 1320. Geniſtella aculeata *Park.* Fig. 1004. *Raij Cat. Angl.* & *H. Pl.* 1731. *Synopſ.* 233. It *Flowers* about *Midſummer*, in Barren-Grounds, as *Hamſtead-Heath*, &c. Needle-Furze, or Petty-Whin.

Geniſtella tinctoria *Ger.* Fig. 1316. Geniſta tinct. vulgaris *Park.* Fig. 229. *Raij Cat. Angl.* & *H. Pl.* 1725. *Synopſ.* 232. It *Flowers* in *July* and *Auguſt* in moſt Barren Grounds. Green-weed, Dyers-weed, or Woodwaxen.

Geranium Columbinum majus diſſectis foliis *Ger.* 938. Malacoides laciniatum ſive Columbinum alterum *Park.* 706. *Raij Cat. Angl.* & *H. Pl.* 1059. *Syn.* 155. It *Flowers* in the Spring in Barren Paſtures, and near Hedges. Dove's-foot Cranes-bill, with jagged Leaves.

Geranium moſchatum inodorum *Park.* 708. Cicutæ folio inodorum *Ger.* Fig. 945. *Raij Cat. Angl.* & *H. Pl.* 1057. *Synopſ.* 154. It *Flowers* about *Midſummer* on Sandy Banks, and in Gravelly Grounds. Unſavory Field Cranes-bill.

Gladiolus paluſtris Cordi *Ger.* Fig. 29. Juncus floridus *Park.* Fig. 1197. *Raij Cat. Angl.* & *H. Pl.* 701. *Syn.* 107. It *Flowers* in *June* and *July*, &c. in ſtanding Muddy Waters. The Flowring-Ruſh, or Water-Gladiole.

Gramen Leucanthemum *Ger.* Fig. 47. majus *Park.* Fig. 1325. *Raij Cat. Angl.* 162. *H. Pl.* 1027. *Synopſ.* 146. Frequent in Woods and Buſhy places; flowring in the Spring. Stitch-wort, with large Flowers.

Gramen Leucanthemum alterum *Ger.* 46. minus *Park.* 1324. *Raij Cat. Angl.* 163. *H. Pl.* 1027. *Synopſ.* 146. It *Flowers* in *May* and *June* in Sandy and Buſhy places. The Leſſer Stitchwort.

Hypericum ſupinum glabrum *Ger.* Fig. 541. minus ſupinum *Park.* 572. *Raij Cat. Angl.* & *H. Pl.* 1019. *Synopſ.* 143. It *Flowers* in *June* and *July*, in ſandy barren Grounds. The leaſt Trailing St. John's-wort.

Hypericum 5. ſeu pulchrum *Ger.* 540. minus erectum *Park.* 572. *Raij Cat. Angl.* & *H. Pl.* 1019. *Synopſ.* 143. In low Woods and Heathy places; flowring about *Auguſt*. Small Upright St. John's-wort.

Jacea nigra *Ger.* Fig. 727. nigra vulg. *Park.* Fig. 468. *Raij. Cat. Angl.* & *H. Pl.* 325. *Synopſ.* 55. It's very common in *Meadows*, beginning to Flower about *Midſummer*. Matfellon or Knapweed.

Jacobea Senecionis folio incano perenne *Raij Cat. Angl. Edit.* 2. & *H. Pl.* 285. *Synopſ.* 50. an vulg. minor *Park.* 608? It *Flowers* in *July*, &c. on dry Banks, and in Buſhy places. Hoary perennial Ragwort, with Groundſel-leaves.

Jacobea latifolia paluſtris ſeu aquatica *Raij. Cat. Angl.* & *H. Pl.* 385. *Synopſ* 50. an latifolia *Ger.* Fig. 280? It *Flowers* in *June* and *July* in Trenches, and Watry Meadows. Marſh Ragwort.

E 16

Jacea major *Ger.* Fig. 727. & Scabioſa fl. purpureo *ejuſd.* Fig. 721. nigra vulg. laciniata *Park.* 470. *Raij Cat. Angl.* & *H. Pl.* 325. *Synopſ.* 55. It *Flowers* in *July* and *Auguſt* in Corn-Fields. Great Knapweed, or Matfellon.

Lactuca ſylv. major odore Opii *Ger.* Fig. 309. ſylv. Endiviæ foliis odore viroſo *Park.* Fig. 812. *Raij Cat. Angl.* & *H. Pl.* 219. *Synopſ.* 41. It *Flowers* in *July*, in Hedges, Lane-ſides, and Stony places. Broad leaved ſtrong ſcented Wild Lettice.

Lagopus vulg. *Park.* Fig. 1107. Lagopodium, Pes Leporis *Ger.* Fig. 1193. *Raij Cat. Angl.* & *H. Pl.* 948. *Synopſ.* 135. It *Flowers* in *June*, *July*, &c. amongſt Corn, and in Sandy barren Grounds. Hares-foot, or Hares-foot Trefoil.

Lamium luteum *Ger.* Fig. 702. *Park.* Fig. 606. *Raij Cat. Angl.* & *H. Pl.* 560. *Synopſ.* 82. It *Flowers* in *May* and *June*, in Woods and ſhadowy places. Yellow Archangel.

Lamium perfoliatum vulgare *Nobis.* Alſine Hederula altera *Ger.* Fig. 616. Hederulæ folio major *Park.* Fig. 762. *Raij Cat. Angl.* & *H. Pl.* 560. *Synopſ.* 82. It *Flowers* about *Midſummer* in *Kitchin-Gardens* and Tilled Grounds. Great Henbit.

Lapathum acutum minus *Park.* 1226. acuti varietas folio criſpo *Ger.* 387. *Raij Cat. Angl.* & *H. Pl.* 173. *Synopſ.* 30. It *Flowers* and *Seeds* from *June* till *September*, in Rivulets and Watry Ditches plentifully. Sharp pointed Dock, with curled Leaves.

Lapathum pulchrum Bononienſe ſinuatum *J. B. Tom.* 2. *Lib.* 23. *pag.* 688. *Raij Cat. Angl.* & *H. Pl.* 174. *Synopſ.* 31. It *Flowers* and *Seeds* from *June* till *Autumn* in ſeveral barren Grounds about *London* and elſewhere. Fiddle Dock.

Luteola *Ger.* Fig. 594. vulg. *Park.* Fig. 603. *Raij Cat. Angl.* & *H. Pl.* 1054. *Synopſ.* 153. It *Flowers* in *June* and *July*, on Walls, waſte Grounds, and in Fallow-Fields. Wild Woad, yellow Weed, and Dyers-weed.

Lychnis ſylveſtris fl. albo *Ger.* 468. *Park.* Fig. 631. *Raij Cat. Angl.* & *H. Pl.* 994. *Synopſ.* 140. It *Flowers* from *May* till *Auguſt*, in the borders of plowed Fields, Meadows, and Ditch banks. White flowred wild Campion.

Lychnis ſylv. rubello flore *Ger.* Fig. 469. ſylv. fl. rubro *Park.* Fig. 631. *Raij Cat. Angl.* & *H. Pl.* 994. *Synopſ.* 140. It *Flowers* the moſt part of the Summer in Hedges and moiſt Ditches frequently. Red flowred wild Campion.

Lyſimachia galericulata *Ger.* Fig. 477. Gratiola cærulea ſeu latifolia major *Park.* Fig. 631. *Raij Cat. Angl.* & *H. Pl.* 572. *Synopſ.* 84. It *Flowers* in *July* and *Auguſt* in running Ditches, and by Waters ſides. The Greater hooded Willow-Herb.

Lyſimachia lutea *Ger.* Fig. 474. lutea maj. vulg. *Park.* Fig. 544. *Raij Cat. Angl.* & *H. Pl.* 1021. *Synopſ.* 144. It *Flowers* from *June* till *Auguſt* in moiſt Meadows, and by Waters ſides. Yellow Willow Herb, or Looſeſtrife.

Lyſimachia purpurea ſpicata *Ger.* Fig. 476. *Park.* Fig. 546. *Raij Cat. Angl.* & *H. Pl.* 1036. *Synopſ.* 149. It *Flowers* in *June* and *July* in moiſt Ditches, and near running Waters. Purple ſpiked Willow Herb, or Looſeſtrife.

Lyſimachia purpurea trifolia caule hexagono *Spigel. Iſag. Raij Cat. Angl.* & *Synopſ.* 149. It grows in the ſame places, and Flowers at the ſame time with the *Common Purple ſpiked Willow Herb*. Three leaved Purple ſpiked Looſeſtrife.

Lyſimachia campeſtris *Ger.* Fig. 478. ſiliquoſa major *Park.* Fig. 548. *Raij Cat. Angl.* & *H. Pl.* 861. *Synopſ.* 123. In moiſt gravelly Gardens, Walks, and Woods, flowring a little after *Midſummer*. The Greater ſmooth leaved, codded Willow Herb, or Looſeſtrife.

Lyſimachia ſiliquoſa glabra media ſive minor *Ger.* 479. *Raij Cat. Angl.* & *H. Pl.* 867. *Synopſ.* 123. It's found uſually by Rivers and Ditch ſides; flowring in *July* and *Auguſt*. Middle ſmooth leaved codded Willow-Herb, or Looſeſtrife.

E 16

Lyſimachia ſiliquoſa glabra anguſtifolia *Ger.* 479. *Raij Cat. Angl.* & *H. Pl.* 862. *Synopſ.* 124. It *Flowers* in *July* and *Auguſt* in Marſh and Watry Meadows. The Leaſt ſmooth leaved Codded Willow-Herb, or Looſeſtrife.

Lyſimachia ſiliquoſa hirſuta magno flore *C. B.* pin. 245. ſiliquoſa *Ger.* Fig. 476. *Raij Cat. Angl.* & *H. Pl.* 861. *Synopſ.* 123. Near running Ditches and River ſides; Flowring in *July* and *Auguſt*. Great hairy codded Looſeſtrife, by ſome Codlings and Cream.

Lyſimachia ſiliquoſa hirſuta parvo flore *C. B.* pin. 245. ſylvatica ſeu 12. *Ger.* 479. an ſiliquoſa ſylv. hirſuta *Park.* 549? It *Flowers* about the ſame time, and is to be found in the ſame places with that called *Codlings and Cream*. The Leſſer hairy codded Looſeſtrife, or Willow-Herb, with ſmall Flowers.

Malva ſylveſtris pumila *Ger.* Fig. 930. ſylv. minor *Park.* 299. *Raij Cat. Angl.* & *H. Pl.* 599. *Synopſ.* 88. It *Flowers* from *June* till *Autumn*, in Kitchin-Gardens, Untilled places, and near Pathways. Small wild Mallow, or Dwarf Mallow.

Marrubium aquaticum *Ger.* Fig. 700. aq. vulg. *Park.* Fig. 1230. *Raij Cat. Angl.* & *H. Pl.* 535. *Synopſ.* 79. It *Flowers* in *July* and *Auguſt* in Rivers and Watry places. Water Horehound.

Melampyrum luteum latifolium *C. B.* pin. 234. Crateogonon vulg. *Park.* Fig. 1326. album *Ger.* Fig. 91. *Raij Cat. Angl.* & *H. Pl.* 775. *Synopſ.* 108. In low barren heathy Woods, as *Hampſtead-Heath*, and ſuch like places; flowring from *May* till *Auguſt*. Common yellow Cow-Wheat.

Mentha aquatica rubra *Park.* Fig. 1243. aq. ſive Siſymbrium *Ger.* Fig. 684. *Raij Cat. Angl.* & *H. Pl.* 1101. *Synopſ.* 162: It *Flowers* in *July* and *Auguſt* in watry Ditches, and on the ſides of Brooks frequently. Water-Mint.

Milleſolium aquaticum floridum ſive Viola aquatica *Park.* Fig. 1256. Viola paluſtris *Ger.* Fig. 826. *Raij Cat. Angl.* & *H. Pl.* 1101. *Synopſ.* 162. In muddy and ſlow running Waters; flowring in *May* and *June*. Water-Violet.

Milleſolium fl. rubro *Ger.* Fig. 1072. rubrum vulg. *Park.* 693. *Raij Cat. Angl.* & *H. Pl.* 346. *Syn.* 56. It *Flowers* from *June* till *Autumn* in the ſame places with the common. Purple flowered Yarrow, or Milfoil.

Mollugo montana minor Gallio albo ſimilis *Raij Cat. Angl.* & *H. Pl.* 482. *Synopſ.* 74. It *Flowers* about *Midſummer*, on Mountainous and Heathy Grounds, and alſo in Marſhy places. Small Mountain Baſtard Madder.

Myoſotis ſcorpioides arvenſis hirſuta *Ger.* Fig. 337. ſcorp. hirſuta *Park.* Fig. 691. *Raij Cat. Angl.* & *H. Pl.* 504. *Synopſ.* 77. It *Flowers* in *June* and *July* in Gardens and dry barren Grounds. Mouſe-ear Scorpion-graſs.

Myoſotis ſcorpioides minor floſculis luteis *Park.* 692. *Raij Cat. Angl.* & *H. Pl.* 504. *Synopſ.* 77. It *Flowers* in *April* and *May* in ſandy barren Paſtures. Small yellow flowered Scorpion-graſs.

Myoſotis ſcorpioides paluſtris *Ger.* Fig. 337. ſcorp. repens *Park.* Fig. 691. *Raij Cat. Angl.* & *H. Pl.* 504. *Synopſ.* 77. It *Flowers* in *June* and *July* in Rivulets and Watry Ditches. Water Scorpion-graſs.

Myrrhis ſylveſtris Neapolitana & etiam Anglicana *Park.* 935. Cereſolium 5 ſive Myrrhis nova Æquicolorum Columnæ *Ger.* 1038. *Raij Cat. Angl.* & *H. Pl.* 469. *Synopſ.* 71. It *Flowers* and *Seeds* in *May* and *June*, on Ditch-banks and near High-ways plentifully. Small Hemlock Cherbil, with rough Seeds.

Oenanthe paluſtris ſive aquatica *Park.* 895. & aq. major *Ejuſd.* Fig. 1233. Filipendula aq. *Ger.* Fig. 1060. *Raij Cat. Angl.* & *H. Pl.* 441. *Synopſ.* 65. It *Flowers* in *May* and *June* in Marſhy Meadows, and near Rivers. Great water Dropwort.

G. 15.